Posterior Predictive Check

Model−predicted lines should resemble observed data line



Linearity

Reference line should be flat and horizontal



Homogeneity of Variance

Reference line should be flat and horizontal



Collinearity

High collinearity (VIF) may inflate parameter uncertainty



Normality of Residuals

Dots should fall along the line



Normality of Random Effects (Site)

Dots should be plotted along the line



Normality of Random Effects (Date)

Dots should be plotted along the line



Posterior Predictive Check

Model−predicted lines should resemble observed data line



Linearity

Reference line should be flat and horizontal



Homogeneity of Variance

Reference line should be flat and horizontal



Collinearity

High collinearity (VIF) may inflate parameter uncertainty



Normality of Residuals

Dots should fall along the line



Normality of Random Effects (Site)

Dots should be plotted along the line



Normality of Random Effects (Date)

Dots should be plotted along the line



Posterior Predictive Check

Model−predicted lines should resemble observed data line



Linearity

Reference line should be flat and horizontal



Homogeneity of Variance

Reference line should be flat and horizontal



Collinearity

High collinearity (VIF) may inflate parameter uncertainty



Normality of Residuals

Dots should fall along the line



Normality of Random Effects (Site)

Dots should be plotted along the line



Posterior Predictive Check
Model−predicted lines should resemble observed data line
Density
PercWet
Observed data
Model−predicted data
Homogeneity of Variance
Reference line should be flat and horizontal
√|Std. residuals|
Fitted values
Collinearity
High collinearity (VIF) may inflate parameter uncertainty
Variance Inflation Factor (VIF, log−scaled)
avgPar
ET_mm_day
PPT_14d
water.temp
Low (< 5)
Uniformity of Residuals
Dots should fall along the line
Sample Quantiles
Standard Uniform Distribution Quantiles
Normality of Random Effects (Site)
Dots should be plotted along the line
RE Quantiles
Theoretical Quantiles
Normality of Random Effects (Date)
Dots should be plotted along the line
RE Quantiles
Theoretical Quantiles

Posterior Predictive Check

Model−predicted lines should resemble observed data line



Linearity

Reference line should be flat and horizontal



Homogeneity of Variance

Reference line should be flat and horizontal



Collinearity

High collinearity (VIF) may inflate parameter uncertainty



Normality of Residuals

Dots should fall along the line



Normality of Random Effects (Site)

Dots should be plotted along the line



Posterior Predictive Check

Model−predicted lines should resemble observed data line



Linearity

Reference line should be flat and horizontal



Homogeneity of Variance

Reference line should be flat and horizontal



Collinearity

High collinearity (VIF) may inflate parameter uncertainty



Normality of Residuals

Dots should fall along the line



Normality of Random Effects (Site)

Dots should be plotted along the line



Posterior Predictive Check

Model−predicted lines should resemble observed data line



Homogeneity of Variance

Reference line should be flat and horizontal



Collinearity

High collinearity (VIF) may inflate parameter uncertainty



Uniformity of Residuals

Dots should fall along the line



Normality of Random Effects (Site)

Dots should be plotted along the line



Normality of Random Effects (Date)

Dots should be plotted along the line



Posterior Predictive Check

Model−predicted lines should resemble observed data line



Linearity

Reference line should be flat and horizontal



Homogeneity of Variance

Reference line should be flat and horizontal



Collinearity

High collinearity (VIF) may inflate parameter uncertainty



Normality of Residuals

Dots should fall along the line



Normality of Random Effects (Site)

Dots should be plotted along the line