Posterior Predictive Check

Model−predicted lines should resemble observed data line



Linearity

Reference line should be flat and horizontal



Homogeneity of Variance

Reference line should be flat and horizontal



Collinearity

High collinearity (VIF) may inflate parameter uncertainty



Normality of Residuals

Dots should fall along the line



Normality of Random Effects (Site)

Dots should be plotted along the line



Normality of Random Effects (Date)

Dots should be plotted along the line



Posterior Predictive Check

Model−predicted lines should resemble observed data line



Linearity

Reference line should be flat and horizontal



Homogeneity of Variance

Reference line should be flat and horizontal



Collinearity

High collinearity (VIF) may inflate parameter uncertainty



Normality of Residuals

Dots should fall along the line



Normality of Random Effects (Site)

Dots should be plotted along the line



Normality of Random Effects (Date)

Dots should be plotted along the line



Posterior Predictive Check

Model−predicted lines should resemble observed data line



Linearity

Reference line should be flat and horizontal



Homogeneity of Variance

Reference line should be flat and horizontal



Collinearity

High collinearity (VIF) may inflate parameter uncertainty



Normality of Residuals

Dots should fall along the line



Normality of Random Effects (Site)

Dots should be plotted along the line



Normality of Random Effects (Date)

Dots should be plotted along the line



Posterior Predictive Check

Model−predicted lines should resemble observed data line



Linearity

Reference line should be flat and horizontal



Homogeneity of Variance

Reference line should be flat and horizontal



Collinearity

High collinearity (VIF) may inflate parameter uncertainty



Normality of Residuals

Dots should fall along the line



Normality of Random Effects (Site)

Dots should be plotted along the line



Normality of Random Effects (Date)

Dots should be plotted along the line



Posterior Predictive Check

Model−predicted lines should resemble observed data line



Linearity

Reference line should be flat and horizontal



Homogeneity of Variance

Reference line should be flat and horizontal



Collinearity

High collinearity (VIF) may inflate parameter uncertainty



Normality of Residuals

Dots should fall along the line



Normality of Random Effects (Site)

Dots should be plotted along the line



Posterior Predictive Check

Model−predicted lines should resemble observed data line



Linearity

Reference line should be flat and horizontal



Homogeneity of Variance

Reference line should be flat and horizontal



Collinearity

High collinearity (VIF) may inflate parameter uncertainty



Normality of Residuals

Dots should fall along the line



Normality of Random Effects (Site)

Dots should be plotted along the line



Posterior Predictive Check

Model−predicted lines should resemble observed data line



Linearity

Reference line should be flat and horizontal



Homogeneity of Variance

Reference line should be flat and horizontal



Collinearity

High collinearity (VIF) may inflate parameter uncertainty



Normality of Residuals

Dots should fall along the line



Normality of Random Effects (Site)

Dots should be plotted along the line



Normality of Random Effects (Date)

Dots should be plotted along the line



Posterior Predictive Check

Model−predicted lines should resemble observed data line



Linearity

Reference line should be flat and horizontal



Homogeneity of Variance

Reference line should be flat and horizontal



Collinearity

High collinearity (VIF) may inflate parameter uncertainty



Normality of Residuals

Dots should fall along the line



Normality of Random Effects (Site)

Dots should be plotted along the line