

4


3

2

1

REVISIONS			
REV	DESCRIPTION	APPROVED	DATE
REV	SWL AMMEDNED TO REFLECT S.E.S.C. LOAD CERTIFICATION		

B



SCALE 1 : 5

ITEM NO.	DESCRIPTION	MATERIAL	SHEET NO.	QTY.
1	WORK SURFACE TOP	1/8" MILD STEEL PLATE	2	1
2	WORK SURFACE SKIRT	1/8" MILD STEEL PLATE	3	1
3	WORK SURFACE FRAME	1.5" X 1.5" X .12" SQUARE TUBE	3	1
4	FRAME SUPPORT	1.5" X 1.5" X .12" SQUARE TUBE	4	3
5	SUPPORT FOOT	1.75" X 1.75" X 0.25" ANGLE IRON	4	3

NOTES:

- REMOVE ALL BURRS AND BREAK SHARP EDGES (MAX 0.05 X 45°)
- ALL WELDS TO CONFORM TO CWA W59 STANDARD
- ITEMS 1, 2, & 4 TO BE WELDED TO ITEM 3 RESPECTIVELY AS SHOWN
- ALL TOLLERNCES ±0.05 UNLESS OTHERWISE STATED
- SWL: 250LBS

DRAWN BY  
C. MCNEILL

DATE  
08/18/22

TITLE

RB BUILD PLATFORM  
WORK SURFACE

UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES AND  
TOLERANCES ARE::  
DIMENSIONS X.X ± 0.05  
X.XX ± 0.01  
X.XXX ± 0.005  
ANGLES ±2

4

3

2

1

A

A



4

3


2

1

ITEM 1: WORK SURFACE TOP

REVISIONS			
REV	DESCRIPTION	APPROVED	DATE

2 x Ø 0.41 THRU  
✓ Ø 0.78 X 82°  
4 x PATTERNED FEATURE  
40.0 ON CENTER



- NOTES:**
- REMOVE ALL BURRS AND BREAK SHARP EDGES (MAX 0.05 X 45°)
  - MATERIAL: 1/8" MILD STEEL PLATE
  - ALL TOLLERENCES ±0.05 UNLESS OTHERWISE STATED

DRAWN BY  
C. MCNEILL

DATE  
08/18/22

TITLE

RB BUILD PLATFORM  
WORK SURFACE

UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES AND  
TOLERANCES ARE::  
DIMENSIONS X.X ± 0.05  
X.XX ± 0.01  
X.XXX ± 0.005  
ANGLES ±2


4

3


2

1

### ITEM 2: WORK SURFACE SKIRT



### ITEM 3: WORK SURFACE FRAME



REVISIONS			
REV	DESCRIPTION	APPROVED	DATE

#### NOTES:

- REMOVE ALL BURRS AND BREAK SHARP EDGES (MAX 0.05 X 45°)
- ALL WELDS TO CONFORM TO CWA W59 STANDARD
- MATERIAL:
  - ITEM 2: 1/8" MILD STEEL PLATE
  - ITEM 3: 1.5" X 1.5" X .12" SQUARE TUBE
- ALL TOLLERENCES  $\pm 0.05$  UNLESS OTHERWISE STATED

DRAWN BY  
C. MCNEILL

DATE  
08/18/22

TITLE

RB BUILD PLATFORM  
WORK SURFACE

UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES AND  
TOLERANCES ARE::  
DIMENSIONS X.X  $\pm 0.05$   
X.XX  $\pm 0.01$   
X.XXX  $\pm 0.005$   
ANGLES  $\pm 2$



4

3

2

1


ITEM 4: FRAME SUPPORT

ITEM 5: SUPPORT FOOT



REVISIONS

REV	DESCRIPTION	APPROVED	DATE


B



B



SCALE 1 : 1



A

NOTES:

- REMOVE ALL BURRS AND BREAK SHARP EDGES (MAX 0.05 X 45°)
- ALL WELDS TO CONFORM TO CWA W59 STANDARD
- MATERIAL:
  - ITEM 4: 1.5" X 1.5" X .12" SQUARE TUBE
  - ITEM 5: 1.75" X 1.75" X 0.25" ANGLE IRON
- ALL TOLLERENCES ±0.05 UNLESS OTHERWISE STATED

DRAWN BY  
C. MCNEILL

DATE  
08/18/22

TITLE

RB BUILD PLATFORM  
WORK SURFACE

UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES AND  
TOLERANCES ARE:  
DIMENSIONS X.X ± 0.05  
X.XX ± 0.01  
X.XXX ± 0.005  
ANGLES ±2

4

3

2

1

A

4

3


2

1

REVISIONS			
REV	DESCRIPTION	APPROVED	DATE

B

B



A

A

- NOTES:**
- REMOVE ALL BURRS AND BREAK SHARP EDGES (MAX 0.05 X 45°)
  - ALL WELDS TO CONFORM TO CWA W59 STANDARD
  - ALL TOLLERENCES  $\pm 0.05$  UNLESS OTHERWISE STATED
  - ASSEMBLY TO BE BOLTED TO RAILING OF RB211 ELEVATING WORK PLATFORM USING GRADE 5 3/8" BOLTS

DRAWN BY  
C. MCNEILL

DATE  
08/18/22

TITLE  
RB BUILD PLATFORM  
WORK SURFACE

UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES AND  
TOLERANCES ARE::  
DIMENSIONS X.X  $\pm 0.05$   
X.XX  $\pm 0.01$   
X.XXX  $\pm 0.005$   
ANGLES  $\pm 2$

4

3

2

1