NOTES:

В

- TO BE MANUFACTURED BY CRATEX
- ITEMS 1-4 TO BE MANUFACTURED FROM STANDARD DIMENSIONED LUMBER


2

- BREAK ALL SHARP EDGES (MIN R0.10)
- MC-#: MCMASTER CARR OR EQUIVALENT





SECTION A-A SCALE 1:12

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1		Nozzle Support Fixture	1
2		Fixture Base	1
3		Fixture Spacers	4
4		Spring Seal Clamp Fixture	1
5	MC- 91253A642	Black-Oxide Alloy Steel Hex Drive Flat Head Screw	4
6	MC- 95505A603	Medium-Strength Steel Hex Nut	4
7	L43945G02	Dummy HPTS STG 1	1



2






2

REVISIONS


REV DESCRIPTION APPROVED DATE

В




NOTES:

- 4X ITEM 3 TO BE FASTENED TANGENT TO INNER DIAMETER OF ITEM 1 W 90° SPACING, AND 45° OFFSET FROM BOLT HOLE FEATURES
- HARDWARE AT MANUFACTURERS DISCRETION
- BREAK ALL SHARP EDGES (MIN R0.10)



BROKEN-OUT DETAIL B SCALE 1:2



 $\overline{}$

2

1