


4		
ITEM NO.	DESCRIPTION	QTY.
1	2x10 x 69"L	4
2	2x4 x 73"L	6
3	2x4 x 29.25"L	10
4	2x4 x 38"L	10
5	2x4 x 31.25"L	12
6	2x4 x 35"L	4
7	4x4 x 42"L	4
8	73" x 36.25" x 0.5" Plywood	2
9	38" x 36.25" x 0.5" Plywood	2
10	73" x 42" x 0.75" Plywood	1
11	38" x 17.38" x 1" Plywood w/ 5.25" Saddle	2
12	38" x 17.38" x 1" Plywood w/ 12.75" Saddle	2
13	38" x 17.38" x 1" Plywood w/ 4.25" Saddle	2
14	0.25" Rubber	2
15	0.25" Rubber	2
16	1" Foam	2
17	2" Foam End Inserts	2
18	MC-1406A71 - Turn-to-Open Draw Latch	2
19	MC-1530A32 - Hinge	3
20	MC-90610A725 - Square-Drive Flat Head Screws for Wood	28



- NOTES:**
- ALL TOLERANCES ± 0.125 INCHES UNLESS OTHERWISE STATED
 - REMOVE ALL SHARP EDGES AND SPLINTERS
 - ITEMS 1-13 CUT FROM STANDARD DIMENSION LUMBER INDICATED BY BILL OF MATERIALS
 - MC-#: PARTS FROM MCMASTER CARR OR EQUIVILENT
 - STORAGE CRATE WEIGHT CAPACITY: 400lbs
 - STENCIL TCT LOGO, CRATE DIMENSIONS, FRAGILE, THIS SIDE UP AND KEEP DRY SHIPPING SYMBOLS

DRAWN BY
C. MCNEILL

DATE
07/11/22

TITLE
**AVON COMPRESSOR
SHAFT STORAGE CRATE**

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES AND
TOLERANCES ARE::
DIMENSIONS X.X \pm 0.05
X.XX \pm 0.01
X.XXX \pm 0.005
ANGLES ± 2


4

3


2

1


REVISIONS			
REV	DESCRIPTION	APPROVED	DATE



A - SHEET 3



B - SHEET 4



- NOTES:**
- ALL TOLERANCES ± 0.125 INCHES UNLESS OTHERWISE STATED
 - REMOVE ALL SHARP EDGES AND SPLINTERS
 - ITEMS 1-13 CUT FROM STANDARD DIMENSION LUMBER INDICATED BY BILL OF MATERIALS
 - ITEMS 1-13 ASSEMBLED USING APPROPRIATE HARDWARE AT MANUFACTURER'S DISCRETION

DRAWN BY
C. MCNEILL

DATE
07/11/22

TITLE
**AVON COMPRESSOR
SHAFT STORAGE CRATE**

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES AND
TOLERANCES ARE::
DIMENSIONS X.X \pm 0.05
 X.XX \pm 0.01
 X.XXX \pm 0.005
ANGLES \pm 2

4

3


2

1

REVISIONS

REV	DESCRIPTION	APPROVED	DATE

SECTION A-A



NOTES:

- ALL TOLERANCES ± 0.125 INCHES UNLESS OTHERWISE STATED
- REMOVE ALL SHARP EDGES AND SPLINTERS
- ITEMS 1-13 CUT FROM STANDARD DIMENSION LUMBER INDICATED BY BILL OF MATERIALS
- ITEMS 1-13 ASSEMBLED USING APPROPRIATE HARDWARE AT MANUFACTURER'S DISCRETION

DRAWN BY
C. MCNEILL

DATE
07/11/22

TITLE
**AVON COMPRESSOR
SHAFT STORAGE CRATE**

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES AND
TOLERANCES ARE::
DIMENSIONS X.X ± 0.05
X.XX ± 0.01
X.XXX ± 0.005
ANGLES ± 2

4

3


2

1

REVISIONS

REV	DESCRIPTION	APPROVED	DATE

SECTION B-B



- NOTES:**
- ALL TOLERANCES ± 0.125 INCHES UNLESS OTHERWISE STATED
 - REMOVE ALL SHARP EDGES AND SPLINTERS
 - ITEMS 1-13 CUT FROM STANDARD DIMENSION LUMBER INDICATED BY BILL OF MATERIALS
 - ITEMS 1-13 ASSEMBLED USING APPROPRIATE HARDWARE AT MANUFACTURER'S DISCRETION

DRAWN BY C. MCNEILL	DATE 07/11/22	TITLE AVON COMPRESSOR SHAFT STORAGE CRATE
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND TOLERANCES ARE:: DIMENSIONS X.X \pm 0.05 X.XX \pm 0.01 X.XXX \pm 0.005 ANGLES \pm 2		

4

3

2

1

