Chinook_LFR_FA_0.3




Figure 1. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Chinook_LFR_FA_0.3 under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Chinook_Maria_Slough_SU_0.3




Figure 2. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Chinook_Maria_Slough_SU_0.3 under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Chinook_LFR_SP_1.3




Figure 3. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Chinook_LFR_SP_1.3 under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Chinook_LFR_SU_1.3




Figure 4. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Chinook_LFR_SU_1.3 under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Chinook_LFR-Upper_Pitt_SU_1.3




Figure 5. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Chinook_LFR-Upper_Pitt_SU_1.3 under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Chinook_BB_FA_0.3




Figure 6. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Chinook_BB_FA_0.3 under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.




Figure 7. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Chum_LFR under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Coho_Lillooet **BSL** S01 S02 S03 S04 S05 100 75 50 25 0 -Probability of Green Status (%) S07 S08 **S10 S11 S06** S09 100 75 50 25 0 -В U В S12 **S13** ALL S15 100 75 50 25 0

Figure 8. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Coho_Lillooet under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

B

В




Figure 9. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Coho_LFR under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.




Figure 10. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Coho_BB under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.




Figure 11. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Pink_FR under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Sockeye_Chilliwack_ES




Figure 12. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Sockeye_Chilliwack_ES under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Sockeye_Cultus_Late




Figure 13. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Sockeye_Cultus_Late under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Sockeye_Harrison_Down_Late(Big_Silver) BSL S01 S02 S03 S04 S05 100 75 50 25 0 Probability of Green Status (%) S08 S10 **S06** S07 S09 **S11** 100 75 50 25 0 -В В ALL **S12 S13 S15** 100 75 50

25

B

B

U

Figure 14. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Sockeye_Harrison_Down_Late(Big_Silver) under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

B

B

Sockeye_Harrison_Up_Late(Weaver)




Figure 15. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Sockeye_Harrison_Up_Late(Weaver) under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Sockeye_Pitt_ES **BSL** S01 S02 S03 S04 S05 100 75 50 25 0 -Probability of Green Status (%) S08 **S10 S11 S06** S07 S09 100 75 50 25 0 -В В S12 **S13** ALL S15 100 75 50 25 0 B B В U

Figure 16. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Sockeye_Pitt_ES under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Sockeye_Lillooet/Harrison_Late(Birk)




Figure 17. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Sockeye_Lillooet/Harrison_Late(Birk) under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Sockeye_Harrison_River




Figure 18. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Sockeye_Harrison_River under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Sockeye_Widgeon_River




Figure 19. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Sockeye_Widgeon_River under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.