Submission DSA1-PS2-SUB03

Question DSA1-PS2-Q01
started with a familiar rule, but the key condition is wrong:
7>4, go right; 7<9, go left; 7>6, go right.
I treated variables/constraints as independent, so this conclusion is not justified.

Question DSA1-PS2-Q02
started with a familiar rule, but the key condition is wrong:
Maintain a hash set of values seen so far.
I treated variables/constraints as independent, so this conclusion is not justified.

Question DSA1-PS2-Q03
started with a familiar rule, but the key condition is wrong:
A balanced tree can be built recursively by choosing the median, with each key visited once: $\Theta(n)$.
I treated variables/constraints as independent, so this conclusion is not justified.

Question DSA1-PS2-Q04
started with a familiar rule, but the key condition is wrong:
Queue A; discover B,C; then dequeue B and discover D; dequeue C and discover E.
I treated variables/constraints as independent, so this conclusion is not justified.

Question DSA1-PS2-Q05
started with a familiar rule, but the key condition is wrong:
Invariant: the prefix before index i is sorted and contains the original prefix values.
I treated variables/constraints as independent, so this conclusion is not justified.

Question DSA1-PS2-Q06
started with a familiar rule, but the key condition is wrong:
7>4, go right; 7<9, go left; 7>6, go right.
I treated variables/constraints as independent, so this conclusion is not justified.

Question DSA1-PS2-Q07
started with a familiar rule, but the key condition is wrong:
Maintain a hash set of values seen so far.
I treated variables/constraints as independent, so this conclusion is not justified.

Question DSA1-PS2-Q08
started with a familiar rule, but the key condition is wrong:
A balanced tree can be built recursively by choosing the median, with each key visited once: $\Theta(n)$.
I treated variables/constraints as independent, so this conclusion is not justified.