Submission DSA1-MID-SUB04

Question DSA1-MID-Q01
1st step / setup:
7>4, go right; 7<9, go left; 7>6, go right.
then substitute ...
= ______ (ran out / not finished)

Question DSA1-MID-Q02
1st step / setup:
Maintain a hash set of values seen so far.
then substitute ...
= ______ (ran out / not finished)

Question DSA1-MID-Q03
1st step / setup:
A balanced tree can be built recursively by choosing the median, with each key visited once: $\Theta(n)$.
then substitute ...
= ______ (ran out / not finished)

Question DSA1-MID-Q04
1st step / setup:
Queue A; discover B,C; then dequeue B and discover D; dequeue C and discover E.
then substitute ...
= ______ (ran out / not finished)

Question DSA1-MID-Q05
1st step / setup:
Invariant: the prefix before index i is sorted and contains the original prefix values.
then substitute ...
= ______ (ran out / not finished)

Question DSA1-MID-Q06
1st step / setup:
7>4, go right; 7<9, go left; 7>6, go right.
then substitute ...
= ______ (ran out / not finished)

Question DSA1-MID-Q07
1st step / setup:
Maintain a hash set of values seen so far.
then substitute ...
= ______ (ran out / not finished)

Question DSA1-MID-Q08

1st step / setup:

A balanced tree can be built recursively by choosing the median, with each key visited once: $\Theta(n)$.

then substitute ...

= _______ (ran out / not finished)