

TABLE 1 - WALL FIXINGS

| WALL TYPE   | FIXING            |
|-------------|-------------------|
| CONCRETE    | HILTI HUS-3 H6x40 |
| METAL STUD  | 10G TEK 16 TPI    |
| TIMBER STUD | 10Gx50mm SCREW    |

**FIXED PERIMETER CONNECTION** 

TOP CROSS RAIL

**OPTION 1: SHADOWLINE** 

FLOATING PERIMETER CONNECTION TOP CROSS RAIL **OPTION 1: SHADOWLINE** 

NOTES: 1. SUSPENSION WIRE PLACEMENT TO BE IN ACCORDANCE WITH GRID MANUFACTURER'S SPEC

2. INSTALL ANCHORS IN ACCORDANCE WITH MANUFACTURER'S SPEC

3. REPRESENTATIVE ONLY. SEE BREVITY FOR **DETAILS** 

4. ANY CHANGES ON SITE TO BE APPROVED BY BREVITY

5. ACOUSTICS & FIRE PERIMETER GAP DESIGN REQUIREMENTS TO BE **CONFIRMED BY OTHERS** 

## **Brevity**

Victoria Park Market, Unit 72B. 210 Victoria Street West Auckland 1010

+64 9 216 7104 www.teambrevity.com

| ſ | Tolerances<br>(unless | 1-100 | <1000 | >1000 |
|---|-----------------------|-------|-------|-------|
|   | specified)            | ± 2   | ± 10  | ± 70  |

All dim. in mm




| Rev  |             | Description |          |
|------|-------------|-------------|----------|
| Α    | FOR CONSENT |             |          |
|      |             |             |          |
|      |             |             |          |
|      |             |             |          |
| Desi | gned        | BREVITY LTD | 16/01/23 |
| Drav | vn          | BREVITY LTD | 16/01/23 |

RONDO KEYLOCK PERIMETER CONNECTIONS

Do not Scale

DRG No 1 OF 4 050-10A



TIMBER STUD

10Gx50mm SCREW

NOTES: 1. SUSPENSION WIRE PLACEMENT TO BE IN ACCORDANCE WITH GRID MANUFACTURER'S SPEC

2. INSTALL ANCHORS IN

ONLY. SEE BREVITY FOR

4. ANY CHANGES ON SITE

PERIMETER GAP DESIGN REQUIREMENTS TO BE CONFIRMED BY OTHERS

## **Brevity**

| Tolerances<br>(unless | 1-100 | <1000 | >1000 |
|-----------------------|-------|-------|-------|
| specified)            | ± 2   | ± 10  | ± 70  |



| Rev      | Description |             |          |
|----------|-------------|-------------|----------|
| Α        | FOR CONSENT |             |          |
|          |             |             |          |
|          |             |             |          |
|          |             |             |          |
| Designed |             | BREVITY LTD | 16/01/23 |
| Drawn    |             | BREVITY LTD | 16/01/23 |

| RONDO KEYLOCK        |    |
|----------------------|----|
|                      |    |
| PERIMETER CONNECTION | ٧S |

Do not Scale DRG No

2 OF 4 050-10A




TABLE 1 - WALL FIXINGS

| WALL TYPE   | FIXING            |
|-------------|-------------------|
| CONCRETE    | HILTI HUS-3 H6x40 |
| METAL STUD  | 10G TEK 16 TPI    |
| TIMBER STUD | 10Gx50mm SCREW    |

FURRING CHANNEL

OPTION 1: SHADOWLINE

FLOATING PERIMETER CONNECTION **FURRING CHANNEL OPTION 1: SHADOWLINE** 

NOTES: 1. SUSPENSION WIRE

PLACEMENT TO BE IN ACCORDANCE WITH GRID MANUFACTURER'S SPEC

2. INSTALL ANCHORS IN ACCORDANCE WITH MANUFACTURER'S SPEC

3. REPRESENTATIVE ONLY. SEE BREVITY FOR DETAILS

4. ANY CHANGES ON SITE TO BE APPROVED BY **BREVITY** 

5. ACOUSTICS & FIRE PERIMETER GAP DESIGN REQUIREMENTS TO BE CONFIRMED BY OTHERS

## **Brevity**

Victoria Park Market, Unit 72B. 210 Victoria Street West Auckland 1010

+64 9 216 7104 www.teambrevity.com

| Tolerances<br>(unless | 1-100 | <1000 | >1000 |
|-----------------------|-------|-------|-------|
| specified)            | ± 2   | ± 10  | ± 70  |

All dim. in mm



| Rev   | Description |             |          |
|-------|-------------|-------------|----------|
| Α     | FOR CONSENT |             |          |
|       |             |             |          |
|       |             |             |          |
|       |             |             |          |
| Desi  | gned        | BREVITY LTD | 16/01/23 |
| Drawn |             | BREVITY LTD | 16/01/23 |

| RONDO KEYLOCK         |
|-----------------------|
| PERIMETER CONNECTIONS |

Do not Scale

DRG No 3 OF 4 050-10A

