


**FLOATING TRANSITION CONNECTION
FURRING CHANNEL ORIENTATION 1**



**FLOATING TRANSITION CONNECTION
FURRING CHANNEL ORIENTATION 2**

- NOTES:
1. SUSPENSION WIRE PLACEMENT TO BE IN ACCORDANCE WITH GRID MANUFACTURER'S SPEC
 2. INSTALL ANCHORS IN ACCORDANCE WITH MANUFACTURER'S SPEC
 3. REPRESENTATIVE ONLY. SEE BREVITY FOR DETAILS
 4. ANY CHANGES ON SITE TO BE APPROVED BY BREVITY
 5. ACOUSTICS & FIRE PERIMETER GAP DESIGN REQUIREMENTS TO BE CONFIRMED BY OTHERS


DESIGNER:

Brevity

Victoria Park Market,
Unit 72B,
210 Victoria Street West
Auckland 1010

+64 9 216 7104
www.teambrevity.com

Tolerances (unless specified)	1-100	<1000	>1000
	± 2	± 10	± 70



Rev	Description
A	FOR CONSENT

Designed	BREVITY LTD	12/01/23
Drawn	BREVITY LTD	12/01/23

TILE & GRID TRANSITION CONNECTION

Scale Do not Scale

DRG No. 050-01E Sheet 1 OF 1