

Sprint 6 — Frontend Build Guide

Quotation Generation UI & Project Conversion UI — wiring the Sprint 6 backend (quotation-service) into the Next.js dashboard.

repo: frontend

base branch: develop

stack: Next.js 16 App Router · Redux Toolkit · Tailwind v4

covers: UC-03 / FR-003 · UC-04 / FR-004

ON THIS PAGE

1. Read this first — what I found in your repo
2. What you own on the frontend (two issues)
3. Step 0 — orientation prompt
4. Issue #1 — Quotation Generation UI
5. Issue #2 — Quotation Approval & Project Conversion UI
6. Fix-it prompts
7. Demo script
8. Final Definition-of-Done checklist

01 Read this first

I read your actual `frontend` repo before writing any of this (not just the backend PDFs), because the prompts below only work if they match your real files. Four things are different from the backend guide's assumptions:

FINDING — NO LIST ENDPOINTS YET

The backend Sprint 6 guide only built `POST /quotations`, `GET /quotations/:id`, and `PATCH /quotations/:id/approve`. There is no `GET /quotations` (list) or `GET /projects` (list) endpoint documented anywhere. Both issues below are scoped around that reality instead of pretending a list endpoint exists.

FINDING — ONE ESTABLISHED UI PATTERN TO COPY

`src/components/dashboard/finance/FinanceDashboardClient.tsx` + `financeUtils.ts` is the only fully-built dashboard feature in the repo (Quotations, Projects, Leads are still `DashboardPlaceholderPage` stubs). It already solves: a 5-state loading machine (loading / ready / empty / unavailable / error), a preview-data fallback when the API is down, form validation, and calling `apiClient` from `@/lib/axios`. Both prompts below tell Claude Code to mirror this file exactly rather than inventing a new pattern.

FINDING — NO FRONTEND RBAC PATTERN EXISTS YET

`src/types/auth.ts` types `User.role` as `"ADMIN" | "MANAGER" | "CLIENT"` — coarser than the backend's seeded roles (`SALES_MANAGER` , `PROJECT_MANAGER` , `ACCOUNTANT` , `CLIENT_PORTAL_USER`). No existing dashboard page hides actions by role today. Confirm with your backend teammate what role string the JWT actually puts in `/auth/me` before wiring any client-side show/hide logic — otherwise a button that should show for Sales Manager may never appear.

FINDING — TESTS ARE SOURCE-INSPECTION, NOT RENDERED

`npm run test` runs Node's built-in test runner (`node --test`) against `test/*.test.mjs`. There is no jsdom or React Testing Library installed. Existing tests (e.g. `test/finance-dashboard.test.mjs`) read the raw `.tsx / .ts` source with `readFileSync` and assert with regex — they check that certain strings, endpoints, and copy exist in the file, not that the component renders correctly in a browser. Every prompt below tells Claude Code to follow that exact convention.

02 What you own (two issues)

Same split as your backend Sprint 6 slice — you're building the UI for the same two use cases you already shipped the API for.

ISSUE	TITLE	USE CASE	BACKEND DEPENDENCY
#1	Quotation Generation UI	UC-03	POST /quotations , GET /quotations/:id
#2	Quotation Approval & Project Conversion UI	UC-04	PATCH /quotations/:id/approve

Not your job (don't let Claude Code wander into these)

- **A full Leads list/detail UI** (UC-02) — the Leads page is a placeholder owned by whoever builds CRM. You only need a way to pick a lead id (a lightweight lead picker, or a manual id field if no leads endpoint is reachable yet) — do not build lead creation/editing.
- **A full Projects dashboard** (UC-05 milestones/tasks) — Issue #2 only needs to display the `projectId /status` the approve response returns. The Projects list page stays a placeholder; that's a separate, later issue.
- **Payments/invoices UI** — already built in Finance; don't touch it except to copy its pattern.
- **PDF rendering** — you only open the `pdfUrl` the backend already generated, the same way `FinanceDashboardClient.tsx` opens invoice PDFs.

03 Step 0 — orientation prompt

Run this once at the start of your Claude Code session, before either master prompt. It makes Claude Code re-confirm the current state of the files I just described, in case anything has changed since this guide was written.

● PROMPT — PASTE ONCE AT THE START OF THE SESSION

I'm working in the ConstructPro ERP frontend repo (Next.js 16 App Router, Redux Toolkit, Tailwind v4, apiClient wrapping axios). Before writing any feature code, explore and report back:

1. Read `src/lib/axios.ts` and `src/types/api.ts` – confirm the `apiClient` methods (`get/post/patch/put/del`) and the `ApiResponse<T>` envelope shape.
2. Read `src/components/dashboard/finance/FinanceDashboardClient.tsx` and `financeUtils.ts` in full – this is the pattern (state machine, preview

fallback, validation, apiClient calls) every new dashboard feature should copy.

3. Read `src/app/dashboard/quotations/page.tsx` and `src/app/dashboard/projects/page.tsx` – confirm they still render `DashboardPlaceholderPage`.
4. Read `src/types/auth.ts` and `src/store/slices/authSlice.ts` – confirm the current `User.role` type and how the logged-in user is read from Redux.
5. Read one existing test, `test/finance-dashboard.test.mjs`, and confirm `npm run test` still runs node's built-in test runner against `test/*.test.mjs` using `readFileSync` + regex assertions (not React Testing Library).
6. Confirm whether a `GET /quotations (list)` or `GET /projects (list)` endpoint has been added anywhere since this guide was written (check any OpenAPI/Postman docs or README in the repo).

Do NOT write feature code yet. Just report what you find and flag anything that's changed from what I described.

04 Issue #1 — Quotation Generation UI

GitHub issue — copy into a new issue

Adjust the title prefix to match whatever ticket convention your team actually uses in this repo — I couldn't find a "[CP-N]" or "[DDP-N]" style prefix in this repo's history the way the backend repo uses, so I left it plain. Branch names in this repo are just `feature/<issue-number>-<slug>` (confirmed from `git branch -a`), so replace `#NN` below with the real number GitHub assigns.

● ISSUE BODY

Title: Quotation Generation UI (UC-03 / FR-003)

Labels: epic:quotation, epic:frontend, feat

Sprint: Sprint 6

Estimate: 8 hours

User Story

As a Sales Manager, I want to generate a priced quotation from a lead directly in the dashboard, so I don't need Postman to use the quotation-service the backend team built this sprint.

Background / Context

- SRS Reference: FR-003 (Generate Quotations), UC-03
- Backend dependency: quotation-service exposes POST /quotations and GET /quotations/:id (Sprint 6 backend Issue #1). Confirm that branch is merged/deployed to an environment this frontend can reach before you start.
- Pattern to copy: src/components/dashboard/finance/FinanceDashboardClient.tsx and financeUtils.ts – same 5-state loading machine, same apiClient usage, same preview-data fallback for when the API is unreachable.

Acceptance Criteria

AC1: Happy path

Given a lead id and one or more line items (name, quantity, unit price)
When the Sales Manager submits the quotation form
Then POST /quotations fires with the raw items (no client-computed total)
and the response quotation renders with its server-computed totalAmount
and a PENDING_APPROVAL status badge
and a success banner confirms the quotation was created

AC2: Client-side validation

Given the items list is empty or a required field is missing
When the Sales Manager tries to submit
Then the form shows inline field errors and does NOT call the API
(mirror validateFinancePaymentForm's approach in financeUtils.ts)

AC3: Server validation surfaces cleanly

Given the backend still returns 400 VALIDATION_ERROR for some case the client didn't catch
When the response arrives
Then the form shows a dismissible error banner with the backend message,
the form values are NOT cleared, and nothing crashes

AC4: Lead not found

Given a leadId that the backend returns 404 LEAD_NOT_FOUND for
When the Sales Manager submits
Then a friendly "Lead not found" banner is shown and the form stays filled in

AC5: Loading / empty / unavailable states

Given the quotation-service is unreachable
When the page loads
Then it shows a preview/mock fallback panel with a clear "not live" message,
exactly like FinanceDashboardClient's "unavailable" state – the page
must still be demoable if the backend is down

AC6: PDF link (best-effort)

Given a returned quotation has a non-null pdfUrl
When it renders
Then a "View PDF" button opens it in a new tab; if pdfUrl is null, show

"Preparing PDF ..." instead (no polling required this issue)

Technical Notes

- New files: `src/types/quotation.ts`, `src/components/dashboard/quotations/QuotationsDashboardClient.tsx`, `src/components/dashboard/quotations/quotationUtils.ts`. Update `src/app/dashboard/quotations/page.tsx` to render `QuotationsDashboardClient` instead of `DashboardPlaceholderPage` (drop the `DashboardPlaceholderPage` import entirely – a test checks for its absence, the same way `test/finance-dashboard.test.mjs` does for `Finance`).
- Use `apiClient` from `@/lib/axios` exclusively – never call `axios` directly, never hardcode a base URL.
- No `GET /quotations (list)` endpoint exists yet. Do not invent one. Keep a "quotations created this session" list in local component state for the results panel, and note in the PR description that a real list endpoint is a backend fast-follow ask.
- No confirmed `GET /leads` endpoint either (Leads page is still a placeholder). Use a simple lead-id text input for this issue unless a leads endpoint is already reachable – don't block on building lead search.
- Money formatting: mirror the `Intl.NumberFormat` helper style in `financeUtils.ts` (`formatCurrency`), never string-concatenate totals.
- RBAC: this is the first client-side role-gated action in the repo. Keep it minimal – a single `canCreateQuotation(user)` helper in `quotationUtils.ts`, checked via `useSelector` on the auth slice. Confirm the real JWT role string with your backend teammate first (see the callout in the build guide) rather than guessing.

Definition of Done

- [] All AC verified true
- [] `npm run lint`, `npm run format:check`, `npm run test`, `npm run build` all green
- [] No hardcoded API URLs or secrets
- [] PR raised against `develop`; at least 1 peer review; CI green
- [] `CHANGELOG.md` updated under [Unreleased]
- [] Issue linked in commit (Closes #<this-issue>)

Estimate

8 hours

Dependencies

Blocked by: backend Sprint 6 Issue #1 (POST `/quotations`, GET `/quotations/:id`) reachable from this frontend's `NEXT_PUBLIC_API_URL`.

Branch

• TERMINAL

```
git checkout develop
git pull origin develop
git checkout -b feature/NN-quotation-generation-ui
```

Claude Code master prompt

Paste this after the orientation prompt has finished and you've replaced #NN /branch name if needed.

● PROMPT — BUILD ISSUE #1

We are implementing GitHub issue #NN "Quotation Generation UI" (UC-03, FR-003) in the ConstructPro ERP frontend (Next.js 16 App Router). Work in small steps and STOP after each for my review. Mirror the existing Finance dashboard pattern exactly – do not invent a different state machine, folder layout, or styling approach.

Branch: feature/NN-quotation-generation-ui (already checked out).

Step 1 - Types

- Read src/types/finance.ts as a style reference, then create src/types/quotation.ts with:
 - QuotationStatus = "DRAFT" | "PENDING_APPROVAL" | "APPROVED" | "REJECTED" | "CONVERTED"
 - QuotationItemInput { itemName: string; quantity: number; unitPrice: number }
 - QuotationItem extends QuotationItemInput with { id: string; amount: number }
 - Quotation { id; leadId; quotationDate; status: QuotationStatus; totalAmount: number; pdfUrl: string | null; notes: string | null; projectId: string | null; items: QuotationItem[] }
 - QuotationFormValues { leadId: string; notes: string; items: QuotationItemInput[] }
 - QuotationFormErrors matching the shape validateFinancePaymentForm uses
- Show me the file and STOP.

Step 2 - quotationUtils.ts

- Create src/components/dashboard/quotations/quotationUtils.ts. Read financeUtils.ts first and mirror its shape:
 - createQuotationFormValues() → empty form with one blank item row
 - validateQuotationForm(values): returns field errors - leadId required, at least 1 item, each item needs a non-empty itemName, quantity > 0, unitPrice ≥ 0
 - normalizeQuotations(payload): unknown → Quotation[] (defensive parsing, same defensive style as normalizeInvoices)
 - isQuotationUnavailableError(error): same shape as isFinanceUnavailableError - detect network/5xx/404-on-missing-service so we can fall back to preview data

- quotationPreviewList: Quotation[] - 2-3 realistic fake quotations for the "service unavailable" demo state
- formatCurrency / formatDate - reuse the exact same Intl formatting financeUtils.ts uses, do not reimplement differently
- canCreateQuotation(role: string | undefined): boolean - minimal RBAC helper. For now, treat "ADMIN" and "MANAGER" (the two roles that exist on User.role today) as allowed; add a code comment flagging that this must be revisited once we confirm the real JWT role string with the backend team (it may be SALES_MANAGER, not MANAGER).
- Show me the file and STOP.

Step 3 - QuotationsDashboardClient.tsx (list/create panel)

- Read FinanceDashboardClient.tsx fully first, then create src/components/dashboard/quotations/QuotationsDashboardClient.tsx following the exact same shape:
 - "use client" component with the same loading | ready | empty | unavailable | error state union (adapted to quotations instead of invoices)
 - useEffect on mount: no list endpoint exists, so start in an "empty" state with a clear message ("No quotations created in this session yet - generate one below.") rather than calling a fake list endpoint
 - A creation form (leadId input, notes textarea, dynamic item rows with add/remove) using quotationUtils validation - on submit, call apiClient.post<Quotation>("/quotations", { leadId, notes, items })
 - On success: append the returned quotation to local state, show a success banner, and call apiClient.get<Quotation>(`/quotations/\${id}`) to demonstrate the read path is wired (store the refreshed copy)
 - On failure: branch on ApiError.code - "VALIDATION_ERROR" → form banner; "LEAD_NOT_FOUND" → form banner with that specific copy; use isQuotationUnavailableError to decide whether to fall back to quotationPreviewList with an "unavailable" banner, same UX as Finance
 - Render each session-created quotation as a card: status badge, totalAmount via formatCurrency, item table, and a "View PDF" button that's disabled with "Preparing PDF ..." copy when pdfUrl is null
 - Gate the creation form behind canCreateQuotation(user?.role) - read the current user via useSelector((state: RootState) ⇒ state.auth.user) the same way you saw AuthProvider.tsx read auth state
 - Use only Tailwind classes and the design tokens already used in FinanceDashboardClient.tsx (on-background, surface-container-lowest, primary, error, risk-low/medium, etc.) - do not introduce new colors
- Show me the file and STOP.

Step 4 - Wire the page

- Update src/app/dashboard/quotations/page.tsx to render QuotationsDashboardClient instead of DashboardPlaceholderPage. Remove the DashboardPlaceholderPage import entirely. Keep the existing metadata export.
- Show me the diff and STOP.

Step 5 - Sanity check

- Run `npm run lint`, `npm run format:check`, and `npm run build`. Fix anything red. Show me the results and STOP.

Step 6 - Wrap up

- Update `CHANGELOG.md` under `[Unreleased]`.
- Give me suggested Conventional Commit messages (with "Refs #NN" / "Closes #NN"), but do NOT push - I will review first.

Commit messages

● COMMIT 1

```
git add src/types/quotation.ts
src/components/dashboard/quotations/quotationUtils.ts

git commit -m "feat(quotation): add quotation types and dashboard utils

Adds Quotation/QuotationItem/QuotationFormValues types and
quotationUtils.ts (validation, normalization, preview fallback,
minimal role gate) mirroring the finance dashboard pattern.

Refs #NN"
```

● COMMIT 2

```
git add src/components/dashboard/quotations/QuotationsDashboardClient.tsx
src/app/dashboard/quotations/page.tsx

git commit -m "feat(quotation): implement quotation generation UI (UC-03)

Replaces the quotations placeholder with a live dashboard: create a
quotation from a lead id and line items, view server-computed totals,
handle validation/lead-not-found/unavailable states, and open the
generated PDF once available.

Closes #NN"
```

Pull request

● TERMINAL

```
git push origin feature/NN-quotation-generation-ui
# GitHub → Pull Requests → New pull request → base: develop
```

● PR DESCRIPTION

What this PR does

Adds the Quotation Generation UI (UC-03, FR-003), replacing the quotations placeholder route with a working dashboard that calls the Sprint 6 quotation-service.

What was built

- src/types/quotation.ts - Quotation/QuotationItem/form types
- src/components/dashboard/quotations/quotationUtils.ts - validation, normalization, preview fallback, formatCurrency/formatDate, a minimal canCreateQuotation(role) gate
- src/components/dashboard/quotations/QuotationsDashboardClient.tsx - create-quotation form + session results list, following the Finance dashboard's loading/ready/empty/unavailable/error pattern
- src/app/dashboard/quotations/page.tsx now renders the client component

Known gaps (flagged, not hidden)

- No GET /quotations list endpoint exists on the backend yet - this page only shows quotations created during the current browser session. Requesting a paginated list endpoint as a backend fast-follow.
- No GET /leads endpoint confirmed reachable yet - lead selection is a plain id input until the Leads UI/endpoint exists.
- Role gate treats "ADMIN"/"MANAGER" as allowed; the real JWT role string should be confirmed with the backend team (may be SALES_MANAGER).

How to verify

1. Set NEXT_PUBLIC_API_URL to a running quotation-service
2. npm run dev, open /dashboard/quotations
3. Submit with empty items → inline validation, no network call
4. Submit with a valid lead id + items → quotation card appears with server-computed total and PENDING_APPROVAL badge
5. Stop the backend → reload → unavailable-state preview appears

Checklist

- [x] Lint, format check, build, and node --test all pass locally
- [x] No hardcoded API URLs or secrets
- [x] CHANGELOG.md updated under [Unreleased]

Closes #NN

05 Issue #2 — Quotation Approval & Project Conversion UI

SEQUENCING

Branch this off Issue #1's branch if it isn't merged to `develop` yet, the same way the backend guide told you to branch #2 off #1 if needed. Don't rebuild the quotation card from scratch — extend it.

GitHub issue — copy into a new issue

● ISSUE BODY

Title: Quotation Approval & Project Conversion UI (UC-04 / FR-004)

Labels: epic:quotation, epic:frontend, feat

Sprint: Sprint 6

Estimate: 6 hours

User Story

As a Manager, I want to approve a quotation and see the project it creates, right from the quotation card, so I don't have to switch to Postman to convert an approved quote into a project.

Background / Context

- SRS Reference: FR-004 (Quotation converts into Project), UC-04, Business Rule 10.2 (approval before conversion)
- Backend dependency: PATCH /quotations/:id/approve (Sprint 6 backend Issue #2). Confirm it's deployed and reachable before you start.
- Builds directly on Issue #1's QuotationsDashboardClient.tsx - do not create a separate page or duplicate the quotation card.

Acceptance Criteria

AC1: Happy path

Given a quotation card with status PENDING_APPROVAL

When the Manager clicks "Approve & Convert to Project"

Then PATCH /quotations/:id/approve fires

and on success the card's status updates to CONVERTED

and the returned projectId renders inline ("Project <id> created")

and a success banner confirms the conversion

AC2: Business Rule 10.2 - rejected quotations

Given a quotation's status is REJECTED

When the card renders

Then the approve button is disabled/hidden with a tooltip or inline note explaining why, matching the backend's 400 QUOTATION_REJECTED

AC3: Idempotency – no double conversion

Given a quotation is already CONVERTED

When the card renders

Then the approve button is disabled/hidden (optimistic UI, no server round-trip needed to know this)

and if a stale 409 ALREADY_CONVERTED still comes back from a race, it is shown as an informational banner, not an error banner – the UI must not tell the user something failed when the quotation was, in fact, already converted successfully

AC4: Downstream failure is recoverable

Given the PATCH call returns a 502 (project-service unavailable)

When the Manager tries to convert

Then a retryable error banner appears, the quotation card stays in its pre-conversion visual state, and the Manager can click the button again without side effects

AC5: RBAC

Given the user's role is not one of the roles allowed to approve

When the card renders

Then the approve button is hidden entirely (not just disabled) – reuse and extend the same minimal role-gate helper from Issue #1 rather than writing a second one

Technical Notes

- Extend QuotationsDashboardClient.tsx (or split out a QuotationCard.tsx if the file is getting long – Claude Code's call, confirm with me before splitting).
- No GET /projects list endpoint exists. Do not build a Projects dashboard in this issue – only render the projectId/status the PATCH response already returns. The Projects page stays a placeholder.
- Reuse quotationUtils.ts from Issue #1; add canApproveQuotation(role) alongside canCreateQuotation(role) rather than inventing a generic permissions framework.

Definition of Done

- [] All AC verified true
- [] npm run lint, npm run format:check, npm run test, npm run build all green
- [] PR raised against develop; at least 1 peer review; CI green
- [] CHANGELOG.md updated under [Unreleased]
- [] Issue linked in commit (Closes #<this-issue>)

Estimate

6 hours

Dependencies

Blocked by: backend Sprint 6 Issue #2 (PATCH /quotations/:id/approve) reachable from this frontend.

Blocked by: frontend Issue #1 (Quotation Generation UI) merged, or branched directly off its feature branch.

Branch

• TERMINAL

```
# If Issue #1's branch is already merged to develop:
git checkout develop
git pull origin develop
git checkout -b feature/NN-quotation-approval-ui

# If Issue #1 is NOT merged yet, branch off it instead:
git checkout feature/NN-quotation-generation-ui
git pull origin feature/NN-quotation-generation-ui
git checkout -b feature/NN-quotation-approval-ui
```

Claude Code master prompt

• PROMPT — BUILD ISSUE #2

We are implementing GitHub issue #NN "Quotation Approval & Project Conversion UI" (UC-04, FR-004, Business Rule 10.2) in the ConstructPro ERP frontend. This extends the QuotationsDashboardClient.tsx built in Issue #1. Work in small steps and STOP after each for my review.

Step 1 - Utils

- In src/components/dashboard/quotations/quotationUtils.ts, add `canApproveQuotation(role: string | undefined): boolean` next to `canCreateQuotation` - same minimal ADMIN/MANAGER check for now, same "confirm the real JWT role string" comment.
- Add a small helper `isAlreadyConvertedError(error)` that checks `ApiError.code === "ALREADY_CONVERTED"` (or `statusCode === 409`) so the component can treat it as informational, not an error.
- Show me the diff and STOP.

Step 2 - Approve action on the quotation card

- In `QuotationsDashboardClient.tsx` (or a new `QuotationCard.tsx` if you split it - ask me first), for each rendered quotation:
 - Show "Approve & Convert to Project" only when `canApproveQuotation(user?.role)` is true AND status is `PENDING_APPROVAL` or `APPROVED` (not `REJECTED`, not `CONVERTED`)
 - On click: call `apiClient.patch<Quotation>(`/quotations/${id}/approve`)` with a per-card `isApproving` loading flag (disable the button, show

- a spinner, same visual language as `isSubmittingPayment` in `FinanceDashboardClient.tsx`)
- On success: replace that quotation in local state with the response (status `CONVERTED`, `projectId` populated), show a success banner with the `projectId`, e.g. "Project abc-123 created."
- On error:
 - `isAlreadyConvertedError` → treat as success-adjacent: refresh the card to show `CONVERTED` and an informational banner ("This quotation was already converted."), NOT an error banner
 - `code` $\equiv$ `"QUOTATION_REJECTED"` → error banner explaining the quotation was rejected and cannot be converted
 - anything else (e.g. 502) → retryable error banner, leave the card's status untouched so the Manager can click Approve again
- When status is `REJECTED`, render a disabled button (or no button) with inline copy explaining why, instead of just omitting it silently
- Show me the diff and STOP.

Step 3 - Sanity check

- Run `npm run lint`, `npm run format:check`, and `npm run build`. Fix anything red. Show me the results and STOP.

Step 4 - Wrap up

- Update `CHANGELOG.md` under `[Unreleased]`.
- Give me suggested Conventional Commit messages (Closes #NN). Do NOT push yet.

Commit messages

● COMMIT

```
git add src/components/dashboard/quotations/QuotationsDashboardClient.tsx
src/components/dashboard/quotations/quotationUtils.ts
```

```
git commit -m "feat(quotation): add approve and convert-to-project action (UC-04)
```

Adds an Approve & Convert to Project action to the quotation card. Handles the happy path (status → `CONVERTED`, `projectId` shown), the BR-10.2 rejected-quotation guard, the 409 already-converted case as an informational (not error) state, and a retryable banner for downstream 502s from the project service.

Closes #NN"

Pull request

● TERMINAL

```
git push origin feature/NN-quotation-approval-ui
# GitHub → Pull Requests → New pull request → base: develop
```

● PR DESCRIPTION

What this PR does

Adds the Quotation Approval & Project Conversion UI (UC-04, FR-004), extending the quotation card built in Issue #1 with an approve action wired to PATCH /quotations/:id/approve.

What was built

- Approve & Convert to Project button, gated by canApproveQuotation(role) and only shown for PENDING_APPROVAL/APPROVED quotations
- Success path shows CONVERTED status + the created projectId inline
- BR-10.2: REJECTED quotations show a disabled state with an explanation
- 409 ALREADY_CONVERTED is treated as informational, not an error, to make double-clicks and retries safe
- 502 (project-service down) shows a retryable banner without corrupting the card's state

Known gaps (flagged, not hidden)

- No Projects dashboard is built here - only the projectId/status from the approve response is shown. Full Projects listing is separate scope.
- Role gate is still the provisional ADMIN/MANAGER check from Issue #1; needs revisiting once real JWT role strings are confirmed.

How to verify

1. Create a quotation (Issue #1 flow) so it's PENDING_APPROVAL
2. Click Approve & Convert → status flips to CONVERTED, projectId shown
3. Click Approve again on the same card → informational banner, not an error, and no duplicate project is implied
4. Stop the project-service (or point PROJECT_SERVICE_URL at nothing) → click Approve → retryable error banner, card unchanged

Checklist

- [x] Lint, format check, build, and node --test all pass locally
- [x] BR-10.2 and idempotency behavior manually verified against a real or stubbed quotation-service
- [x] CHANGELOG.md updated under [Unreleased]

Closes #NN

06 Fix-it prompts

IF THIS HAPPENS...	PASTE THIS
Approve button shows for the wrong role	<code>"Log the actual role string on res.data from GET /auth/me for my test user, compare it against canApproveQuotation/canCreateQuotation, and fix the check to match exactly what the backend sends – don't guess."</code>
A 409 is being shown as a red error banner	<code>"The ALREADY_CONVERTED case is rendering as an error. Trace where isAlreadyConvertedError is checked in the catch block and fix the branch order so it's checked before the generic error fallback."</code>
node --test fails after adding a new component	<code>"Run npm run test and show me the failure. These tests do readFileSync + regex against source files, not real rendering – tell me which string/pattern the test expected and reconcile the component source with it."</code>
Claude Code invents a new color/spacing scale	<code>"This doesn't match FinanceDashboardClient.tsx's Tailwind classes. Show me that file's className patterns again and refactor to reuse the same tokens (on-background, surface-container-lowest, primary, error, risk-low/medium)."</code>
Money renders as a raw float	<code>"Totals are printing as raw numbers. Use the same formatCurrency (Intl.NumberFormat) helper style as financeUtils.ts, don't format money any other way."</code>
Build fails on NEXT_PUBLIC_API_URL	<code>"npm run build is failing with: <paste>. Check .env.local / .env.example for NEXT_PUBLIC_API_URL and tell me the safe fix – do not hardcode a URL into the source."</code>

07 Demo script

A short walkthrough for sprint review, same idea as the backend guide's demo script but for the browser instead of Postman.

● PROMPT — GENERATE A RUN SHEET

Create a step-by-step demo run sheet for my Sprint Review proving both frontend issues end to end in the browser. For each step, tell me what to click, what role to be logged in as, and what to point at on screen (status badge, banner copy, the projectId appearing). Cover: submitting an invalid form, generating a valid quotation, viewing its PDF link,

approving it into a project, and clicking approve a second time to show the idempotent 409 handling.

08 Final Definition-of-Done checklist

- ☐ Both GitHub issues created with real numbers, replacing every `#NN`
- ☐ Orientation prompt run and its findings reconciled with this guide before either master prompt
- ☐ `feature/NN-quotation-generation-ui` and `feature/NN-quotation-approval-ui` branches created from `develop`
- ☐ Quotations page renders `QuotationsDashboardClient`, no `DashboardPlaceholderPage` import remains
- ☐ Approve action handles happy path, BR-10.2 rejection, 409 idempotency, and 502 downstream failure
- ☐ Role gate implemented, flagged in both PRs as provisional pending real JWT role confirmation
- ☐ `npm run lint`, `format:check`, `test`, and `build` all green locally and in CI
- ☐ Two PRs opened against `develop`, each with `Closes #NN`
- ☐ At least 1 peer review per PR, all blocker comments resolved
- ☐ `CHANGELOG.md` updated under `[Unreleased]` for both PRs