
## Matheus Contan – RM99867

## Cauê Fonseca Pinoti – RM 98825


Link do Git: https://github.com/Contanzin/GS-Governanca.git

## Printis do Bash e Archi abaixo:



## MINGW64:/c/Users/labsfiap/GS-Governanca

```
labsfiap@PA501MICR029 MINGW64 ~
$ git clone https://github.com/Contanzin/GS-Governanca.git
Cloning into 'GS-Governanca'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (6/6), done.
labsfiap@PA501MICRO29 MINGW64 ~
$ cd GS-Governanca
 labsfiap@PA501MICRO29 MINGW64 ~/GS-Governanca (main)
$ git flow init
Which branch should be used for bringing forth production releases?
   - main
Branch name for production releases: [main]
Branch name for "next release" development: [develop]
How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory? [C:/Users/labsfiap/GS-Governanca/.git/hooks]
 labsfiap@PA501MICR029 MINGW64 ~/GS-Governanca (develop)
```



```
labsfiap@PA501MICR029 MINGW64 ~/GS-Governanca (feature/GS)
$ 1s
GS-Arquiqutetura.pdf README.md
labsfiap@PA501MICR029 MINGW64 ~/GS-Governanca (feature/GS)
$ git add GS-Arquiqutetura.pdf
labsfiap@PA501MICR029 MINGW64 ~/GS-Governanca (feature/GS)
$ git commit -m "Arquivo com o Achi"
[feature/GS ea147af] Arquivo com o Achi
Committer: Laboratório FIAP <labsfiap@fiap.com.br>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:
    git config --global user.name "Your Name"
    git config --global user.email you@example.com
After doing this, you may fix the identity used for this commit with:
    git commit --amend --reset-author
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 GS-Arquiqutetura.pdf
labsfiap@PA501MICR029 MINGW64 ~/GS-Governanca (feature/GS)
$ git flow feature finish
Switched to branch 'develop'
Updating 94a9166..ea147af
Fast-forward
GS-Arquiqutetura.pdf | Bin 0 -> 230268 bytes
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 GS-Arquiqutetura.pdf
Deleted branch feature/GS (was ea147af).
Summary of actions:
- The feature branch 'feature/GS' was merged into 'develop'
- Feature branch 'feature/GS' has been locally deleted

    You are now on branch 'develop'

absfiap@PA501MICRO29 MINGW64 ~/GS-Governanca (develop)
```

```
labsfiap@PA501MICRO29 MINGW64 ~/GS-Governanca (develop)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

labsfiap@PA501MICRO29 MINGW64 ~/GS-Governanca (main)
$ git merge develop
Updating 94a9166..ea147af
Fast-forward
GS-Arquiqutetura.pdf | Bin 0 -> 230268 bytes
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 GS-Arquiqutetura.pdf

labsfiap@PA501MICRO29 MINGW64 ~/GS-Governanca (main)
$ |
```

```
labsfiap@PA501MICR029 MINGW64 ~/GS-Governanca (main)
$ git push origin develop
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 181.70 KiB | 25.96 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
              https://github.com/Contanzin/GS-Governanca/pull/new/develop
remote:
remote:
To https://github.com/Contanzin/GS-Governanca.git
* [new branch]
                       develop -> develop
labsfiap@PA501MICR029 MINGW64 ~/GS-Governanca (main)
$ git push origin main
Total O (delta O), reused O (delta O), pack-reused O (from O)
To https://github.com/Contanzin/GS-Governanca.git
   94a9166..ea147af main -> main
labsfiap@PA501MICR029 MINGW64 ~/GS-Governanca (main)
```