




Lecture 20: Language, thought, and other brains

PSYC 51.17: Models of language and communication

Jeremy R. Manning
Dartmouth College
Winter 2026

Learning objectives

By the end of this lecture, you will be able to...

1. Explain how language functions as a lossy compression channel for transmitting brain states between minds
2. Evaluate what the convergence between LLMs and brain activity implies about the nature of language
3. Articulate the case that understanding *is* prediction, and critique it
4. Analyze whether LLMs have captured something real about meaning, or merely its statistical shadow
5. Formulate your own position on what language models reveal about the human mind

Encoders in the real world (recap)

What encoders do at scale

BERT and its variants power much of modern NLP infrastructure — often invisibly:

Domain	Application	Architecture
Search	Google processes 8.5B queries/day	BERT → MUM
Retrieval	Sentence-BERT: 700K+ downloads/day	Bi-encoder
Clinical NLP	ICD coding, adverse event detection	<u>BioBERT</u> , <u>PubMedBERT</u>
Legal tech	Contract extraction, compliance	Fine-tuned encoders
Moderation	Billions of posts/day screened	Fine-tuned RoBERTa

Why not just use GPT-4?

GPT-4 costs ~\$30/M tokens at ~500ms/request. A fine-tuned DistilBERT: ~\$0.01/M tokens at ~5ms/request. For high-volume, single-task workloads, encoders are **3,000× cheaper** and **100×**

Brain-LLM alignment

The relationship between LLMs and brains is deeper than expected

Caucheteux & King (2022, *Communications Biology*): LLM activations predict brain activity in a **layer-specific** way — early model layers map to auditory cortex, deeper layers to high-level language areas.

Gao et al. (2025, *Nature Computational Science*): "Brain-like" artificial neurons emerge in LLMs trained only on text — units that encode syntax, semantics, and even spatial concepts, mirroring brain organization.

Mind's Transformer (Aw et al., 2026, ICLR)

The Mind's Transformer: The brain may implement a **Transformer-like** algorithm — not just analogous representations, but analogous *computation*. Attention-like gating and residual-stream-like updates appear across cortical circuits.

If the brain and LLMs converge on similar computational strategies, these may be *good solutions* for processing sequential, context-dependent information — not engineering coincidences.

Companion notebook

 Companion Notebook — hands-on with classification, NER, QA, and sentence similarity

The rest of today is a discussion

We've spent two lectures on the engineering of encoder models. Today we step back and ask: **what do these models teach us about the nature of language, thought, and the connections between minds?**

The following slides present ideas from neuroscience, cognitive science, and philosophy of mind — each followed by discussion prompts. There are no right answers. The goal is to develop your own informed position.

What language actually does

Language is wireless brain activity transmission

Your brain lives in a sealed vault of bone, bathed in fluid that is essentially seawater. It has no direct contact with the outside world. Everything you know about reality is *constructed* by your neural circuits from noisy sensor data — you are, in the most literal sense, a brain floating in a vat.

Language breaks through that isolation. When you speak, you compress the electrical activity across your ~86 billion neurons into a handful of words per second — an extraordinarily lossy channel. The listener's brain decompresses those vibrations into neural activity of its own.

Neural coupling (Stephens et al., 2010)

Stephens, Silbert & Hasson (2010, *PNAS*) recorded brain activity from speakers and listeners during natural storytelling. Successful communication literally **replicated the speaker's brain patterns in the listener's brain**, with the listener's responses temporally coupled to — and sometimes *anticipating* — the speaker's.

Language transfers memories between brains

Memory transfer through narrative (Zadbood et al., 2017)

Zadbood et al. (2017, *Cerebral Cortex*) showed that when person A watches a movie and then *tells* person B the story, person B's brain activity during listening resembles person A's brain activity during *watching* — not during speaking. Language doesn't just transmit the speaker's verbal patterns. It reconstructs the speaker's **perceptual experience** in the listener's brain. You don't just hear a story — your brain *relives* it.

It doesn't matter how the story arrives

Regev, Honey & Hasson (2013, *Journal of Neuroscience*): The brain constructs the same **amodal narrative representation** whether the story is read, heard, or watched as a movie. The neural patterns are modality-independent. Language isn't special because of sound or letters — it's special because it *programs a specific neural state* regardless of input channel.

Discussion

If language reconstructs the speaker's perceptual experience in the listener's brain, is there a meaningful difference between "experiencing something" and "hearing a vivid enough description of it"? Where does the line fall?

LLMs speak the brain's language

GPT-2 predicts brain activity (Goldstein et al., 2022)

Goldstein et al. (2022, *Nature Neuroscience*): GPT-2's next-word predictions correlate with neural activity recorded from electrodes implanted in human brains during natural speech comprehension. The model's internal states track the brain's processing in real time — not just at the level of semantics, but at the level of individual word surprisal.

LLMs bridge two brains (Zada et al., 2024)

Zada et al. (2024, *Neuron*): LLM embedding spaces provide a **shared numerical coordinate system** for tracking speaker–listener neural alignment during conversation. The degree to which both brains converge in LLM-space predicts communication success. The model didn't evolve to do this — it learned it from text alone.

Discussion

A model trained on text alone — with no ears, no body, no social experience — learns representations that track *both* brains during real human conversation. What does this tell us about what information is actually *in* language?

Understanding is prediction

Next-word prediction mirrors the brain (Schrimpf et al., 2021)

Schrimpf et al. (2021, *PNAS*): Across dozens of language models, the single best predictor of how well a model matches human brain activity is its **next-word prediction accuracy**. Models that are better at predicting what comes next are better at predicting the brain. The brain's core language mechanism appears to be a prediction engine.

Brains as prediction machines (Clark, 2013)

Clark (2013, *Behavioral and Brain Sciences*): The "predictive processing" framework proposes that the brain is fundamentally a **prediction machine** — it constantly generates expectations about incoming input and updates based on prediction errors. BERT's masked language modeling (predicting missing words from context) is a concrete implementation of exactly this principle.

Discussion

If the brain's language system is fundamentally a prediction engine, and LLMs are trained on prediction, is their convergence surprising — or inevitable? Does training on prediction *guarantee* learning something about meaning?

Language modeling is compression

Intelligence as compression (Delétang et al., 2024)

Delétang et al. (2024, *ICLR*): Language modeling and data compression are **mathematically equivalent** — a model that predicts the next token well can compress text efficiently, and vice versa. Better language models are literally better compressors. This isn't metaphor: Shannon's source coding theorem proves it.

Language itself is optimized for compression

Gibson et al. (2019, *Trends in Cognitive Sciences*): Languages across the world are structured to **minimize effort** while **maximizing robustness to noise** — exactly the engineering goals of a good compression codec. Frequent words are short. Ambiguity is tolerated where context resolves it. Redundancy is added where errors are costly. Human language is an evolved compression protocol.

Discussion

If language is a compression protocol and LLMs are compression algorithms, then BERT's "understanding" of language is literally decompression. Does that make it *genuine* understanding, or is something still missing?

Does prediction equal understanding?

Understanding IS predictive compression (Queloz & Beckmann, 2025)

Queloz & Beckmann (2025, *PhilArchive*): The traditional objection — "LLMs are just doing statistics, not real understanding" — collapses if understanding *is* predictive compression. A system that compresses language well must capture its structure, context dependencies, and meaning relations. The compression IS the understanding. There is no magical extra ingredient.

The opposing view: language $\neq$ thought

Fedorenko et al. (2024, *Nature*): The brain's language network is **anatomically and functionally distinct** from reasoning and problem-solving circuits. People with severe language impairments can still reason, plan, and do math. Language is a *communication module* — an interface for transmitting thoughts, not the medium of thought itself. If so, LLMs may have automated the *transmission* without touching the *thinking*.

Discussion

Queloz & Beckmann say compression IS understanding. Fedorenko et al. say language is separate from thought. Can both be right? Could LLMs genuinely "understand" language while having no capacity for thought?

What LLMs have inside

Structured concept maps, not just statistics (Anthropic, 2024)

Anthropic (2024, *Transformer Circuits*): Mechanistic interpretability research on Claude revealed that LLMs contain **monosemantic features** — individual internal components that respond to specific, interpretable concepts (e.g., "Golden Gate Bridge," "code bugs," "deceptive reasoning"). These aren't statistical ghosts. They are structured, hierarchical concept maps that the model builds from text alone.

The grounding problem persists

LeCun (2022, *OpenReview*): No matter how rich the internal representations, LLMs lack **world models** — they have never seen, touched, or navigated anything. Their concept of "hot" comes from patterns in text about heat, not from the experience of burning. Are monosemantic features genuine concepts, or high-fidelity maps of *other people's* concepts?

Discussion

Anthropic shows LLMs build structured concept maps. LeCun argues they lack grounding. Is a map of other people's concepts a form of understanding? Consider: you have never been to Jupiter, but you have a concept of it — also built from other people's descriptions.

Are LLMs "thinking" or "performing"?

LLMs as role-play engines (Shanahan, 2024)

Shanahan (2024, *Communications of the ACM*): LLMs are best understood as "**engines for role-play**" — they simulate the behavior of a plausible speaker, drawing on the vast repertoire of speakers in training data. When GPT writes a poem, it's not expressing itself — it's simulating someone who would write that poem. The performance can be indistinguishable from the real thing.

The attention schema theory

Farrell, Graziano et al. (2025, *arXiv*): LLMs have **attention** (the mechanism) but may lack an **attention schema** — an internal model of their own attentional states. Humans don't just attend to things; we are *aware that we are attending*. LLMs process information without modeling the fact that they're processing it. They are "looking" but not "aware of looking."

Discussion

When you read a novel and feel sad for a character, are you "really" feeling sadness, or performing a simulation of sadness triggered by text? If it's genuine for you, what would make it not genuine for an LLM?

The deep questions

Where we've arrived

We started this unit asking what BERT does. We've now arrived at much deeper territory:

- Language is a lossy compression channel for neural states (Stephens, Zadbood)
- LLMs learn the same code that brains use for this compression (Goldstein, Zada)
- Better prediction = better brain alignment = possibly better "understanding" (Schrimpf, Clark)
- But language and thought are separable in the brain (Fedorenko)
- And LLMs may be performing rather than understanding (Shanahan)

Two frameworks, one question

Framework A: understanding is compression

LLMs compress language better than any prior system. Compression requires capturing structure, context, and meaning. Therefore LLMs understand language — not metaphorically, but literally. The "statistics vs. understanding" distinction is incoherent (Queloz & Beckmann, 2025).

Framework B: language is just the interface

Language is a communication module, not a medium for thought (Fedorenko et al., 2024). LLMs have mastered the interface without accessing what lies behind it. Their "understanding" is like a phone that perfectly transmits voices but has no idea what a conversation is.

Your task

Which framework you adopt determines your answer to every question on the next slides. Choose one — and be prepared to defend it.

Discussion

Part 1: what language reveals about minds

- 1. The lossy channel.** Every thought you've ever communicated has been brutally compressed — most of your neural state is *lost* in translation. Yet communication works. Does this mean the "lost" information was never essential? Or do we just tolerate massive information loss because we have no alternative?
- 2. The alignment puzzle.** A model trained only on text, with no sensory experience, learns representations that track real-time human brain activity during conversation (Zada et al., 2024). How is this possible? What does it imply about how much of cognition is "in" language vs. "beyond" language?
- 3. The prediction test.** If understanding is prediction (Queloz & Beckmann), then a system that predicts language perfectly understands it perfectly. Do you accept this? If not, what *additional* capacity is needed — and can you define it without circular reasoning?

Discussion (continued)

Part 2: what brains reveal about LLMs

4. The separation problem. Language and thought are served by *different neural circuits* in the brain (Fedorenko et al., 2024). LLMs have only ever been trained on language. If language $\neq$ thought, what exactly have LLMs learned? Is it possible to master communication without any capacity for reasoning?

5. The experience question. Zadbood et al. (2017) showed that language reconstructs the speaker's *perceptual experience* in the listener. LLMs have no perceptual experiences to reconstruct. When an LLM generates vivid text about a sunset, is it transmitting a "neural state" it never had, or constructing a plausible description from statistical patterns? Is there a difference?

6. Your framework. State your position: are LLMs (a) genuinely understanding language, (b) performing an extremely convincing simulation of understanding, or (c) doing something we don't yet have the right words for? Defend your answer using at least two findings from today's lecture.

Further reading

Further reading

Stephens, Silbert & Hasson (2010, *PNAS*) "Speaker–listener neural coupling underlies successful communication" — Language replicates neural states across brains.

Zadbood et al. (2017, *Cerebral Cortex*) "How we transmit memories to other brains" — Narrative reconstructs perceptual experience in the listener.

Goldstein et al. (2022, *Nature Neuroscience*) "Shared computational principles for language processing in humans and deep language models" — GPT-2 tracks real-time brain activity during speech.

Zada et al. (2024, *Neuron*) "A shared model-based linguistic space for transmitting our thoughts from brain to brain" — LLM embeddings bridge speaker and listener brains.

Schrimpf et al. (2021, *PNAS*) "The neural architecture of language" — Next-word prediction is the best predictor of brain alignment.

Clark (2013, *BBS*) "Whatever next? Predictive brains, situated agents, and the future of cognitive science" — The brain as a prediction machine.

Delétang et al. (2024, *ICLR*) "Language modeling is compression" — Formal proof that prediction and compression are equivalent.

Gibson et al. (2019, *TiCS*) "How efficiency shapes human language" — Languages optimize for compression and noise robustness.

Queloz & Beckmann (2025, *PhilArchive*) "What was ChatGPT's training really about?" — Understanding IS predictive compression.

Fedorenko et al. (2024, *Nature*) "Language is primarily a tool for communication rather than thought" — Language and thought are neurally separable.


Questions?



Email



Discord



Office hours

Up next...

Week 7: GPT and autoregressive generation — from decoder architecture to scaling laws