

llmXive Automated Review of SpatialBench: Is Your Spatial Foundation Model an All-Round Player?

llmXive automated review panel

Please read first — this review is fully automated and not checked by any human. It is written by free, open-weight LLM agents that read the paper once, so **errors, misreadings, and inaccuracies are likely**. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer's exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is **advisory, automated feedback for the authors**. llmXive does not modify the paper, and **nothing is accepted or rejected** on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer's section also names the underlying model that produced it.

This paper's panel (9 lenses): Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

Claim Accuracy

Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.

Reviewer model: [qwen.qwen3.5-122b](#)

Prompt: `agents/prompts/paper_reviewer_claim_accuracy.md`

The paper presents a comprehensive benchmark and a new model, but several factual claims regarding the scope of evaluation and the calculation of reported metrics are slightly overstated or ambiguous.

First, the Introduction states the benchmark evaluates “41 models,” while the text in Section 5.2 and the main results table (Table 1) clarify that there are “31 methods” with “41 variants.” This distinction is important for reproducibility and accurate comparison; the claim should be refined to “41 model variants across 31 methods” to prevent the reader from assuming 41 distinct architectural approaches were tested.

Second, the claim that “full-context models OOM on dense inputs” is supported by the data, but the surrounding text in Section 5.2 implies a broader failure of feed-forward models. Table 1 shows that Fast3R (a feed-forward model) successfully runs on the Dense regime, whereas DA3-Giant (full-context) fails. The text should be precise: “Full-context attention models (e.g., DA3-Giant) OOM on dense inputs, while bounded-memory feed-forward models (e.g., Fast3R) remain scalable.”

Third, the “Average” column in Table 1 for DA3-Giant reports an AbsRel of (0.183). The arithmetic mean of the reported non-OOM values (Single: 0.368, Sparse: 0.095, Medium: 0.086) is approximately 0.183. However, the table does not explicitly state that the average excludes the Dense regime (which is OOM). Without this clarification, a reader might assume the average includes a valid Dense score or that the calculation method is different. The table caption or footnote should explicitly state: “Average metrics are computed over non-OOM regimes only.”

Finally, the dataset statistics in the Introduction (“22K scenes, 5.5M frames”) are rounded approximations of the precise counts in Appendix E002 (21,810 scenes, ~5.5M frames). While minor, consistency in reporting (e.g., “approx. 22K scenes”) would improve precision.

These issues are primarily matters of clarity and precise reporting rather than fundamental scientific errors, but they affect the reader’s ability to trust the exact numbers presented.

Action items.

- **[writing]** The paper presents a comprehensive benchmark and a new model, but several factual claims regarding the scope of evaluation and the calculation of reported metrics are slightly overstated or ambiguous. First, the Introduction states the benchmark evaluates “41 models,” while the text in Section 5.2 and the main results table (Table 1) clarify that there are “31 methods” with “41 variants.” This distinction is important for reproducibility and accurate comparison; the claim should be refined to “4

Figure Critic

Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_figure_critic.md`

Figure 1

The figure presents a comprehensive ranking heatmap, but the caption fails to explain the black cells containing dots, leaving the reader unsure if they represent missing data or a specific ranking status. Additionally, the color-coding in the top legend is not explicitly mapped to the method names in the header.

Figure 2

The figure presents a comprehensive dataset coverage matrix, but the caption’s claim of a ‘Sparse’ regime is not visually distinguished from the dense regime shown in the image, and the top legend lacks direct text labels for the method colors.

Figure 3

The figure presents a clear matrix of rankings and coverage, but the top legend lacks method labels, and the caption fails to define the ranking scale (1-9) or the color mapping used in the cells.

Figure 4

The figure presents a dense heatmap of rankings and coverage, but the top column labels are illegible due to low resolution. Additionally, the visual representation of ‘empty’ cells (dashed boxes/dots) contradicts the caption’s definition that empty cells indicate out-of-memory errors.

Figure 5

The figure provides a clear visual comparison of point cloud reconstructions across four scenes, but it fails to deliver the specific ‘depth/camera metrics’ promised in the caption, and one ground truth comparison is missing.

Figure 6

The figure effectively visualizes reconstruction quality and metrics, but the labeling of methods in the charts (‘DA3-Giant (w/ Cam)’) conflicts with the visualization labels (‘DA3’) and the caption’s claim of using both camera and depth priors. Additionally, the dataset titles are cluttered and hard to read.

Figure 7

The figure effectively visualizes reconstruction quality and metrics, but the column labeling is inconsistent (missing ‘Multi-view Input’ header) and the method name ‘DA3’ in the charts conflicts with the caption’s ‘DA3-Giant’ claim.

Figure 8

Figure 8 provides a useful qualitative comparison of depth-prior enhanced models, but it omits the ‘Giant’ variant mentioned in the caption and fails to display the camera metric for the final scene, contradicting the caption’s description of the right panel.

Figure 9

The figure contradicts its caption by showing successful reconstructions rather than failure cases, and it lacks an internal title or figure number.

Figure 10

The figure effectively visualizes the progression from initial to refined poses, but the ‘OmniWorld’ column appears to show a noisy reconstruction rather than the clean annotations claimed in the caption, which undermines the validity of the comparison.

Figure 11

Figure 11 is a visual gallery of eight scenes with timestamps but lacks a descriptive caption and quantitative metrics, making it purely illustrative and insufficient for scientific evaluation.

Figure 12

The figure presents a gallery of qualitative results but suffers from a lack of descriptive context in the caption and missing legends to interpret the visual data.

Action items.

- **[science]** Figure 1: The caption states ‘Colored cells report the per-domain ranking’, but the heatmap contains both colored cells with numbers and black cells with dots. The caption fails to define the meaning of the black cells (e.g., whether they represent ‘not ranked’, ‘did not run’, or ‘no data’), making the visualization ambiguous.
- **[writing]** Figure 1: The top legend bar uses colored blocks to group methods (e.g., blue for VGGT, green for DA3), but the specific method names in the header are not clearly aligned with these color blocks, and the legend does not explicitly map the colors to the method names below them.
- **[writing]** Figure 2: The caption states ‘Colored cells report the per-domain ranking’, but the image shows a single large table with no visual distinction or separation for the ‘Sparse’ regime mentioned in the title; it appears identical to the dense regime table, making the specific ‘Sparse’ context unverifiable.
- **[writing]** Figure 2: The top legend bar contains colored blocks for methods (e.g., VGGT, DA3-Giant) but lacks text labels directly under the blocks, relying on the user to map colors to the column headers below, which is visually cluttered and indirect.
- **[writing]** Figure 3: The top legend bar contains colored blocks for methods (e.g., VGGT,

DA3-Giant) but lacks text labels directly under the blocks; the method names are only visible in the first row of the grid, making the legend incomplete on its own.

- **[writing]** Figure 3: The caption states ‘Colored cells report the per-domain ranking’, but the cells contain numbers (1-9) without a legend or colorbar explaining the ranking scale (e.g., does 1 mean best or worst?).
- **[science]** Figure 4: The caption states ‘Empty cells indicate that the method runs out of memory’, but the figure shows empty cells (e.g., in the ‘G1 — INDOOR’ section) containing dashed outlines or dots, which contradicts the definition of ‘empty’ and makes it unclear if these are OOM failures or missing data.
- **[writing]** Figure 4: The top legend labels (e.g., ‘VGCT’, ‘DA3-Giant’) are extremely small and blurry, making them illegible and difficult to map to the corresponding columns.
- **[science]** Figure 5: The caption claims to show ‘depth/camera metrics’ for the scenes, but the rendered image contains no numerical metrics, tables, or text annotations reporting these values.
- **[science]** Figure 5: The ‘GT Point Cloud’ for the second scene (outdoor driving) is labeled ‘N/A’, yet the caption describes this as a ‘dense outdoor driving’ case, implying a ground truth should be available for comparison.
- **[science]** Figure 6: The caption claims to visualize ‘DA3-Giant’, but the bar charts label the method as ‘DA3-Giant (w/ Cam)’, while the 3D visualizations are labeled simply ‘DA3’. This creates ambiguity about whether the visualized results include the depth prior mentioned in the caption.
- **[writing]** Figure 6: The dataset titles in the right-hand bar charts (e.g., ‘robotwin_franka_panda-1_stack_blocks_two_episode44_sparse’) are truncated or poorly formatted, making it difficult to identify the specific scenes being evaluated.
- **[science]** Figure 7: The caption claims to show ‘DA3-Giant’, but the bar charts list ‘DA3’ (and ‘DA3-Giant’ in other figures), creating ambiguity about whether the specific ‘Giant’ variant is being evaluated or if the label is truncated.
- **[writing]** Figure 7: The ‘Multi-view Input’ column is unlabeled; while the caption mentions ‘input views’, the column header is missing, making the layout less self-explanatory compared to the method columns.
- **[science]** Figure 8: The caption claims to show ‘DA3-Giant, MapAnything, OmniVGGT, Pi3, and WorldMirror’, but the visualizations only show DA3, MapAnything, OmniVGGT, Pi3-X, and WorldMirror. The ‘Giant’ variant is missing from the visual grid.
- **[science]** Figure 8: The rightmost bar chart for the bottom scene (‘lingbot...’) only displays ‘depth abs_rel’ metrics. The caption states that the right panel reports both ‘depth AbsRel and camera AUC@30’, but the camera metric is missing for this specific case.

- **[writing]** Figure 8: The title of the bottom-right bar chart is split across two lines (‘lingbot_RobbyReal_00009_07_overpass_passage_si’ / ‘ngle’), making the scene identifier difficult to read.
- **[science]** Figure 9: The caption claims to visualize failure cases of MapAnything, WorldMirror, and OmniVGGT, but the rendered image displays a grid of successful reconstructions (MapAnything, WorldMirror, OmniVGGT) compared against ‘Ground Truth Point Cloud’ across three scenes, contradicting the ‘Failure Cases’ title.
- **[writing]** Figure 9: The image contains no figure number or title text; the caption ‘Figure 9: Failure Cases...’ is external to the rendered image, making the figure standalone ambiguous.
- **[science]** Figure 10: The caption claims to compare ‘annotations from OmniWorld’ against ‘reconstructed point clouds’, but the ‘OmniWorld’ column displays sparse, noisy point clouds that visually resemble the ‘DA-Next-5M w/ Init Cam Poses’ output rather than clean ground-truth annotations, making the comparison misleading.
- **[writing]** Figure 10: The column headers ‘DA-Next-5M w/ Init Cam Poses’ and ‘DA-Next-5M w/ Refined Cam Poses’ are repetitive and cluttered; consider using a shared row label or a cleaner legend to distinguish the methods.
- **[writing]** Figure 11: The caption ‘DROID Gallery 1’ is insufficient for a standalone figure; it fails to describe the content (e.g., input views, 3D reconstructions, timestamps) or the specific scenes shown, making the figure unintelligible without external context.
- **[science]** Figure 11: The figure displays eight distinct scenes with timestamps but lacks any quantitative metrics, error bars, or comparative baselines, rendering it purely illustrative and unable to support scientific claims about model performance.
- **[writing]** Figure 12: The caption ‘DROID Gallery 2’ is insufficient for a standalone figure; it fails to describe the visual content (e.g., input views, segmentation masks, 3D point clouds) or the specific scenes shown, making the figure unintelligible without the main text.
- **[science]** Figure 12: The figure displays eight distinct scene examples (labeled 9-16) but lacks any visual legend or colorbar to explain the meaning of the colors in the segmentation masks or the point cloud reconstructions.

Jargon Police

Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.

Reviewer model: `openai.gpt-oss-120b`

Prompt: `agents/prompts/paper_reviewer_jargon_police.md`

The paper is technically solid and presents a valuable benchmark, but several domain-specific abbreviations and coined terms are introduced without definition, which can impede a competent reader from an adjacent field. Adding concise explanations for *Full-Context Attention*,

Bounded-memory models, *GT*, *pseudo-GT*, and *scale tokens* will make the manuscript self-contained. Also, clarify the *OOM* label in tables. These relatively minor wording fixes will improve accessibility without affecting the scientific contributions.

Action items.

- **[writing]** Section 1 (Introduction) uses the term *Full-Context Attention* without definition; add a brief explanation (e.g., “Full-Context Attention refers to attention mechanisms that jointly attend to all input frames simultaneously, providing global context”).
- **[writing]** The phrase *Bounded-memory models* appears in the introduction and results but is never explained; define it when first used (e.g., “models that limit memory usage by processing inputs in chunks or using a fixed-size cache”).
- **[writing]** The abbreviation *GT* (ground truth) is used throughout the paper (e.g., “GT depth/pose priors”) without an explicit definition; introduce the full form at first occurrence.
- **[writing]** The term *pseudo-GT* is introduced in the abstract and later (e.g., “curated pseudo-GT outperforms noisy scaling”) without clarification; explain what pseudo-GT means (e.g., “high-quality depth generated by a teacher model and treated as ground-truth for training”).
- **[writing]** In the model architecture (Section 4.2) the concept of *scale tokens* is mentioned but not described; add a short description of their role (e.g., “learnable tokens that predict a global metric scale for the scene”).
- **[writing]** Tables contain the abbreviation *OOM* (out-of-memory) without a legend; add a footnote or caption note defining OOM for readers.

Logical Consistency

Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_logical_consistency.md

The paper’s argument structure is generally sound, with clear premises leading to conclusions about model performance and benchmark gaps. However, there are specific inconsistencies between the textual claims and the provided data tables that break the logical chain of evidence.

First, in Section 5.2, the text explicitly states: “removing the attention-gating module causes the largest performance drop (−8.1 pts).” This conclusion is presented as a direct derivation from the ablation study. However, the corresponding data (implied in the context of Table 5 or the ablation results discussed) indicates that the attention-gating ablation results in a much smaller drop (approx. 2.3 pts), while the removal of the auxiliary loss is the component responsible for the 8.1-pt drop. This is a direct contradiction between the textual conclusion and the numerical evidence provided in the paper’s own tables. The argument that “attention-gating is the most critical component” does not follow from the data presented; rather, the data supports the

conclusion that the “auxiliary loss” is the most critical. This requires a correction of the text to match the table or a re-verification of the table values.

Second, there is a minor inconsistency in the definition of “paradigms.” The Abstract and Introduction claim the benchmark covers “6 paradigms,” listing them as Optimization, Feed-Forward, Online/Streaming, Chunk-based, SLAM-based, and Test-Time Training. However, in Section 5.1 (“Findings”), the authors group “streaming, chunk, TTT” models together under the label “Bounded-memory models” to argue a trade-off between memory and accuracy. While this grouping is logically valid for the specific argument about memory constraints, the initial claim of “6 paradigms” suggests these are distinct categories. The text should clarify whether “Chunk-based” is treated as a distinct paradigm in the benchmark design (as listed in the intro) or if it is subsumed under “Online/Streaming” for the purpose of the findings, to ensure the “6 paradigms” claim remains consistent with the analytical grouping used in the results.

Finally, the claim in Section 5.2 that “TTT gains... only manifest in Dense regimes” is slightly overreaching given Table 4. The table shows a performance *drop* in the Sparse regime ($0.519 \rightarrow 0.470$) but a *gain* in the Medium regime ($0.469 \rightarrow 0.493$). The conclusion that gains *only* manifest in Dense is technically false based on the provided numbers, as a gain exists in Medium. The argument should be refined to state that gains are “most significant” or “dominant” in Dense regimes, rather than exclusive to them, to maintain logical consistency with the data.

These issues are primarily fixable by rewording the text to align with the data (writing) or correcting the data if the text reflects a later run (science). They do not invalidate the central thesis but do represent breaks in the specific argumentative steps regarding component importance and regime-specific gains.

Action items.

- **[writing]** The paper’s argument structure is generally sound, with clear premises leading to conclusions about model performance and benchmark gaps. However, there are specific inconsistencies between the textual claims and the provided data tables that break the logical chain of evidence. First, in Section 5.2, the text explicitly states: “removing the attention-gating module causes the largest performance drop (-8.1 pts).” This conclusion is presented as a direct derivation from the ablation study. Howev

Overreach

Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_overreach.md

The paper presents a comprehensive benchmark (SpatialBench) and a new model, but the rhetoric in the title, abstract, and conclusion frequently overreaches the specific constraints of the experimental evidence.

The primary overreach lies in the framing of the benchmark as a test of “all-round” capabilities. The title asks if models are “All-Round Players,” and the abstract claims to evaluate “cross-

paradigm” robustness. However, the evidence in Table 1 and the appendices reveals that the “Dense” regime—the regime most critical for testing long-horizon, real-world scalability—results in Out-of-Memory (OOM) failures for the vast majority of the 41 evaluated models. The benchmark effectively cannot test these models under the “dense” conditions it claims to evaluate. Consequently, the conclusion that models are “not yet all-round players” is partially a tautology of the benchmark’s hardware limits rather than a demonstrated failure of the models’ inherent capabilities. The rhetoric should be narrowed to reflect that the benchmark exposes *scalability bottlenecks under current hardware constraints* rather than a universal lack of “all-round” robustness.

Secondly, the claim that “Egocentric and wrist-view domains remain dominant OOD failure modes” (Abstract, Section 5) is presented as a general truth about spatial foundation models. The evidence provided (Fig. 3, Table 4) is strictly limited to the performance of models on the specific 19 datasets aggregated in SpatialBench. While these datasets include egocentric/wrist views, the paper does not validate this failure mode on *external*, unseen real-world egocentric data streams. The claim implies a universal generalization that the current evidence (internal benchmark performance) does not fully license. A more accurate framing would be “dominant failure modes within the tested dataset distribution.”

Finally, the “Takeaway” that “Data quality outweighs data volume” is a strong causal claim derived from comparing DA3 (curated data) against other models (noisy mixtures). This comparison conflates data quality with model architecture and training recipes. The evidence shows that *this specific model* with *this specific data* performed well, but it does not isolate “data quality” as the sole driver of the performance gap. The prose should be hedged to reflect that this is an observation from the specific experimental setup, not a universal law of training.

These are primarily writing-level overreaches where the scope of the claim exceeds the scope of the evidence. Narrowing the language to match the specific constraints of the benchmark (hardware limits, specific dataset distribution) will align the rhetoric with the demonstrated results.

Action items.

- **[writing]** Title/Abstract claim ‘all-round’ evaluation, but Table 1 shows 30+ models OOM in the ‘Dense’ regime. The benchmark cannot test dense scalability for most models. Narrow the claim to ‘evaluating robustness under hardware constraints’ or acknowledge the dense regime’s limited coverage.
- **[writing]** Abstract claims ‘egocentric/wrist-view are dominant OOD failures’ as a general fact. Evidence is limited to the 19 benchmark datasets. Add a qualifier: ‘dominant failures within the tested distribution’ or test on external real-world streams to support the universal claim.
- **[writing]** Conclusion states models are ‘not all-round players’ due to dense failures. However, these failures are often OOM (hardware limits), not algorithmic inability. Rephrase to ‘models fail to scale to dense inputs under current hardware constraints’ to match the evidence.
- **[writing]** Section 5 claims ‘Data quality outweighs volume’ based on DA3 vs. others. This conflates data with architecture. Soften to ‘In our experiments, curated data correlated with

better performance, suggesting quality is critical’ to avoid overgeneralizing causality.

Safety Ethics

Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_safety_ethics.md

The paper presents a benchmark (SpatialBench) and a new model (Depth-Anything-Next) for spatial foundation models. The work aggregates 19 existing public datasets (e.g., ScanNet, KITTI, Waymo, CO3D) and introduces a new curated dataset (\dataset) derived from public sources (Xperience, ADT, HOI4D, RLBench, etc.).

From a safety and ethics perspective, the paper is low-risk:

1. **Data Provenance:** The paper explicitly lists the source datasets and their licenses in Appendix (Table \ref{tab:dataset_profile_summary_cited} and surrounding text), noting “Non-Commercial” or specific CC licenses (e.g., CC BY-NC 4.0) for several sources. There is no indication of scraping data in violation of Terms of Service (ToS) or using private/PII-containing data without consent. The new dataset is constructed from these public sources with standard post-processing (depth refinement, masking).
2. **Dual-Use:** The capabilities evaluated (depth estimation, camera pose, 3D reconstruction) are standard computer vision tasks. While these can theoretically be used in robotics or surveillance, the paper does not introduce a novel capability that significantly lowers the barrier to harm (e.g., automated vulnerability discovery, persuasive disinformation, or biological synthesis). The “dual-use” risk is generic to the field and does not require specific mitigation beyond standard responsible AI practices, which are not explicitly demanded for this type of benchmark paper.
3. **Human Subjects:** The datasets used are either synthetic or public, anonymized real-world collections (e.g., driving scenes, indoor scans). No new human-subjects experiments, surveys, or collection of personally identifiable information (PII) are described. Therefore, no IRB/ethics statement is required for new data collection.
4. **Vulnerabilities:** The paper does not report security vulnerabilities in live systems or provide operational details for cyber-attacks.

No specific, nameable safety or ethical gaps were found. The paper does not release PII, does not violate known licenses (it cites them), and does not propose a harmful system. The verdict is **accept** with no action items.

Scientific Evidence

Weighs the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_scientific_evidence.md

The paper presents a comprehensive benchmark (SpatialBench) and a new model (Depth-Anything-Next, \ours), but the experimental design contains significant confounds that prevent the evidence from fully supporting the specific claims about architectural superiority and data quality.

First, the headline claim that \ours achieves +47% to +59% depth gains over DA3-Giant (Table 1) is confounded by training data. The paper states \ours was trained on a new, curated dataset (\dataset) specifically designed to address egocentric/wrist-view gaps, while DA3-Giant was trained on a different mixture. The design does not isolate whether the performance gain comes from the architectural changes (scale tokens, camera conditioning) or simply from the superior quality and domain relevance of the new training data. To support the claim that the *model* is better, the authors must run a control experiment training the baseline DA3-Giant architecture on the exact same \dataset mixture with identical hyperparameters. Without this, the gain is indistinguishable from a data scaling effect.

Second, the paper reports single-point performance metrics (e.g., AbsRel 0.050) across 41 models without any measure of variance (standard deviation, standard error, or confidence intervals) or seed count. In 3D reconstruction tasks, results can fluctuate significantly based on random initialization, data shuffling, or minor hyperparameter sensitivities. A reported improvement of a few percentage points (e.g., the +3.1% AUC@30 gain) is well within the range of typical run-to-run variance for these models. The evidence design fails to rule out that these “improvements” are statistical noise. The authors should report results averaged over at least 3-5 random seeds with mean $\pm$ SD to demonstrate that the observed effects are stable and reproducible.

Finally, the finding that “Data quality > Volume” relies on comparing models with different architectures and different training data simultaneously. To rigorously support this, an ablation is needed where a single model architecture is trained on both the curated pseudo-GT data and a larger, noisy dataset. The current design attributes the performance difference to data quality, but it could equally be attributed to the specific architectural choices of the model trained on the curated data.

These issues do not invalidate the benchmark itself, which is a valuable contribution, but they weaken the evidentiary support for the specific claims regarding the new model’s architecture and the specific drivers of performance gains.

Action items.

- **[writing]** The paper presents a comprehensive benchmark (SpatialBench) and a new model (Depth-Anything-Next, \ours), but the experimental design contains significant confounds that prevent the evidence from fully supporting the specific claims about architectural

superiority and data quality. First, the headline claim that \ours achieves +47% to +59% depth gains over DA3-Giant (Table 1) is confounded by training data. The paper states \ours was trained on a new, curated dataset (\dataset) specifically desi

Statistical Analysis

Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_statistical_analysis.md

The statistical reporting in this paper suffers from a lack of uncertainty quantification and multiple-comparison control, which undermines the reliability of the comparative claims.

First, the primary results tables (Table 1, and the extensive appendix tables) report performance metrics (AbsRel, AUC@30, ATE, etc.) as single point estimates for each model. In the context of deep learning, where training and inference can be stochastic, a single run does not represent the model’s true performance distribution. Reporting a value like “0.050” without a standard deviation (SD), standard error (SE), or range across multiple random seeds creates an illusion of false precision. The reader cannot distinguish between a stable improvement and a lucky run. The authors should report mean $\pm$ SD over at least 3 seeds for all reported numbers, or explicitly state that results are from a single seed and treat the numbers as indicative rather than definitive.

Second, the paper makes strong comparative claims, such as the proposed method achieving “+47% / +59% depth gains” over the baseline (DA3-Giant). These are presented as facts without any statistical backing. There are no p-values, confidence intervals, or hypothesis tests (e.g., a paired t-test or bootstrap test) to verify if these gains are statistically significant or merely within the noise of the evaluation. Given the high stakes of benchmarking, a claim of “significant” improvement requires statistical evidence. The authors should either run the appropriate statistical tests on the per-seed results or rephrase the claims to reflect the observed point estimates without implying statistical significance.

Third, the benchmark evaluates 41 models across 4 input regimes and multiple metrics, resulting in a massive number of pairwise comparisons. The paper highlights “best” results using color coding (blue/orange/yellow) but does not apply any correction for multiple comparisons (e.g., Bonferroni, Holm, or Benjamini-Hochberg). When performing hundreds of tests, the family-wise error rate increases dramatically, meaning many of the highlighted “best” results are likely false positives. The authors should apply a multiple-comparison correction to the p-values (if tests are run) or explicitly acknowledge that the rankings are uncorrected and subject to chance. Without this, the claim that one model is definitively “better” than another in specific cells is statistically unsound.

Action items.

- **[writing]** Table 1 and Appendix tables report single-point metrics (e.g., AbsRel 0.050) for 41 models without any measure of variance (SD, SE, or range). In deep learning, results vary

by seed; reporting a single run as the definitive score implies false precision. Report mean $\pm$ SD over 3 seeds for all key comparisons, or explicitly state results are from a single seed.

- **[writing]** The abstract and Section 5 claim the proposed method is ‘+47% / +59% depth gains’ over DA3-Giant. These are point estimates with no confidence intervals or statistical tests (e.g., paired t-test or bootstrap) to determine if the improvement is significant or within run-to-run variance. Add a statistical test or report the variance across seeds to support the magnitude of the gain.
- **[science]** Table 1 compares 41 models across 4 regimes and multiple metrics (effectively >100 pairwise comparisons). The paper highlights ‘best’ results with color coding but applies no correction for multiple comparisons (e.g., Bonferroni, Holm, or FDR). Without correction, the probability of false positives (highlighting a model as ‘best’ by chance) is high. Apply a correction or explicitly acknowledge the multiplicity risk.

Writing Quality

Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_writing_quality.md

The paper is generally well-structured, but several sections suffer from abrupt transitions and missing topic sentences that force the reader to infer the logical connection between ideas.

In the **Introduction**, the final paragraph abruptly introduces the new dataset (\dataset) and model (\ours) immediately after listing benchmark insights. While the content is relevant, the lack of a bridging sentence makes the shift from “what we found” to “what we built” feel disjointed. A simple transition phrase connecting the identified gaps to the proposed solution would significantly improve the narrative flow.

Section 3.1 (Data Collection) presents a list of 19 datasets without a preceding topic sentence that summarizes the scope or selection strategy. The reader is dropped directly into the enumeration. A brief introductory sentence outlining the diversity (e.g., “We aggregate 19 datasets spanning static/dynamic and real/synthetic domains...”) would provide necessary context before the list.

Similarly, **Section 3.2** defines the evaluation regimes in a list format but misses a lead-in sentence explaining the deterministic protocol’s purpose. The transition from the previous subsection to this list is cold.

In **Section 5 (Findings)**, the use of \observationbox is effective for highlighting takeaways, but the prose immediately preceding these boxes often jumps straight from a figure reference to the conclusion without a connecting sentence. For instance, “Fig. X shows Y” is followed immediately by the box. Adding a sentence that explicitly interprets the visual evidence before the boxed summary would smooth the reading experience.

Finally, there is noticeable **redundancy** between the main text and the Appendix. Sections

like “The Collection of \dataset” and “Detail of \ours” appear to be duplicated or split awkwardly between the main body and the appendix, with slight variations in phrasing. Consolidating these definitions into a single, clear location (either fully in the main text or fully in the appendix with a clear cross-reference) would prevent confusion and improve the paper’s cohesion.

Overall, the science is presented clearly, but tightening the transitions and ensuring every paragraph has a clear, stated purpose will make the paper much easier to follow.

Action items.

- **[writing]** The paper is generally well-structured, but several sections suffer from abrupt transitions and missing topic sentences that force the reader to infer the logical connection between ideas. In the Introduction, the final paragraph abruptly introduces the new dataset (\dataset) and model (\ours) immediately after listing benchmark insights. While the content is relevant, the lack of a bridging sentence makes the shift from “what we found” to “what we built” feel disjointed. A simple transition phr