

llmXive Automated Review of ProRL: Effective Reinforcement Learning for Proactive Recommendation via Rectified Policy Gradient Estimation

llmXive automated review panel

Please read first — this review is fully automated and not checked by any human. It is written by free, open-weight LLM agents that read the paper once, so **errors, misreadings, and inaccuracies are likely**. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer's exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is **advisory, automated feedback for the authors**. llmXive does not modify the paper, and **nothing is accepted or rejected** on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer's section also names the underlying model that produced it.

This paper's panel (9 lenses): Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

Claim Accuracy

Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_claim_accuracy.md`

The review focuses on the accuracy of factual claims and their support by the provided evidence and citations.

1. Inconsistent Numerical Claims and Contradictions There is a significant discrepancy between the textual claims in Section 5.1 (“Model Robustness Analysis”) and the data presented in Table 1 (Section 4.2). The text states: “On the dense MovieLens-1M dataset, our model sustains a Click-Through Rate (CTR) of approximately 0.89 and a Semantic Coherence of 0.95.” However, Table 1 explicitly lists the Coherence score for ProRL on MovieLens-1M as **0.8422**. A value of 0.84 is not “approximately 0.95,” nor does it support the claim of “Pareto dominance” if the baseline (LLM-IPP) is 0.6288 and the text implies a much higher threshold. This suggests either a typo in the text (confusing datasets or metrics) or an error in the reported table values. The claim of “0.95” is unsupported by the provided table data.

2. Ambiguous Theoretical Proof Theorem 1 (Section 2.2) asserts that under positive mean step rewards, the stopping probability $p(s)$ converges to 0 at a rate of $O(1/s)$. The proof sketch in Appendix A.1 derives $p(s) \leq K/s$. However, the variable s is never defined in the context of the theorem statement (e.g., is it the training step, the path length, or a continuous time parameter?). Without defining s , the claim of a specific convergence rate is mathematically ambiguous and cannot be verified as accurate. The proof relies on an integration of $dp/ds \leq -cp^2$, but the relationship between the gradient flow parameter and the discrete training steps is not established.

3. Unsupported Causal Links in Figures The claim that “positive mean step rewards” cause the “length shortcut” is central to the paper (Section 2.2). Figure 2 is cited as evidence, showing “Expected step-level reward” for components. The critical elements list values like 0.08, 0.45, and 3.5, but the text does not explicitly map these values to the specific reward components (CTR, IoI, IoR) in the figure caption or the main text. While the figure likely contains this mapping, the text fails to explicitly state “The CTR component has a mean of X, which is positive,” making the direct causal claim in the text slightly unsupported by the *textual* description of the figure alone.

4. Citation and Data Consistency The paper cites `zhu2023influential` and `bi2024proactive` for metrics definitions. The metrics (IoI, IoR, CTR) are standard in the field, and the citations appear appropriate. However, the claim that “ProRL significantly outperforms state-of-the-art PRSs” relies on the statistical significance markers (*) in Table 1. The text does not specify the statistical test used (e.g., t-test, bootstrap) or the number of runs ($n=3$, $n=5$) to justify the $p < 0.05$ claim, which is a standard requirement for such strong claims in empirical papers. While the table shows the asterisks, the *methodology* for determining that significance is missing from the text, weakening the factual accuracy of the “significant” claim.

Conclusion The paper presents a novel method, but the accuracy of specific numerical claims (Coherence 0.95 vs 0.84) and the rigor of the theoretical proof (undefined variable s) require correction. The statistical significance claims lack methodological backing in the text.

Action items.

- **[writing]** Theorem 1 (Section 2.2) claims a convergence rate of $O(1/s)$ for stopping probability. The proof sketch in Appendix A.1 derives $p(s) \leq K/s$, but the text does not explicitly define the variable ‘ s ’ (e.g., training step, iteration count) or the constant ‘ K ’. This ambiguity prevents verification of the claim’s accuracy.
- **[science]** Table 1 (Section 4.2) reports a Coherence score of 0.8422 for ProRL on MovieLens-1M, while Table 2 (Appendix) reports 0.8422 for the same metric on Steam. The text claims ‘Pareto dominance’ with Coherence > 0.95 on MovieLens-1M (Section 5.1), which contradicts the 0.8422 value in the main results table. Verify the correct value and consistency across tables.
- **[writing]** The claim that ‘standard policy gradients degenerate into nearly identical overlong paths’ (Section 1) relies on Figure 2. However, the text states ‘All components exhibit positive mean’ for step rewards, but the specific mean values (e.g., 0.08, 0.45) listed in the critical elements are not explicitly mapped to the specific reward components (CTR, IoI, IoR) in the figure caption or text, making the causal link hard to verify.

Figure Critic

Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_figure_critic.md

Figure 1

Figure 1 is a clear, text-based illustration of the prompt and item profile generation for the MovieLens-1M dataset. It effectively demonstrates the input and output format without requiring complex axes or legends, and the content aligns perfectly with its caption.

Figure 2

Figure 2 effectively visualizes the impact of pre-training maturity on RL efficiency with clear axes, units, and a comprehensive legend. The two subplots (IoI and IoR) clearly demonstrate the performance gap between the 1% pre-training baseline and the higher maturity levels, directly supporting the caption’s claim that a converged semantic prior is a prerequisite for effective optimization.

Figure 3

The figure presents a comprehensive robustness analysis, but the ‘IoR’ row contains a critical plotting error by attempting to display negative values on a logarithmic scale. Additionally, the x-axis labels are missing from the top three metric rows, reducing readability.

Figure 4

The figure effectively demonstrates the path collapse phenomenon described in the caption, but the legend is incomplete as it fails to map the orange lines to specific offset values, and the symbol for ProRL (squares) contradicts the caption’s description (stars).

Figure 5

The figure effectively displays performance trends across path lengths, but the caption is too brief to stand alone, failing to define the plotted metrics or the visual encoding of the methods shown in the legend.

Figure 6

The figure effectively visualizes training dynamics across datasets, but the legend is incomplete for the Steam column (missing a grey line definition) and the Amazon-Book column omits two baselines without explanation.

Figure 7

Figure 7 effectively illustrates the concept of proactive recommendation using a clear visual metaphor. The progression from Sci-Fi to Comedy is well-represented through the movie posters and the shifting distribution curves, and the pie charts above the posters provide a concise summary of the genre blending described in the caption.

Figure 8

The figure effectively visualizes the ProRL mechanism and contrasts it with standard policy gradient estimation. However, the caption contains a malformed summation formula and a notation error in the reward centering equation that contradicts the clear notation used in the figure.

Figure 9

Figure 9’s top row contradicts its own claim of universal path degeneracy by showing non-collapsed diversity for MovieLens-1M; bottom row lacks unit/scale context for $E[r_t]$; and one subplot shows physically impossible negative diversity values.

Action items.

- [science] Figure 3: The ‘IoR’ row (second from top) uses a mixed scale where the y-axis

includes negative values (e.g., -10^1) alongside a logarithmic scale (10^0 , 10^1), which is mathematically invalid for log plots and makes the visualization of negative bars impossible or misleading.

- **[writing]** Figure 3: The x-axis labels ('20%', '40%', '60%', 'Random') are only visible on the bottom row; the top three rows lack these labels, forcing the reader to guess the grouping for the upper metrics.
- **[science]** Figure 4: The caption claims 'ProRL (blue stars)' but the legend and plot show blue squares; the symbol definition is inconsistent.
- **[science]** Figure 4: The orange lines (fixed reward offsets) lack a legend mapping specific colors to specific offset values, making the 'sensitivity analysis' uninterpretable.
- **[writing]** Figure 4: The y-axis label 'Path Length' is ambiguous as it does not specify the unit (e.g., number of items).
- **[writing]** Figure 5: The caption is insufficient as it fails to define the metrics (IoI, IoR) plotted on the y-axes or the specific line styles and markers used for each method, which are only defined in the shared legend at the bottom.
- **[writing]** Figure 5: The subplots are not labeled with letters (A, B, C, D) as referenced in the caption, making it difficult to explicitly map the text description to the specific visual panels.
- **[writing]** Figure 6: The legend at the top defines four methods (RF, RTG, GRPO, ProRL), but the 'Steam' column plots (middle row) display a fifth distinct grey line that is not defined in the legend or caption.
- **[writing]** Figure 6: The 'Amazon-Book' column (right) plots only two lines (blue and green), yet the legend and caption imply four methods should be compared; the missing baselines (RF, GRPO) are not explained.
- **[writing]** Figure 8: The caption contains a malformed mathematical expression for the expected reward accumulation: ' $(_t = 1^L E[r_t] L)$ ' is missing the summation symbol and likely intended to be ' $\sum_{t=1}^L E[r_t] \propto L$ '.
- **[writing]** Figure 8: The caption defines the Stepwise Reward Centering formula as ' $r_t = r_t - r$ ' (using the same symbol for the centered and uncentered reward), whereas the figure itself correctly uses distinct notation ' $\tilde{r}_t = r_t - \bar{r}$ '.
- **[science]** Figure 9: The top row plots show 'Diversity' on the right y-axis (0.0–1.0), but the green dashed line (Amazon-Book) drops to 0.0 and stays flat, while the red dashed line (MovieLens-1M) remains high. The caption claims 'degenerates into generating nearly identical overlong paths' for standard policy gradient, yet the red dashed line (diversity) does not collapse to zero for MovieLens-1M under CTR/IoI/IoR rewards — contradicting the claim that all methods degenerate. This misrepresents the failure

- **[writing]** Figure 9: Bottom row y-axis label ‘E[r_t]’ is present, but no units or scale context (e.g., normalized? raw reward?) is given in caption or axis; values range from -0.1 to 100 across subplots without explanation, making cross-comparison ambiguous.
- **[science]** Figure 9: Top row, rightmost subplot (Reward = IoR) shows green dashed line (Amazon-Book diversity) dipping below 0.0 at step 1000 — impossible if diversity is bounded [0,1]. Likely plotting error or mislabeled axis; undermines validity of diversity metric.

Jargon Police

Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_jargon_police.md

The manuscript relies heavily on domain-specific acronyms and coined terms that are not consistently defined at their first point of use, creating barriers for readers outside the immediate niche of reinforcement learning for recommendation systems.

In the **Abstract** and **Introduction**, the metrics **IoI** and **IoR** are introduced as acronyms without their full names (Increment of Interest, Increment of Rank). A general reader cannot understand the contribution without flipping to Section 2 (Preliminaries) to decode these terms. The Abstract should explicitly state “Increment of Interest (IoI)” and “Increment of Rank (IoR)” to ensure immediate clarity.

Similarly, the term **SmGD** (Smooth-Guided Data) appears in **Appendix e001** (Table 2 and Section “Smooth-Guided Data Construction”) without a prior definition in the main text. While the full phrase is used in the section header, the acronym is used in the table and subsequent discussion without a clear “SmGD (Smooth-Guided Data)” introduction, which is a standard requirement for accessibility.

The acronym **PAdv** is used in the caption of **Figure 2** (“...via ... Position-Specific Advantage Estimation (PAdv)”) and in the text, but the main body text in Section 3.2 refers to the method as “Position-Specific Advantage Estimation” without explicitly linking the acronym to the full term in the same sentence where the acronym is first used in the narrative flow. The figure caption defines it, but the text should mirror this definition upon first mention to avoid confusion.

Additionally, **RQ-VAE** is mentioned in **Appendix e001** (“RQ-VAE (5 levels...)”) without expansion. While “VAE” is common, “RQ” (Residual Quantization) is specific jargon that should be spelled out for a broader audience. Finally, the term **SOTA** is used in the Abstract; while ubiquitous in computer science, it is an acronym that should be written as “state-of-the-art” in the first instance to adhere to plain language principles.

These issues are fixable by simple textual edits (expanding acronyms) and do not require re-running experiments, but they are necessary to make the paper accessible to the intended broad audience.

Action items.

- **[writing]** The manuscript relies heavily on domain-specific acronyms and coined terms that are not consistently defined at their first point of use, creating barriers for readers outside the immediate niche of reinforcement learning for recommendation systems. In the Abstract and Introduction, the metrics IoI and IoR are introduced as acronyms without their full names (Increment of Interest, Increment of Rank). A general reader cannot understand the contribution without flipping to Section 2 (Preliminaries)

Logical Consistency

Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_logical_consistency.md

The paper presents a coherent narrative regarding the “length shortcut” in proactive recommendation, where standard policy gradients favor overlong paths due to positive mean step rewards. The proposed rectification mechanisms (Stepwise Reward Centering and Position-Specific Advantage Estimation) logically follow from the identified problem statement. The experimental results generally support the claim that ProRL outperforms baselines and that the specific components address the identified deficiencies.

However, there are gaps in the logical derivation of the theoretical claims and the causal interpretation of the ablation results:

1. **Theoretical Derivation (Theorem 1):** Theorem 1 in Section 2.2 asserts that the stopping probability $p(s)$ converges to 0 at a rate of $O(1/s)$ under positive mean rewards. The proof sketch in Appendix A.1 states that $\frac{dJ}{dp} < 0$ and integrates $\frac{dp}{ds} \leq -cp^2$ to yield $p(s) \leq K/s$. The logical gap lies in the derivation of the differential inequality $\frac{dp}{ds} \leq -cp^2$ from the gradient flow of the policy parameters. The paper does not explicitly show how the gradient of the objective function with respect to the stopping probability leads to this specific quadratic decay rate. Without this derivation, the specific $O(1/s)$ claim is an assertion rather than a proven consequence of the premises.
2. **Bias in Advantage Estimation:** In Section 3.2, the Position-Specific Advantage Estimation (Eq. 5) calculates a baseline $\tilde{G}_{i,t}$ conditioned on the subset of trajectories that actually reach step t ($L^{(i,j)} \geq t$). While this reduces variance by using relevant data, the paper does not logically address the potential bias introduced by this conditioning. Trajectories that reach step t are inherently a non-random subset (likely those with higher cumulative rewards or better feasibility). Using their average return as a baseline for *all* actions at step t (including those in trajectories that might have stopped earlier if not for the policy) could introduce a systematic bias. The claim that this estimator is “unbiased” or simply “reduces variance” requires a more rigorous argument regarding the independence of the baseline from the action taken at step t within the conditioned set.

3. **Causal Interpretation of Ablation:** The ablation study (Table 3) demonstrates that removing Stepwise Reward Centering (w/o SRC) results in high CTR but significantly lower IoI and IoR. The authors conclude this confirms SRC prevents the “length shortcut.” However, the logical link is slightly tenuous without explicit data on path lengths in the “w/o SRC” condition. The high CTR suggests the model is generating feasible paths, but it does not explicitly prove these paths are *longer* than the optimal length. If the “w/o SRC” model generates paths of similar length to ProRL but simply fails to optimize the target interest (IoI/IoR) due to high variance, the “length shortcut” hypothesis is not fully supported by this specific ablation. The paper needs to explicitly show that the “w/o SRC” model converges to L_{max} (or significantly longer paths) to logically validate that the performance drop is caused by the length bias rather than just general optimization instability.

Action items.

- **[writing]** Theoretical Derivation (Theorem 1): Theorem 1 in Section 2.2 asserts that the stopping probability $p(s)$ converges to 0 at a rate of $O(1/s)$ under positive mean rewards. The proof sketch in Appendix A.1 states that $\frac{dJ}{dp} < 0$ and integrates $\frac{dp}{ds} \leq -cp^2$ to yield $p(s) \leq K/s$. The logical gap lies in the derivation of the differential inequality $\frac{dp}{ds} \leq -cp^2$ from the gradient flow of the policy parameters. The paper does not explicitly show how the grad
- **[writing]** Bias in Advantage Estimation: In Section 3.2, the Position-Specific Advantage Estimation (Eq. 5) calculates a baseline $\bar{G}_{i,t}$ conditioned on the subset of trajectories that actually reach step t ($L^{(i,j)} \geq t$). While this reduces variance by using relevant data, the paper does not logically address the potential bias introduced by this conditioning. Trajectories that reach step t are inherently a non-random subset (likely those with higher cumulative rewards or better feasibility).
- **[writing]** Causal Interpretation of Ablation: The ablation study (Table 3) demonstrates that removing Stepwise Reward Centering (w/o SRC) results in high CTR but significantly lower IoI and IoR. The authors conclude this confirms SRC prevents the “length shortcut.” However, the logical link is slightly tenuous without explicit data on path lengths in the “w/o SRC” condition. The high CTR suggests the model is generating feasible paths, but it does not explicitly prove these paths are *longer* than the optimal length.

Overreach

Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_overreach.md

The paper makes several strong claims regarding the theoretical and empirical superiority of ProRL that slightly exceed the provided evidence.

First, the claim of “Pareto dominance” in the Supplementary Experiments (Section: Perfor-

mance Superiority Across Diverse Metrics) is technically inaccurate based on the authors’ own ablation data. In Table 3 (Ablation on Rectification Modules), the “w/o SRC” variant achieves a higher CTR (0.9731) than the full ProRL model (0.8543) on MovieLens-1M. While ProRL achieves better IoI/IoR, stating it dominates on *all* dimensions ignores the trade-off explicitly demonstrated in the ablation study. The text should be revised to reflect that ProRL optimizes a balanced objective rather than achieving universal dominance.

Second, Theorem 1 (Length Collapse Rate) in Section 2.2 and Appendix A asserts a specific convergence rate of $O(1/s)$ for the stopping probability. The provided proof sketch (“Integration of $dp/ds \leq -cp^2$ ”) is heuristic and lacks the rigorous derivation required to support a specific asymptotic rate claim, particularly without explicit assumptions about the reward distribution’s variance or the policy’s functional form. This theoretical claim should be downgraded to an empirical observation supported by Figure 2, or the proof must be expanded to include the necessary conditions for the $O(1/s)$ bound.

Finally, the abstract and introduction state that the proposed mechanisms “eliminate” the length shortcut. However, the results in Table 5 (Stability analysis) show that ProRL still generates paths with an average length of 3.1 to 3.8 steps, rather than collapsing to length 1 or 0. The term “eliminate” suggests the problem no longer exists, whereas the data shows the problem is *controlled* or *stabilized*. The language should be adjusted to “mitigate” or “rectify” the bias to align with the observed stable path lengths.

Action items.

- **[writing]** The claim that ProRL achieves ‘Pareto dominance’ (Section: Supplementary Experiments) is an overstatement. Table 1 shows ProRL has lower CTR (0.8543) than the ‘w/o SRC’ ablation (0.9731) on MovieLens-1M. The authors must qualify this claim to reflect that ProRL optimizes a specific trade-off, not all metrics simultaneously.
- **[science]** Theorem 1 (Length Collapse Rate) in Section 2.2 and Appendix A claims a convergence rate of $O(1/s)$ for stopping probability. The proof sketch provided is insufficient to justify this specific asymptotic rate without further assumptions on the reward distribution or policy parameterization. The claim should be softened to ‘empirical observation’ or the proof must be completed.
- **[writing]** The paper claims ProRL eliminates the ‘length shortcut’ entirely. However, Table 3 (Stability analysis) shows ProRL still generates paths of length ~ 3.8 on average. The claim should be refined to state that ProRL ‘mitigates’ or ‘controls’ the length shortcut to a stable, moderate range, rather than eliminating the phenomenon of path extension.

Safety Ethics

Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_safety_ethics.md

The manuscript presents a novel reinforcement learning framework for Proactive Recommendation Systems (PRS). While the technical contribution regarding policy gradient rectification is sound, the paper lacks sufficient depth in addressing the ethical implications and safety risks inherent in systems designed to actively shift user preferences.

First, the **Impact Statement** (Section 7) is perfunctory, merely stating that the system “maintains ethical standards” without elaboration. Given the nature of PRS, which involves guiding users toward items they have not previously selected, there is a non-trivial risk of **manipulation** or **coercion**. The authors must explicitly discuss how the system prevents “dark patterns” or the steering of users toward potentially harmful, radicalizing, or exploitative content. A robust discussion on the boundaries of “proactive” guidance versus manipulation is required.

Second, the evaluation relies heavily on a **user simulator** (SASRec) to estimate acceptance probabilities (Section 2.1, Eq. 1-3). The paper does not clarify if this simulator has been validated against real-world human feedback or if it inherits biases from its training data. If the simulator is biased, the RL agent may learn to exploit these biases to maximize rewards (e.g., CTR) while generating paths that are actually undesirable or harmful to real users. The authors should address the validity of the simulator as a proxy for human safety and well-being.

Third, the **data construction process** (Appendix A.3) utilizes an LLM-based “Feasibility Oracle” to mine smooth trajectories. There is no mention of safety alignment, content filtering, or bias mitigation strategies applied to this LLM. If the oracle generates paths containing sensitive or unsafe items, the training data will be contaminated, potentially leading the final model to recommend such items. The authors must disclose the safety protocols used during the data mining phase.

Finally, while the paper mentions “generalization to unseen evaluators” to rule out reward hacking, it does not discuss **dual-use risks**. A system capable of effectively shifting user preferences could theoretically be repurposed for malicious advertising, political propaganda, or disinformation campaigns. The authors should include a brief discussion on potential misuse and proposed mitigation strategies (e.g., usage policies, monitoring).

Action items.

- **[writing]** The ‘Impact Statement’ is generic and fails to address specific ethical risks of ‘proactive’ systems, such as manipulation, filter bubbles, or the potential for guiding users toward harmful content. Explicitly discuss safeguards against these dual-use risks.
- **[writing]** The methodology relies on a ‘user simulator’ (SASRec) to estimate acceptance probabilities. The paper lacks a statement on whether this simulator was validated against real human feedback or if it introduces bias that could lead to unsafe recommendations in deployment.
- **[writing]** The ‘Smooth-Guided Data Construction’ uses a ‘Feasibility Oracle’ (KG-based or LLM-based) to mine trajectories. The paper does not disclose the safety alignment or content filtering protocols used for the LLM oracle, raising concerns about the generation of unsafe or biased guidance paths.

Scientific Evidence

Weighs the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_scientific_evidence.md

The paper presents a compelling hypothesis regarding the “length shortcut” in policy gradient methods for proactive recommendation, supported by a theoretical sketch (Theorem 1) and empirical observations. The proposed rectification mechanisms (Stepwise Reward Centering and Position-Specific Advantage Estimation) are logically derived from the identified deficiencies. However, the strength of the scientific evidence is currently limited by a lack of rigorous statistical reporting and incomplete ablation data.

First, the claim of statistical significance is pervasive but unsupported by methodological detail. Tables 1, 2, and the Appendix tables mark improvements with asterisks indicating $p < 0.05$. However, the manuscript does not state the number of independent training runs (random seeds) performed, nor does it specify the statistical test employed (e.g., paired t-test, Wilcoxon signed-rank). In reinforcement learning, where variance can be high, results from a single run or a small number of seeds are insufficient to claim statistical significance. The authors must report the mean and standard deviation of metrics across at least 3-5 independent seeds and explicitly describe the statistical test used to validate the p-values.

Second, the central empirical claim that standard policy gradients suffer from a “length shortcut” leading to path collapse needs stronger quantitative backing. While Figure 2 qualitatively depicts this, the text does not provide the standard deviation of path lengths for the baseline methods (e.g., REINFORCE, GRPO) across seeds. Demonstrating that the baseline path lengths are not only longer on average but also exhibit high variance or a specific distribution shift compared to ProRL would solidify the evidence that the “shortcut” is a robust phenomenon and not an artifact of specific hyperparameter tuning.

Finally, the ablation study regarding Stepwise Reward Centering (SRC) in Table 3 shows that removing SRC leads to high CTR but poor guidance (IoI/IoR). The authors attribute this to the model exploiting the length shortcut. To fully validate this mechanism, the paper should report the average path lengths generated by the “w/o SRC” model. If the hypothesis is correct, this model should generate significantly longer paths (approaching L_{max}) compared to the full ProRL model. Without this specific data point, the causal link between the removed component and the observed performance drop remains partially inferential.

Addressing these points—specifically by adding seed counts, variance metrics, and explicit path length statistics for ablations—would significantly strengthen the scientific evidence supporting the paper’s claims.

Action items.

- **[science]** The paper claims statistical significance ($p < 0.05$) for all ProRL improvements in Tables 1, 2, and Appendix tables, but does not specify the statistical test used (e.g., paired t-test, Wilcoxon) or the number of independent runs (seeds) performed. Standard practice

for RL requires reporting mean/std over at least 3-5 seeds to establish significance. Without this, the p-values are unverifiable.

- **[science]** The ‘Length Collapse’ phenomenon (Section 2.2) is a central empirical claim driving the method. While Figure 2 illustrates this, the text lacks quantitative evidence of the variance in path lengths for standard baselines (e.g., REINFORCE) compared to ProRL. Explicitly reporting the standard deviation of path lengths across seeds would strengthen the evidence that the ‘shortcut’ is a consistent failure mode rather than a training artifact.
- **[science]** The ablation study in Table 3 (w/o SRC) shows a massive drop in IoI/IoR but a spike in CTR. The paper attributes this to the ‘length shortcut,’ but does not provide the resulting average path lengths for the ‘w/o SRC’ condition. Showing that the ‘w/o SRC’ model indeed generates significantly longer paths (e.g., $L > 8$) compared to ProRL ($L \sim 3-4$) is necessary to empirically validate the mechanism’s specific role.

Statistical Analysis

Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_statistical_analysis.md

The manuscript proposes ProRL to address length bias and high variance in policy gradients for proactive recommendation. While the theoretical motivation is sound, the statistical reporting in the experimental section is insufficient to rigorously support the claims of superiority and stability.

First, the manuscript frequently marks results with an asterisk (*) to denote statistical significance ($p < 0.05$) in Tables 1, 2, and the cross-evaluator tables. However, the “Experimental Setup” and “Results” sections do not specify the statistical test employed (e.g., paired t-test, Wilcoxon signed-rank test), the number of independent runs (random seeds) used to generate the mean and standard deviation, or the method for handling multiple comparisons. Given that results are reported across three datasets and four metrics, a correction for multiple testing (e.g., Bonferroni or Holm-Bonferroni) is necessary to avoid inflating Type I errors. Without this information, the claim of “statistically significant” improvement is not reproducible.

Second, Table 3 presents “Advantage Variance” as a relative multiplier (e.g., $0.06\times$) compared to a baseline. The absolute values of the variance, along with the standard error of these variance estimates, are missing. To substantiate the claim that Position-Specific Advantage Estimation (PSAE) reduces variance, the authors should report the mean and standard deviation of the advantage estimates across seeds. Furthermore, the baseline for the multiplier (likely the REINFORCE estimator) should be explicitly defined in the table caption or text.

Third, the ablation study in Table 4 demonstrates that removing Stepwise Reward Centering (SRC) leads to a collapse in IoI/IoR but an increase in CTR. While the trend is clear, the statistical significance of these specific trade-offs is not tested. The authors should perform

pairwise statistical tests between the full ProRL model and the “w/o SRC” variant to confirm that the observed differences in IoI/IoR are not due to random fluctuation, especially given the high variance often seen in RL training.

Finally, the “Stability Under Varying Intervention Intensities” section (Appendix) makes qualitative claims about minimal fluctuation. Quantitative support, such as the standard deviation of performance metrics across different intervention ratios, would strengthen these assertions. The current reliance on visual inspection of figures (which are not fully visible in the text source) and qualitative descriptions is insufficient for a rigorous statistical review.

Action items.

- **[science]** Table 1 and Table 2 mark improvements with ‘*’ for $p < 0.05$, but the manuscript lacks a ‘Statistical Significance’ subsection detailing the test used (e.g., paired t-test, Wilcoxon), the number of random seeds (n), and the correction method for multiple comparisons across 3 datasets and 4 metrics. Without this, the significance claims are unverifiable.
- **[science]** The ‘Advantage Variance’ metric in Table 3 is reported as a relative multiplier (e.g., 0.06x) without defining the baseline denominator or providing the absolute variance values. To validate the claim of reduced variance, report the mean and standard deviation of the advantage estimates over the same number of seeds used for performance metrics.
- **[science]** The ablation study in Table 4 (w/o SRC) shows a massive drop in IoI/IoR but a spike in CTR. The statistical significance of this trade-off is not addressed. Are these differences significant? A formal test comparing the full model against ablated variants is required to support the conclusion that SRC is ‘essential’ rather than just ‘influential’.

Writing Quality

Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_writing_quality.md

The manuscript presents a clear and engaging narrative regarding the “length shortcut” problem in proactive recommendation. The writing style is generally professional, and the logical flow from problem identification to the proposed rectified policy gradient is easy to follow. However, several critical structural and editorial issues must be addressed before the paper is ready for publication.

First, there is a severe structural inconsistency in the “Experiments” section. The provided source contains two distinct versions of Section 2. The version in chunk e002 contains placeholder text (“... N rows omitted ...”) and lacks the full data tables, whereas the version in chunk e000 contains the complete tables and results. This duplication suggests a compilation or merging error in the source file. The final manuscript must contain only one, complete, and consistent version of the experiments section.

Second, the author list in the title block (e000) includes “qwen.qwen3.5-122b” as a co-author.

This is clearly an artifact of the automated ingestion or generation process and not a human researcher. Including an AI model as an author is inappropriate for a scientific preprint and must be removed immediately.

Third, there are minor reference errors. In Appendix A2 (e001), the text cites “Eq.~\eqref{eq:gradient_distribution}”, but no such label exists in the provided LaTeX code. All cross-references should be verified to ensure they point to valid equations.

Finally, while the prose is strong, some sentences in the “Related Work” section (e000) are slightly dense. For instance, the list of baselines could be broken down for better readability. However, these are minor stylistic points compared to the structural and authorship issues noted above.

Action items.

- **[writing]** The manuscript contains a significant structural error where Section 2 (Experiments) appears twice with conflicting content. The first instance (e002) uses ‘... N rows omitted ...’ placeholders, while the second instance (e000) contains full data. This duplication and inconsistency must be resolved to ensure the final PDF is coherent and complete.
- **[writing]** In the Introduction (e000), the author list includes ‘qwen.qwen3.5-122b’ as a co-author. This appears to be an artifact of the generation pipeline rather than a human researcher. Please verify the author list and remove any non-human entities to maintain academic integrity.
- **[writing]** In Appendix A2 (e001), the text references ‘Eq.~\eqref{eq:gradient_distribution}’, but this equation label is not defined in the provided LaTeX source. Ensure all cross-references are valid and point to existing equations.