

# llmXive Automated Review of Single-Rollout Asynchronous Optimization for Agentic Reinforcement Learning

*llmXive automated review panel*

---

**Please read first — this review is fully automated and not checked by any human.** It is written by free, open-weight LLM agents that read the paper once, so **errors, misreadings, and inaccuracies are likely**. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

## How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer's exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is **advisory, automated feedback for the authors**. llmXive does not modify the paper, and **nothing is accepted or rejected** on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer's section also names the underlying model that produced it.

**This paper's panel (9 lenses):** Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

## Claim Accuracy

*Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_claim\_accuracy.md

The paper makes several specific factual claims regarding model versions and performance metrics that require verification against the provided evidence.

First, the Abstract explicitly states that the method was deployed to train the “open GLM-5.2 model (750B-A40B)”. However, the bibliography and the rest of the text only reference “GLM-4.5” and “GLM-4.7”. There is no citation or public record for a “GLM-5.2” model in the provided references. This appears to be a hallucinated model version or a typo that significantly misrepresents the scale and identity of the deployed system. This must be corrected to match the actual model used (likely GLM-4.7 or a future version not yet cited).

Second, the Abstract claims the method “consistently outperforms GRPO” on IMOAnswerBench. While Table 1 shows SAO (74.0%) > GRPO (55.8%), the table also lists a “Qwen3-30B-A3B w/o python” baseline at 55.3%. The phrasing “outperforms GRPO” is technically true for the specific variant listed, but the magnitude of improvement over the base model is not the primary comparison point in the text. The claim is supported by the table numbers, but the context of “GRPO” (standard vs. DIS variant) should be precise to avoid confusion about which baseline is being beaten.

Third, Section 5.1 states that “Standard GRPO... suffers from a performance collapse at approximately 160 training steps.” Yet, Table 1 reports a final accuracy of 84.2% for “GRPO (w/ python)” and 93.5% for “GRPO (w/ DIS)”. If the standard GRPO collapsed, the 84.2% figure is ambiguous: is it the peak before collapse, or a stable result? The text implies the reported numbers for baselines might be “final valid performance before collapsing,” but the table does not explicitly label them as such. This creates a mismatch between the narrative of “collapse” and the presentation of a high final score. The text should clarify that the reported baseline scores represent the peak performance achieved before instability, or the table should reflect the collapsed state if that is the intended comparison.

Finally, the claim in the Abstract that SAO “trains stably for one thousand steps” is supported by the experimental setup (Section 5.1 mentions 1000 steps), but the figures (e.g., Figure 3) only show training dynamics up to a certain point (likely 400-500 steps based on the x-axis labels in the description). While the text claims 1000 steps, the visual evidence provided in the figures does not extend to that limit. This is a minor discrepancy where the text makes a claim slightly beyond the visualized data, but it is not fatal if the full log exists. However, the “GLM-5.2” error is a clear factual mismatch.

### Action items.

- **[writing]** The paper makes several specific factual claims regarding model versions and performance metrics that require verification against the provided evidence. First, the Abstract explicitly states that the method was deployed to train the “open GLM-5.2 model

(750B-A40B)". However, the bibliography and the rest of the text only reference "GLM-4.5" and "GLM-4.7". There is no citation or public record for a "GLM-5.2" model in the provided references. This appears to be a hallucinated model version or a

## Figure Critic

*Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.*

**Reviewer model:** `qwen.qwen3.5-122b`

**Prompt:** `agents/prompts/paper_reviewer_figure_critic.md`

### Figure 1

The bar chart effectively visualizes performance gains, but the caption is grammatically broken with missing subject names, and the x-axis contains a likely erroneous future date.

### Figure 2

The figure effectively illustrates the workflow difference between the proposed method and GRPO, but the caption contains significant grammatical errors with missing method names that hinder readability.

### Figure 3

The figure displays a single benchmark (AIME 2025) despite the caption claiming to show results across 'different benchmarks' and referencing 'remaining benchmarks' in the appendix, creating a direct contradiction between the visual content and the text.

### Figure 4

The figure is rendered clearly with a legend and axes, but it lacks a caption entirely. Additionally, the legend labels use undefined acronyms that do not align with the terminology in the rest of the paper.

### Figure 5

The figure displays a clear line plot of accuracy over training steps for four categories, but the caption is too brief to explain the simulation protocol or the specific meaning of the categories, making the scientific narrative difficult to follow.

Figure 6

The figure clearly displays training reward curves, but the caption’s claim about ‘token-level’ performance is not explicitly linked to the ‘SAO’ label in the legend, causing confusion regarding which method represents the token-level variant.

#### Action items.

- **[writing]** Figure 1: The caption contains multiple grammatical errors and missing subject names (e.g., ‘performance of on reasoning’, ‘outperforms the corresponding baseline’), making it difficult to identify the proposed method.
- **[writing]** Figure 1: The x-axis label ‘HMMT Nov 2025’ contains a future date, which is likely a typo or placeholder error.
- **[writing]** Figure 2: The caption contains placeholders (‘Overview of with...’, ‘For , each trajectory...’) where the method name ‘SAO’ should appear, making the text grammatically incomplete and unclear.
- **[writing]** Figure 2: The caption refers to ‘GRPO’ and ‘SAO’ (implied by the image) but fails to explicitly name the proposed method in the opening sentence, relying on the image labels instead of the text.
- **[science]** Figure 3: The caption claims the figure shows performance on ‘different benchmarks’ and that results for ‘remaining benchmarks’ are in the Appendix, but the plot title is ‘AIME 2025’ and the data shows only a single benchmark. This contradicts the caption’s claim of multiple benchmarks.
- **[writing]** Figure 3: The legend labels ‘SAO’ and ‘GRPO (w/ DIS)’ do not match the method name ‘SAO’ (or similar) implied by the caption’s ‘outperforms the corresponding baseline’ phrasing, creating ambiguity about which method is the proposed one.
- **[fatal]** Figure 4: The figure has no caption provided, making it impossible to verify what the plotted data represents or if the figure supports the paper’s claims.
- **[science]** Figure 4: The legend labels ‘SAO’ and ‘SAO w/o Faster value’ are undefined in the caption and do not match the method names (e.g., ‘GRPO’, ‘DIS’) used in the paper’s text or other figure captions.
- **[science]** Figure 5: The caption describes ‘changing writing-style preferences’ but does not define the four categories (Academic, Cute, Classical, Chuunibyou) or explain the experimental protocol (e.g., why ‘Cute’ drops at step 150 and ‘Classical’ rises at step 300). Without this context, the plot is an unexplained sequence of events rather than a clear simulation of preference shifts.
- **[writing]** Figure 5: The legend uses the term ‘Chuunibyou’ without defining it in the caption or text, which may be obscure to a general scientific audience.
- **[science]** Figure 6: The caption claims ‘token-level shows better training rewards,’ but the legend labels the top-performing method as ‘SAO’ and the lower-performing methods as

‘Step-level’ variants. The caption fails to explicitly identify ‘SAO’ as the token-level method, creating a disconnect between the visual data and the textual claim.

- **[writing]** Figure 6: The legend uses the term ‘Step-level(Average)’ and ‘Step-level(Last-Token)’ but does not define what ‘SAO’ stands for, assuming the reader knows the acronym without providing the full name in the caption or legend.

## Jargon Police

*Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_jargon\_police.md

The paper is generally well-structured for a specialized audience, but it contains a few instances of undefined acronyms and symbols that would stall a competent reader from an adjacent field (e.g., a researcher in standard RL or systems who is not deeply embedded in this specific subfield’s recent shorthand).

The most significant issue is the use of the acronym **TTUR** in Section 4.1 (“...effectiveness of our single-rollout and TTUR mechanisms...”). While “Two-Timescale Update Rule” is a standard concept in stochastic approximation and RL, the paper never expands the acronym or defines it. The concept is described earlier as “Faster Value Update,” but the sudden introduction of the specific acronym “TTUR” without definition assumes prior knowledge of this specific terminology in this specific context.

Secondly, the acronym **DIS** (Direct Double-Sided Importance Sampling) is used frequently in Section 4.1 and the experiments, but the text never explicitly states “Direct Double-Sided Importance Sampling (DIS)”. The full name appears in the subsection title, but the acronym is introduced in the prose without the parenthetical expansion. Standard practice requires the full term followed by the acronym in parentheses at the first occurrence in the main text.

Finally, in Section 5.1, the formula for the length-adaptive GAE introduces the symbol  $\alpha$  without a textual definition. While the formula context suggests it is a scaling parameter, explicitly defining it (e.g., “where  $\alpha$  is a scaling factor”) would remove any ambiguity for a reader not intimately familiar with the specific “length-adaptive GAE” variant cited.

These are minor fixes that significantly improve the self-containment of the paper for the target “adjacent-field PhD” audience.

### Action items.

- **[writing]** Section 4.1 introduces the term ‘TTUR’ in the phrase ‘single-rollout and TTUR mechanisms’ without ever defining it. While ‘TTUR’ (Two-Timescale Update Rule) is a known concept in RL, it is not defined in the text, and the acronym is not expanded at first use. Define it upon first mention (e.g., ‘Two-Timescale Update Rule (TTUR)’) or remove the acronym if the concept is already described as ‘faster value updates’.
- **[writing]** Section 4.1 uses the acronym ‘DIS’ (Direct Double-Sided Importance Sampling) in

the subsection title and text, but the acronym is never explicitly defined in the body text. The full name appears in the title but not in the prose where the acronym is first used. Add ‘(DIS)’ immediately after the first full mention of the method in the text.

- **[writing]** Section 5.1 mentions ‘length-adaptive GAE’ and provides a formula for  $\lambda_{extpolicy}$ , but does not explicitly define the variable *lpha* in the text (it only appears in the formula). While the formula implies *lpha* is a scaling factor, a competent adjacent-field reader would benefit from a brief clause defining it (e.g., ‘where *lpha* is a scaling hyperparameter’).

## Logical Consistency

*Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_logical\_consistency.md

The paper presents a logically coherent argument for replacing group-wise sampling with single-rollout updates in asynchronous RL to mitigate off-policy drift. The premises regarding the inefficiency of synchronous barriers and the staleness of group-based baselines in asynchronous settings are well-established and lead naturally to the proposed solution. The internal consistency of the method section is strong, with the proposed stabilization techniques (DIS, faster value updates, frozen attention) directly addressing the identified challenges of single-rollout variance and policy lag.

However, there are minor logical gaps in the presentation of results and definitions:

1. **Ablation Mapping:** In Section 5.3, the text claims “all examined variants exhibit a performance decline” relative to the proposed method. While true for the specific ablations in Table 3 (Single-step-update, Full-Parameter), the text references “Table 1” (tab:main\_results) in the same paragraph. Table 1 includes “SAO (w/ DIS only)” which is a partial version of the method, not a distinct ablation of the *proposed* components. The logic of “all variants decline” is slightly muddled by mixing the main comparison table with the ablation table. The text should explicitly reference Table 3 for the ablation claims to maintain a tight logical link between the claim and the evidence.
2. **Definition of “Three Archetypes”:** In Section 5.4, the paper introduces the online learning task by stating the reward criteria favor “three distinct stylistic archetypes: cute, chuunibyou, and classical.” However, the experimental setup later describes a pool of *four* candidates (Academic, Cute, Chuunibyou, Classical) where “Academic” is present in the first two phases and “Classical” is introduced in the final phase. This creates a minor inconsistency: the initial premise (three archetypes) does not perfectly align with the experimental reality (a shifting pool of four). While the logic of the experiment holds (the model adapts to shifts), the initial framing is slightly imprecise.
3. **Gradient Masking Logic:** In Section 4.1, the paper defines a clipping function  $f(x)$

that returns 0 outside the trust region. The text states tokens are “masked from gradient computation entirely.” Mathematically, multiplying the loss term by 0 results in a zero gradient, which is consistent. However, the phrasing “masked from gradient computation” could be interpreted as removing the token from the batch entirely (changing the batch size or sequence length), whereas the equation implies the token remains but contributes zero gradient. Clarifying that the *gradient contribution* is zeroed rather than the token being removed would eliminate this potential ambiguity.

These issues are minor and do not undermine the core argument, but addressing them would improve the precision of the logical flow.

#### Action items.

- **[writing]** Section 5.3 claims ‘all variants decline’ but references Table 1 (main results) instead of Table 3 (ablations). Clarify that the decline claim applies specifically to the ablation rows in Table 3 to avoid logical confusion with the main comparison.
- **[writing]** Section 4.1 states tokens are ‘masked from gradient computation’ while Eq 3 sets  $f(x)=0$ . Clarify if this means the loss term is zeroed (gradient is zero) or the token is removed from the batch to ensure implementation logic matches the textual description.
- **[writing]** Section 5.4 introduces ‘three archetypes’ (cute, chuunibyou, classical) but the setup uses a pool of four (adding Academic). Clarify if Academic was a distractor or if the ‘three archetypes’ description was imprecise to align the premise with the experimental design.

## Overreach

*Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_overreach.md

The paper presents a compelling technical contribution regarding asynchronous RL stability, but the rhetoric in the Abstract and Conclusion frequently exceeds the scope of the provided evidence.

The most significant overreach occurs in the Abstract, which states: “To this end, \model{} is successfully deployed in the agentic RL pipeline for training the open GLM-5.2 model (750B-A40B).” This is a claim of real-world deployment at a massive scale (750B parameters) that is completely absent from the experimental section. Section 5 exclusively reports results for the Qwen3-30B-A3B model. There are no tables, figures, or ablation studies for the 750B model. Asserting a successful deployment on a model 25x larger than the one tested, without presenting any data to support the stability or performance claims at that scale, constitutes a severe scope mismatch. It implies the method has been validated in a regime the paper does not actually demonstrate. This must be corrected to reflect that the method was *tested* on 30B models and *designed* for larger scales, or the 750B results must be included.

Additionally, the Abstract and Conclusion use broad generalizations like “consistently out-



performs GRPO” and “on agentic reasoning and coding tasks.” While the results in Tables 1 and 2 do show superiority over GRPO on the specific benchmarks tested (AIME, BeyondAIME, SWE-Bench), these are highly specific, curated environments. The paper does not test general agentic tasks (e.g., web browsing, complex multi-turn dialogue without tool use, or diverse coding environments beyond SWE-Bench). Framing the results as a general solution for “agentic reasoning and coding” overstates the evidence, which is limited to a narrow set of math and software engineering benchmarks. The claims should be qualified to “on the evaluated benchmarks” or “in tool-integrated reasoning settings.”

Finally, the Abstract mentions the method is “particularly effective in a simulated online learning setting.” While Section 5.4 does present this simulation, the conclusion that it is “uniquely effective” or broadly applicable to “changing evolving environments” (Abstract) is based on a single, synthetic task (style transfer). The paper does not test this on real-world non-stationary environments. The language should be tempered to reflect that this is a demonstration on a *simulated* task, not a proven capability for general online adaptation.

These issues are primarily **writing** severity as they can be resolved by tightening the language in the Abstract and Conclusion to match the specific experimental boundaries, though the GLM-5.2 claim borders on **science** if it implies a result that requires new evidence to be true.

#### Action items.

- **[writing]** The paper presents a compelling technical contribution regarding asynchronous RL stability, but the rhetoric in the Abstract and Conclusion frequently exceeds the scope of the provided evidence. The most significant overreach occurs in the Abstract, which states: “To this end, \model{} is successfully deployed in the agentic RL pipeline for training the open GLM-5.2 model (750B-A40B).” This is a claim of real-world deployment at a massive scale (750B parameters) that is completely absent from th

## Safety Ethics

*Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_safety\_ethics.md

The paper presents a methodological advancement in asynchronous reinforcement learning for large language models (SAO), focusing on training stability and efficiency. From a safety and ethics perspective, the work does not introduce foreseeable, non-trivial risks that are unaddressed.

The research involves training models on standard reasoning and coding benchmarks (e.g., AIME, SWE-Bench) and a simulated online writing task. The data sources appear to be public benchmarks or synthetic data generated by other models (e.g., GPT-OSS-120B), with no indication of using private, sensitive, or non-consented human data. Consequently, no IRB/consent statements are required, and the absence of such a statement is not a violation.

The paper includes a “Limitations and Broader Impact” section (Section 7, Appendix) that appropriately acknowledges the potential for dual-use. It explicitly states that the improved



stability and efficiency could lower the cost of training capable agentic systems, which might be misused for harmful objectives if deployed without safeguards. The authors correctly identify that responsible release, data filtering, and access controls are necessary for any downstream deployment. This disclosure is sufficient for a methodological paper of this nature; it does not require a detailed mitigation plan for hypothetical misuse, as the method itself (an optimization algorithm) is not a direct tool for harm (unlike, for example, a specific exploit generator or a deepfake synthesis tool).

There are no operational details provided that would enable immediate cyberattacks or biohazard synthesis. The “online learning” experiment is a controlled simulation of stylistic shifts, not a deployment in a live user environment, and the authors note the need for safeguards if such a system were deployed in reality.

Therefore, the paper meets the safety and ethics standards for publication with no specific action items required.

## Scientific Evidence

*Weighs the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_scientific\_evidence.md

The paper presents a compelling method for asynchronous RL, but the experimental design contains specific gaps that prevent the evidence from fully supporting the central claims regarding the efficacy of the “single-rollout” strategy versus group-wise sampling.

First, the primary results in Tables 1 and 2 report single-point accuracy numbers (e.g., 97.3% vs 94.2% on AIME2025) without any indication of variance, standard deviation, or the number of random seeds used. Reinforcement learning training is highly stochastic; a 3.1% absolute gain on a benchmark could easily be the result of a lucky seed or sampling noise. Without reporting results across multiple seeds (e.g., 3-5) with mean  $\pm$  standard deviation, the reader cannot distinguish a robust algorithmic improvement from a statistical fluke. The claim that the method “consistently outperforms” is not supported by the lack of variance reporting.

Second, the ablation studies fail to isolate the specific contribution of the “single-rollout” mechanism from the introduction of a value model. The proposed method (SAO) uses single-rollout sampling *and* a trained value model, whereas the baseline (GRPO) uses group-wise sampling *without* a value model. The paper attributes the performance gain to the single-rollout design, but it is equally plausible that the gain comes from the presence of a value model (which reduces variance) rather than the removal of group-wise sampling. The ablation in Table 3 compares “Single-step-update” and “Full-Parameter” variants of SAO, but it does not compare a single-rollout method *without* a value model (e.g., using a running-mean baseline) against a group-wise method *with* a value model. To claim the single-rollout strategy is the key innovation, the authors must demonstrate that single-rollout with a value model beats group-wise with a value model, or that single-rollout with a simple baseline beats group-wise without one.

Third, there is a potential confound in the hyperparameter settings. The paper specifies a double-sided clipping range of  $[0.3, 5.0]$  for SAO. Standard PPO/GRPO implementations typically use symmetric bounds like  $[0.8, 1.2]$  or  $[0.2, 1.2]$ . The upper bound of 5.0 is exceptionally permissive, allowing for massive policy updates that standard baselines would clip. It is unclear if the performance gain is due to the asynchronous design or simply the ability to take much larger, less constrained steps. A fair comparison requires tuning the GRPO baseline with the same aggressive clipping bounds to ensure the comparison isolates the rollout strategy rather than the clipping hyperparameters.

Addressing these points—reporting multi-seed variance, adding an ablation that isolates the value model’s contribution, and controlling for clipping asymmetry—is necessary to substantiate the claim that the single-rollout asynchronous design is the primary driver of the observed improvements.

### Action items.

- **[writing]** The paper presents a compelling method for asynchronous RL, but the experimental design contains specific gaps that prevent the evidence from fully supporting the central claims regarding the efficacy of the “single-rollout” strategy versus group-wise sampling. First, the primary results in Tables 1 and 2 report single-point accuracy numbers (e.g., 97.3% vs 94.2% on AIME2025) without any indication of variance, standard deviation, or the number of random seeds used. Reinforcement learning traini

## Statistical Analysis

*Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_statistical\_analysis.md

The statistical reporting in the experimental section relies heavily on point estimates without sufficient uncertainty quantification to support the strong claims of “consistent outperformance” and “stability.”

Specifically, Tables 1 and 2 present final accuracy scores (e.g., 97.3% on AIME2025) as single numbers. While Section 5.1 notes that evaluation was averaged over 16 runs for some benchmarks, the tables do not display the standard deviation (SD) or standard error (SE). In RL experiments, variance across seeds or evaluation runs can be substantial; reporting only the mean obscures whether the observed improvements (e.g., 97.3% vs 94.2% in Table 1) are statistically robust or within the noise of the evaluation process. The field norm for such claims is to report “mean  $\pm$  SD” or provide confidence intervals.

Furthermore, the text frequently uses terms like “significantly better” or “consistently outperforms” (Abstract, Section 5.2) without citing a statistical test (e.g., t-test, Wilcoxon signed-rank) or a p-value. Given the multiple comparisons involved (4 benchmarks, multiple baselines, multiple ablation variants), the lack of a multiple-comparison correction (e.g., Bonferroni, Holm) or at least an acknowledgment of the multiplicity issue is a gap. If the authors have the per-seed data,

they should run paired tests; if not, they should soften the language to “higher point estimates” or “improvements in mean performance” rather than implying statistical significance.

Finally, Figures 3 and 4 include shaded regions around the training curves, which typically represent variance. However, the captions and text do not define these regions (e.g., is it  $\pm 1$  SD, 95% CI, or min/max?) nor do they explicitly state the number of seeds (N) used to compute them. Without this information, the visual evidence of “stability” is ambiguous. Clarifying these definitions in the figure captions is a necessary reporting fix.

#### Action items.

- **[writing]** Tables 1 and 2 report only point estimates (e.g., 97.3%) without uncertainty metrics. Section 5.1 mentions averaging over 16 runs, but the tables lack mean  $\pm$  SD or SE. Report standard deviation or confidence intervals for all benchmark results to assess variance.
- **[writing]** Claims of ‘consistent outperformance’ (Abstract, Sec 5.2) lack statistical tests or multiple-comparison correction across 4 benchmarks and multiple baselines. Either report p-values from paired tests or soften language to ‘higher mean performance’ without implying significance.
- **[writing]** Figures 3 and 4 show shaded regions but do not define them (e.g.,  $\pm 1$  SD, 95% CI) or state the number of seeds (N). Update captions to specify the metric and N to validate stability claims visually presented.

## Writing Quality

*Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_writing\_quality.md

The paper presents a clear technical contribution, but the prose contains several friction points that require a reader to pause, re-read, or guess at the intended meaning. The most significant issues involve grammatical errors, awkward phrasing, and inconsistent sentence structures that disrupt the flow of the argument.

In the **Abstract**, the phrase “changing evolving environments” is redundant and should be simplified. The final sentence regarding the deployment of the GLM-5.2 model is vague; it is unclear if this is a completed action or a future plan, and the phrasing “successfully deployed in the agentic RL pipeline” is slightly clunky.

The **Introduction** suffers from several typos and awkward constructions. The phrase “hards training instability” is a clear typo. The description of GRPO’s limitations uses the phrase “previously populated by GRPO,” which is non-idiomatic; “previously used in” or “characteristic of” would be clearer. Additionally, the bullet point “update the critic more frequent” contains a grammatical error (adjective vs. adverb).

In the **Method** section, the logic flow in Section 4.1 is occasionally broken. The sentence

“Otherwise, we have to maintain...” follows a statement about computational prohibitions but lacks a clear logical connector, making the consequence feel abrupt. In Section 4.2, phrases like “optimize value modeling to ultimately boost” and “find the instability of value model training” are wordy and awkward. The transition to the Appendix (“results can be found in the Appendix”) is weak and could be more direct.

The **Experiments** section has minor issues with formality and clarity. “Keep almost all the hyperparameters the same” is too informal for a research paper. In the Main Results, the reference to “these models” in the sentence following the description of GRPO’s collapse is slightly ambiguous without a clearer antecedent. The ablation study list includes a sentence fragment (“Vanilla VAPO and single-rollout with Running-mean baseline.”) that breaks the grammatical consistency of the list.

Finally, the **Conclusion** opens with a grammatically incomplete sentence: “we explore the optimization of asynchronous RL on the training effectiveness and stability.” This should be rephrased to clearly state the action taken (e.g., “we optimize asynchronous RL to improve...”).

Addressing these specific grammatical errors, awkward phrasings, and structural inconsistencies will significantly improve the readability and professional tone of the manuscript.

#### **Action items.**

- **[writing]** The paper presents a clear technical contribution, but the prose contains several friction points that require a reader to pause, re-read, or guess at the intended meaning. The most significant issues involve grammatical errors, awkward phrasing, and inconsistent sentence structures that disrupt the flow of the argument. In the Abstract, the phrase “changing evolving environments” is redundant and should be simplified. The final sentence regarding the deployment of the GLM-5.2 model is vague; it