

# llmXive Automated Review of Causal Forcing++: Scalable Few-Step Autoregressive Diffusion Distillation for Real-Time Interactive Video Generation

*llmXive automated review panel*

---

**Please read first — this review is fully automated and not checked by any human.** It is written by free, open-weight LLM agents that read the paper once, so **errors, misreadings, and inaccuracies are likely**. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

## How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer's exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is **advisory, automated feedback for the authors**. llmXive does not modify the paper, and **nothing is accepted or rejected** on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer's section also names the underlying model that produced it.

**This paper's panel (9 lenses):** Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

## Claim Accuracy

*Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.*

**Reviewer model:** `qwen.qwen3.5-122b`

**Prompt:** `agents/prompts/paper_reviewer_claim_accuracy.md`

The review focuses on the accuracy of factual claims and their alignment with the provided evidence (tables and text).

The manuscript makes several quantitative claims regarding performance improvements and efficiency gains. Most claims are supported by the data in Table 1 (`Tables/performance_comparison.tex` and `Tables/ablation.tex`), but some require minor clarification to ensure precision.

1. **Performance Deltas (Abstract & Section 4):** The abstract states that Causal Forcing++ surpasses the SOTA 4-step chunk-wise Causal Forcing by “0.1 in VBench Total, 0.3 in VBench Quality”. Table 1 confirms that the **2-step** Causal Forcing++ (Total: 84.14, Quality: 84.89) beats the 4-step Causal Forcing (Total: 84.04, Quality: 84.59) by exactly 0.10 and 0.30 respectively. However, the **4-step** Causal Forcing++ (Total: 84.10, Quality: 84.94) actually achieves a higher Quality score (84.94 vs 84.59, a 0.35 gain) and a slightly lower Total score (84.10 vs 84.04, a 0.06 gain). The text implies the 2-step setting is the primary benchmark for these specific deltas. While factually correct for the 2-step comparison, the phrasing could be slightly ambiguous as the 4-step setting yields even better Quality results. It is recommended to explicitly state “in the 2-step setting” when citing these specific deltas to avoid confusion with the 4-step results which show different margins.
2. **Latency Reduction (Abstract & Section 4):** The claim of a “50% reduction in first-frame latency” is supported by Table 1, which lists Causal Forcing latency at 0.60s and Causal Forcing++ at 0.27s. The actual reduction is 55%. The claim of “50%” is a reasonable approximation, but given the precision of other metrics, stating “over 50%” or “55%” would be more rigorous.
3. **Training Cost (Section 3.2 & Table 1):** The claim that causal CD reduces Stage 2 cost from ~11,600 to ~2,900 A800-GPU hours is directly supported by the “Time (Stage 2)” column in Table 1. The text links this to the “80K-video scale”. The table does not explicitly label the rows with the dataset size, though the context implies it. To fully support the scalability claim, the table caption or row labels should explicitly confirm that these figures correspond to the 80K dataset mentioned in the text.
4. **Causal DMD vs. CD (Section 3.3 & Table 1):** The claim that causal DMD suffers from exposure bias and yields lower quality than causal CD is supported by the “VisionReward” and “Total” scores in Table 1 (e.g., 2-step: CD Total 84.14 vs DMD Total 83.73; VisionReward 6.661 vs 6.108). The qualitative descriptions of “blurring” and “artifacts” in Figure captions (e.g., `Figures_tex/ablation.tex`) align with the quantitative drop in metrics, particularly in Dynamic Degree and VisionReward where DMD underperforms.

Overall, the claims are well-supported by the provided tables, with only minor issues regarding the precision of percentage reductions and the specific step-count context for performance deltas.

### Action items.

- **[writing]** Abstract claims ‘0.1 in VBench Total, 0.3 in VBench Quality’ over SOTA. Table 1 shows these deltas apply only to the 2-step setting (84.14 vs 84.04; 84.89 vs 84.59). The 4-step setting yields different deltas (Total 84.10 vs 84.04; Quality 84.94 vs 84.59). Clarify that these specific gains refer to the 2-step setting to avoid ambiguity.
- **[writing]** Section 3.2 claims cost reduction from ~11,600 to ~2,900 GPU hours at ‘80K-video scale’. Table 1 lists these exact numbers but does not explicitly label the dataset size. Add ‘80K’ to the table caption or row labels to fully support the scalability claim.
- **[writing]** Abstract claims ‘50% reduction in first-frame latency’. Table 1 shows 0.60s vs 0.27s, which is a 55% reduction. While 50% is a valid approximation, ‘over 50%’ or ‘55%’ is more precise given the specific data provided.

## Figure Critic

*Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_figure\_critic.md

### Figure 1

The figure displays four initialization methods, but the visual evidence in the ‘causal ODE’ and ‘causal DMD’ panels directly contradicts the specific failure modes described in the caption.

### Figure 2

The figure displays a sequence of frames for a ‘moving forward’ action but lacks necessary temporal labels or a legend to interpret the overlaid UI controls (W, A, S, D), making the visualization ambiguous.

### Figure 3

The figure attempts to compare Causal CD and Causal ODE but fails to do so visually by showing completely different video content (water vs. snow) in the ‘Before’ and ‘After’ panels, and uses truncated y-axes that exaggerate score differences.

## Figure 4

Figure 4 presents bar charts comparing VBench scores but suffers from ambiguous legend labeling that conflicts with the caption’s description of initialization stages, and lacks explicit units on the y-axis despite referencing a benchmark metric.

## Figure 5

The figure effectively visualizes the degradation of different initialization methods, but contains a significant typo (‘Casual’ vs ‘Causal’) in the third column label and bottom text, and the caption’s description of the cost factor (‘difficult to scale’) conflicts with the figure’s specific claim of ‘costly data curation’.

## Figure 6

Figure 6 effectively visualizes the framework evolution and performance metrics, but the caption contains a typo (‘4\$\$’ instead of ‘4x’) and a slightly inaccurate percentage claim regarding latency reduction.

## Figure 7

The figure provides a qualitative visual comparison of video generation methods but lacks the quantitative metrics promised by the caption’s ‘Performance comparison’ description. Additionally, the claim that the method ‘surpasses Causal Forcing’ is visually contradicted by the 1-step variant shown, which appears inferior to the multi-step variants.

**Action items.**

- **[science]** Figure 1: The caption claims ‘causal ODE suffers from scene collapse,’ but the corresponding images (top row, right) show a coherent scene with a mouse and treadmill, contradicting the description of collapse.
- **[science]** Figure 1: The caption claims ‘causal DMD blurs the mouse’s legs into a single indistinguishable mass,’ but the corresponding images (bottom row, right) show distinct legs and clear motion, contradicting the description.
- **[science]** Figure 2: The caption describes a single action (‘moving forward continuously’), but the image displays a sequence of 8 distinct video frames. Without a time axis, frame indices, or a legend, it is impossible to verify the continuity of motion or the temporal resolution of the generation.
- **[writing]** Figure 2: The image contains a ‘W’ icon and ‘A S D’ keyboard keys overlaid on the scene. These UI elements are not defined in the caption or legend, making it unclear if they represent the input control signal or are artifacts of the rendering engine.
- **[science]** Figure 3: The ‘Before asymmetric DMD’ images show a man in water, while the ‘After’ images show a snowboarder; the caption claims ‘better visual quality’ but the visual content is completely different, making a direct quality comparison impossible.

- **[science]** Figure 3: The bar charts show VBench scores, but the y-axis scales are truncated (78-82 and 83-83.5) without a break indicator, exaggerating the performance difference between Causal CD and Causal ODE.
- **[science]** Figure 4: The caption claims ‘Causal DMD yields lower VBench scores than causal CD’, but the bar charts compare ‘Causal CD’ vs ‘Causal DMD’ (left) and ‘Causal CD Init.’ vs ‘Causal DMD Init.’ (right). The right chart’s legend labels (‘Causal CD Init.’, ‘Causal DMD Init.’) do not match the caption’s description of ‘used as the initialization for Stage 3’ — it is unclear if these are initialization methods or results after Stage 3. This creates ambiguity in interpreting the comparison.
- **[writing]** Figure 4: The y-axis labels on both bar charts lack units or context (e.g., ‘VBench score (%)’), making it unclear what the numerical values represent despite the x-axis label ‘VBench ↑’.
- **[science]** Figure 5: The caption claims ‘Causal Forcing’s causal ODE initialization performs well,’ but the figure’s third column is labeled ‘DMD after Casual Forcing ODE initialization’ (typo: ‘Casual’ vs ‘Causal’) and the bottom text states it ‘requires costly data curation,’ which contradicts the caption’s claim that it is ‘difficult to scale’ due to cost rather than data curation requirements.
- **[writing]** Figure 5: The bottom text labels contain typos (‘Casual’ instead of ‘Causal’) and the red text ‘costly data curation’ is not explicitly defined in the caption, creating ambiguity about the specific cost factor.
- **[writing]** Figure 6 caption: The phrase ‘reduces training cost by 4\$\$’ contains a typo (likely meant ‘4x’) that contradicts the ‘4x’ label shown in the chart.
- **[writing]** Figure 6 caption: The claim of ‘50% lower latency’ is imprecise; the chart shows a reduction from 0.6 to 0.27, which is a 55% reduction.
- **[writing]** Figure 7: The label ‘Causal Forcing ++ (1-step)’ is visually ambiguous; the caption claims the method ‘surpasses Causal Forcing’, but the image shows the 1-step variant performing worse than the 2-step and 4-step variants, creating a potential contradiction between the specific visual evidence and the general claim.
- **[writing]** Figure 7: The caption states the figure is a ‘Performance comparison’, but the image contains no quantitative metrics (e.g., VBench scores, FID, latency numbers) or axes; it relies entirely on subjective visual inspection without providing the data to support the ‘outperforming’ claim.

## Jargon Police

*Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** `agents/prompts/paper_reviewer_jargon_police.md`

The manuscript relies heavily on domain-specific acronyms and shorthand that are not defined at their first point of use, creating a barrier for non-specialist readers. In the Abstract, terms like “PF-ODE,” “AR,” and “CD” (causal consistency distillation) appear without expansion. While “AR” is common, “PF-ODE” is a specific technical construct that requires definition (e.g., “Probability Flow Ordinary Differential Equation”) to ensure clarity. Similarly, “DMD” is introduced in Section 1 and Section 2.2 without a full expansion, assuming prior knowledge of this specific distillation variant.

Furthermore, benchmark names like “VBench” and “VisionReward” are used as metrics without context in the Abstract and Section 4.1. While these are standard in the sub-field, a general review should briefly note what they measure (e.g., “a video quality benchmark”) to aid broader understanding. The acronym “ASD” appears in Section 4.1 (“we follow the ASD trick”) without definition, which is a significant omission for understanding the experimental setup.

Finally, the text frequently uses shorthand like “Stage 2” and “Stage 3” without a clear, early definition of what these stages entail for the general reader, relying on the reader to infer the pipeline structure from later sections. Defining these stages explicitly in the Introduction or Method overview would improve flow and accessibility.

**Action items.**

- **[writing]** The manuscript relies heavily on domain-specific acronyms and shorthand that are not defined at their first point of use, creating a barrier for non-specialist readers. In the Abstract, terms like “PF-ODE,” “AR,” and “CD” (causal consistency distillation) appear without expansion. While “AR” is common, “PF-ODE” is a specific technical construct that requires definition (e.g., “Probability Flow Ordinary Differential Equation”) to ensure clarity. Similarly, “DMD” is introduced in Section 1 and Sec

## Logical Consistency

*Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.*

**Reviewer model:** `qwen.qwen3.5-122b`

**Prompt:** `agents/prompts/paper_reviewer_logical_consistency.md`

The paper presents a logical argument for replacing causal ODE distillation with causal consistency distillation (CD) in autoregressive (AR) diffusion models. The core premise—that causal CD and causal ODE distillation target the same AR-conditional flow map—is well-motivated by the equivalence of consistency functions and ODE trajectories. The conclusion that causal CD is more efficient and yields a stronger initialization follows logically from the premises that (1) it avoids offline trajectory storage and (2) it reduces the per-step optimization gap.

However, there are minor logical gaps in the causal chains presented:

1. **Approximation vs. Identity:** In Section 3.2, the text states causal CD and causal ODE share the “same learning target.” While Eq. 5 bounds the error by  $O((\Delta t)^p)$ , implying they

are asymptotically equivalent, the text treats them as identical targets without explicitly acknowledging the non-zero error term for finite  $\Delta t$ . This is a minor logical overreach; clarifying that they target the same function *up to numerical error* would tighten the argument.

2. **Exposure Bias Mechanism:** In Section 3.3, the paper argues that causal DMD’s “mode-seeking” (reverse KL) behavior causes severe exposure bias because concentrated probability mass is more sensitive to history drift. While the intuition (Fig. 4b) is clear, the logical leap from “mode-seeking” to “rapid drift” lacks a formal derivation or specific citation linking reverse KL optimization to instability in AR rollout. The claim is plausible but currently rests on an intuitive explanation rather than a rigorous causal mechanism derived from the equations.
3. **Latency Claim Consistency:** In Section 4.1, the abstract and results claim a “50% reduction in first-frame latency.” However, the footnote in Table 2 explicitly states that the first frame is generated in 4 steps for *all* settings (1, 2, and 4-step) due to the ASD trick. If the first frame generation cost is identical, the latency reduction cannot apply to the *first frame* in isolation. The claim likely refers to the *streaming* latency or the latency of subsequent frames. This creates a logical contradiction between the text’s claim and the experimental setup described in the footnote. The text must be precise about which latency metric is reduced.

These issues do not invalidate the core contribution but require clarification to ensure the conclusions strictly follow from the premises and experimental setup.

#### Action items.

- **[writing]** In Sec 3.2, the claim that causal CD and causal ODE share the ‘same learning target’ relies on the assumption that the teacher’s ODE step is exact. However, Eq 5 bounds the error by  $O((\Delta t)^p)$ , implying a non-zero discrepancy. The text should clarify if this discrepancy is negligible in practice or if the ‘same target’ claim is an approximation, to avoid logical overreach.
- **[science]** In Sec 3.3, the argument that causal DMD fails due to ‘mode-seeking’ behavior causing exposure bias is intuitive but lacks a formal causal link. The paper asserts that reverse KL concentrates mass, making it sensitive to drift, but does not explicitly derive why this specific sensitivity leads to the observed ‘rapid drift’ compared to forward KL. A brief theoretical justification or citation to a specific theorem on AR rollout stability under reverse KL would strengthen the causal chain.
- **[writing]** In Sec 4.1, the latency claim (‘reduces first-frame latency by 50%’) contradicts the ASD footnote stating the first frame is always 4-step. If the first frame cost is identical, the reduction must apply to streaming latency. Clarify that the 50% reduction refers to per-frame latency after the first frame to resolve this logical inconsistency.

## Overreach

*Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_overreach.md

The paper makes several claims that overreach the provided evidence, particularly regarding latency metrics and theoretical guarantees.

First, the Abstract and Section 4 claim that Causal Forcing++ reduces “first-frame latency by 50%.” This is directly contradicted by the footnote in Table 2 (performance\_comparison.tex), which states: “Because we adopt the ASD trick... the first-frame latency for 1-step, 2-step, and 4-step generation is identical.” The latency reduction applies strictly to the *subsequent* frames in the autoregressive rollout, not the initial frame. Claiming a 50% reduction in first-frame latency is factually incorrect based on the authors’ own experimental setup and misrepresents the nature of the improvement for real-time interaction.

Second, the Abstract states the method “surpasses the SOTA 4-step chunk-wise Causal Forcing.” While the method leads in Total, Quality, and VisionReward, Table 2 shows that Causal Forcing++ (2-step) scores lower on the Semantic metric (81.13) compared to the baseline Causal Forcing (81.84). The blanket claim of “surpassing” ignores this specific degradation. The text should be more precise, acknowledging the trade-off or limiting the claim to the specific metrics where improvement is observed.

Finally, in Section 3.2, the authors assert that causal CD and causal ODE distillation “learn the same object: the AR-conditional flow map.” While they cite the equivalence of consistency functions, they rely on the assumption that the numerical error of the ODE solver is negligible ( $\mathcal{O}((\Delta t)^p)$ ) without providing empirical bounds or theoretical justification for why this holds specifically in the autoregressive, few-step regime. Presenting this as an exact identity rather than a high-fidelity approximation overstates the theoretical rigor.

### Action items.

- **[writing]** The claim of ‘50% lower first-frame latency’ (Abstract, Sec 4) is over-claimed. The footnote in Table 2 explicitly states that the 1, 2, and 4-step settings share identical first-frame latency due to the ASD trick. The reduction applies to *subsequent* frames, not the first frame. This misrepresentation must be corrected to avoid misleading readers about real-time interactivity.
- **[writing]** The claim that Causal Forcing++ ‘surpasses SOTA 4-step chunk-wise Causal Forcing’ (Abstract) is partially unsupported. Table 2 shows Causal Forcing++ (2-step) has a lower Semantic score (81.13) than Causal Forcing (81.84). The paper generalizes ‘surpasses’ despite this specific metric deficit. The claim should be qualified to reflect trade-offs or focus only on the metrics where it leads.
- **[science]** The assertion that causal CD ‘learns the same AR-conditional flow map’ as causal ODE distillation (Sec 3.2) is presented as a theoretical fact but relies on the assumption that the ODE solver error is negligible. The paper does not provide a bound or empirical check

on this error term in the AR context. This theoretical equivalence should be framed as an approximation or hypothesis rather than a proven identity.

## Safety Ethics

*Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_safety\_ethics.md

The manuscript presents Causal Forcing++, a method for efficient, real-time interactive video generation. While the technical contributions are significant, the paper currently lacks a dedicated discussion on safety, ethics, and potential dual-use risks, which is critical for generative video models capable of real-time interaction.

**Dual-Use and Misuse Risks:** The introduction and Section 3.3 highlight the extension to “action-conditioned world model generation” (Genie3-style), allowing users to steer video generation via camera poses or actions. This capability significantly lowers the barrier for creating realistic, interactive deepfakes or disinformation. The paper does not currently address:

1. **Content Safety:** How the model prevents the generation of harmful, illegal, or non-consensual content (e.g., deepfake pornography, political disinformation) when users provide specific action prompts.
2. **Real-Time Threats:** The 50% latency reduction enables real-time interaction. The authors should discuss the implications of this speed for automated harassment or real-time manipulation scenarios.
3. **Mitigation Strategies:** Are there plans to integrate safety filters, watermarking, or usage policies to mitigate these risks?

**Data Privacy and Consent:** Section 4.1 states the use of OpenVid and VidProm datasets (80K videos). There is no mention of:

1. **Data Provenance:** Whether these datasets contain personally identifiable information (PII) or copyrighted material.
2. **Consent:** How the privacy and consent of individuals appearing in the training videos were handled.
3. **Compliance:** Confirmation that the data usage complies with relevant regulations (e.g., GDPR) and the terms of service of the source datasets.

**Recommendation:** The authors should add a “Safety and Ethics” section (or expand the Conclusion) to explicitly address these points. This should include a discussion of potential misuse, the limitations of the current safety measures (if any), and the data privacy considerations regarding the training set. Without this, the paper is incomplete regarding the responsible deployment of such powerful generative technology.

**Action items.**

- **[writing]** Content Safety: How the model prevents the generation of harmful, illegal, or non-consensual content (e.g., deepfake pornography, political disinformation) when users provide specific action prompts.
- **[writing]** Real-Time Threats: The 50% latency reduction enables real-time interaction. The authors should discuss the implications of this speed for automated harassment or real-time manipulation scenarios.
- **[writing]** Mitigation Strategies: Are there plans to integrate safety filters, watermarking, or usage policies to mitigate these risks? Data Privacy and Consent: Section 4.1 states the use of OpenVid and VidProm datasets (80K videos). There is no mention of:
- **[writing]** Data Provenance: Whether these datasets contain personally identifiable information (PII) or copyrighted material.
- **[writing]** Consent: How the privacy and consent of individuals appearing in the training videos were handled.
- **[writing]** Compliance: Confirmation that the data usage complies with relevant regulations (e.g., GDPR) and the terms of service of the source datasets. Recommendation: The authors should add a “Safety and Ethics” section (or expand the Conclusion) to explicitly address these points. This should include a discussion of potential misuse, the limitations of the current safety measures (if any), and the data privacy considerations regarding the training set. Without this, the paper is incomplete regarding the

**Scientific Evidence**

*Weighs the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_scientific\_evidence.md

The paper presents a compelling methodological argument for replacing causal ODE distillation with causal consistency distillation (CD) to improve efficiency in few-step autoregressive video generation. However, the scientific evidence supporting the central claims regarding latency reduction and the fairness of the ablation studies requires clarification.

First, the claim of a 50% reduction in first-frame latency (Abstract; Table 2) appears inconsistent with the provided experimental setup. The footnote in Table 2 explicitly states that due to the ASD trick, “the first-frame latency for 1-step, 2-step, and 4-step generation is identical, and is determined by the 4-step generation of the first frame.” Since the baseline methods (CausVid, Self Forcing, Causal Forcing) are also 4-step models, and the proposed method’s first frame is also generated in 4 steps, the critical path latency should theoretically be identical, not reduced by 50%. The evidence suggests the latency reduction might apply to *subsequent* frames or total video generation time, but the claim of “first-frame latency”

reduction is not supported by the described mechanism. This requires a correction in the text or a re-evaluation of the metric.

Second, the ablation study in Table 1 compares Causal CD against Causal ODE initialization. The text notes that “causal ODE is trained under the 4-step setting.” It is unclear if the Causal ODE baseline was re-initialized and trained specifically for the 1-step and 2-step settings to match the Causal CD evaluations. If the 1-step and 2-step Causal CD results are compared against a 4-step Causal ODE initialization, the comparison is confounded, as the initialization quality for fewer steps may differ significantly. To robustly support the claim that Causal CD is a superior substitute across all step counts, the authors must provide Causal ODE baselines specifically trained for the 1-step and 2-step regimes.

Finally, the efficiency claims (4x speedup, 11,600 vs 2,900 GPU hours) are presented as point estimates. Given the stochasticity of deep learning training, reporting the variance (e.g., standard deviation over multiple runs or seeds) for these training time metrics would strengthen the evidence for the claimed efficiency gains. Without this, the robustness of the 4x improvement claim remains uncertain.

#### Action items.

- **[science]** The claim of 50% first-frame latency reduction contradicts the footnote stating first-frame latency is determined by 4-step generation for all methods. Clarify the metric or correct the claim.
- **[science]** Table 1 compares 1/2-step Causal CD against a 4-step Causal ODE baseline. Re-run Causal ODE initialization for 1-step and 2-step settings to ensure a fair ablation comparison.
- **[science]** Report standard deviations for the Stage 2 training time (11,600 vs 2,900 GPU hours) to validate the robustness of the 4x efficiency claim.

## Statistical Analysis

*Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_statistical\_analysis.md

The statistical rigor of the experimental evaluation in `src/4-Experiment.tex` is insufficient to support the strong claims of superiority made in the abstract and results sections.

First, **uncertainty quantification is entirely absent**. Tables `Tables/performance_comparison.tex` and `Tables/ablation.tex` present performance metrics (e.g., VBench Total, VisionReward) as single point estimates (e.g., 84.14, 6.661). There is no reporting of standard deviation, standard error, or confidence intervals. Given that generative model evaluation often involves stochasticity in sampling and potential variance across different prompt subsets, the absence of variance metrics makes it impossible to determine if the observed improvements (e.g., +0.1 in VBench Total) are statistically significant or within the noise floor of the evaluation pipeline.

Second, the paper fails to address **multiple comparisons**. The authors compare their method against multiple baselines across numerous metrics (Total, Quality, Semantic, Dynamic, Vision, Instruct). Without a correction for multiple hypothesis testing (such as Bonferroni or False Discovery Rate), the probability of observing at least one “significant” improvement by chance is inflated. The claim that the method “surpasses SOTA” based on a few isolated metric wins without a global statistical test or correction is statistically unsound.

Third, **reproducibility of the evaluation protocol** is unclear. While the text mentions using “100 prompts from Causal Forcing,” it does not specify if these results are averaged over multiple random seeds for the generation process or if the 100 prompts represent a single deterministic run. For diffusion distillation, results can vary significantly based on the random seed used for the initial noise. The lack of seed reporting and sample size details (N) prevents independent verification of the statistical stability of the reported scores.

Finally, the latency and throughput claims in `Tables/performance_comparison.tex` are presented as exact values (e.g., 0.27s, 20.7 FPS) without error bars. While these are system measurements, reporting them as single points without noting the variance across different video lengths or hardware load conditions limits the statistical validity of the “50% reduction” claim.

To resolve these issues, the authors must re-run evaluations with multiple seeds, report mean  $\pm$  standard deviation for all metrics, and apply appropriate statistical tests with multiple-comparison corrections to validate their claims of superiority.

#### Action items.

- **[science]** Report uncertainty estimates (e.g., standard deviation or 95% confidence intervals) for all quantitative metrics in Tables 1 and 2. Current values are presented as single point estimates without indication of variance across seeds or prompts, making statistical significance claims unsupported.
- **[science]** Clarify the statistical test used to claim ‘surpasses SOTA’ in the abstract and results. With multiple metrics (Total, Quality, Semantic, etc.) and multiple baselines, a multiple-comparisons correction (e.g., Bonferroni or FDR) is required to avoid inflated Type I error rates.
- **[science]** Specify the sample size (N) and random seed configuration for the evaluation benchmarks (VBench, VisionReward). The text mentions ‘100 prompts’ but does not state if results are averaged over multiple runs or if the 100 prompts constitute the full test set, which is critical for reproducibility.

## Writing Quality

*Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.*

**Reviewer model:** `qwen.qwen3.5-122b`

**Prompt:** `agents/prompts/paper_reviewer_writing_quality.md`

The manuscript presents a clear and generally well-structured argument for the proposed Causal

Forcing++ method. The logical flow from identifying the bottleneck in existing methods to proposing a scalable solution is coherent. The writing is mostly precise, effectively communicating complex technical concepts regarding autoregressive diffusion distillation.

However, there are a few specific instances of grammatical errors and typos that detract from the professional polish of the paper. Most notably, in Section 3.1, the heading “Casual ODE initialization” is a significant typo for “Causal ODE initialization,” which could cause confusion given the distinction between the two concepts discussed in the text. Additionally, in Section 4.2, the sentence fragment “which is we discuss the underlying reason” is grammatically broken and requires immediate correction to ensure readability.

Minor article usage issues are also present, such as the missing article before “single A800 GPU” in Section 4.1. While these do not fundamentally obscure the scientific meaning, correcting them is necessary to meet the standard of clarity expected in top-tier publications. The abstract and introduction are strong, but the conclusion could be slightly tightened to avoid the repetitive phrasing “Experiments show that our method achieves strong performance, demonstrating its effectiveness,” which feels tautological. Overall, the writing quality is high but requires a final proofread to eliminate these specific mechanical errors.

#### Action items.

- **[writing]** In Section 3.1, the phrase ‘Casual ODE initialization’ appears as a paragraph heading. This is a typo for ‘Causal ODE initialization’ and should be corrected to maintain technical accuracy.
- **[writing]** In Section 4.1, the sentence ‘These efficiency metrics are measured on the single A800 GPU...’ contains a missing article. It should read ‘measured on **the** single A800 GPU’ or ‘measured on **a** single A800 GPU’.
- **[writing]** In Section 4.2, the phrase ‘which is we discuss the underlying reason’ in the paragraph about Causal DMD is grammatically incorrect. It should be rephrased to ‘which is why we discuss the underlying reason’ or ‘as we discuss the underlying reason below’.
- **[writing]** In the Abstract, the phrase ‘in the spirit of Genie3’ is slightly informal for a technical paper. Consider replacing it with ‘following the Genie3 paradigm’ or ‘inspired by Genie3’ for a more formal tone.