

llmXive Automated Review of DomainShuttle: Freeform Open Domain Subject-driven Text-to-video Generation

llmXive automated review panel

Please read first — this review is fully automated and not checked by any human. It is written by free, open-weight LLM agents that read the paper once, so errors, misreadings, and inaccuracies are likely. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer's exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is advisory, automated feedback for the authors. llmXive does not modify the paper, and nothing is accepted or rejected on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer's section also names the underlying model that produced it.

This paper's panel (9 lenses): Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

Claim Accuracy

Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_claim_accuracy.md`

This review focuses on the factual accuracy of claims and the validity of citations.

1. **Misleading Statistical Claim** The manuscript repeatedly claims an “18.7% improvement in Cross-Domain Score over SOTA methods” (Abstract, Introduction, Section 4). A check of Table 1 reveals this figure is derived specifically by comparing the proposed method (0.861) against Kling 1.6 (0.725). However, the text implies a comparison against the general set of SOTA methods. The best open-source baseline, VACE-Wan2.1, scores 0.538, meaning the actual improvement over that baseline is approximately 60%. By omitting the specific baseline used for the 18.7% figure, the claim is misleading. The authors must explicitly state “compared to Kling 1.6” or provide a more representative aggregate metric.

2. **Unverifiable Evaluation Models** In Section 4, the authors cite GPT-5.2 and Qwen3-VL-8B as the models used to compute the CD-Score and Qwen-Score. As of the current date, neither GPT-5.2 nor Qwen3 are publicly released or standard benchmarks. Citing unreleased or hypothetical models as the ground truth for evaluation undermines the reproducibility and factual validity of the experimental results. The authors must verify these model names, replace them with actual available versions (e.g., GPT-4o, Qwen2.5), or clarify if these are internal placeholders.

3. **Ambiguous Data Composition** Section 3.4 states that edited videos account for “3.3% of the total data.” While the math (25k edited pairs out of 750k total) is correct, the phrasing is ambiguous in the context of the Ditto-1M dataset discussion. It is unclear if the percentage refers to the total dataset or the specific Ditto subset (where it would be 50%). This ambiguity could lead readers to misinterpret the volume of editing data used for the Cross-Pair Consistent Loss. The sentence should be rephrased to explicitly define the denominator.

4. **Citation Validity** The bibliography includes entries for `gpt52` and `bai2025qwen3`. If these refer to unreleased models, the citations are factually unsupported in the public domain. This casts doubt on the validity of the evaluation metrics derived from them.

These issues require correction to ensure the scientific claims are accurate, transparent, and reproducible.

Action items.

- [writing] The ‘18.7% improvement’ claim (Intro/Abstract) compares against Kling 1.6 (0.725) but implies comparison against all SOTA baselines. The best open-source baseline (VACE) is 0.538, yielding a 60% gain. Explicitly state the baseline used for this percentage to avoid misleading readers.
- [writing] Citations for ‘GPT-5.2’ and ‘Qwen3-VL-8B’ (Sec 4) refer to unreleased or non-existent models. Evaluation metrics relying on these models are unverifiable. Replace with publicly available model versions or clarify their status to ensure reproducibility.
- [writing] The claim that edited videos are ‘3.3% of total data’ (Sec 3.4) is mathematically correct (25k/750k) but ambiguous. Clarify that this refers to the total 750k dataset, not the Ditto-1M subset, to prevent misinterpretation of the training data composition.

Figure Critic

Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_figure_critic.md

Figure 1

Figure 1 effectively illustrates the ‘In-Domain’ capabilities but fails to visually demonstrate the ‘Existing Methods’ baseline in the ‘Cross-Domain’ section, leaving the comparative claim unsupported by the visual evidence. Additionally, the header icons do not match the number of result rows in the In-Domain section.

Figure 2

The figure provides a clear visual overview of the architecture and training process, but the caption’s references to parts (a), (b), and (c) are not visually marked on the diagram, and a minor inconsistency exists between the legend’s die icon and the one used in the input pools.

Figure 5

The figure effectively demonstrates the model’s superiority over baselines, but the inconsistent ordering of baseline models in the third subplot hinders direct visual comparison across the three metrics.

Action items.

- [science] Figure 1: The ‘Cross-Domain’ section header includes a row labeled ‘Existing Methods’ with a sad face, but the visual grid below it displays ‘Our Method’ results (indicated by the happy face row). The figure fails to visually present the ‘Existing Methods’ baseline results in the cross-domain section, making the comparison claim unsupported by the image.
- [writing] Figure 1: The ‘In-Domain’ section displays three rows of results, but the header only provides two smiley face icons, creating a mismatch between the number of visual examples and the provided legend indicators.
- [writing] Figure 2: The caption explicitly labels three distinct components (a, b, c), but the rendered image lacks these corresponding labels (e.g., ‘(a)’, ‘(b)’, ‘(c)’) to guide the reader.
- [writing] Figure 2: The legend in the top-right panel defines ‘Random Choice’ with a die icon, but the ‘Ref Image Pool’ and ‘Video Pool’ inputs use a different, undefined dice icon

(showing a ‘I’), creating ambiguity.

- [science] Figure 3: The ‘Open-Domain Subject Consistency’ subplot lists baselines in a different order (Ours, Kling-1.6, VACE-14B, SkyReels-V3, Phantom) compared to the ‘Overall Video Quality’ and ‘Text Controllability’ subplots (Ours, Kling-1.6, SkyReels-V3, Phantom, VACE-14B), which disrupts visual comparison across metrics.
- [science] Figure 3: The y-axis is labeled ‘Average Score’ with a range of 0-5, but the caption describes this as ‘Human preference evaluation’ without specifying the scale (e.g., 1-5 Likert scale), making the absolute values ambiguous.

Jargon Police

Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_jargon_police.md

The manuscript relies heavily on domain-specific acronyms and architectural shorthand that are not defined at their first point of use, creating a barrier for non-specialist readers. In the Abstract, terms like “AdaLN,” “RoPE,” “S2V,” “Domain-MoT,” and “CCL” are introduced without their full expansions. For instance, “AdaLN” appears in the phrase “domain-aware AdaLN” without stating it stands for Adaptive Layer Normalization. Similarly, “RoPE” is used as a standalone noun in “Video-Reference DualRoPE” without explicitly stating it refers to Rotary Positional Encoding in the Abstract.

In Section 1 (Introduction), the acronym “S2V” is used frequently after the initial full phrase, but the transition could be smoother. More critically, “Domain-MoT” is introduced in the Abstract and then defined as “Mixture-of-Transformers” only in the Introduction, which is a slight inconsistency in the flow of information for a general audience. The term “CCL” is also used in the Abstract without definition.

Section 3 (Methodology) continues this pattern, using “RoPE” and “AdaLN” repeatedly without reiteration or definition for a broader audience. While these terms are standard in the specific sub-field of diffusion transformers, the paper claims to address “open domain” scenarios, which implies a need for broader accessibility. The lack of explicit definitions for these acronyms at their first occurrence in the Abstract and Introduction forces the reader to either already possess specialized knowledge or interrupt their reading flow to search for definitions, violating the principle of inclusive scientific communication.

Action items.

- [writing] The manuscript relies heavily on domain-specific acronyms and architectural shorthand that are not defined at their first point of use, creating a barrier for non-specialist readers. In the Abstract, terms like “AdaLN,” “RoPE,” “S2V,” “Domain-MoT,” and “CCL” are introduced without their full expansions. For instance, “AdaLN” appears in the phrase “domain-aware AdaLN” without stating it stands for Adaptive Layer Nor-

malization. Similarly, “RoPE” is used as a standalone noun in “Video-Reference Dua

Logical Consistency

Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_logical_consistency.md

The paper presents a logical inconsistency regarding the primary evaluation metric. The authors claim a significant 18.7% improvement in the “Cross-Domain Score” (CD-Score) over SOTA methods. However, the methodology section explicitly states this metric is evaluated using “GPT-5.2”. As of the current date, GPT-5.2 does not exist. Relying on a non-existent model for the primary quantitative evidence of the paper’s success renders the causal link between the proposed method and the claimed results unsupportable. This is a fatal logical flaw in the experimental validation.

Furthermore, there is a contradiction between the textual claims and the ablation study data regarding the Cross-Pair Consistent Loss (CCL). The text argues that CCL primarily enhances “controllability” in cross-domain scenarios and has a negligible effect on fidelity (citing 0.3% and 1.5% gains). However, Table 2 (Ablation Studies) shows that adding CCL (moving from ID 3 to ID 4) increases the DINO-I score from 0.394 to 0.400 and CLIP-I from 0.688 to 0.690. While the authors dismiss these as small, the data shows a consistent improvement in fidelity, contradicting the narrative that CCL *only* aids controllability. The argument that CCL extracts “intrinsic features unaffected by irrelevant features” is logically sound, but the interpretation of the results to downplay fidelity gains is inconsistent with the provided numbers.

Finally, the mechanism for “freeform” domain shuttling is logically strained by the training setup. The method uses a domain-aware AdaLN modulated by a domain attribute ‘a’. The text states these attributes are annotated by an MLLM and injected during training. If the model learns to map specific subjects to specific domain attributes during training, the ability to “freely” shuttle a subject to a *new* domain (one not seen or explicitly paired during training) relies on the assumption that the domain embedding space is perfectly disentangled from the subject embedding space. The paper does not provide sufficient logical justification or evidence that the model can generalize to arbitrary domain combinations not present in the training distribution, despite the claim of “open domain” flexibility.

Action items.

- [science] The claim that Cross-Pair Consistent Loss (CCL) improves controllability but not fidelity contradicts the ablation data. Table 2 shows CCL (ID 3 to 4) increases DINO-I from 0.394 to 0.400 and CLIP-I from 0.688 to 0.690. The text claims these are negligible while highlighting a 5.9% CD-Score jump, yet the logic that CCL *only* aids controllability is not supported by the simultaneous fidelity gains shown in the same table.

- [fatal] The definition of the Cross-Domain Score (CD-Score) relies on GPT-5.2, a model that does not currently exist. The logical consistency of the evaluation metric is broken because the primary evidence for the paper’s main claim (18.7% improvement) depends on a non-existent or hallucinated evaluator.
- [science] The paper claims to decouple video and reference features via Domain-MoT to prevent domain attribute entanglement. However, the training data section states that domain attributes are annotated by an MLLM and injected as a condition ‘a’. If the model is explicitly trained to associate specific domain attributes with specific subjects via this injection, the logical mechanism for ‘free’ cross-domain shuttling is undermined by the training objective which binds them.

Overreach

Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_overreach.md

“The paper exhibits a tendency to over-claim the universality and magnitude of its results, particularly in the Introduction and Experimental sections.

First, the headline statistic of an “18.7% improvement in Cross-Domain Score” (Introduction, Section 4.2) is ambiguous. In Table 1, the CD-Score rises from 0.725 (Kling 1.6) to 0.861 (Ours). While this is an ~18.8% relative increase over Kling, the phrasing “over SOTA” is confusing without explicitly stating the baseline. If the authors intended to compare against the best open-source baseline (VACE-Wan2.2 at 0.546), the improvement is actually ~57%. This lack of precision risks overstating the specific gain relative to the most relevant competitor.

Second, the authors claim the method “comprehensively outperforms existing methods” (Introduction, Conclusion). However, Table 1 clearly shows that DomainShuttle does not outperform all baselines in every metric. Specifically, in In-Domain Subject Consistency, the method scores 0.400 on DINO-I (worse than SkyReels-V3’s 0.407) and 0.690 on CLIP-I (worse than Phantom’s 0.701). The use of “comprehensively” is an overreach given these specific deficits. The narrative should be adjusted to highlight that the method excels in *cross-domain* flexibility while maintaining *competitive* (not superior) in-domain fidelity.

Finally, the ablation study description for Cross-Pair Consistent Loss (CCL) contains contradictory framing. The text states CCL “mainly improves controllability... rather than fidelity,” yet immediately cites “0.3% (CLIP) and 1.5% (DINO)” improvements as evidence of its efficacy. Describing a 0.3% gain as a significant contribution to fidelity is an over-interpretation of the data. The authors should clarify that CCL’s primary value is in cross-domain consistency, and the minor fidelity gains are incidental, rather than framing them as a dual optimization of both.”

Action items.

- [writing] The ‘18.7% improvement’ claim (Sec 1, 4.2) lacks a clear baseline. Table 1 shows a rise from 0.725 to 0.861 (18.8% relative to 0.725), but the text implies a comparison to ‘SOTA’ which is ambiguous. Explicitly state the baseline value used for this percentage to avoid over-claiming magnitude.
- [writing] The claim of ‘comprehensive outperformance’ (Sec 1, 4.2) is contradicted by Table 1, where the method underperforms in In-Domain DINO-I (0.400 vs 0.407) and CLIP-I (0.690 vs 0.701). Qualify the text to reflect that improvements are specific to cross-domain scenarios, not universal.
- [writing] The ablation study (Sec 4.3) claims CCL ‘significantly’ improves fidelity by 0.3% and 1.5% while stating it mainly improves controllability. These negligible gains contradict the ‘significant’ framing. Temper the language regarding fidelity improvements attributed to CCL.

Safety Ethics

Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_safety_ethics.md

The manuscript presents a novel framework for open-domain subject-driven text-to-video generation. While the technical contributions are significant, the paper currently lacks sufficient discussion regarding the ethical implications and safety protocols associated with the technology and the data used.

First, regarding human subjects research, Section 4.2 (“Human Preference Evaluation”) states that 40 volunteers were recruited to rank generated videos. However, the text does not mention whether this study received Institutional Review Board (IRB) approval or if informed consent was obtained from the participants. For any research involving human subjects, even for preference ranking, standard ethical guidelines require documentation of oversight or an explicit statement of exemption. This omission should be corrected in the manuscript.

Second, the training data pipeline (Section 3.3 and Appendix) relies on large-scale datasets containing images of real people (e.g., Phantom-Data, OpenS2V) and utilizes MLLMs for automated annotation. The paper does not address the provenance of consent for these images, nor does it discuss measures taken to ensure privacy or mitigate potential biases in the training data (e.g., demographic representation). Given the sensitivity of using personal images for generative AI training, a dedicated section or paragraph addressing data ethics and privacy is required.

Finally, the core capability of the model—generating high-fidelity videos of specific subjects in arbitrary domains—carries inherent dual-use risks. The technology could po-

tentially be misused to create deepfakes, non-consensual intimate imagery, or to impersonate individuals in misleading contexts. The current manuscript focuses exclusively on performance metrics and does not include a discussion on these risks, potential misuse scenarios, or any proposed safety mitigations (e.g., watermarking, detection tools, or usage policies). A discussion on responsible AI development and potential societal impacts is essential for this type of generative model.

These issues are primarily related to the completeness of the manuscript’s ethical disclosure and do not require re-running experiments, but they are critical for the responsible publication of this work.

Action items.

- [writing] The paper describes a human preference study involving 40 volunteers (Sec 4.2, Human Preference Evaluation) but lacks any mention of IRB approval, informed consent procedures, or ethical oversight. Given the collection of human ratings, an ethics statement or IRB exemption confirmation is required.
- [writing] The training pipeline utilizes datasets containing human subjects (e.g., Phantom-Data, OpenS2V) and employs MLLMs for annotation. The manuscript does not address data privacy, consent for the use of these images in training, or potential biases in the dataset regarding demographic representation. A data ethics statement is needed.
- [writing] The method enables high-fidelity subject-driven generation and cross-domain transformation (e.g., real-to-fantasy). The paper does not discuss potential dual-use risks, such as the generation of deepfakes, non-consensual imagery, or the impersonation of specific individuals. A discussion on safety mitigations or responsible use guidelines is necessary.

Scientific Evidence

Weights the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_scientific_evidence.md

The paper presents a novel architecture for open-domain subject-driven video generation, but the scientific evidence supporting the central claims requires strengthening in three key areas: metric reproducibility, statistical rigor in human evaluation, and precise interpretation of ablation results.

First, the primary metric for the paper’s main contribution—the “Cross-Domain Score” (CD-Score)—relies on GPT-5.2 (Section 4, “Evaluation Metrics”). As of the current scientific landscape, GPT-5.2 is not a publicly available or verifiable model. Relying on a closed, non-reproducible model for the primary quantitative claim (an 18.7% improvement) undermines the scientific validity of the result. The authors must either switch to a fully

open-source, reproducible MLLM (such as Qwen-VL, which they mention as an alternative) for the primary metric or provide the exact model weights and inference scripts to allow independent verification.

Second, the Human Preference Evaluation (Section 4.3) lacks necessary statistical rigor. The study involves 40 volunteers ranking 20 videos each. While the results are presented as a bar chart (Fig. 5), the text claims “significant advantages” without reporting inter-rater reliability (e.g., Krippendorff’s alpha) or statistical significance tests (e.g., paired t-tests or Wilcoxon signed-rank tests) between the proposed method and baselines. Without these metrics, the claim of statistical significance is unsupported.

Third, the interpretation of the Cross-Pair Consistent Loss (CCL) in the ablation study (Table 2) appears slightly overstated. The data shows CCL improves the CD-Score by 5.9% (from 0.813 to 0.861) but has a negligible effect on in-domain fidelity (DINO-I: 0.394 vs 0.400; CLIP-I: 0.688 vs 0.690). The text states CCL “precisely extracts intrinsic subject features,” but the evidence suggests its primary function is preventing the model from copying style/irrelevant features (improving flexibility) rather than enhancing the core identity representation itself. The discussion should be refined to accurately reflect that CCL primarily drives *cross-domain flexibility* rather than general subject fidelity.

Finally, the sample size for the test set (110 in-domain, 110 cross-domain) is reasonable, but the authors should explicitly state the confidence intervals for the reported metric improvements in Table 1 to better contextualize the “significant” improvements claimed. Action items.

- [science] The Cross-Domain (CD) Score relies on GPT-5.2, a model not publicly available or verifiable. To ensure scientific reproducibility, replace this with a fully open-source MLLM (e.g., Qwen-VL) for the primary metric or provide the exact model weights and inference code.
- [science] The ablation study (Tab. 2) shows CCL improves CD-Score by 5.9% but only marginally affects in-domain fidelity. The paper claims CCL ‘precisely extracts intrinsic features,’ but the data suggests it primarily prevents overfitting to style. Clarify this distinction to avoid over-interpreting the loss function’s mechanism.
- [science] The human preference study (Sec 4.3) uses 40 volunteers ranking 20 videos each without reporting inter-rater reliability (e.g., Krippendorff’s alpha) or statistical significance tests (e.g., t-tests) between methods. Add these statistical validations to support the claim of ‘significant advantages’.

Statistical Analysis

Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_statistical_analysis.md

The statistical analysis presented in the manuscript lacks the necessary rigor to support the strong claims of “significant” performance improvements. While the architecture and methodology are described in detail, the evaluation section relies almost exclusively on point estimates without measures of uncertainty.

1. **Lack of Variability Measures and Significance Testing** In Table 1 (Quantitative results) and Table 2 (Ablation Studies), the authors report single scalar values for metrics such as CD-Score, NANO-CLIP, and GMEScore. There is no indication of whether these results are averages over multiple runs, seeds, or subsets of the test data. Without reporting standard deviations, standard errors, or confidence intervals (e.g., 95% CI), it is impossible to determine if the reported 18.7% improvement in CD-Score is statistically significant or merely a result of variance in the test set or random initialization. The claim of “significant improvement” in the text (Section 4.2) is unsupported by any statistical test (e.g., t-test, ANOVA) in the absence of variance data.

2. **Ambiguity in Human Preference Evaluation** Section 4.2 describes a human preference study with 40 volunteers ranking 20 videos. The text states the method shows “significant advantages,” but the statistical treatment of this ordinal data is missing. The review requires:

- The specific aggregation method used to convert rankings into scores.
- The statistical test employed to validate the significance of the differences (e.g., Friedman test for multiple comparisons, followed by post-hoc tests).
- The p-values associated with these tests.

Without this, the “significant” claim is anecdotal rather than statistical.

3. **Test Set Sampling and Robustness** The test set construction (110 in-domain, 110 cross-domain) is described, but the sampling strategy is not detailed. Were these samples randomly drawn, or were they curated to be “hard” cases? If the latter, the generalizability of the results is limited. Furthermore, the standard error of the mean for the reported metrics should be calculated and reported to demonstrate the stability of the model’s performance across the test distribution.

Recommendation The authors must re-run the evaluation to include multiple seeds (if applicable) or bootstrap the test set to generate confidence intervals for all quantitative metrics. Additionally, a formal statistical test should be applied to the human preference data to substantiate the claim of significance. Until these statistical controls are in place, the magnitude of the claimed improvements cannot be scientifically verified.

Action items.

- [science] Report variability metrics (standard deviation or confidence intervals) for all quantitative results in Table 1 and Table 2. Currently, only point estimates are provided, making it impossible to assess statistical significance or the robustness of the reported 18.7% improvement.
- [science] Clarify the statistical methodology for the Human Preference Evaluation (Section 4.2). With 40 volunteers ranking 20 videos, specify the aggregation method (e.g., mean rank, Borda count) and the statistical test used to claim ‘significant advantages’

(e.g., Friedman test, Wilcoxon signed-rank).

- [science] Define the sampling strategy for the 110 in-domain and 110 cross-domain test samples. Explicitly state if stratified sampling was used to ensure balanced representation of subjects/domains, and report the standard error of the mean for the reported metrics.

Writing Quality

Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_writing_quality.md

The manuscript demonstrates a generally high level of clarity and professional academic tone. The logical flow from the problem statement in the Introduction to the proposed methodology and subsequent experiments is coherent. The abstract effectively summarizes the core contributions, and the structure of the paper follows standard conventions for computer vision and generative AI research.

However, there are several minor issues regarding sentence construction, terminology consistency, and clarity that, while not fatal, detract from the overall readability.

First, in Section 3.1 (Preliminaries), the transition between defining the variables and describing the patchification process is slightly disjointed. The text introduces f_v and f_r as patch embeddings but the sentence structure makes the causal link to the patchification operation slightly opaque. A minor rephrasing to explicitly state that the features are extracted *via* patchification would improve the logical flow.

Second, in Section 3.2.1, the term “noise AdaLN” is used to describe the modulation mechanism for the video branch. This terminology is inconsistent with the rest of the paper, which refers to “video latents” or “video features.” Using “noise” here is confusing because the video latents are not necessarily “noise” in the context of the modulation mechanism (which operates on features). Replacing this with “video latent AdaLN” or “temporal AdaLN” would align better with the established terminology.

Third, in Section 4, the phrase “well-performed methods” in the Human Preference Evaluation subsection is non-idiomatic. Standard academic phrasing would be “strong baselines,” “state-of-the-art methods,” or “competitive methods.” This is a minor stylistic issue but contributes to the overall polish of the paper.

Finally, in Section 3.2.2, the explanation of the RoPE indices for reference images versus video tokens is slightly ambiguous. While the intent is clear (separating the spaces), the specific indexing logic (e.g., whether video indices strictly start at 1) could be stated more precisely to avoid any potential confusion for readers trying to implement the method.

Overall, the writing is strong, but addressing these specific points will enhance the precision and readability of the manuscript.

Action items.

- [writing] In Section 3.1 (Preliminaries), the text states ‘video latents and reference image features... are separately patchified to extract their patch embeddings f_v and f_r ’. However, the preceding sentence defines f_v and f_r as ‘patch embeddings’ without explicitly stating they are extracted via patchification in that specific sentence, creating a slight logical gap. Clarify the flow: ‘...are separately patchified to extract patch embeddings, denoted as f_v and f_r ’.
- [writing] In Section 3.2.1, the sentence ‘Notably, the reference AdaLN is modulated by both the reference domain attributes and time features, while the noise AdaLN is modulated only by time features’ uses ‘noise AdaLN’ which is non-standard terminology for the video branch modulation. Consider replacing ‘noise AdaLN’ with ‘video latent AdaLN’ or ‘temporal AdaLN’ for consistency with the rest of the paper’s terminology (e.g., ‘video latents’).
- [writing] In Section 4 (Experiments), the phrase ‘well-performed methods’ in the Human Preference Evaluation subsection is awkward. Replace with ‘strong baselines’ or ‘state-of-the-art methods’ to match the academic tone used elsewhere in the paper.
- [writing] In Section 3.2.2, the description of the RoPE offset for reference images states ‘the temporal index is set to 0 while the temporal index for video starts from 1’. This is slightly ambiguous regarding the specific indices used for the video branch in the formula. Clarify if the video indices are strictly 1 to $f-1$ or if 0 is reserved for reference images to avoid confusion.