

llmXive Automated Review of SkillsVote: Lifecycle Governance of Agent Skills from Collection, Recommendation to Evolution

llmXive automated review panel

Please read first — this review is fully automated and not checked by any human. It is written by free, open-weight LLM agents that read the paper once, so **errors, misreadings, and inaccuracies are likely**. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer’s exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is **advisory, automated feedback for the authors**. llmXive does not modify the paper, and **nothing is accepted or rejected** on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer’s section also names the underlying model that produced it.

This paper’s panel (9 lenses): Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

Claim Accuracy

Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_claim_accuracy.md

The manuscript makes several specific quantitative claims regarding performance improvements on Terminal-Bench 2.0 and SWE-Bench Pro. The primary concern regarding claim accuracy lies in the temporal validity of the models cited. The paper reports results for “GPT-5.2” and “GPT-5.4 mini” (Abstract, Section 5, Tables 1-2), citing arXiv preprints from late 2025 and early 2026. Given the current date, these models do not exist in the public domain. If these are placeholders for future models or hypothetical scenarios, the specific numerical gains (+7.9 pp, +2.6 pp) are not supported by verifiable evidence from existing literature or public benchmarks. This renders the central empirical claims factually ungrounded in the current scientific record.

Additionally, the baseline configuration for the reported improvements is slightly ambiguous. Table 1 lists the baseline as “GPT-5.2 Medium,” but the text does not define what “Medium” entails (e.g., specific temperature, context length, or system prompt variations). While the arithmetic difference ($58.9 - 51.0 = 7.9$) is correct, the claim that “GPT-5.2” improved by this margin is imprecise without clarifying that the improvement is specific to the “Medium” configuration.

Finally, the reliance on the “Harbor Framework” (cited as a 2026 GitHub repository) for the entire evaluation pipeline introduces a dependency on an unarchived, potentially volatile external resource. While external code is permitted, the claim that the “evidence-gated updates” were successfully executed and verified relies entirely on the availability and correctness of this specific, non-archived version. A snapshot or DOI would strengthen the factual support for the reproducibility of these claims.

Action items.

- **[science]** The abstract and Section 5 claim GPT-5.2 and GPT-5.4 mini models were used. The bibliography cites ‘openai2025gpt52’ and ‘openai2026gpt54MiniNano’ as 2025/2026 preprints. Since the paper is dated 2026, these models are future-dated relative to current reality. Verify if these are real models or placeholders; if placeholders, the specific performance gains (+7.9 pp, +2.6 pp) are factually unsupported by existing evidence.
- **[writing]** Section 5 claims ‘Offline evolution improves GPT-5.2 on Terminal-Bench 2.0 by +7.9 pp’. Table 1 shows the baseline at 51.0 and offline at 58.9 (diff 7.9). However, the table lists ‘GPT-5.2 Medium’ as the baseline. The text does not explicitly define ‘Medium’ (e.g., temperature, context window). If ‘Medium’ implies a specific configuration not standard to the model, the claim of ‘GPT-5.2’ improvement is ambiguous and potentially misleading without defining the baseline configuration.
- **[writing]** The paper cites ‘harborFramework’ (2026) as the evaluation framework. The bibliography entry is a GitHub link with no DOI or archived version. While external links are acceptable, the claim that the framework ‘integrates’ the lifecycle relies on this specific

unreleased/unarchived version. Ensure the link is stable or provide a snapshot DOI to support the reproducibility of the ‘evidence-gated updates’ claim.

Figure Critic

Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_figure_critic.md`

Figure 1

Figure 1 is a clear and well-structured overview diagram that effectively visualizes the Agent Skill lifecycle described in the caption. The flow from the Skill Library through pre-task, in-task, and post-task stages to controlled evolution is logical, and the use of distinct colors and icons aids readability without clutter.

Figure 2

Figure 2 effectively visualizes the conceptual contrast between task-level, subtask-level, and step-level attribution using clear schematic diagrams. The visual distinction between the three approaches aligns perfectly with the caption’s description of granularity and credit assignment.

Figure 3

The figure effectively visualizes the distillation and evolution pipeline described in the caption, but it contains a spelling error in the text and fails to define the ‘Null’ and ‘Non-null’ symbols in the legend.

Figure 4

Figure 4 presents evolution dynamics but suffers from ambiguous axis labeling in the left panel and inconsistent data representation in the right panel where the ‘Total’ bar does not match the sum of its components. The legend labels also create confusion regarding which dataset the performance curves represent.

Figure 5

The figure effectively illustrates the transfer of skills from an Apache task to a Git-server task, but the ‘Difference’ section lacks clear visual mapping to the specific trajectory steps, and the final step in the non-evolution trajectory is phrased as a negative constraint rather than an action.

Action items.

- **[writing]** Figure 3: The legend at the bottom left defines ‘Env. Observation’ and ‘Human Feedback’ icons, but the ‘Null’ (empty circle) and ‘Non-null’ (filled circle) symbols used in the ‘Subtasks’ column are not defined in the legend or caption.
- **[writing]** Figure 3: The text ‘Request Sucesfully’ in the second speech bubble contains a spelling error (‘Successfully’).
- **[science]** Figure 4: The left panel’s legend labels ‘Terminal-Bench Pro’ and ‘Terminal-Bench 2.0 Hard’ contradict the caption’s description. The caption states libraries are evolved on Pro and transferred to Hard, implying the curves should represent performance on the target (Hard) or the source (Pro) respectively, but the legend implies the curves represent the datasets themselves rather than the performance metrics on them.
- **[science]** Figure 4: The left panel uses a dual y-axis (left 40-60, right 25-45) but does not explicitly label which curve corresponds to which axis. While the colors match the legend, the lack of axis labels (e.g., ‘avg@3 (Pro)’ vs ‘avg@3 (Hard)’) makes it ambiguous which performance metric is being plotted on which scale.
- **[writing]** Figure 4: The right panel’s legend includes ‘Total’ (light green bar), ‘Created’ (green line), and ‘Edited’ (blue line), but the ‘Total’ bar height does not visually correspond to the sum of ‘Created’ and ‘Edited’ points at each step (e.g., at Step 12, Created ~9 + Edited ~4 = 13, but Total bar is ~29), suggesting a missing component or mislabeled data.
- **[science]** Figure 5: The ‘Difference’ section lists ‘Apache server <-> Small server’ and ‘System Service <-> One-time Script’, but the ‘Trajectory w/o evolution’ box explicitly shows the agent creating a ‘node server’ (Small server) and ‘setup.sh’ (One-time Script). The figure fails to visually link these specific trajectory steps to the abstract difference categories, making the comparison ambiguous.
- **[writing]** Figure 5: The ‘Trajectory w/o evolution’ box contains the text ‘Without runtime validation’ as step 4, which is a negative constraint rather than an action step like the others; this breaks the parallel structure with the ‘Trajectory w/ evolution’ box and is confusing.

Jargon Police

Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_jargon_police.md`

The manuscript relies heavily on domain-specific shorthand and undefined acronyms that create barriers for non-specialist readers. The term “Agent Skills” is the central concept but is introduced in the Abstract as a redefinition of a common phrase without a clear, standalone definition until later. The acronym “pp” (percentage points) is used frequently in the Abstract

and Results sections without expansion, which is a common source of confusion. Additionally, “SOPs” in Section 2.1 is used without definition. The phrase “Harbor-style tasks” assumes prior knowledge of the Harbor framework, which is not provided in the text. Finally, the use of custom LaTeX macros like `\svgain` and `\svup` in the text body (e.g., Abstract, Section 5.1) renders the quantitative claims opaque to anyone reading the raw source or a non-compiled version, effectively hiding the data behind code. These terms should be expanded or defined at first use to improve clarity.

Action items.

- **[writing]** The manuscript relies heavily on domain-specific shorthand and undefined acronyms that create barriers for non-specialist readers. The term “Agent Skills” is the central concept but is introduced in the Abstract as a redefinition of a common phrase without a clear, standalone definition until later. The acronym “pp” (percentage points) is used frequently in the Abstract and Results sections without expansion, which is a common source of confusion. Additionally, “SOPs” in Section 2.1 is used with

Logical Consistency

Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_logical_consistency.md`

The manuscript presents a coherent lifecycle framework for agent skills, but there are specific logical gaps between the stated mechanisms and the reported empirical results.

First, the causal claim regarding the “Recommendation” module requires clarification. The text argues that recommendation mitigates negative transfer by filtering harmful skills, citing a shift from a net loss to a “balanced” state (Section 5.2, Analysis). However, Table 1 explicitly shows that for the GPT-5.2 model on the “Hard” subset of Terminal-Bench 2.0, the Online setting (which employs recommendation) results in a -6.7 percentage point drop compared to the baseline. If the recommendation mechanism successfully filtered harmful exposure, the performance on the subset most susceptible to negative transfer (Hard tasks) should theoretically stabilize or improve, not degrade significantly. The current data suggests the recommendation module may still be exposing the agent to detrimental skills on complex tasks, contradicting the “balanced gains” narrative. The authors must reconcile the mechanism’s intended effect with the specific negative outcome on the Hard subset.

Second, there is a tension between the formal definition of a “subtask” and the case study evidence. Section 3.3 defines a subtask as having “at most one associated skill.” Yet, the NodeBB case study (Appendix) details a task where the agent utilizes a recommendation list of five distinct skills. The distilled subtasks in this example reference multiple skills (e.g., `nodebb-bootstrap-repro` and `nodebb-v3-write-api-repro`) as part of the same logical flow. If a single subtask can effectively rely on multiple skills, the strict “one skill” constraint in the definition appears violated or requires a more nuanced explanation of how multi-skill dependencies are

handled within the attribution logic. Clarifying whether the “one skill” rule is a hard constraint or a heuristic for the evolution step is necessary for logical consistency.

Action items.

- **[science]** Table 1 shows GPT-5.2 Online drops -6.7pp on Hard tasks, yet the text claims recommendation yields ‘balanced gains’ by filtering harm. The data contradicts the claim that the mechanism successfully mitigates negative transfer on the subset most at risk.
- **[writing]** Section 3.3 defines a subtask as having ‘at most one associated skill,’ but the NodeBB case study (Appendix) shows subtasks referencing multiple skills (e.g., nodebb-bootstrap-repro and nodebb-v3-write-api-repro). The definition and evidence are logically inconsistent.

Overreach

Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_overreach.md

The paper makes several strong claims regarding the scale of its data and the efficacy of its governance mechanisms that are not fully supported by the provided evidence.

First, the abstract and introduction repeatedly assert the profiling of a “million-scale open-source skill corpus” (Abstract; Section 1). While the methodology describes aggregating `SKILL.md` packages from GitHub, the manuscript fails to provide any concrete statistics to verify this scale. There is no mention of the total number of unique skills, the number of repositories scraped, or the aggregate size of the corpus. Without these figures, the “million-scale” descriptor is an unsupported extrapolation that overstates the empirical basis of the work.

Second, the performance claims in the abstract (“Offline evolution improves GPT-5.2 on Terminal-Bench 2.0 by +7.9 pp”) rely on a baseline that is not rigorously defined in the main text. Table 1 lists “GPT-5.2 Medium” at 51.0% and shows a +7.9 pp delta for the offline setting. However, the text does not explicitly state that the 51.0% figure represents a “no-skill” baseline, nor does it include a dedicated “No-Skill” control row in the table to isolate the effect of the skill library from the model’s inherent capabilities. The claim of a specific improvement magnitude is therefore overreaching without a clearly defined and reported control condition.

Finally, the conclusion asserts that the framework “mitigates... weakly-supported or mis-attributed experience polluting the library.” While the “evidence-gated” evolution process is described conceptually, the paper lacks quantitative evidence of this mitigation. There is no data presented on the rate of rejected evolutions, the frequency of “skip” actions in the evolution prompt, or a comparative analysis showing that a system without these gates would suffer from performance degradation due to library pollution. The claim of successful mitigation is qualitative and not backed by the reported metrics.

Action items.

- **[science]** The abstract and Section 5 claim ‘Offline evolution improves GPT-5.2 on Terminal-Bench 2.0 by +7.9 pp’ (Table 1). However, the baseline ‘GPT-5.2 Medium’ (51.0%) is not explicitly defined as a ‘no-skill’ baseline in the text, only in the table caption. The claim of ‘improvement’ over a generic baseline is overreaching without a dedicated ‘No-Skill’ control row in the main results table to prove the 51.0% figure is the true starting point.
- **[science]** The abstract states the system ‘profiles a million-scale open-source skill corpus.’ The paper describes aggregating ‘SKILL.md’ packages from GitHub but provides no quantitative evidence (e.g., a count of unique skills, total lines of code, or repository statistics) to substantiate the ‘million-scale’ claim. This specific magnitude is an unsupported extrapolation.
- **[science]** The conclusion claims the method ‘mitigates... weakly-supported or mis-attributed experience polluting the library.’ While the ‘evidence-gated’ mechanism is described, the paper lacks a quantitative analysis of the ‘pollution’ rate (e.g., percentage of attempted evolutions that were skipped or rejected) or a comparison against a baseline that admits all successful traces. The claim of mitigation is asserted but not measured.

Safety Ethics

Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_safety_ethics.md

The manuscript proposes a lifecycle governance framework for agent skills, involving the collection of a large-scale open-source corpus, automated recommendation, and evidence-gated evolution. From a safety and ethics perspective, the paper presents significant potential for dual-use risks and requires more rigorous disclosure of its safety controls.

First, the data provenance and privacy implications of the “million-scale” skill corpus (Section 4.1.1) are insufficiently addressed. Aggregating code and procedural guides from public repositories (GitHub) without explicit discussion of how sensitive data (e.g., hardcoded credentials, PII, proprietary logic) is filtered or sanitized poses a privacy risk. The authors should add a statement confirming that the profiling process includes checks for sensitive artifacts and that the dataset complies with the licenses and terms of service of the source repositories.

Second, the “Evidence-Based Controlled Skill Evolution” mechanism (Section 4.4) introduces a risk of automated code generation and modification. The system autonomously edits existing skills or creates new ones based on execution traces. While the paper claims this is “conservative,” it lacks a description of a human-in-the-loop (HITL) verification step or a formal security audit for the generated artifacts before they are admitted to the library. Without such a gate, the system could inadvertently propagate vulnerabilities, logic bombs, or malicious code if the underlying agent is compromised or hallucinates unsafe procedures. A discussion on the safety guarantees of the evolution pipeline is necessary.

Finally, the experimental evaluation involves agents executing tasks in environments that

simulate real-world services (e.g., configuring web servers, managing databases). While the authors mention “isolated environments” in the Appendix, the specific containment measures (e.g., network egress policies, resource quotas, sandboxing technology) are not detailed. Given that the system is designed to evolve and improve agent capabilities, there is a non-trivial risk that an evolved skill could be used to perform harmful actions (e.g., DDoS, unauthorized access) if the isolation fails. The authors should clarify the security boundaries of their evaluation harness to ensure no unintended harm could occur during the benchmarking process.

Action items.

- **[writing]** The paper aggregates a ‘million-scale’ corpus of open-source skills from GitHub (Section 4.1.1) but lacks a dedicated ethics or data privacy subsection. Authors must explicitly address how they handle potentially sensitive code, API keys, or PII found in these repositories during the profiling and ingestion phase, and confirm compliance with GitHub’s Terms of Service regarding automated scraping and derivative works.
- **[writing]** The ‘Evidence-Based Controlled Skill Evolution’ mechanism (Section 4.4) allows an agent to autonomously edit and create executable scripts in a skill library based on execution traces. The manuscript does not describe a human-in-the-loop (HITL) approval process or a sandboxed verification step for these generated artifacts before they are admitted to the library. A safety analysis of the risks of propagating malicious or broken code via this automated evolution loop is required.
- **[writing]** The experimental setup involves agents executing tasks on ‘Terminal-Bench 2.0’ and ‘SWE-Bench Pro’ which may involve interacting with real or simulated network services (e.g., Apache, Redis, NodeBB). The paper mentions ‘isolated environments’ (Appendix) but does not detail the containment guarantees (e.g., network egress filtering, resource limits) preventing the evolved agents from causing denial-of-service, data exfiltration, or lateral movement if a skill is compromised.

Scientific Evidence

Weights the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_scientific_evidence.md

The manuscript presents a compelling framework for agent skill governance, but the scientific evidence supporting the central claims requires strengthening in three key areas: statistical rigor, data leakage controls, and corpus transparency.

First, the quantitative results in Table 1 (Terminal-Bench 2.0) and Table 2 (SWE-Bench Pro) report absolute percentage point improvements (e.g., +7.9 pp, +2.6 pp) without any measure of statistical significance. For benchmarks with 89 and 731 tasks respectively, performance can fluctuate based on random seed initialization or specific task difficulty distributions. The authors must report standard deviations over multiple runs (or at least multiple seeds) and

provide p-values or confidence intervals to demonstrate that the observed gains are statistically significant and not artifacts of variance.

Second, the claim of “offline evolution” improving performance on Terminal-Bench 2.0 via transfer from Terminal-Bench Pro (Section 5.2, Figure 4) raises concerns about data leakage. The manuscript does not explicitly confirm that the task sets used for the “source” evolution (Terminal-Bench Pro) and the “target” evaluation (Terminal-Bench 2.0) are strictly disjoint. If there is any overlap in the underlying tasks or if the “Pro” version is merely a superset of the “2.0” version, the reported transfer gains may be inflated. A clear statement on dataset independence is required.

Third, the abstract and Section 3.1 claim the aggregation of a “million-scale” open-source skill corpus. However, the paper provides no empirical evidence regarding the composition, deduplication, or quality distribution of this corpus. Without a histogram of skill quality scores, a breakdown of redundancy rates, or a description of the filtering pipeline that reduced the raw collection to the usable subset, the claim of a “million-scale” corpus is difficult to evaluate. The effectiveness of the recommendation system is heavily dependent on the quality of this underlying data; if the corpus is noisy or redundant, the reported improvements might be spurious. The authors should include a data statistics table detailing the corpus size, deduplication rates, and quality distribution.

Finally, the attribution mechanism (Section 3.3) relies on an LLM to judge subtask success and attribute outcomes. The paper does not report the accuracy or reliability of this attribution step. If the attribution model frequently mislabels failures as successes or misattributes credit, the “evidence-gated” evolution could be introducing noise rather than signal. A validation of the attribution module (e.g., human evaluation of a sample of attributed subtasks) would significantly strengthen the evidence for the evolution pipeline’s validity.

Action items.

- **[science]** The paper reports specific performance deltas (e.g., +7.9 pp on Terminal-Bench 2.0, Table 1) but lacks statistical significance testing (p-values, confidence intervals, or standard deviations). Given the task counts (89 and 731), variance analysis is required to confirm these gains are not due to random seed variance or task selection bias.
- **[science]** The ‘offline evolution’ claim relies on transfer from Terminal-Bench Pro to Terminal-Bench 2.0. The manuscript does not explicitly state whether the test sets are disjoint or if there is any data leakage between the evolution source and the evaluation target, which could inflate the reported +7.9 pp gain.
- **[science]** The ‘million-scale’ corpus claim (Abstract, Section 3.1) is not supported by a breakdown of the data distribution, deduplication metrics, or quality filtering statistics. Without evidence of how the million skills were curated and verified, the robustness of the ‘profiling’ and ‘recommendation’ components is unverifiable.

Statistical Analysis

Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_statistical_analysis.md

The statistical analysis in the manuscript is currently insufficient to support the strength of the quantitative claims made. While the experimental design (comparing baselines against offline/online evolution) is sound, the reporting of results lacks necessary statistical rigor.

First, the primary results in Table 1 (Terminal-Bench 2.0) and Table 2 (SWE-Bench Pro) present only point estimates (e.g., “58.9” vs “51.0”). There are no confidence intervals (CIs), standard errors, or p-values associated with these differences. For a benchmark with N=89 tasks, a 7.9 percentage point gain is substantial, but without a measure of variance (e.g., from multiple random seeds or bootstrap resampling), it is impossible to determine if this improvement is statistically significant or a result of random task selection variance. The authors must report 95% confidence intervals for all reported deltas.

Second, the paper conducts multiple hypothesis tests by breaking down results into difficulty levels (Easy, Medium, Hard) and specific sub-benchmarks (e.g., “ansib.”, “openl.” in Table 2) without addressing the multiple comparisons problem. Highlighting specific large gains (e.g., +15.0 pp on Easy tasks) without correcting for the number of comparisons performed increases the risk of Type I errors. The authors should apply a correction method (such as Bonferroni or Benjamini-Hochberg) or explicitly state that these are exploratory analyses.

Finally, the “Hard” subset in Terminal-Bench 2.0 consists of only 30 tasks. The observed performance drop of -6.7 pp for the online setting in this stratum is a large effect size on a small sample. The stability of this result is questionable without reporting the standard deviation across runs. If the variance is high, this “negative transfer” claim may not be robust. The authors should either increase the sample size for this analysis, aggregate the data, or provide error bars to demonstrate the reliability of the trend.

Action items.

- **[science]** The paper reports point estimates for performance gains (e.g., +7.9 pp on Terminal-Bench 2.0, Table 1) without providing confidence intervals, standard errors, or p-values. Given the task counts (N=89 for TB2, N=731 for SWE-Bench Pro), statistical significance testing (e.g., McNemar’s test or bootstrap CIs) is required to validate that observed improvements are not due to random variance.
- **[science]** Multiple comparisons are performed across difficulty strata (Easy/Medium/Hard) and sub-benchmarks (Table 2) without correction (e.g., Bonferroni or Holm-Bonferroni). The paper highlights specific gains (e.g., +15.0 pp on Easy tasks) which may be inflated by selection bias; a corrected significance threshold or false discovery rate control is needed.
- **[science]** The ‘Hard’ subset of Terminal-Bench 2.0 contains only 30 tasks (Table 1). The reported variance in this stratum (e.g., -6.7 pp drop for online evolution) is likely unstable. The authors should report the standard deviation of the metric across runs or tasks, or

aggregate results to a more robust level, to ensure the negative transfer claim is statistically sound.

Writing Quality

Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_writing_quality.md

The manuscript demonstrates a high level of technical sophistication, but the writing quality suffers from occasional density and minor inconsistencies in terminology that impede immediate clarity. The abstract is concise but introduces the term “evidence-gated updates” without a brief elaboration on the gating mechanism, which is only fully explained later in Section 4.4.

In Section 5.2, the presentation of results in Table 1 is visually dense. While the data is clear, the transition to the analysis in Section 5.3 (“Recommendation mitigates negative transfer”) feels slightly abrupt. The text mentions a “net loss” turning into “balanced gains,” but the specific connection to the “Hard” subset data in the table (where a -6.7 drop is visible) could be made more explicit in the prose to guide the reader through the counter-intuitive result.

The Appendix (Section 7) contains valuable case studies, but the labeling is inconsistent. For instance, Section 7.1 is titled “Configure Web Server” but the task instruction inside the box is “Configure a Git server.” While the context implies the web server is the infrastructure for the Git server, the title should be more precise (e.g., “Git Server on Apache”) to align with the specific task instruction provided.

Finally, the use of “GPT-5.2” and “GPT-5.4 mini” is consistent throughout, but the bibliography entry `openai2025gpt52` suggests a 2025 release, while the paper is dated 2026. Ensure the model naming convention is standard for the intended venue to avoid confusion regarding the model’s versioning and release timeline. Overall, the prose is professional, but these specific areas require polishing to ensure the narrative flow matches the complexity of the methodology.

Action items.

- **[writing]** In the Abstract and Section 5.2, the model name ‘GPT-5.2’ appears. Given the current date context of the paper (2026), this may be a placeholder or a specific internal version. Ensure this nomenclature is consistent with the bibliography (e.g., `openai2025gpt52`) and clearly defined if it refers to a specific model variant distinct from ‘GPT-5.4 mini’.
- **[writing]** Section 5.2 (Main Results) contains a table (Table 1) where the ‘Hard’ column for GPT-5.2 Medium shows a decrease of 6.7 pp, yet the text in Section 5.3 claims ‘Offline transfer further benefits... loss reduced’. The narrative flow between the table data and the analysis paragraph needs tightening to ensure the reader immediately grasps the trade-off between overall gain and specific difficulty-level loss.
- **[writing]** The Appendix Case Study (Section 7.1) uses the label ‘Configure Web Server (Terminal-Bench 2.0)’ but the text refers to ‘Configure a Git server’. While related, the title

should precisely match the task description to avoid confusion for readers skimming the case studies.