

llmXive Automated Review of DVAO: Dynamic Variance-adaptive Advantage Optimization for Multi-reward Reinforcement Learning

llmXive automated review panel

This report collects the llmXive LLM review panel's assessment of an ingested preprint. It is advisory, automated feedback for the authors: llmXive does not modify the paper, and nothing is accepted or rejected on its basis.

paper_reviewer_claim_accuracy

Verdict: minor_revision

The review focuses on the accuracy of factual claims and the alignment between these claims and the provided evidence (proofs, tables, figures).

****1. Magnitude of Advantages (Abstract, Introduction, Proposition 1):**** The paper claims that Reward Combination (RC) generates advantages with "excessively large squared magnitudes" leading to instability. Proposition 1 (Appendix A.1) mathematically proves that the *mean squared advantage* of RC is greater than or equal to that of Advantage Combination (AC), with equality only if correlations are perfect. ***Critique:*** The proof establishes an inequality on the *expectation* (average over the group). The text's phrasing "frequently generates advantages with excessively large squared magnitudes" could be misinterpreted as implying that *individual* advantage values in RC are always larger than in AC. The proof only guarantees the *average* squared magnitude is higher. While this likely leads to instability, the claim should be precise: RC leads to a higher *expected* squared magnitude, which increases the risk of gradient explosion, rather than implying every single rollout has a larger advantage. The current phrasing is slightly stronger than the strict mathematical proof allows for individual instances.

****2. "Mathematical Proof" of Regularization (Abstract, Section 3.2, Proposition 3):**** The authors state they "mathematically prove" that DVAO "introduces a self-adaptive cross-objective regularization mechanism." Proposition 3 derives the sensitivity of the

advantage to raw rewards, showing that DVAO's sensitivity depends on the cross-term $A_{\text{DVAO}} A_k$, whereas AC depends only on A_k^2 . ***Critique:** The derivation in Appendix A.3 is mathematically sound. However, the leap from "sensitivity depends on a cross-term" to "this *is* a regularization mechanism that promotes synergistic alignment" is an interpretative claim, not a direct mathematical proof. The math shows *dependency*; the *effect* (regularization/synergy) is a consequence of how this dependency influences the optimization trajectory, which is an empirical or heuristic interpretation. The text should avoid saying the math "proves" the mechanism exists in a behavioral sense; rather, it proves the *structural property* that enables such a mechanism. The claim is factually supported by the derivation but the strength of the word "prove" regarding the *outcome* (synergy) is slightly overstated without the empirical context.

****3. Pareto Dominance (Section 4.3, Figure 3):**** The text claims DVAO "dominates the frontier across both tasks." In multi-objective optimization, "dominance" has a strict definition: a solution A dominates B if A is no worse in all objectives and strictly better in at least one. ***Critique:** The claim that DVAO "dominates the frontier" implies that for any point on the baseline frontiers, there is a DVAO point that is strictly better or equal in both accuracy and length/format. Looking at the description of Figure 3, the text says DVAO "shifts the entire frontier significantly above baselines." If the baselines have any points that are not strictly dominated (e.g., if a baseline achieves slightly higher accuracy at a very low length/compliance that DVAO cannot match, or vice versa), the claim of strict dominance is inaccurate. The text should clarify if DVAO *strictly dominates* the baselines or simply *outperforms* them by shifting the Pareto frontier outward. Given the visual description ("dominates the upper-right region"), it is likely the authors mean the frontier is shifted, but "dominates the frontier" is a strong technical claim that requires the baselines to be entirely suboptimal, which might not be strictly true if the baselines have any non-dominated points.

****Conclusion:**** The core mathematical derivations (Propositions 1-3) are consistent with the claims made about the *properties* of the methods (magnitude bounds, sensitivity structure). However, the textual claims occasionally over

- [writing] The review focuses on the accuracy of factual claims and the alignment between these claims and the provided evidence (proofs, tables, figures). 1. Magnitude of Advantages (Abstract, Introduction, Proposition 1): The paper claims that Reward Combination (RC) generates advantages with "excessively large squared magnitudes" leading to instability. Proposition 1 (Appendix A.1) mathematically proves that the *mean squared advantage* of RC is greater than or equal to that of Advantage Combination (AC

paper_reviewer_figure_critic

Verdict: major_revision_science

Figure 1

The figure is a single line plot that completely contradicts its caption, which describes a three-panel layout with error statistics. The visual content fails to support the caption's claim of showing length reward and response length dynamics.

Figure 2

The figure is a single plot that fails to match the caption's description of a three-panel layout containing mean and standard deviation data. The missing panels and standard deviation visualizations make the figure incomplete and inconsistent with its description.

Figure 3

The figure presents a trade-off plot with unclear axes and a caption that fails to describe the visualization's content or the specific metrics being compared.

- [fatal] Figure 1: The rendered image shows a single plot of 'Accuracy Reward' vs 'Training Step' with three lines (RC, AC, DVAO), but the caption describes a three-panel figure ('Left', 'Middle', 'Right') containing accuracy reward, length reward, and response length. The visual content does not match the caption description.
- [science] Figure 1: The caption states 'top=mean, bottom=std' implying error bars or shaded regions for standard deviation, but the plot displays only single jagged lines without any visible error bands or separate standard deviation plots.
- [fatal] Figure 2: The rendered image shows a single plot of 'Accuracy Reward' vs 'Training Step', but the caption describes a three-panel layout ('Left: accuracy reward... Middle: length reward... Right: average response length'). The figure is missing the middle and right panels described in the caption.
- [science] Figure 2: The caption states 'top=mean, bottom=std' for the accuracy reward panel, but the rendered image shows only a single line per method without the corresponding standard deviation (std) plot or error bands.
- [science] Figure 3: The caption 'Mathematical Reasoning Task' does not match the axes labels 'Acc.' and 'Len.', which imply a Pareto frontier or trade-off plot rather than a task-specific result. The plot lacks a clear definition of what the connected points represent (e.g., training steps, hyperparameter sweeps) or the specific metric being plotted.
- [writing] Figure 3: The y-axis label 'Len.' is ambiguous and likely truncated; it should be explicitly defined as 'Response Length' or similar to match the context of the paper.

paper_reviewer_jargon_police

Verdict: minor_revision

The manuscript relies heavily on specialized reinforcement learning (RL) and optimization terminology that obscures the core contributions for non-specialist readers. The term "scalarization" appears in the Abstract and Introduction without definition; it should be replaced with "combining multiple rewards into a single score" or defined immediately. Similarly, "rollout group" is used frequently (Abstract, Method, Appendix) but is opaque to readers outside RL; "batch of generated responses" or "set of sampled outputs" is clearer.

The phrase "Pareto frontier" is used in the Abstract, Conclusion, and Experiments without explanation. This should be replaced with "optimal trade-off curve" or "best possible balance between competing goals" to ensure accessibility. The term "advantage magnitudes" (Abstract, Method) is jargon-heavy; "size of the learning signal" or "strength of the update" conveys the same meaning more plainly.

"Cross-objective regularization" (Abstract, Method, Conclusion) is a dense technical phrase. Replacing it with "mechanism that balances learning across different goals" would significantly improve readability. The claim of being "hyperparameter-free" (Introduction, Conclusion) is jargon; "without requiring manual tuning of weights" is more descriptive and accessible.

In the Limitations section, "intra-group variance" should be "variance within the batch of responses." The Method section uses "convex combination" where "weighted average" suffices. Proposition 2's "pointwise larger advantage magnitude" can be simplified to "consistently larger learning signal." Finally, Proposition 3's "sensitivity of the combined advantage" is unnecessarily technical; "how the learning signal changes" is a plain-language equivalent. These changes will make the paper's contributions understandable to a broader audience without sacrificing precision.

- [writing] The manuscript relies heavily on specialized reinforcement learning (RL) and optimization terminology that obscures the core contributions for non-specialist readers. The term "scalarization" appears in the Abstract and Introduction without definition; it should be replaced with "combining multiple rewards into a single score" or defined immediately. Similarly, "rollout group" is used frequently (Abstract, Method, Appendix) but is opaque to readers outside RL; "batch of generated responses" or "

paper_reviewer_logical_consistency

Verdict: minor_revision

The logical consistency of the paper is generally strong, with the proposed DVAO method following a clear derivation from the identified limitations of Reward Combination (RC) and Advantage Combination (AC). The mathematical proofs in the appendix (Propositions 1-3) correctly establish the theoretical bounds and sensitivity properties claimed in the main text. Specifically, the derivation showing that DVAO bounds advantage magnitudes (Prop 2) and introduces cross-objective regularization (Prop 3) is sound and directly supports the claims of stability and synergistic learning.

However, there are minor logical gaps in the presentation of the proofs and the precision of certain claims. In the proof of Proposition 2 (Appendix), the transition from the variance inequality to the pointwise advantage magnitude bound relies on the relationship between the denominators. While the inequality $\sum w_k \leq \sum \sigma_k$ is correct, the proof could be more explicit about how this denominator difference, combined with the numerator structure, strictly enforces the bound $|A_{\text{DVAO}}| \leq |A_{\text{sum}}|$ for all cases, particularly when the numerator terms might vary. The current derivation is correct

but slightly opaque in its final step.

Additionally, the claim in the Introduction and Method sections that DVAO is "hyperparameter-free" is logically imprecise. The method explicitly uses base weights w_k (e.g., $w_k = 1/n$) to compute the dynamic weights $\tilde{w}_k$. While the "dynamic" nature removes the need for "tuning" these weights during training, the existence of w_k as an input parameter contradicts the absolute "hyperparameter-free" label. This should be refined to "does not require manual tuning of combination weights" to maintain logical consistency with the mathematical formulation.

Finally, the causal link in Proposition 3 between the mathematical cross-term A_{DVAO} and the semantic claim of "aggregating global performance" is asserted but not fully unpacked. The proof shows the dependency, but a brief sentence explaining "how" the global signal A_{DVAO} modulates the local gradient A_k (e.g., suppressing updates when global performance is poor) would solidify the logical argument for the "regularization" mechanism.

- [writing] The logical consistency of the paper is generally strong, with the proposed DVAO method following a clear derivation from the identified limitations of Reward Combination (RC) and Advantage Combination (AC). The mathematical proofs in the appendix (Propositions 1-3) correctly establish the theoretical bounds and sensitivity properties claimed in the main text. Specifically, the derivation showing that DVAO bounds advantage magnitudes (Prop 2) and introduces cross-objective regularization (Prop 3

paper_reviewer_overreach

Verdict: minor_revision

The paper makes several claims that extend beyond the scope of the provided theoretical proofs and empirical evidence, specifically regarding the "hyperparameter-free" nature of the method and the universality of its theoretical guarantees.

First, the Abstract and Conclusion repeatedly describe DVAO as a "hyperparameter-free weighting scheme." This is an overstatement. While the method dynamically adjusts the "combination" weights based on variance, it still relies on the initial base weights $\{w_k\}$ (defined in Eq. 1 and Eq. 10) and the rollout group size G . The Appendix explicitly notes that performance degrades if G is too small due to noisy variance estimation. Claiming the method is "hyperparameter-free" ignores these critical dependencies; the text should be revised to state that it eliminates the need for "manual tuning of scalarization weights" rather than removing all hyperparameters.

Second, the paper claims to "mathematically prove" that DVAO introduces a "self-adaptive cross-objective regularization mechanism" (Abstract, Section 3). While Proposition 3 correctly derives that the gradient sensitivity of DVAO depends on the cross-term $A_{DVAO} A_k$, this is a derivation of the gradient structure, not a proof of a regularization mechanism in the optimization sense. The paper does not provide a formal proof that

this term acts as a regularizer (e.g., by bounding the loss landscape, proving convergence to a Pareto front, or demonstrating stability guarantees under specific conditions). The term "regularization mechanism" implies a specific functional role in preventing overfitting or instability that is not rigorously established by the sensitivity analysis alone.

Finally, the Conclusion asserts that DVAO "seamlessly scales to multiple objectives... without manual tuning." The empirical evaluation is strictly confined to dual-objective settings (accuracy vs. length, accuracy vs. format). There is no experimental data or theoretical analysis provided for scenarios with three or more conflicting objectives. Given that the variance estimation and cross-objective correlations become significantly more complex in higher dimensions, the claim of seamless scaling is unsupported by the current evidence. The authors should temper this claim to reflect the dual-objective scope of their evaluation or provide additional ablation studies with $n > 2$ rewards.

- [writing] The paper makes several claims that extend beyond the scope of the provided theoretical proofs and empirical evidence, specifically regarding the "hyperparameter-free" nature of the method and the universality of its theoretical guarantees. First, the Abstract and Conclusion repeatedly describe DVAO as a "hyperparameter-free weighting scheme." This is an overstatement. While the method dynamically adjusts the *combination* weights based on variance, it still relies on the initial base weights λ

paper_reviewer_safety_ethics

Verdict: minor_revision

The manuscript focuses on optimizing multi-reward Reinforcement Learning for Large Language Models (LLMs) using the DVAO algorithm. From a safety and ethics perspective, the paper addresses a critical area: the alignment of LLMs with multiple, potentially conflicting objectives (e.g., accuracy vs. length, or correctness vs. format). The proposed method aims to stabilize training and improve Pareto optimality, which is generally beneficial for deploying robust AI systems.

However, several safety and ethical considerations require clarification or expansion before the paper can be fully accepted:

1. ****Dual-Use and Adversarial Robustness:**** In the "Limitations and Future Work" section (Appendix, line ~145), the authors acknowledge that DVAO's efficacy is tied to the quality of underlying reward functions and that it may "inadvertently up-weight" a poorly designed auxiliary reward with artificially high variance. This mechanism presents a potential dual-use risk. If an adversary constructs a reward function that correlates with harmful behavior (e.g., generating toxic content or successful jailbreaks) and exhibits high variance during early training, DVAO could theoretically accelerate the optimization of these harmful behaviors more aggressively than static weighting schemes. The paper should explicitly discuss this risk and propose potential mitigations, such as variance clipping or safety constraints on the weighting mechanism, to prevent the amplification of malicious signals.

2. ****Data Privacy and Consent:**** The "Implementation Details" (Appendix, line ~110) list the use of datasets including DAPO-MATH-17K, ToolACE, Hammer, and xLAM. While these are likely public benchmarks, the manuscript does not include a statement regarding the privacy compliance of these datasets. Specifically, there is no confirmation that the datasets do not contain personally identifiable information (PII) or sensitive user data that was scraped without consent. Given the increasing scrutiny on data provenance in RLHF pipelines, a brief statement confirming that the data sources are compliant with relevant privacy standards (e.g., GDPR, CCPA) or have been vetted for PII is necessary.

3. ****Base Model Provenance:**** The experiments utilize Qwen3 and Qwen2.5 models. As these are third-party models, the authors should briefly address the ethical licensing and usage terms of these base models. Ensuring that the fine-tuning process adheres to the original model's license and that the base models themselves were trained on ethically sourced data is a standard expectation for reproducibility and ethical compliance in the field.

The paper does not appear to involve human subjects directly (no IRB/IACUC required for the algorithmic work itself), but the downstream application of these models to real-world tasks necessitates the above clarifications to ensure the technology is not inadvertently facilitating harmful outcomes.

- [writing] The 'Limitations' section (Appendix) acknowledges that DVAO may up-weight noisy or poorly designed rewards. Explicitly discuss the safety implications if a malicious actor uses this mechanism to amplify harmful reward signals (e.g., toxicity or jailbreak success) in a multi-objective setting.
- [writing] The paper uses datasets like DAPO-MATH-17K and ToolACE. While these appear to be standard benchmarks, the manuscript lacks a statement confirming that the training data does not contain personally identifiable information (PII) or sensitive user data, which is a standard requirement for RLHF/RLAIF pipelines.
- [writing] The 'Implementation Details' mention using Qwen3 and Qwen2.5 models. Clarify the provenance of these base models and confirm that their pre-training data usage complies with relevant licensing and ethical guidelines, as the paper builds upon them for alignment.

paper_reviewer_scientific_evidence

Verdict: minor_revision

The scientific evidence supporting the central claims of DVAO is generally sound in its theoretical derivation but lacks sufficient statistical rigor in the empirical validation to fully support the strong claims of "robust stability" and "superior Pareto frontiers."

****Sample Size and Replication:**** The experimental section (Section 4) and Appendix A describe a single training run per method ("train 500 steps"). In Reinforcement Learning, particularly with LLMs, performance is highly sensitive to random initialization and sampling stochasticity. The absence of multiple independent seeds (e.g., $N \geq 3$) makes

it impossible to distinguish between a genuine algorithmic improvement and a lucky initialization. The tables (Tables 1 and 2) report single-point estimates without standard deviations or confidence intervals. Consequently, the claim that DVAO "significantly outperforms" baselines is statistically unverified. The visual "stability" shown in Figures 3 and 4 (training dynamics) is qualitative; without error bars representing variance across seeds, the claim of "suppressed variance" is anecdotal rather than empirical.

****Effect Sizes and Statistical Significance:**** While the performance gaps in Table 1 (e.g., DVAO 42.19% vs. RC 38.99% on AIME-2024) appear substantial, the lack of statistical testing (e.g., t-tests or bootstrap confidence intervals) prevents a definitive conclusion that these differences are not due to chance. The paper asserts "superior Pareto frontier" dominance in Section 4.3, but the curves in Figure 4 are derived from single runs. A single outlier run could artificially inflate the frontier. To robustly claim dominance, the authors must demonstrate that the Pareto frontiers of DVAO are statistically distinct from baselines across multiple seeds.

****Alternative Explanations:**** The paper attributes the performance gains to the "dynamic variance-adaptive" mechanism. However, an alternative explanation is that the specific hyperparameters used (e.g., $G=16$) simply happen to align better with the specific reward scales of the chosen tasks (accuracy/length) compared to the baselines. The paper does not provide an ablation study varying the group size G or the reward scaling to rule out the possibility that the gains are an artifact of the specific experimental configuration rather than the algorithmic novelty. Furthermore, the claim that DVAO prevents "magnitude explosion" (Proposition 2) is theoretically proven, but the empirical evidence relies on the assumption that the baselines "would" have exploded without the specific clipping or normalization used in the implementation, which is not explicitly contrasted in a controlled "unclipped" setting.

****Recommendations:**** To strengthen the scientific evidence, the authors must: (1) Re-run experiments with at least 3 seeds and report mean $\pm$ std in all tables; (2) Quantify stability using metrics like gradient norm variance or advantage distribution variance, rather than just visual inspection; (3) Include an ablation study on the group size G to ensure the variance estimation is robust; and (4) Ideally, test with $n > 2$ objectives to validate the generalizability of the cross-objective regularization claim.

- [science] The paper claims DVAO achieves 'superior multi-objective Pareto frontier' and 'robust training stability' based on single-seed runs. To rule out stochastic variance in RL, report results averaged over at least 3 independent random seeds with standard deviation error bars in Tables 1 and 2, and explicitly state the seed count in Appendix A.
- [science] Theoretical Proposition 2 proves $|A_{\text{DVAO}}| \leq |A_{\text{sum}}|$, but the empirical evidence for 'training stability' relies on visual inspection of smoothed curves (Figs 3-4). Provide quantitative metrics for stability, such as the coefficient of variation (CV) of the policy gradient norm or the final variance of the advantage distribution across the last 100 training steps, to substantiate the claim of 'suppressed variance'.
- [science] The experiments are limited to dual-objective scenarios (accuracy vs. length/-

format). The claim that DVAO handles 'conflicting reward functions' generally is not empirically supported for $n > 2$. Add a sensitivity analysis or a small-scale experiment with 3- objectives (e.g., adding a safety or style reward) to validate the scalability of the variance-adaptive mechanism.

paper_reviewer_statistical_analysis

Verdict: minor_revision

The statistical analysis presented in the paper is theoretically grounded but lacks the empirical rigor required to fully support the claims of "robust training stability" and "superior Pareto frontiers" in a stochastic optimization setting.

First, the primary results in **Tables 1 and 2** (math.tex, tool.tex) report single scalar values for accuracy and length compliance. In Reinforcement Learning, particularly with LLMs, performance is highly sensitive to random seeds due to the stochastic nature of sampling and policy updates. The absence of standard deviations, standard errors, or confidence intervals makes it impossible to determine if the observed improvements (e.g., DVAO's 42.19% vs. RC's 38.99% on AIME-2024) are statistically significant or within the noise floor of the training process. The authors must report results averaged over multiple independent seeds (e.g., 3-5) with appropriate error bars to validate the "significant outperformance" claim.

Second, the core mechanism of DVAO relies on the empirical variance σ_k^2 estimated within a rollout group of size $G=16$. While the theoretical proofs assume these estimates are well-behaved, the statistical properties of variance estimators for small sample sizes ($N=16$) are unstable, especially when the underlying rewards are binary (e.g., $r_{\text{length}} \in \{0, 1\}$). If a rollout group happens to be homogeneous (all 0s or all 1s), the variance is zero, leading to division by zero or undefined weights. The paper mentions this in the limitations but does not provide a statistical analysis of how often this occurs or how the algorithm handles it (e.g., epsilon-smoothing). A sensitivity analysis showing the stability of the variance estimator across different seeds or group sizes would strengthen the methodological soundness.

Finally, the Pareto frontier analysis in **Section 4.3** relies on a sparse sweep of weights $\{0.1, 0.3, 0.5, 0.7, 0.9\}$. Claiming dominance "across the entire range" based on only five points is statistically weak. The observed gaps between DVAO and baselines could be artifacts of the specific weight choices rather than a fundamental property of the algorithm. To support the claim of a superior frontier, the authors should either increase the resolution of the weight sweep or provide confidence intervals for the frontier points to demonstrate that the dominance is consistent and not due to sampling variance.

Without these statistical validations, the claims of robustness and superiority remain anecdotal rather than empirically proven.

- [science] The paper claims DVAO achieves 'superior multi-objective Pareto frontier' and 'robust training stability' based on single-run averages. For RL experiments, statistical

significance is critical. Please report standard deviations or confidence intervals for the main accuracy metrics in Tables 1 and 2, and clarify if the reported results are averages over multiple seeds or a single run.

- [science] The variance estimation in DVAO relies on a rollout group size of $G=16$. The paper acknowledges this might be noisy for smaller G but does not provide a sensitivity analysis or confidence intervals for the variance estimates themselves. Please discuss the statistical reliability of the variance estimator used for weighting, especially given the binary nature of some rewards (e.g., length/format) which can lead to zero variance in homogeneous groups.
- [science] In the Pareto frontier analysis (Section 4.3), the paper sweeps weights $\{0.1, 0.3, 0.5, 0.7, 0.9\}$. This is a sparse sampling of the weight space. To robustly claim 'dominance across the entire range,' please either increase the density of the weight sweep or provide error bars on the frontier points to demonstrate that the observed dominance is not an artifact of sparse sampling or random seed variance.

paper_reviewer_writing_quality

Verdict: minor_revision

The manuscript presents a clear and logically structured argument for the proposed DVAO method, with a generally strong flow from the problem statement to the theoretical contributions and empirical validation. The abstract effectively summarizes the core contributions, and the introduction successfully sets the stage by contrasting existing scalarization methods with the proposed approach. The writing style is appropriate for a top-tier conference, maintaining a formal and precise tone throughout most of the document.

However, the paper contains several recurring grammatical errors and typos that detract from its overall polish and readability. In the introduction (tex/introduction.tex), the sentence comparing Reward Combination and Advantage Combination states that the former generates advantages with "excessively large squared magnitudes than the Advantage Combination method." This construction is grammatically incorrect; it should read "larger squared magnitudes than those of the Advantage Combination method" or similar.

In the experiments section (tex/experiments.tex), there are minor but noticeable errors. The phrase "length constrain" appears where "length constraint" is required. Additionally, the text describes the BFCL-v4 benchmark as "comperhensive" (comprehensive) and covering "challanges" (challenges). These spelling errors, while not obscuring the meaning, suggest a lack of final proofreading.

The appendix (tex/appendix.tex) also contains several typos that should be addressed before publication. The text mentions an "interger" (integer) as an answer, refers to "model't output" (model's output), and uses "groud-truth" (ground-truth). Correcting these specific instances will significantly improve the professional quality of the manuscript.

Overall, the writing is strong in its logical flow and clarity of argument, but these surface-

level errors need to be fixed to meet the high standards of the venue. The scientific content and mathematical exposition are clear, but the prose requires a final pass for grammatical precision and spelling.

- [writing] In `tex/introduction.tex`, the sentence 'Reward Combination frequently generates advantages with excessively large squared magnitudes than the Advantage Combination method' contains a grammatical error. The comparative 'than' requires a comparative adjective (e.g., 'larger') or a different structure (e.g., 'larger squared magnitudes than those of...').
- [writing] In `tex/experiments.tex`, the phrase 'length constrain' should be corrected to 'length constraint' to match standard terminology and grammatical number agreement.
- [writing] In `tex/appendix.tex`, the text contains multiple typos: 'interger' should be 'integer', 'model't' should be 'model's', and 'groud-truth' should be 'ground-truth'. These need correction for professional presentation.
- [writing] In `tex/experiments.tex`, the word 'comperhensive' is misspelled and should be 'comprehensive'. Additionally, 'challanges' should be corrected to 'challenges'.