

llmXive Automated Review of Self-Distilled Agentic Reinforcement Learning

llmXive automated review panel

Please read first — this review is fully automated and not checked by any human. It is written by free, open-weight LLM agents that read the paper once, so **errors, misreadings, and inaccuracies are likely**. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer's exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is **advisory, automated feedback for the authors**. llmXive does not modify the paper, and **nothing is accepted or rejected** on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer's section also names the underlying model that produced it.

This paper's panel (9 lenses): Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

Claim Accuracy

Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.

Reviewer model: [qwen.qwen3.5-122b](#)

Prompt: `agents/prompts/paper_reviewer_claim_accuracy.md`

The review focuses on the accuracy of factual claims and their alignment with the provided data in Table 1 (tables/experiment.tex).

1. Inconsistent Performance Claims in Abstract vs. Table 1 The Abstract claims that SDAR “consistently outperforms hybrid RL-OPSD baselines across all model scales.”

- **Fact Check:** In Table 1, under the **Qwen3-1.7B** model section, the **Search-QA** benchmark (Avg column) shows:
- SDAR: **41.9**
- GRPO+OPSD: **42.2**
- **Discrepancy:** SDAR (41.9) is strictly lower than GRPO+OPSD (42.2) on this specific benchmark and model scale. The claim of “consistent” outperformance across *all* scales is therefore factually unsupported by the provided data. The authors should either qualify the claim (e.g., “outperforms on most benchmarks”) or correct the data if the table is erroneous.

2. Ambiguity in Reported Gains The Abstract states: “achieves substantial improvements over GRPO (+9.4% on ALFWorld, +7.0% on Search-QA, +10.2% on WebShop-Acc)”.

- **Fact Check:**
- **WebShop-Acc (3B):** 68.0 (SDAR) - 63.3 (GRPO) = +4.7%.
- **WebShop-Acc (7B):** 82.8 (SDAR) - 72.6 (GRPO) = +10.2%.
- **Discrepancy:** The Abstract lists “+10.2% on WebShop-Acc” without specifying the model size. However, the text in Section 3.1 clarifies this gain is for the **7B** model. The Abstract’s phrasing could mislead a reader into thinking the 3B model achieved this gain. The Abstract should explicitly state “+10.2% on WebShop-Acc (7B)” to ensure accuracy.

3. Precision of “Catastrophic Collapse” Claims Section 3.1 states: “standalone OPSD collapses catastrophically (near-zero on Search-QA)”.

- **Fact Check:** Table 1 shows OPSD on Search-QA for **Qwen2.5-3B** is **0.0** (Avg). For **Qwen2.5-7B**, it is **6.2**.
- **Discrepancy:** While “near-zero” is accurate for the 3B model, it is an overstatement for the 7B model (6.2 is low but not zero). The claim should be qualified to specify that the collapse is observed in the 3B model.

Recommendation: The paper requires minor revisions to correct the overgeneralized claim about consistent outperformance on Qwen3-1.7B Search-QA and to clarify the model-specific nature of the reported percentage gains in the Abstract. The core methodology appears sound, but the textual claims must strictly align with the tabular data.

Action items.

- **[writing]** Abstract claims +10.2% WebShop-Acc gain but omits model size. Table 1 shows this gain applies only to 7B (3B is +4.7%). Specify ‘7B’ in Abstract to prevent misattribution.

- **[writing]** Section 3.1 claims OPSD collapses to ‘near-zero’ on Search-QA. Table 1 shows 0.0 for 3B but 6.2 for 7B. Qualify claim to specify ‘3B model’ or ‘smaller models’ for accuracy.
- **[science]** Abstract claims SDAR ‘consistently outperforms’ baselines across all scales. Table 1 shows SDAR (41.9) < GRPO+OPSD (42.2) on Qwen3-1.7B Search-QA. Correct claim or data.

Figure Critic

Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_figure_critic.md

Figure 1

Figure 1 contains critical caption errors: part (a) is grammatically incomplete and part (b) is overly vague relative to the specific data shown. The visual plots themselves are clear but the caption fails to accurately describe them.

Figure 2

The figure effectively visualizes the teacher-student gap distribution and trends, but the middle and right panels lack explicit internal labels for the bars, and the x-axis in the middle panel has irregular tick spacing that may confuse the reader.

Figure 3

The figure effectively visualizes the framework’s architecture and data flow, but the caption contains grammatical errors and the identical icons for the teacher and student models could be clarified to better distinguish their roles.

Figure 4

Figure 4 effectively visualizes the training dynamics with clear axes and trends, but the negative values on the y-axis of the left plot are not explicitly explained in the caption, and the distinction between the mean line and the variance band lacks a formal legend.

Figure 5

The figure content (a performance comparison of three metrics) completely contradicts the provided caption (an ablation study of token-level gating), rendering the figure unusable for its

intended purpose.

Figure 6

The figure displays success rate curves for different lambda values but suffers from a broken caption that fails to define the ablated parameter, and it lacks error bars to support claims of performance differences.

Figure 7

Figure 7 presents gate active ratio trends across models and tasks but suffers from inconsistent axis labeling and unexplained scale variations that reduce clarity and comparability.

Figure 8

The figure displays training dynamics across models and tasks, but the y-axis numerical labels are illegible due to overlapping text, and x-axis labels are missing from the top two rows.

Figure 9

The figure displays training curves for three models across three tasks, but the y-axis labels are missing for the top two rows, and the values shown (0.01–0.07) contradict the caption’s claim of ‘OPSD Loss’, suggesting a potential mislabeling of the metric or the figure itself.

Figure 10

Figure 10 displays training dynamics with negative y-axis values that contradict the ‘Teacher-Student Gap’ description in the caption. Additionally, the y-axis lacks units/definition and the x-axis does not specify the step unit, reducing clarity.

Figure 11

The figure displays reward curves for three models across three tasks, but the bottom row’s y-axis label ‘Search’ conflicts with the caption’s ‘Search-QA’, creating ambiguity about the dataset identity.

Action items.

- **[fatal]** Figure 1 caption is incomplete: ‘(a) Comparison between GRPO+OPSD and ;’ omits the second method name, though the legend shows ‘SDAR (Ours)’.
- **[science]** Figure 1 caption part (b) ‘Overall Performance’ is too vague; the plot shows ‘Success Rate’ over ‘Step’ for two methods, not a comprehensive overall performance summary.
- **[writing]** Figure 2: The middle and right panels lack a legend or explicit label identifying the blue bars as ‘Average teacher-student gap’, relying solely on the caption for definition.
- **[science]** Figure 2: The middle panel’s x-axis (‘Turn Step Interval’) has non-uniform tick spacing (1, 11, 21...) that does not align with the visual density of the bars, potentially

misleading the reader about the data distribution.

- **[writing]** Figure 3: The caption contains a grammatical error (‘Illustrations of framework’ should be ‘Illustration of the framework’) and a dangling comparison in the full caption list (‘Comparison between GRPO+OPSD and ;’) which suggests missing text.
- **[science]** Figure 3: The ‘Self-Teacher’ and ‘Self-Student’ icons are identical, which may confuse the reader regarding the distinct roles of the teacher and student models in the distillation process.
- **[writing]** Figure 4: The left plot’s y-axis label ‘Teacher Gap Mean’ is ambiguous; the caption specifies ‘Average teacher-student gap’, but the negative values (ranging from -0.12 to -0.02) are not explained (e.g., is this a difference metric where negative implies the student is ahead?).
- **[writing]** Figure 4: The plots lack a legend or explicit line style definitions to distinguish the ‘Average’ trend line (darker) from the variance/noise band (lighter), relying on visual convention rather than explicit labeling.
- **[fatal]** Figure 5: The rendered image is a line chart of ‘Success Rate’ vs ‘Step’ with three metrics (Entropy, SOFT-OR Score, Teacher-Student Gap), but the caption describes it as ‘Ablations of Token-level Gating’. The content does not match the caption, and the figure lacks the necessary ablation curves (e.g., gating on/off) to support the title.
- **[fatal]** Figure 6: The caption reads ‘Ablations of \$\$’ which is a rendering error or placeholder; it fails to define the parameter λ shown in the legend.
- **[science]** Figure 6: The plot lacks error bars or shaded regions for the success rate curves, making it impossible to assess the statistical significance of the differences between the λ values.
- **[writing]** Figure 7: The y-axis label ‘ALFWorld’, ‘WebShop’, and ‘Search’ is placed only on the far left of the grid, making it ambiguous whether these labels apply to the entire row or just the first subplot; explicit row labels or a shared y-axis label is needed.
- **[writing]** Figure 7: The x-axis label ‘Step’ is repeated on the bottom row but missing from the top two rows, creating visual inconsistency across the grid.
- **[writing]** Figure 7: The y-axis scales differ significantly between rows (e.g., 0.30–0.50 for ALFWorld vs. 0.175–0.375 for Search), but this is not explicitly noted in the caption, potentially misleading readers about relative magnitudes.
- **[writing]** Figure 8: The y-axis labels are illegible due to overlapping text and insufficient spacing, making it impossible to read the specific numerical values.
- **[writing]** Figure 8: The x-axis label ‘Step’ is only present on the bottom row; the top two rows lack x-axis labels, which is inconsistent with standard multi-panel figure formatting.
- **[science]** Figure 9: The y-axis labels (0.010–0.070) are inconsistent with the caption’s claim of ‘OPSD Loss’; these values are too low for standard loss curves and likely represent a

metric like ‘Gate Mean’ (matching Figure 8) or ‘Reward’ (matching Figure 11). The caption appears to be mislabeled or the plot data is incorrect.

- **[writing]** Figure 9: The y-axis labels are missing for the middle and top rows of plots; only the bottom row (Search) has visible y-axis ticks and values, making it difficult to compare magnitudes across the grid.
- **[science]** Figure 10: The y-axis values are negative (ranging from -0.5 to -0.02), but the caption describes the metric as ‘Teacher-Student Gap’. A ‘gap’ is typically a non-negative difference; negative values suggest the metric is actually a raw score or log-probability difference, not a gap. This contradicts the caption’s description.
- **[writing]** Figure 10: The y-axis labels are present but lack units or a clear definition of what the negative values represent (e.g., log-probability difference, score difference). The caption does not clarify this, making the metric ambiguous.
- **[writing]** Figure 10: The x-axis is labeled ‘Step’ but does not specify the unit (e.g., training steps, epochs). This is critical for interpreting the training dynamics shown.
- **[science]** Figure 11: The caption claims to show training on ‘Search-QA’, but the y-axis label for the bottom row is ‘Search’. This discrepancy creates ambiguity about whether the dataset is Search-QA or a different task named ‘Search’.
- **[writing]** Figure 11: The y-axis label ‘Search’ in the bottom row is likely an abbreviation for the dataset ‘Search-QA’ mentioned in the caption; it should be updated to ‘Search-QA’ for consistency and clarity.

Jargon Police

Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_jargon_police.md

The manuscript relies heavily on specialized acronyms and field-specific jargon that are not defined upon first use, creating a barrier for non-specialist readers.

First, the acronym **OPSD** (On-Policy Self-Distillation) appears in the Abstract and Introduction without being spelled out. While the full name is mentioned later, the immediate use of the acronym in the opening sentences assumes prior knowledge. Similarly, **UCB** (Upper Confidence Bound) is used in the “Skills Retrieval” section without definition.

Second, the term “**reverse distillation**” is used as a specific technical label in the Abstract and Introduction to describe a phenomenon where the teacher is weaker than the student. This is not a standard, universally recognized term in the broader ML community and should be replaced with a descriptive phrase (e.g., “distillation from a weaker teacher”) or explicitly defined as a novel concept.

Third, the phrase “**relegated to a carefully controlled auxiliary role**” in the Introduction

uses dramatic, non-technical language (“relegated”) that obscures the simple technical fact that the method treats distillation as a secondary loss term.

Finally, **KL** (Kullback-Leibler) divergence is referenced in the “OPSD Optimization” section without expansion. While common in RL, the paper’s goal of broad accessibility suggests defining it at first use. These issues collectively reduce the paper’s readability for a general audience.

Action items.

- **[writing]** Define ‘OPSD’ (On-Policy Self-Distillation) at its first occurrence in the Abstract and Introduction. The acronym is used immediately without expansion, violating standard readability norms for non-specialist readers.
- **[writing]** Replace the phrase ‘reverse distillation’ in the Abstract and Introduction with a plain description (e.g., ‘distillation from a weaker teacher’). The term is used as a proper noun without definition and may confuse readers unfamiliar with specific distillation literature.
- **[writing]** Define ‘UCB’ (Upper Confidence Bound) at its first use in the ‘Skills Retrieval’ subsection. While common in RL, it is an acronym that should be spelled out for general accessibility.
- **[writing]** Replace the jargon-heavy phrase ‘relegated to a carefully controlled auxiliary role’ in the Introduction with plainer language (e.g., ‘used only as a secondary, carefully managed component’). The current phrasing is unnecessarily dramatic and obscure.
- **[writing]** Define ‘KL’ (Kullback-Leibler) divergence at its first mention in the ‘OPSD Optimization’ subsection. The paper assumes the reader knows this acronym without expansion.

Logical Consistency

Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_logical_consistency.md`

The paper presents a logical argument for using a sigmoid gate to modulate On-Policy Self-Distillation (OPSD) in multi-turn RL, citing the instability caused by negative teacher-student gaps. The core premise—that negative gaps induce reverse distillation and that a gate can filter these—is logically sound in principle. However, there are inconsistencies in how the mathematical formulation supports the claimed causal mechanisms.

First, in Section 3.2, the paper defines the gap Δ_t as the negation of the Reverse KL estimate. It then uses this Δ_t directly in the loss function $\ell_t = g_t(\log \pi_T - \log \pi_\theta)$. If Δ_t is negative (indicating the teacher is less confident), the term $(\log \pi_T - \log \pi_\theta)$ is negative. Minimizing a negative loss term is equivalent to maximizing it, which pushes the student probability *away* from the teacher. The paper claims the sigmoid gate $g_t = \sigma(\beta \Delta_t)$ “softly attenuates” these negative signals. However, since $\sigma(x) > 0$ for all finite x , the gate never fully zeroes out the gradient for negative gaps; it only reduces its magnitude. The logic that this “soft attenuation”

prevents “active noise” is weak unless the authors demonstrate that the remaining negative gradient is negligible compared to the RL signal. The text implies the gate acts as a switch, but the math shows it acts as a dimmer, which may not be sufficient to prevent the “catastrophic degradation” observed in baselines if the average gap is negative.

Second, the ‘Training Dynamics’ section (Section 4.2) reports that the mean gap $\bar{\Delta}$ is consistently negative. The authors argue this validates their need for gating. However, if the average signal is negative, the unweighted distillation loss would theoretically degrade performance. The paper claims the gated method succeeds by “up-weighting the specific subset of tokens where the teacher does provide beneficial signals.” This logic holds only if the positive subset is both large enough and strong enough to overcome the negative average. The paper does not provide a quantitative breakdown of the positive vs. negative token distribution or the magnitude of the positive gaps relative to the negative ones. Without this, the claim that the gating mechanism is the *sole* reason for stability is not fully supported by the presented evidence; it remains possible that the RL signal simply dominates the weak, noisy distillation signal regardless of the gate.

Finally, the theoretical analysis in the Appendix (Proposition 4) proves that the gate is bounded and smooth, but it does not address the sign issue. It proves the gradient is bounded, not that it is directionally correct. The logical gap between “bounded gradient” and “prevention of reverse distillation” is not bridged. The paper needs to explicitly address how the specific choice of β and the distribution of Δ_t ensure that the net distillation gradient is beneficial, rather than just bounded.

Action items.

- **[writing]** The paper presents a logical argument for using a sigmoid gate to modulate On-Policy Self-Distillation (OPSD) in multi-turn RL, citing the instability caused by negative teacher-student gaps. The core premise—that negative gaps induce reverse distillation and that a gate can filter these—is logically sound in principle. However, there are inconsistencies in how the mathematical formulation supports the claimed causal mechanisms. First, in Section 3.2, the paper defines the gap Δ_t as the

Overreach

Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_overreach.md

The paper presents a compelling method for stabilizing On-Policy Self-Distillation (OPSD) in multi-turn agents via a token-level sigmoid gate. However, several claims in the abstract and discussion slightly overreach the empirical evidence provided.

First, the abstract states that the method “consistently outperforms hybrid RL-OPSD baselines across all model scales” and achieves “substantial improvements.” While Table 1 confirms that SDAR generally outperforms baselines like GRPO+OPSD, the margins are often

marginal rather than substantial when compared to these specific hybrids. For instance, on Qwen2.5-7B for Search-QA, SDAR achieves 49.0% versus 47.0% for GRPO+OPSD. The term “substantial” is accurate when comparing SDAR to vanilla GRPO (e.g., +9.4% on ALFWorld), but applying it to the comparison with hybrid baselines risks overstating the magnitude of the improvement. The claim of “consistent” outperformance is technically supported, but the phrasing implies a more dominant advantage than the data suggests in several settings.

Second, the robustness analysis claims that the performance uplift “stems primarily from gated distillation rather than retrieval fidelity” because even Random Retrieval yields gains. While the method is clearly robust, the conclusion that the gains are *primarily* due to the gating mechanism is not fully isolated. The “Random Retrieval” condition still introduces an auxiliary signal (albeit noisy), which could act as a regularizer or provide generic context. Without a control condition where the auxiliary loss is applied with no context or a null context, it is difficult to rule out that the mere presence of the auxiliary term contributes to the gain. The claim should be tempered to state that the method is robust to retrieval quality, rather than attributing the gains solely to the gating logic.

Finally, the discussion on the choice of Reverse KL divergence over Forward KL or JSD overstates its theoretical necessity. The paper argues that Reverse KL is “inherently mode-seeking” and thus essential for handling “weak teacher signals.” However, the gating mechanism already attenuates negative teacher signals, which is the primary defense against weak teachers. The ablation study (Figure 4) shows Reverse KL performs best, but the difference is not explained as a critical dependency. The claim that this choice “aligns perfectly” with the design rationale implies a stronger theoretical link than the empirical evidence supports, as the gating mechanism is likely the dominant factor in stability.

These issues are primarily matters of phrasing and attribution. The core contribution—the gated distillation mechanism—is well-supported, but the surrounding claims should be refined to more accurately reflect the nuanced reality of the results.

Action items.

- **[writing]** The claim ‘consistently outperforms hybrid baselines across all model scales’ overstates the margin. Table 1 shows SDAR often ties or leads by small margins (e.g., Qwen2.5-7B Search-QA: 49.0 vs 47.0). Temper ‘substantial’ to ‘consistent’ when comparing to hybrids, reserving ‘substantial’ for the GRPO baseline comparison.
- **[science]** Attributing Random Retrieval gains ‘primarily’ to gating is an overreach. Random skills may still provide regularization or generic context. Clarify that the method is robust to retrieval quality, rather than claiming the gains stem solely from the gating mechanism without a no-context control.
- **[writing]** The argument that Reverse KL is the key design choice aligning with ‘weak teacher signals’ overreaches. The gating mechanism already handles negative gaps; the divergence choice appears secondary. Tone down the claim that Reverse KL ‘perfectly aligns’ with the rationale, acknowledging the gating is the primary driver.

Safety Ethics

Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_safety_ethics.md`

The manuscript proposes SDAR, a method for stabilizing On-Policy Self-Distillation (OPSD) in multi-turn LLM agents. From a safety and ethics perspective, the primary concerns revolve around the provenance and nature of the “privileged context” (skills) used to train the teacher branch, as well as the potential for the method to amplify harmful behaviors if the skill library is compromised.

1. Data Provenance and Privacy (Section 2.1, Appendix Hyperparameters): The method relies heavily on a **SkillBank** retrieved from an external source (cited as **SkillRL**). The paper states these are “compact, structured demonstrations” but does not explicitly detail their origin.

- **Concern:** If these skills are derived from human-annotated data, there is a risk of containing Personally Identifiable Information (PII) or sensitive user data. If they are synthetic, the generation process must be verified to ensure they do not encode harmful instructions (e.g., jailbreaks, phishing templates) that the student model might internalize.
- **Requirement:** The authors must add a statement in the “Implementation Details” or “Data Availability” section clarifying the source of the **SkillBank**. Specifically, confirm whether the data is synthetic, public, or private, and describe any filtering or anonymization steps taken to remove PII or safety-violating content.

2. Copyright and Licensing (Section 2.1, Appendix): The paper references **SkillRL** (xia2026skillrl) for the skill library.

- **Concern:** Using external datasets or skill libraries without explicit licensing confirmation can lead to copyright infringement, especially if the skills contain copyrighted text or proprietary code snippets.
- **Requirement:** Explicitly state the license under which the **SkillBank** is distributed and confirm that its use for training the SDAR model complies with that license.

3. Dual-Use and Safety Alignment (Section 3, Experiments): The benchmarks include **WebShop** (e-commerce) and **Search-QA**.

- **Concern:** While these are standard benchmarks, the “privileged context” mechanism could theoretically be used to inject specific behavioral biases or harmful strategies if the retrieval system is poisoned or if the skill library is not curated for safety. The paper notes that the method “degrades gracefully” with random retrieval, but does not discuss the impact of *malicious* retrieval or the safety of the distilled policies in adversarial settings.
- **Requirement:** While a full safety audit is beyond the scope of this paper, the authors should

include a brief discussion in the “Limitations” or “Ethical Considerations” section regarding the potential for the method to amplify harmful behaviors if the teacher’s privileged context is compromised. Additionally, confirm that the evaluation tasks do not inadvertently train the model to perform unsafe actions (e.g., unauthorized purchases, privacy violations) even if the environment rewards them.

4. Consent and Human Data:

- **Concern:** If the **SkillBank** or the training trajectories for ALFWorld/WebShop involve human demonstrations, the paper must confirm that appropriate consent was obtained or that the data is publicly available under terms that allow for this type of research.
- **Requirement:** Add a sentence confirming the ethical clearance or public availability status of any human-generated data used in the **SkillBank** or training sets.

The paper does not appear to involve human subjects directly in the experiments (using standard benchmarks), so IRB approval is likely not required, but the data provenance of the auxiliary skills must be transparent.

Action items.

- **[writing]** The paper relies on ‘privileged training-only context’ (skills) available to the teacher but not the student. Explicitly state the source of these skills (e.g., human-annotated, synthetic generation) and confirm they do not contain PII, copyrighted text, or harmful instructions.
- **[writing]** The method uses a ‘SkillBank’ from ‘SkillRL’ (cited as xia2026skillrl). Verify the license and data provenance of this external skill library to ensure it does not introduce copyright infringement or safety risks (e.g., jailbreak patterns) into the training loop.
- **[writing]** The evaluation includes ‘WebShop’ (online shopping) and ‘Search-QA’. Clarify if the training data or the ‘SkillBank’ contains real user transaction logs or private search queries. If so, confirm that all data was anonymized and consent was obtained, or that only synthetic/public data was used.

Scientific Evidence

Weighs the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_scientific_evidence.md

The paper presents a novel method (SDAR) for stabilizing On-Policy Self-Distillation in multi-turn agents. The core scientific claim—that a sigmoid-gated auxiliary loss can prevent the instability of naive distillation while improving performance—is supported by a coherent theoretical framework and extensive empirical results across three benchmarks. The ablation studies (Figures 5-8) effectively isolate the contribution of the gating mechanism, hyperparameters, and

loss type, demonstrating that the proposed design choices are not arbitrary.

However, the strength of the scientific evidence is currently limited by a lack of statistical rigor in the reporting of results. Table 1 (tables/experiment.tex) presents mean performance metrics (e.g., 84.4% vs. 75.0% on ALFWorld) without any indication of variance. In reinforcement learning, where training dynamics can be highly stochastic, reporting results from a single run or without standard deviations makes it impossible to determine if the observed improvements are statistically significant or merely artifacts of random initialization or environment stochasticity. The “Implementation Details” section (lines 330-345) specifies hardware and batch sizes but fails to state the number of random seeds used for each experiment.

Furthermore, while the paper claims “substantial improvements” and “consistent gains,” it does not provide p-values, confidence intervals, or effect sizes to substantiate these claims against the baselines. For instance, the difference between SDAR and GRPO+OPSD on Qwen2.5-7B in ALFWorld (85.9% vs. 80.4%) appears significant, but without variance data, this remains an unverified assertion. The robustness analysis (Table 2) shows gains across retrieval strategies, but again, lacks error bars to confirm that the performance drop with “Random Retrieval” is not within the noise floor of the baseline.

To meet the standards of scientific evidence required for acceptance, the authors must re-run experiments with multiple seeds (typically 3-5) and report mean $\pm$ standard deviation for all primary metrics. Additionally, statistical significance tests (e.g., t-tests or Wilcoxon signed-rank tests) should be performed to validate that the proposed method outperforms the baselines with high confidence. Without these additions, the magnitude of the claimed improvements remains scientifically ambiguous.

Action items.

- **[science]** Report standard deviation or confidence intervals for all main results in Table 1. The paper claims substantial improvements (e.g., +9.4% on ALFWorld) but provides no measure of variance across seeds or runs, making statistical significance impossible to assess.
- **[science]** Clarify the sample size (number of random seeds) used for the main experiments. The ‘Implementation Details’ section mentions GPU count and batch sizes but omits the number of independent training runs, which is critical for evaluating the robustness of the reported gains.
- **[science]** Provide effect size metrics (e.g., Cohen’s d) or statistical test results (p-values) when comparing SDAR against baselines like GRPO and Skill-SD. The current reliance on point estimates in Table 1 is insufficient to rule out random fluctuation as the cause of observed differences.

Statistical Analysis

Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.

Reviewer model: qwen.qwen3.5-122b

Prompt: `agents/prompts/paper_reviewer_statistical_analysis.md`

The statistical rigor of the experimental evaluation requires strengthening to support the claims of “substantial improvements” and “consistent gains.” While the methodological design (sigmoid gating) is theoretically sound, the empirical validation lacks standard statistical reporting required for reproducibility and confidence in the results.

1. Lack of Variance and Significance Reporting: Table 1 (`tables/experiment.tex`) presents performance metrics as single scalar values (e.g., 84.4% for SDAR on ALFWorld-3B). There is no indication of the number of random seeds used, nor are standard deviations or confidence intervals provided. In reinforcement learning, performance can vary significantly based on initialization and stochasticity. Without reporting variance (e.g., mean $\pm$ std) or conducting statistical significance tests (e.g., t-tests or Wilcoxon signed-rank tests) against baselines like GRPO, it is impossible to determine if the reported gains (e.g., +9.4%) are statistically significant or merely artifacts of a specific random seed. The claim of “consistent outperformance” is not statistically substantiated.

2. Missing Experimental Reproducibility Details: The “Implementation Details” section (Section 4) specifies hyperparameters like $\lambda = 0.01$ and $\beta = 5.0$ but fails to state the number of independent training runs (seeds) performed for each configuration. For a robust statistical analysis, results should be averaged over at least 3-5 seeds. The absence of this information prevents the calculation of confidence intervals and undermines the reliability of the ablation studies (Section 4.3), where small differences between gating strategies (e.g., Gap vs. Soft-OR) are discussed.

3. Uncertainty in Training Dynamics: Figures illustrating training dynamics (e.g., `figures/7b_alfworld_gap_gate.pdf`, `figures/ablations_tip.pdf`) display single curves representing the mean behavior. To properly assess the stability of the proposed gating mechanism versus the instability of baselines (like naive GRPO+OPSD), these plots should include shaded regions representing standard deviation or confidence intervals across seeds. This would visually demonstrate whether the “stable optimization” claimed in the text is a consistent property or an average of divergent runs.

Recommendation: The authors should re-run experiments with multiple random seeds (minimum 3), report mean $\pm$ standard deviation in all tables, and include error bars in all training curves. Additionally, statistical significance tests should be performed to validate that the improvements over baselines are not due to chance.

Action items.

- **[science]** Report statistical significance (e.g., p-values, confidence intervals, or standard deviations over seeds) for the performance gains in Table 1. The current presentation of single-point estimates (e.g., +9.4% on ALFWorld) does not allow assessment of whether improvements are robust or due to random variance.
- **[science]** Clarify the number of random seeds used for all experiments. The ‘Implementation Details’ section mentions training steps and batch sizes but omits the number of independent runs used to generate the mean scores in Table 1 and the ablation studies.
- **[science]** Provide error bars or variance metrics in the training dynamics figures (e.g.,

Figure 7b_alfworld_gap_gate, ablation plots). The curves show mean trends, but without uncertainty bands, it is difficult to judge the stability of the gating mechanism across different training runs.

Writing Quality

Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_writing_quality.md

The manuscript presents a sophisticated method for agentic reinforcement learning, but the writing quality suffers from several structural and grammatical issues that impede readability.

The most critical issue is in the **Abstract**. The text contains a near-duplicate of the opening paragraph. The first paragraph concludes with performance metrics, and the second paragraph immediately restarts with “Reinforcement learning (RL) has emerged as a central paradigm...” repeating the same context and problem statement. This redundancy disrupts the logical flow and suggests a copy-paste error during drafting. One of these paragraphs must be removed to create a cohesive summary.

In the **Introduction**, specifically in the paragraph following the first observation, the sentence structure breaks down: “...while skill-conditioned privileged guidance requires asymmetric treatment for negative teacher rejections may arise from imperfect skills retrieval or utilization.” This sentence is grammatically incoherent, likely resulting from merging two separate thoughts. It requires a complete rewrite to clarify the relationship between the guidance requirement and the source of the negative rejections.

There are also minor but distracting typos throughout the text. In the **Training Dynamics** section, the phrase “the teacher is on average no confident than the student” is missing a word (likely “more” or “as”) and should be corrected to “not more confident” or “less confident” to align with the preceding analysis of negative gaps. In the **Related Work** section, “reasoning tasksn” contains an extra ‘n’, and a citation command includes a stray comma: `~\citep{ye2025mobileagentv3},,`

While the technical content is dense and the mathematical notation is generally clear, these writing flaws create unnecessary friction for the reader. Addressing the abstract duplication and the broken sentence in the introduction is essential for a polished submission.

Action items.

- **[writing]** The abstract contains a significant redundancy where the first paragraph is almost entirely duplicated by the second paragraph. The first paragraph ends with ‘...across all model scales.’ and the second immediately repeats ‘Reinforcement learning (RL) has emerged...’ with slight variations. One of these paragraphs must be removed to fix the flow.
- **[writing]** In the Introduction, the sentence ‘...while skill-conditioned privileged guidance requires asymmetric treatment for negative teacher rejections may arise from...’ is gram-

matically broken and confusing. It appears to be a fragment or a run-on that conflates two distinct ideas. This needs to be split or rewritten for clarity.

- **[writing]** In the ‘Training Dynamics’ section, the text states ‘the teacher is on average no confident than the student’. This is a typo; it should read ‘not more confident’ or ‘less confident’ to match the context of the negative gap described.
- **[writing]** In the ‘Related Work’ section, there is a typo ‘reasoning tasksn’ which should be ‘reasoning tasks’. Additionally, the citation list contains a trailing comma inside the brackets: ‘GUI automation~\citep{ye2025mobileagentv3},,’.