

Q: In the illustration with a warehouse, how many helmeted figures stand in a row?

A. Four
B. Three
C. Six
D. Five

Answer: D
Reasoning: I examine the warehouse illustration with helmeted stick figures in the video(...abbreviated...). This illustration appears under the "Step 1: Define Problem" section, with a business/observer figure on the left and a row of helmeted figures on the right(...abbreviated...). Counting the helmeted figures in this row from the visual shows exactly five, so the answer is D.

Q: Why are two separate models shown when predicting different future horizons?

Answer: different target labels
Reasoning: I analyze the content in the video that addresses using separate models for predicting different future horizons(...abbreviated...). The video explains that predicting values for two distinct future time points (e.g., 3 days and 10 days out) requires individual models, each trained to forecast a specific time horizon(...abbreviated...). Each model corresponds to a unique prediction objective, meaning they are trained on different target labels—one for the nearer future horizon and one for the farther one, which is why two separate models are needed.

Q: Based on the table shown in the video under “Step 3: What is the data saying?”, which lists the number of laptop inbound volumes for five consecutive dates, what is the average number of laptops received per day across the entire period?

Answer: 164
Reasoning: To determine the average number of laptops received per day, I first extract the five daily inbound laptop volumes presented in the table in the video: 90 (2020-11-15), 213 (2020-11-16), 178 (2020-11-17), 187 (2020-11-18), and 152 (2020-11-19). I then calculate the total inbound volume by summing these values: 90 + 213 + 178 + 187 + 152 = 820. Finally, I divide the total by the number of days (5) to find the daily average: 820 ÷ 5 = 164. This calculation confirms the average number of laptops received per day across the period is 164.