

1

iOS: NoiSee App

Android: SPL Meter App

2

Part I: Learn How to Use a Sound Measuring App

3

SPL Meter

SPL = 76.9 dBA

Max = 83.3 dBA, Min = 76.5 dBA

Average = 77.49 dBA

4

Part II: Noise Mapping

5

Noise Map of Room

6

7

Noise Map of Room

Legend

Green	Yellow	Orange	Red
-------	--------	--------	-----

$SPL_1 = 84\text{ dB}$
 $SPL_2 = 84.1 + 0.25(SPL_5 - SPL_1)$
 $= 84 + 0.25(91 - 84) = 85.125\text{ dB}$
 $SPL_3 = SPL_1 + 0.5(SPL_5 - SPL_1)$
 $= 84 + 0.5(91 - 84) = 87.5\text{ dB}$
 $SPL_4 = SPL_1 + 0.75(SPL_5 - SPL_1)$
 $= 84 + 0.75(91 - 84) = 89.125\text{ dB}$

8

This lesson has been created by the Midwest Emerging Technologies Public Health and Safety Training (METPHAST) Program, a collaboration of the University of Minnesota School of Public Health, the University of Iowa College of Public Health, and Dakota County Technical College. Funding for the METPHAST Program is provided by the National Institute of Environmental Health Sciences of the National Institutes of Health under Award Number R25ES023595. The content of this lesson is solely the responsibility of the developers and does not necessarily represent the official views of the National Institutes of Health.

METPHAST

👁️

Q: At the moment the handheld display shows its highest reading, which category applies to that spot on the diagram?

💡

Answer: Red

Reasoning:

Looking at the video timeline, I need to identify when the handheld SPL meter shows its highest reading and then determine which category that corresponds to on the noise map.(...abbreviated...)The highest reading on the handheld SPL meter is 79.1 dBA, recorded at around 101 and 109 seconds.(...abbreviated...)This peak reading corresponds to the red category on the noise map’s Green-Yellow-Orange-Red color legend, which is reserved for the loudest measured noise levels in the room.

👁️

Q: What device is physically connected to the phone before measurements begin?

🤔

Answer: External speakers

Reasoning:

I need to examine the video carefully to identify what device is physically connected to the phone before the measurement phase begins.(...abbreviated...)Then at around 194.6 seconds onwards, I can observe a table setup showing a phone positioned between two black external speakers. The speakers appear to be wired and connected to the phone with visible cables. This setup is shown clearly before the person begins walking around the room taking measurements (which occurs around 225.7 seconds).(...abbreviated...)The external speakers are part of the controlled setup for the noise mapping exercise - they likely serve as the sound source that the participants are trying to locate and map using the sound measuring app on their phone.

👁️

Q: During the SPL meter demonstration, at the moment when the current SPL value is displayed as 77.2 dBA, calculate the ratio of (maximum value - average value) to (average value - minimum value). Round to two decimal places.

💡

A. 1.85

B. 2.03

C. 2.15

D. 3.03

Answer: B

Reasoning:

Extract the three key values of the SPL meter shown in the video when the current SPL value is 77.2 dBA(...abbreviated...), the maximum value is 79.5 dBA, the minimum value is 76.5 dBA and the average value is 77.49 dBA. First calculate the numerator: $79.5 - 77.49 = 2.01$, then calculate the denominator: $77.49 - 76.5 = 0.99$ (...abbreviated...). Divide the two results to get the ratio: $2.01 \div 0.99 \approx 2.0303$, and round it to two decimal places to get 2.03.