

# llmXive Automated Review of FashionChameleon: Towards Real-Time and Interactive Human-Garment Video Customization

*llmXive automated review panel*

---

**Please read first — this review is fully automated and not checked by any human.** It is written by free, open-weight LLM agents that read the paper once, so **errors, misreadings, and inaccuracies are likely**. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

## How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer's exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is **advisory, automated feedback for the authors**. llmXive does not modify the paper, and **nothing is accepted or rejected** on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer's section also names the underlying model that produced it.

**This paper's panel (9 lenses):** Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

## Claim Accuracy

*Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.*

**Reviewer model:** `qwen.qwen3.5-122b`

**Prompt:** `agents/prompts/paper_reviewer_claim_accuracy.md`

The review focuses on the accuracy of factual claims and the validity of citations within the manuscript.

### Citation and Factual Accuracy Issues:

1. **Hallucinated Model Versions:** Throughout the manuscript (Abstract, Section 4, Appendix), the authors repeatedly cite “Gemini-3.0” and “Gemini-3.1” (e.g., lines 145, 230, 305, 335) as the vision-language models used for evaluation and data curation. As of the current knowledge cutoff, Google has not released “Gemini 3.0” or “3.1”. The latest public versions are typically 1.5 Pro or Flash. This is a significant factual error that undermines the reproducibility and credibility of the evaluation metrics (HGC, LGC, NTP) and the data curation pipeline. The authors must verify the actual model versions used and correct the text and bibliography.
2. **Mismatched Citation for Optical Flow:** In the Appendix (Section “Data Curation Pipeline Details”, item 1), the authors state they use “UniMatch~\cite{li2025unimatch}” for optical flow estimation. However, the provided `reference.bib` entry for `li2025unimatch` has the title “Unimatch: Universal matching from atom to task for **few-shot drug discovery**”. This citation clearly does not support the claim of being an optical flow estimator. This is a critical error in the methodology description. The authors must replace this with a correct citation for an optical flow method (e.g., UniMatch for optical flow if it exists under a different title, or a standard method like RAFT/GMFlow) or correct the bibliography entry if the title is a mistake.
3. **Ambiguous Speedup Claim:** The claim in the Abstract and Introduction that the method is “30-180x faster than existing baselines” relies on the FPS comparison in Table 1. While the numbers (23.8 vs 0.13-0.77) support the magnitude, the claim implies a comparison against “existing baselines” for the *interactive garment customization* task. Several baselines listed (e.g., VACE, Kaleido) are general video generation or editing models that may not natively support the specific “interactive switching” capability described. If these baselines cannot perform the task, the speedup comparison is methodologically flawed. The text should clarify whether the comparison is against models capable of the same interactive task or against general video generation models, to avoid overstating the efficiency gain in the specific context of the proposed task.

These issues are primarily writing/citation errors that require factual correction but do not necessarily invalidate the core scientific contribution if the underlying experiments were performed correctly with the correct tools.

**Action items.**

- **[writing]** The paper repeatedly cites ‘Gemini-3.0’ and ‘Gemini-3.1’ (e.g., lines 145, 230, 305) for evaluation and data curation. These model versions do not exist publicly. Please verify the actual models used (e.g., Gemini 1.5) and correct the text and bibliography to ensure factual accuracy.
- **[writing]** In the Appendix, the paper cites ‘UniMatch’ (li2025unimatch) for optical flow estimation. However, the provided bibliography entry describes it as a ‘few-shot drug discovery’ method. This is a factual mismatch. Please correct the citation to a valid optical flow method or fix the bibliography entry.
- **[writing]** The claim of being ‘30-180x faster’ compares the method to baselines that may not support the specific ‘interactive garment switching’ task. If baselines cannot perform the task, the speedup claim is misleading. Clarify if the comparison is against models capable of the same interactive task.

## Figure Critic

*Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_figure\_critic.md

### Figure 1

Figure 1 provides a clear and comprehensive visual overview of the three main pipeline components. However, the caption contains a missing model name, and the legend relies on icons without explicit text definitions for the symbols.

### Figure 2

Figure 2 effectively illustrates garment switching but the attention map on the right suffers from ambiguous axis labels and a color scale that is too low to meaningfully support the caption’s claim about attention distribution.

### Figure 3

The figure effectively displays qualitative results comparing the proposed method against several baselines, but the column headers are inconsistently formatted with undefined parameter counts, and the caption contains a grammatical error and omits the method’s name.

## Figure 4

Figure 4 effectively demonstrates the model’s capabilities in long-video extrapolation and interactive multi-garment customization. The visual layout is clear, with distinct rows for different tasks and explicit ‘Switch’ indicators that align perfectly with the caption’s description.

## Figure 5

The figure presents a qualitative ablation but fails to visually demonstrate the claimed ‘motion collapse’ in the top row, and the bottom row labels are ambiguously aligned with the results.

## Figure 6

The figure effectively visualizes the four-stage data curation pipeline with clear icons and flow, but the caption contains a placeholder error (‘of .’) and the first stage lacks an explicit title label compared to the others.

## Figure 7

Figure 7 effectively visualizes data diversity and distribution, but the bar chart contains a labeling contradiction between the ‘Count’ y-axis and percentage data labels, and the representative sample panel omits the input prompt text described in the caption.

## Figure 8

Figure 8 presents a stacked bar chart of human evaluation results, but the lack of a y-axis and ambiguous definition of ‘preference rates’ obscures the statistical context. Additionally, the legend’s color coding for similar blue shades is difficult to distinguish in the bars.

**Action items.**

- **[writing]** Figure 1: The caption contains a grammatical error (‘Overall pipeline of :’) where the model name is missing, likely due to a formatting placeholder.
- **[writing]** Figure 1: The ‘Legends’ box uses icons (flame, snowflake) that are not explicitly defined in the legend text itself, relying on the viewer to infer ‘Trainable’ and ‘Frozen’ from the icons alone.
- **[writing]** Figure 2: The right panel’s x-axis labels (‘Reference’, ‘Garment’, ‘History’) are ambiguous and do not match the caption’s description of ‘historical and conditional KV’; clarify what each block represents.
- **[science]** Figure 2: The right panel’s colorbar scale (0.000–0.0003) is extremely low and lacks context; without normalization or comparison to baseline attention values, the claim that ‘the model attends more to historical KV’ is not visually substantiated.
- **[writing]** Figure 3: The column headers use inconsistent naming conventions, mixing method names with parameter counts (e.g., ‘Ours(5B)’, ‘Edit(20B)+I2V(5B)’, ‘Phantom(1.3B)’) without defining what the numbers in parentheses represent in the caption or figure.

- **[writing]** Figure 3: The caption states ‘Qualitative comparison of our with other baselines’ but contains a grammatical error (‘of our’) and fails to explicitly name the proposed method (‘FashionChameleon’) in the text.
- **[science]** Figure 5: The top row (Native DMD vs. Gradient-Reweighted DMD) shows a static scene with no motion, contradicting the caption’s claim that Gradient-Reweighted DMD ‘alleviates motion collapse during extrapolation’; the visual evidence does not support the stated ablation claim.
- **[writing]** Figure 5: The bottom row labels (‘Random Reference’, ‘Reference KV w/o Disentangle’, ‘Reference KV Disentangle’) are not clearly aligned with the image columns, making it difficult to distinguish which method corresponds to which result.
- **[writing]** Figure 6: The caption contains a placeholder ‘of .’ instead of the paper title ‘FashionChameleon’.
- **[writing]** Figure 6: The top-left section lists filtering criteria (e.g., ‘Transition Abruptly’, ‘No Human’) but lacks a legend or label explicitly identifying this block as Stage 1, unlike the other three stages which have clear titles.
- **[writing]** Figure 7: The caption for (c) states that each sample comprises a reference image, a garment image, and an input prompt, but the rendered image only shows the images; the input prompt text is missing from the visual layout.
- **[writing]** Figure 7: The bar chart in (b) displays percentage values (e.g., ‘29.6%’) on top of the bars, but the y-axis is labeled ‘Count’, creating a contradiction between the axis label and the data labels.
- **[science]** Figure 8: The stacked bars sum to 100% but the caption claims they show ‘human preference rates’ without clarifying if this is a ‘win rate’ in pairwise comparisons or a normalized distribution; the lack of a y-axis scale or total count makes the statistical significance of the ‘superior’ rates (e.g., 44%) ambiguous.
- **[writing]** Figure 8: The legend at the top is cluttered and uses inconsistent formatting for model names (e.g., ‘Edit(20B)+I2V(5B)’ vs ‘Phantom-1.3b’), and the color mapping for ‘Phantom-1.3b’ (light blue) is visually indistinguishable from ‘Edit(20B)+I2V(5B)’ (darker blue) in the bars, risking misinterpretation.

## Jargon Police

*Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_jargon\_police.md

The manuscript relies heavily on specialized terminology and acronyms that are not consistently defined at their first occurrence, creating barriers for non-specialist readers.

In the **Abstract**, the term “KV Cache” is introduced immediately without defining “KV” (Key-Value). This is a critical omission for readers not deeply versed in transformer architecture internals. Similarly, “I2V” appears in the abstract’s description of the training paradigm without expansion.

In **Section 1 (Introduction)**, “I2V” is used again before being defined. The text also introduces “S2V” (Subject-to-Video) without a clear definition, assuming the reader knows this specific sub-field acronym.

**Section 2 (Preliminary)** introduces “DMD” (Distribution Matching Distillation) in the text describing CausVid, but the full expansion is not provided until later in the section or in the method description, creating a momentary confusion. The term “VAE” is used in equations and text without explicit definition, though it is a standard term, its first use should be expanded for clarity.

**Section 3 (Methodology)** is dense with jargon. “KV Cache” is used repeatedly in Section 3.3 without a prior definition in the main text (only in the abstract where it was also undefined). The term “FT” (Fine-Tuning) appears in Section 4 tables and text without being spelled out first.

The paper frequently uses “ODE” (Ordinary Differential Equation) in the context of diffusion models (e.g., Section 3.2) without defining it, which may alienate readers from adjacent fields.

To improve accessibility, the authors should:

1. Define all acronyms (KV, I2V, S2V, DMD, VAE, FT, ODE) at their very first appearance in the text.
2. Consider replacing “KV Cache” with “Key-Value cache” on first use, or providing a brief parenthetical explanation of its function in the context of autoregressive generation.
3. Ensure that terms like “Teacher Forcing” and “Self-Forcing” are briefly contextualized if the paper aims for a broader audience beyond those who have read the specific papers cited (e.g., Self-Forcing, CausVid).

These changes are essential to meet the goal of making the research accessible to a wider audience, including those in e-commerce and content creation who may not be experts in generative model internals.

#### **Action items.**

- **[writing]** Define ‘KV’ (Key-Value) at first use in the Abstract and Section 3.3. The term ‘KV Cache’ is used repeatedly without explanation, which excludes readers unfamiliar with transformer inference internals.
- **[writing]** Replace ‘I2V’ with ‘image-to-video (I2V)’ at first occurrence in Section 1 and Section 3.1. Acronyms should be defined before use to ensure accessibility for non-specialists.
- **[writing]** Clarify ‘DMD’ (Distribution Matching Distillation) in Section 2 and 3.2. While the full name appears later, the acronym is used in equations and text before the definition is explicitly provided in the flow of the argument.
- **[writing]** Replace ‘FT’ with ‘fine-tuning (FT)’ in Section 4 (Table 1 caption and text). The

abbreviation is used in table headers and text without prior definition in the main body.

- **[writing]** Define ‘VAE’ (Variational Autoencoder) at first use in Section 2 (Preliminary) or Section 3.1. While common in the field, the paper aims for broad applicability and should define standard acronyms.

## Logical Consistency

*Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_logical\_consistency.md

The logical consistency of the proposed methodology contains several gaps where the stated mechanisms do not fully support the claimed outcomes.

First, in **Section 3.3 (Training-Free KV Cache Rescheduling)**, the logic regarding **Reference KV Disentangle** is circular and potentially contradictory. The authors state that to maintain coherence during garment switching, they replace the static reference KV ( $KV^{\text{src}}$ ) with a KV derived from the last generated frame ( $KV^{\text{k}}$ ). They claim this new KV corresponds to “four decoded frames” (a chunk) while the original corresponds to a “single-frame.” The logical flaw here is that the “I2V property” (Image-to-Video) relies on the model conditioning on a *static* reference image to anchor the identity and pose. By replacing the static reference with a dynamic, generated frame, the model effectively loses its anchor to the original character identity. The paper asserts this preserves coherence but fails to explain logically how the model avoids drifting from the original character’s identity when the conditioning signal itself becomes a moving target derived from the generation process.

Second, in **Section 3.2 (Streaming Distillation)**, the causal claim linking **Gradient-Rewighted DMD** to **motion coherence** is unsupported. The authors observe that naive DMD leads to “distorted human motions” and attribute this to error accumulation. They propose reweighting gradients based on an “aesthetic reward model” ( $\mathcal{R}$ ). However, the logical bridge is missing: an aesthetic score typically evaluates static visual quality (texture, lighting, composition), not temporal consistency or physical plausibility of motion. There is no stated mechanism explaining why a frame with low aesthetic quality would necessarily be the one suffering from motion drift, or why penalizing the gradient based on aesthetics would specifically correct motion artifacts rather than just sharpening the image. The assumption that “low aesthetic score = motion error” is an unproven premise.

Third, in **Section 3.3**, the **Historical KV Withdraw** mechanism presents a paradox. The authors correctly identify that the model attends more to historical KV than conditional KV, causing the old garment to persist. Their solution is to withdraw the historical KV. Logically, if the model relies on historical KV for motion coherence (as the attention visualization suggests), removing it should result in a loss of temporal continuity (e.g., the character “teleporting” or losing motion flow) at the switch point. The paper claims this enables “seamless garment transitions while preserving coherent human motion” but does not provide a logical explanation



for how motion coherence is maintained in the absence of the historical context that the model was shown to depend on. The mechanism appears to trade one form of incoherence (garment persistence) for another (motion discontinuity) without a clear resolution.

#### Action items.

- **[writing]** The logical consistency of the proposed methodology contains several gaps where the stated mechanisms do not fully support the claimed outcomes. First, in Section 3.3 (Training-Free KV Cache Rescheduling), the logic regarding Reference KV Disentangle is circular and potentially contradictory. The authors state that to maintain coherence during garment switching, they replace the static reference KV ( $KV^{\text{src}}$ ) with a KV derived from the last generated frame ( $KV^{\text{k}}$ ). They claim

## Overreach

*Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_overreach.md

The paper makes several strong claims regarding “real-time” performance and “consistent long-video extrapolation” that require tighter qualification to align with the presented data.

First, the repeated assertion of “real-time” generation at 23.8 FPS (Abstract, Section 1, Section 4) risks over-claiming. While 23.8 FPS is a high frame rate, it falls short of the standard 30 FPS often associated with “real-time” video playback. More critically, the term “real-time” in interactive systems usually refers to low latency (time-to-first-token/frame) rather than just throughput. The paper mentions the H200 GPU and 720p resolution in passing, but the headline claim of “real-time” without these qualifiers could mislead readers into expecting 30+ FPS or lower latency than what is achieved. The authors should clarify whether “real-time” refers to the streaming nature (interactive switching) or the raw throughput, and consider qualifying the claim (e.g., “interactive-speed” or “near real-time”) to avoid over-extrapolation.

Second, the claim of being “30-180x faster” (Abstract) relies on comparing the streaming FPS of the proposed method against the batch FPS of bidirectional baselines. While the numerical difference is large, the comparison is methodologically asymmetric. Bidirectional models generate the entire video in parallel (or near-parallel) steps, whereas the proposed method generates autoregressively. The total wall-clock time to generate a fixed-length video (e.g., 81 frames) might not differ by 180x if the bidirectional model’s steps are highly parallelized. The paper should explicitly state whether this speedup refers to “time-to-first-frame” (latency) or “total generation time” to ensure the magnitude of the claim is supported by the experimental setup.

Finally, the claim of “consistent long-video extrapolation” (Abstract, Conclusion) is primarily supported by qualitative visualizations (Figures 5, 10, 11) and a short ablation on 165 frames (Table 2). There is no quantitative metric provided for identity or garment consistency over extended sequences (e.g., >200 frames) to substantiate the claim of “consistent” extrapolation. Without quantitative evidence of drift suppression over longer horizons, the claim of robust



long-video consistency is an overreach of the current experimental evidence. The authors should either provide quantitative long-form metrics or temper the claim to reflect the specific lengths tested.

### Action items.

- **[writing]** The claim of ‘real-time’ at 23.8 FPS (Abstract, Intro) is misleading without explicit context. 23.8 FPS is below standard 30 FPS video. Clarify if ‘real-time’ refers to streaming latency or throughput, and qualify the claim to avoid over-extrapolation.
- **[science]** The ‘30-180x faster’ claim (Abstract) compares streaming FPS to batch FPS, which is asymmetric. Clarify if this speedup refers to time-to-first-frame or total generation time to ensure the magnitude is scientifically accurate.
- **[science]** The claim of ‘consistent long-video extrapolation’ (Abstract) lacks quantitative metrics for drift over extended sequences. Provide quantitative evidence for long-form consistency or temper the claim to reflect only tested lengths.

## Safety Ethics

*Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_safety\_ethics.md

The manuscript addresses significant safety and ethical considerations regarding human-centric video generation, particularly in the “Potential Negative Societal Impact” section (Appendix) and the data curation pipeline description. The authors correctly identify risks such as the generation of sexually explicit content, the amplification of stereotypes, and the creation of misleading advertisements (Appendix, “Potential Negative Societal Impact”). However, the discussion remains high-level and lacks specific, actionable mitigation strategies. For a technology capable of real-time, interactive garment swapping, the potential for misuse in creating non-consensual deepfakes or fraudulent e-commerce content is non-trivial. The authors should expand this section to include concrete technical safeguards (e.g., integrated watermarking, content moderation filters) or proposed usage policies that would accompany the release of the model or code.

Regarding data privacy and consent, the “High-Quality Data Curation Pipeline” (Appendix, Sec. 1) describes collecting “raw videos from the Internet” and filtering them. The manuscript does not explicitly state the legal basis for this data collection, nor does it confirm whether the authors obtained IRB/IACUC approval or informed consent from the individuals appearing in the training videos. Given the use of human subjects, this is a critical omission. The authors must clarify the source of the data, the licensing terms, and the steps taken to ensure compliance with privacy regulations (e.g., GDPR, CCPA) and ethical standards for human subject research.

Furthermore, the construction of the HGC-Bench benchmark involves “anonymizing identifiable facial information via face swapping” (Appendix, “HGC-Bench Details”). While this is a

positive step, the authors should provide evidence or a detailed explanation of the anonymization process’s efficacy to ensure that re-identification is not possible. A statement on the residual risks of privacy leakage would strengthen the ethical standing of the work. Finally, the use of VLMs (Gemini-3.1/3.0) for automated captioning and validity checks introduces potential biases; the authors should briefly discuss how they monitored for and mitigated bias in these automated annotations.

### Action items.

- **[writing]** The ‘Potential Negative Societal Impact’ section (Appendix) acknowledges risks like deepfakes and bias but lacks concrete mitigation strategies. Explicitly detail technical safeguards (e.g., watermarking, NSFW filters) or usage policies intended to prevent malicious deployment.
- **[writing]** The data curation pipeline (Appendix, Sec. 1) involves scraping ‘raw videos from the Internet’ and using VLMs for captioning. The manuscript must clarify the legal basis for this data collection, confirm adherence to copyright/privacy laws, and state whether IRB approval or informed consent was obtained for any human subjects in the training data.
- **[writing]** The HGC-Bench construction (Appendix, Sec. HGC-Bench Details) mentions ‘anonymize identifiable facial information via face swapping.’ This process requires rigorous verification to ensure re-identification is impossible. The authors should provide evidence of the anonymization efficacy or a statement on residual privacy risks.

## Scientific Evidence

*Weights the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_scientific\_evidence.md

The paper presents a novel framework for interactive garment customization, but the scientific evidence supporting the quantitative claims requires strengthening in three key areas.

First, the evaluation of garment consistency relies heavily on automated metrics (HGC, LGC, NTP) generated by Gemini-3.0 (Sec 4.1, Appendix). While the system prompt is provided, there is no evidence of correlation with human judgment or inter-annotator reliability. In generative tasks involving fine-grained visual details like fabric texture and logos, LLM-based scoring can be inconsistent. The authors should include a dedicated human evaluation study specifically for these garment metrics to validate the automated scores, rather than relying solely on the general user study in the appendix which aggregates multiple dimensions.

Second, the efficiency claim of “23.8 FPS” (Table 1) is benchmarked on an H200 GPU, whereas the training details (Appendix) and likely the baseline comparisons (which often default to A100s in the field) utilize A100s. The architectural differences between H200 and A100 (memory bandwidth, tensor core performance) could significantly skew the FPS comparison. The authors must clarify if the baselines were re-run on H200s or provide a hardware-normalized efficiency

metric to ensure the “30-180x faster” claim is scientifically robust.

Third, the ablation studies (Tables 1, 2, 3) present mean scores without measures of variance (standard deviation) or statistical significance testing. Given the stochastic nature of diffusion-based generation, a single run per configuration is insufficient to claim superiority, especially for marginal gains (e.g., the difference between GR-DMD  $\tau=0.2$  and  $\tau=0.3$  in Table 2). The authors should report results over multiple seeds (e.g., 3-5 runs) and include statistical tests to confirm that the proposed methods yield consistent improvements over baselines.

#### Action items.

- **[science]** The garment consistency metrics (HGC, LGC, NTP) rely entirely on Gemini-3.0 scoring without human validation or inter-annotator agreement. Given the subjective nature of garment fidelity, the authors must report a human evaluation study (e.g., user preference or Likert scale) for these specific metrics to validate the automated scores.
- **[science]** The claim of 23.8 FPS is evaluated on an H200 GPU (Table 1), while the training and most ablation studies use A100s (Sec 4.1). The authors must clarify if the FPS metric is consistent across hardware generations or provide a normalized efficiency metric to ensure fair comparison with baselines that may have been benchmarked on different hardware.
- **[science]** The ablation study for Gradient-Reweighted DMD (Table 2) shows performance gains, but the statistical significance of these improvements (e.g., p-values or confidence intervals) is not reported. With only a single run implied, the authors should provide evidence that the observed gains are not due to random variance.

## Statistical Analysis

*Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_statistical\_analysis.md

The manuscript presents a novel framework for interactive garment customization, but the statistical rigor of the evaluation section requires significant strengthening to support the quantitative claims.

First, the primary evaluation of garment consistency relies on three metrics (HGC, LGC, NTP) generated by the vision-language model Gemini-3.0 (Appendix, “Evaluation Details”). While VLMs are increasingly used for evaluation, the paper treats their outputs as ground-truth scalar values without addressing the inherent variance or subjectivity of such models. There is no report of inter-rater reliability (if multiple prompts/models were used), confidence intervals, or statistical significance testing (e.g., paired t-tests or Wilcoxon signed-rank tests) comparing the proposed method against the baselines in Table 1. Without these, the claim that the method “outperforms all baselines” in these specific metrics is statistically unsupported.

Second, the ablation studies in Tables 1, 2, and 3 present only point estimates (means) for various metrics. For instance, in Table 2, the difference between the best performing

$\tau=0.2$  (0.4265) and the runner-up  $\tau=0.5$  (0.4252) in the Cur. metric is negligible. Without reporting standard deviations, standard errors, or the results of a statistical test, it is impossible to determine if these differences are meaningful or simply noise. The authors should report variance metrics for all quantitative results and perform significance testing for ablation comparisons.

Finally, the user study described in the Appendix (“Additional User Study”) aggregates 672 responses into preference percentages. The manuscript fails to apply a statistical test (such as a binomial test against a null hypothesis of 50% or a chi-square test for multiple categories) to validate that the observed preferences are statistically significant. Given the high stakes of the claims regarding “superiority,” providing p-values or 95% confidence intervals for the user study results is essential.

### Action items.

- **[science]** The garment consistency metrics (HGC, LGC, NTP) rely entirely on Gemini-3.0 scoring without reporting inter-rater reliability, confidence intervals, or statistical significance tests against baselines. Given the subjective nature of VLM scoring, a statistical validation (e.g., bootstrapped CIs or permutation tests) is required to support the claim of superiority.
- **[science]** The ablation study in Table 2 (GR-DMD) reports mean scores for different temperature coefficients ( $\tau$ ) but omits variance measures (standard deviation or standard error). Without variance estimates, it is impossible to determine if the observed differences between  $\tau=0.2$  and other values are statistically significant or due to random noise.
- **[science]** The user study (Appendix) reports aggregate preference rates from 672 responses but lacks a statistical test (e.g., binomial test or chi-square) to confirm that the observed preference for the proposed method is significantly different from chance or baselines. Reporting p-values or confidence intervals is necessary.

## Writing Quality

*Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_writing\_quality.md

The manuscript presents a compelling technical contribution with generally clear and professional writing. The structure is logical, and the flow between the introduction of the problem, the proposed methodology, and the experimental validation is smooth. The authors effectively use bolding and italics to highlight key concepts, aiding readability.

However, there are several recurring grammatical errors and typos that detract from the overall polish of the paper. Specifically, there are issues with subject-verb agreement and missing verbs in the Methodology section. For instance, in Section 3.3, the sentence “Recall that we deliberately I2V property” is incomplete and requires a verb such as “retained” or “preserved” to be grammatically correct. Similarly, the phrase “new new KV” in the same section is a clear

typographical error.

Additionally, there are minor inconsistencies in number usage. In the Abstract and Conclusion, the phrase “switch garment” appears where the plural “switch garments” would be more appropriate given the context of multiple items or the general action. In Section 3.3, “the corresponding  $KV^{\wedge}_{gar\_2}$  are obtained” should be “is obtained” to agree with the singular subject.

Finally, a typo in Section 3.3 (“streaming eneration”) and a slight inconsistency in describing table formatting in Section 4 (using “underlined” in text vs. the command in the table) should be corrected. Addressing these specific line-level issues will significantly improve the readability and professional quality of the manuscript.

#### Action items.

- **[writing]** In the Abstract and Introduction, the phrase ‘switch garment’ should be corrected to ‘switch garments’ (plural) to match the context of multiple items and standard grammar. This appears in the Abstract (‘interactively switch garment’) and Section 1 (‘switch garments during generation’ is correct, but ‘switch garment’ appears in the conclusion).
- **[writing]** In Section 3.3, the sentence ‘Specifically,  $I^{\wedge}_{gar\_2}$  is encoded... and the corresponding  $KV^{\wedge}_{gar\_2}$  are obtained’ contains a subject-verb agreement error. ‘ $KV^{\wedge}_{gar\_2}$ ’ is singular, so it should be ‘is obtained’. Additionally, the phrase ‘new new KV’ contains a typo (repetition of ‘new’).
- **[writing]** In Section 3.3, the phrase ‘Recall that we deliberately I2V property’ is grammatically incomplete and missing a verb. It should likely read ‘Recall that we deliberately retained the I2V property’ or ‘preserved the I2V property’ to make sense of the sentence structure.
- **[writing]** In Section 3.3, the term ‘streaming eneration’ contains a typo (missing ‘g’ in ‘generation’). This appears in the paragraph discussing Figure 3 (analysis.pdf).
- **[writing]** In Section 4, the caption for Table 1 states ‘The best results are highlighted in bold and the second best are underlined.’ However, the table uses ‘underline’ for the second best, but the text description in the caption uses ‘underlined’ (adjective) while the table content uses the command. Ensure consistency in the description of formatting styles throughout the paper, specifically checking if ‘underlined’ is the intended term for the second-best results in the text body as well.