

# llmXive Automated Review of Visual Generation in the New Era: An Evolution from Atomic Mapping to Agentic World Modeling

*llmXive automated review panel*

---

**Please read first — this review is fully automated and not checked by any human.** It is written by free, open-weight LLM agents that read the paper once, so **errors, misreadings, and inaccuracies are likely**. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

## How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer's exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is **advisory, automated feedback for the authors**. llmXive does not modify the paper, and **nothing is accepted or rejected** on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer's section also names the underlying model that produced it.

**This paper's panel (9 lenses):** Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

## Claim Accuracy

*Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_claim\_accuracy.md

The review focuses strictly on the accuracy of factual claims and the validity of their supporting citations.

**Statistical Inconsistency in Publication Trends:** In Section 1, the caption for Figure 1 states that 2025 contributed 188 papers (45.7%) out of 411 post-2014 references. However, the bibliography explicitly includes numerous citations dated **2026** (e.g., `he2026gems`, `feng2026gen`, `team2026longcat`). If the corpus includes 2026 papers, the total count of 411 and the specific percentage attributed to 2025 are mathematically inconsistent. The authors must clarify the exact cutoff date and recalculate the statistics to ensure the 45.7% figure accurately reflects the 2025 contribution relative to the total cited corpus.

**Citation of Non-Existent Models:** In Section 5.1 (“The Metro Map Challenge”), the text claims: “GPT 5.5 verified mismatches in 9s”. As of the current date, **GPT 5.5** has not been released by OpenAI. Citing a non-existent or unreleased model version as a factual benchmark verifier undermines the credibility of the stress test results. The authors must correct the model name to an existing version (e.g., GPT-4o) or provide a verifiable source for the “GPT 5.5” claim.

**Future-Dated Citations as Established Facts:** The paper frequently cites works dated **2026** (e.g., `he2026gems`, `feng2026gen`) as if they are established, publicly available technical reports with specific architectural details (e.g., “80B/13B-active MoE”). While preprints can be future-dated, treating them as confirmed facts requires that the sources are actually accessible. If these are internal roadmaps or unreleased preprints, the claims regarding their specific architectures should be qualified as “reported” or “conjectured” rather than stated as definitive facts. The bibliography entries for these 2026 papers need to be verified for public availability.

### Action items.

- **[science]** Fig 1 caption claims 2025 contributed 188 papers (45.7%) of 411 post-2014 refs. Bibliography contains 2026 citations (e.g., `he2026gems`). If 2026 refs are included, the 45.7% stat for 2025 is mathematically inconsistent. Recalculate stats or clarify the corpus cutoff date.
- **[fatal]** Section 5.1 claims ‘GPT 5.5 verified mismatches’. GPT 5.5 is not a released model. Citing a non-existent model as a factual verifier invalidates the stress test results. Correct to an existing model (e.g., GPT-4o) or remove the specific version.
- **[writing]** Section 2.2 cites 2026 papers (e.g., HunyuanImage 3.0) as established facts with specific architecture details. Verify these are publicly available preprints and not speculative roadmaps. Qualify claims if sources are unreleased.

## Figure Critic

*Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_figure\_critic.md

### Figure 1

Figure 1 effectively visualizes publication trends but includes potentially incomplete 2026 data without qualification, and the cumulative axis lacks explicit unit clarification. The 2025 surge claim is visually supported but depends on accurate total counts that may be affected by the inclusion of partial 2026 data.

### Figure 2

The figure is visually clear and the axes are well-labeled, but the caption is truncated mid-sentence. Additionally, the placement of ‘Text Rendering & Design’ seems inconsistent with the narrative about recent, growing topics in the upper-right quadrant.

### Figure 3

Figure 3 effectively visualizes the five-level taxonomy of visual intelligence with clear, color-coded columns and concrete input/output examples for each level. The abstract progression strip at the top aligns perfectly with the detailed examples below, and the caption accurately describes the content and structure.

### Figure 4

The figure presents a timeline of image generation models but includes future-dated entries (2025-2026) that suggest speculative content is being presented as factual historical data. Additionally, the legend’s distinction for closed-source models relies on border styles that are not explicitly reinforced in the node labels.

### Figure 5

The figure provides a clear and well-structured visual comparison of the five generative paradigms with accurate internal labels. However, the provided caption text is incomplete, ending abruptly in the description of the fifth paradigm.

## Figure 6

The figure effectively visualizes the landscape of architectures, but the caption contains a typo regarding the symbol for unified models (stating ‘\$\$’ instead of ‘ ’), and the legend’s inclusion of ‘Adversarial’ is slightly confusing given the separate layout of those models.

## Figure 7

Figure 7 is a clear and well-structured architectural diagram that effectively visualizes the unified pipeline for visual generation and editing. The flow of data from inputs through encoders, condition modules, backbones, and decoders is logical, and the legend successfully distinguishes between the text-to-image and image editing paths.

## Figure 8

Figure 8 effectively visualizes three distinct condition injection routes (AdaLN, Cross-Attention, and In-Context Concatenation) with clear block diagrams and labels. The visual components align perfectly with the provided caption, and the schematic is uncluttered and easy to interpret.

## Figure 9

The figure effectively illustrates a complex agent-loop architecture with clear visual flow, but the depiction of multiple distinct agents contradicts the caption’s description of a single frontier VLM, and the specific tools shown in the diagram do not match the examples provided in the text.

## Figure 10

Figure 10 is a clear, well-structured schematic that effectively visualizes the three-stage pipeline described in the caption. The cartoon-style graphics and text boxes successfully map the abstract concepts of pre-training, post-training, and inference acceleration to concrete technical steps without clutter or ambiguity.

## Figure 11

The figure effectively visualizes the three distillation paradigms with clear diagrams and mathematical formulations. However, there are minor discrepancies between the examples listed in the caption and those actually displayed in the figure panels.

## Figure 12

Figure 12 is a clear and well-structured flowchart that effectively visualizes the five-stage dataset construction pipeline described in the caption. All stages, sub-components, and example datasets are legible, and the color-coding logically distinguishes the workflow steps.

**Action items.**

- **[science]** Figure 1: The x-axis includes 2026, but the caption states the analysis covers ‘411 post-2014 references’ and the 2025 bar is labeled ‘2025 surge’ with 188 papers. If 2026 data is included, the total count and percentages (e.g., 45.7% for 2025) may be inaccurate or misleading if 2026 is incomplete or projected.
- **[writing]** Figure 1: The y-axis label ‘Annual Publications’ is clear, but the right y-axis label ‘Cumulative Count’ lacks a unit or clarification that it represents the running total of publications, which could confuse readers unfamiliar with cumulative plots.
- **[science]** Figure 1: The 2026 bar shows 26 publications, but since the current year is 2026 and the data may be incomplete, presenting it as a full-year count without qualification misrepresents the data’s completeness and could distort trend interpretation.
- **[writing]** Figure 2: The caption text is truncated mid-sentence at the end (‘...diffusion & flow models anch’), cutting off the description of mature foundations.
- **[science]** Figure 2: The bubble labeled ‘Text Rendering & Design’ is positioned at a mean publication year of ~2024 but has a very low recency share (~0.25), which contradicts the caption’s claim that the upper-right quadrant represents recent topics, as this topic appears neither recent nor growing relative to others.
- **[science]** Figure 4: The timeline includes models with future release dates (e.g., ‘2025-06 FLUX.1’, ‘2026 Nano-Banana’) and labels the current period as ‘2024–2025’, implying the preprint is written from the future or contains speculative projections presented as historical facts without clear distinction.
- **[writing]** Figure 4: The legend defines ‘Closed Sourced (Infered) Hybrid/Agentic’ with a dashed border, but the corresponding nodes (e.g., ‘2026 GPT-Image2’) are not explicitly labeled as ‘Closed Sourced’ in the node text itself, relying entirely on the border style which may be ambiguous.
- **[writing]** Figure 5: The caption for (5) Hybrid (AR + Diffusion) is truncated mid-sentence (‘producing th’), cutting off the description of the final image generation.
- **[writing]** Figure 6: The caption states ‘\$\$ denotes unified models’, but the rendered figure uses a star symbol ( ) to mark these models (e.g., Bridge, Chameleon). The caption text must be corrected to match the visual symbol.
- **[science]** Figure 6: The legend box on the right lists ‘Adversarial’ as a category with a corresponding color swatch, but the ‘Adversarial’ models (DCGAN, WGAN, etc.) are positioned in a separate box at the bottom, outside the main Venn diagram structure implied by the legend.
- **[science]** Figure 9: The diagram depicts a ‘Reasoning controller’ and ‘Verifier’ as distinct, separate agents (robots) with thought bubbles, but the caption describes a single ‘frontier VLM’ that ingests instructions and emits plans. This visual separation contradicts the textual description of a unified model performing these steps.

- **[writing]** Figure 9: The ‘Tool set’ box on the left lists ‘Web search grounding’ and ‘Image retrieval’, but the caption’s example tools are ‘text-rendering’ and ‘font alignment’. The mismatch between the visualized tools and the caption’s examples creates ambiguity about the system’s actual capabilities.
- **[writing]** Figure 11: The caption lists ‘Wan-Image’ as an example for Trajectory Matching, but the figure panel (a) only labels ‘Hyper-SD, RayFlow’.
- **[writing]** Figure 11: The caption lists ‘rCM’ as an example for Consistency, but the figure panel (b) only labels ‘CM, LCM, sCM, MeanFlow’.
- **[writing]** Figure 11: The caption lists ‘MeanFlow’ as an example for Distribution Matching, but the figure panel (c) only labels ‘DMD, DMD2, ADD’.

## Jargon Police

*Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_jargon\_police.md

The manuscript is dense with specialized terminology and acronyms that significantly hinder accessibility for non-specialist readers. While the field of visual generation is rapidly evolving, the paper frequently introduces acronyms without definition, assuming a level of prior knowledge that is not guaranteed even among general computer science researchers.

Specific instances of jargon overuse include:

1. **Undefined Acronyms:** The text relies heavily on acronyms such as SFT (Supervised Fine-Tuning), MoE (Mixture of Experts), VAE (Variational Autoencoder), SSM (State Space Model), RL (Reinforcement Learning), DPO (Direct Preference Optimization), GRPO (Group Relative Preference Optimization), ODE (Ordinary Differential Equation), LLM (Large Language Model), DiT (Diffusion Transformer), AR (Autoregressive), VLM (Vision-Language Model), MDP (Markov Decision Process), NFEs (Number of Function Evaluations), VQ (Vector Quantization), SSL (Self-Supervised Learning), RAE (Reconstruction Autoencoder), MLLM (Multimodal Large Language Model), VLA (Vision-Language-Action), VFM (Vision Foundation Model), CLIP, SigLIP, LoRA (Low-Rank Adaptation), GAN (Generative Adversarial Network), DDPM (Denoising Diffusion Probabilistic Model), DDIM (Denoising Diffusion Implicit Model), SDE (Stochastic Differential Equation), CE (Cross-Entropy), MoT (Mixture of Transformers), MPO (Multi-Objective Policy Optimization), NLP (Natural Language Processing), BLEU, SMILES, and OCR. These must be defined at their first occurrence in the text.
2. **Colloquialisms:** The term “Nano Banana” appears in the Introduction (Section 1, Paragraph 2) as a shorthand for a specific system. This is informal jargon that should be replaced with the full system name or a descriptive term to maintain professional tone and clarity.

3. **Technical Concepts:** Terms like “Rectified Flow,” “Flow Matching,” and “Agentic” are used as if they are common knowledge. While standard in the field, a brief definition or context upon first use would greatly improve readability for a broader audience.
4. **Evaluation Paradigms:** The phrase “VLM-as-a-Judge” is used in Section 4.1.1 without explanation. This specific evaluation methodology should be briefly described to ensure the reader understands the mechanism being discussed.

The paper’s contributions are significant, but the barrier to entry created by this density of undefined jargon is substantial. A thorough pass to define all acronyms and replace informal terms with precise language is required to meet the standards of clarity expected in a comprehensive survey.

#### Action items.

- **[writing]** Define acronyms at first use throughout the manuscript (e.g., SFT, MoE, VAE, SSM, RL, DPO, GRPO, ODE, LLM, DiT, AR, VLM, MDP, NFes, VQ, SSL, RAE, MLLM, VLA, VFM, CLIP, SigLIP, LoRA, GAN, DDPM, DDIM, SDE, CE, MoT, MPO, NLP, BLEU, SMILES, OCR, VQ-VAE, VQ-GAN, VQ-Transformer, VQ-VAE-2, VQ-VAE-3, VQ-VAE-4, VQ-VAE-5, VQ-VAE-6, VQ-VAE-7, VQ-VAE-8, VQ-VAE-9, VQ-VAE-10).
- **[writing]** Replace or define the colloquial term “Nano Banana” in the Introduction (Section 1, Paragraph 2) as it is not a standard technical term and excludes non-specialist readers.
- **[writing]** Define “Rectified Flow” and “Flow Matching” explicitly upon first mention in Section 2.1, as these are specific technical concepts not universally known outside the immediate subfield.
- **[writing]** Clarify the term “Agentic” in the context of “Agentic World Modeling” (Title and Section 1) to ensure readers understand it refers to autonomous decision-making loops rather than general agency.
- **[writing]** Define “VLM-as-a-Judge” in Section 4.1.1, as this is a specific paradigm that requires explanation for readers unfamiliar with the latest evaluation trends.

## Logical Consistency

*Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_logical\_consistency.md

The paper presents a coherent five-level taxonomy (L1-L5) that logically progresses from atomic mapping to world modeling. The definitions for L1-L3 are internally consistent regarding input absorption and orchestration. However, a logical tension exists in the classification of “Multi-turn editing” under Level 3 (In-Context Generation). The definition of L3 explicitly states it is a “Single forward pass,” yet multi-turn editing inherently requires sequential interactions (multiple

passes). This contradicts the operational distinction provided in Table 1, which defines L4 as the regime of “Multiple forward passes.” The authors must clarify whether “multi-turn” in L3 refers to a single pass over a concatenated history buffer or if the taxonomy’s boundary between L3 and L4 is blurred.

Furthermore, the causal claim in Section 2.4 that closed-source systems are “L4 by construction” while open systems are “L3-bounded” is a logical leap. The argument infers internal architectural mechanisms (agent loops) solely from external performance gaps (multi-turn drift, long-form adherence) without ruling out alternative explanations (e.g., superior data curation or larger parameter counts in open models). The conclusion that the “key next move is reproducing the agent loop” assumes the loop is the *sole* differentiator, which is not logically necessitated by the presented evidence.

Finally, the statistical claim in Figure 1 caption that “2025 alone contributing 188 papers (45.7%)” of the “411 post-2014 references” is mathematically suspect. If the total count is 411, 188 is 45.7%, but this implies that nearly half of all visual generation papers published in the last decade appeared in a single year (2025). While the field is growing, this specific percentage requires a check against the actual bibliography count or a rephrasing to avoid misrepresenting the distribution (e.g., “45.7% of *cited works in the last 3 years*”).

#### Action items.

- **[writing]** The claim that 2025 contributed 45.7% of the 411 post-2014 references (Fig 1 caption) is mathematically inconsistent with the timeline. If the corpus ends in 2025, a single year cannot constitute nearly half of a 10-year span unless the publication rate is exponentially skewed, which requires explicit justification or a correction of the denominator (e.g., ‘45.7% of *recent works*’ vs ‘total works’).
- **[science]** The distinction between Level 3 (In-Context) and Level 4 (Agentic) relies on ‘single forward pass’ vs ‘multiple passes’ (Table 1, Sec 2.3/2.4). However, the text cites ‘Multi-turn editing’ under Level 3, which inherently implies multiple passes. This creates a logical contradiction in the taxonomy definition that must be resolved by clarifying if ‘turns’ in L3 are batched into one pass or if the definition of L3 needs adjustment.
- **[science]** The paper asserts that closed-source systems realize ‘L4 agentic generation’ while open systems are ‘L3-bounded by construction’ (Sec 2.4, Community Message). This is a causal claim unsupported by evidence; it assumes architectural opacity implies a specific control loop structure. The argument conflates ‘observed capability’ with ‘internal mechanism’ without providing a logical bridge or counter-example analysis.

## Overreach

*Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_overreach.md

The paper presents a compelling taxonomy of visual generation capabilities, but several sections exhibit overreach by presenting conjectures, self-selected observations, or specific failure cases as definitive, generalizable facts.

First, in Section 2.1, the “Community Message” box claims that “60% of recent frontier reports ship a fully unified architecture.” This statistic is derived from a specific, self-curated list of ten reports (Seedream, Hunyuan, Qwen, etc.). The text presents this as a broad industry trend without qualifying that it is limited to this specific cohort. This risks over-generalizing a sample of ten papers to the entire field. The authors should explicitly state that this is an observation of their specific sample set rather than a universal industry metric.

Second, Section 2.3 (“The Closed-Source Frontier”) makes definitive claims about the internal architecture of proprietary models (e.g., “Closed systems realize L4 agentic generation... Open systems... are L3-bounded by construction”). Since the internal mechanisms of closed-source models are not public, these assertions are speculative. The paper frames these as facts (“Mapped to the L1-L5 taxonomy...”) rather than hypotheses. The language must be adjusted to reflect that these are informed conjectures based on observed behaviors, not proven architectural realities.

Third, in Section 5.1, the paper asserts that “explicit reasoning can amplify hallucinations, as the physics-exam case... illustrates.” While the specific case study may show this, generalizing this to imply that reasoning is detrimental for “aesthetic prompts” is an overreach. The paper does not provide a broad statistical analysis of reasoning failures across aesthetic tasks, only a single illustrative example. The claim should be tempered to reflect that this is a potential risk or observed in specific contexts, rather than a general rule.

Finally, the stress tests in Section 4 are presented as definitive proof of “probabilistic correlation” vs. “causal logic.” While the failures are real, the paper occasionally over-interprets these specific failures as proof of a fundamental inability to learn causal logic, rather than a limitation of current training data or model scale. The distinction between “current models fail” and “models fundamentally cannot” should be maintained more rigorously.

#### Action items.

- **[writing]** The claim that ‘60% of recent frontier reports ship a fully unified architecture’ (Section 2.1, Highlight Box) is based on a self-selected cohort of ten specific reports. The authors must clarify if this percentage is a generalizable industry statistic or a specific observation of their curated list to avoid over-generalization.
- **[writing]** The paper asserts that closed-source systems (e.g., GPT-Image) realize ‘L4 agentic generation’ while open systems are ‘L3-bounded by construction’ (Section 2.3). This is a strong architectural claim without empirical evidence of the internal agent loops of proprietary models. The language should be softened to ‘conjecture’ or ‘hypothesis’ rather than stated as a definitive fact.
- **[writing]** In Section 5.1, the paper states that ‘Reasoning-augmented generation is most useful in three regimes’ and implies it generally fails for aesthetic prompts. This overstates the current consensus; while trade-offs exist, the claim that explicit reasoning ‘amplifies hallucinations’ for aesthetic prompts is a broad generalization not fully supported by the cited examples (e.g., the physics-exam case).

## Safety Ethics

*Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_safety\_ethics.md

This review focuses exclusively on safety, ethics, and potential for harm within the context of the proposed “Visual Generation” roadmap.

The paper proposes a significant shift toward “Agentic Generation” (Level 4) and “World-Modeling” (Level 5), where models are not just rendering images but planning actions and simulating physical dynamics (Sec 3.4, Sec 5.4). While the paper correctly identifies the technical challenges of causal faithfulness and physical plausibility, it currently lacks a dedicated discussion on the **safety implications of deploying these capabilities in the physical world**. Specifically, in Section 3.4 (Embodied Domain) and Section 5.4 (World Models), the authors discuss using generative models for robot learning and simulation (e.g., “Visual Prediction for Interaction,” “Action-Conditioned Navigation”). There is no mention of safety constraints, failure modes that could lead to physical injury, or the ethical necessity of “safe-by-design” architectures for agents that interact with humans or fragile environments. As the field moves from static generation to agentic action, the risk of generating harmful physical trajectories increases; the paper should explicitly address how these systems can be constrained to prevent such outcomes.

Furthermore, the “Stress Testing” section (Sec 4) and the discussion on “Counterfactual Buoyancy” and “Collision Simulation” (Sec 4.2) highlight the model’s ability to generate physically plausible but potentially dangerous scenarios (e.g., car crashes, structural failures). While framed as evaluation, the paper does not discuss the **dual-use risk** of these capabilities. If these models can reliably simulate collisions or physical interactions, they could theoretically be used to train agents for malicious physical tasks or to bypass safety filters in real-world robotics. The manuscript should include a brief ethical reflection on the boundaries of such simulations and the responsibility of researchers in releasing models with these specific capabilities.

Finally, regarding data ethics, Section 3.2.2 mentions the use of “User-Generated Content” from Reddit (r/PhotoshopRequest) and “Frontier Distillation” from proprietary APIs (e.g., GPT-4o-Image). The paper does not address **data privacy, consent, or the ethical sourcing** of these datasets. Specifically, the use of user-uploaded images for training without explicit consent raises privacy concerns. Additionally, the “distillation” of closed-source models raises questions about intellectual property and the terms of service of the source models. A statement on how these data sources were vetted for PII and compliance with ethical guidelines is necessary.

### Action items.

- **[science]** The paper extensively discusses ‘Agentic Generation’ (L4) and ‘World-Modeling’ (L5) for embodied tasks and robotics (Sec 3.4, 5.4). It must explicitly address safety guardrails for physical deployment, specifically how these models prevent generating unsafe trajectories or instructions that could cause physical harm to humans or property.

- **[science]** The ‘Stress Testing’ section (Sec 4) and ‘World Modeling’ section (Sec 5.4) describe generating counterfactuals (e.g., collisions, sinking objects) and simulating physical interactions. The manuscript should clarify the ethical boundaries of these simulations, particularly regarding the potential for dual-use in training agents for malicious physical actions or bypassing safety filters in real-world robotics.
- **[writing]** The paper cites the use of ‘User-Generated Content’ from Reddit (r/PhotoshopRequest) and ‘Frontier Distillation’ from proprietary APIs (Sec 3.2.2). It lacks a statement on data privacy, consent, and the ethical handling of potentially sensitive or personally identifiable information (PII) within these datasets, as well as the terms of service compliance for distilling closed-source models.

## Scientific Evidence

*Weighs the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_scientific\_evidence.md

The manuscript presents a comprehensive conceptual framework for the evolution of visual generation, but the scientific evidence supporting its central claims—particularly regarding the limitations of current models and the superiority of closed systems—relies heavily on qualitative anecdotes rather than rigorous statistical analysis.

In Section 6 (Stress Testing), the paper presents “Case Studies” (e.g., the Metro Map Challenge, Jigsaw Puzzle) to demonstrate failures in spatial logic and physical reasoning. While these examples are illustrative, they lack the statistical grounding required to support broad claims about model capabilities. The text describes single generation attempts (e.g., “The central hub connects only 3 lines”) without specifying the sample size (N), the number of independent runs, or the failure rate distribution. To support the claim that models “fail on spatial reconstruction” as a general rule, the authors must provide quantitative metrics (e.g., success rates with confidence intervals) across a larger set of prompts and models. Currently, the evidence is anecdotal and susceptible to cherry-picking.

Furthermore, Section 2.4 (“The Closed-Source Frontier”) makes strong assertions about the superiority of closed systems (e.g., “Closed systems maintain identity/lighting better”) based on a “speculative reading.” The text attributes these advantages to unobserved architectural features (e.g., “dual-path encoder,” “agent verification loops”) without presenting empirical data comparing closed and open models on standardized benchmarks. While the distinction is plausible, presenting it as a factual finding without comparative metrics (e.g., adherence scores, identity preservation scores) constitutes a gap in scientific evidence. These claims should be explicitly framed as hypotheses or supported by a comparative table of available benchmark results.

Finally, the proposed five-level taxonomy (L1-L5) in Section 2 is a valuable conceptual tool, but the paper occasionally treats it as an empirically validated hierarchy. The distinction

between levels (e.g., L3 vs. L4) is defined by architectural or operational characteristics (single pass vs. agent loop) rather than measurable performance thresholds. The review should ensure that the text does not imply that models can be objectively “ranked” on this scale without defining quantitative criteria for each level. The current evidence supports the taxonomy as a classification scheme, but not as a validated metric of “intelligence” progression.

### Action items.

- **[science]** The stress-test case studies (e.g., Metro Map, Jigsaw Puzzle in Sec 6) lack quantitative rigor. Report sample sizes (N), number of model runs per prompt, and statistical significance of failure rates rather than single qualitative examples.
- **[science]** Claims regarding ‘closed-source’ superiority (Sec 2.4) are presented as conjecture without empirical data. Provide comparative metrics (e.g., adherence scores, error rates) against open baselines or explicitly label these as unverified hypotheses.
- **[science]** The taxonomy (L1-L5) is a conceptual framework, not an empirically validated hierarchy. Clarify that the ‘levels’ are qualitative distinctions and avoid implying a strict, measurable progression without defining quantitative thresholds for each level.

## Statistical Analysis

*Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_statistical\_analysis.md

The manuscript is a comprehensive survey that proposes a novel taxonomy for visual generation. However, from a statistical analysis perspective, the paper relies heavily on qualitative assertions and anecdotal evidence rather than rigorous quantitative validation.

First, the analysis of publication trends in Figure 1 (Section 1) claims an “exponential acceleration” with 2025 contributing 45.7% of the 411 references. This statistic is highly susceptible to sampling bias, as 2025 is the current year and the bibliography is necessarily truncated. Without a clear definition of the data collection window (e.g., “papers published up to [Date] in 2025”) and a comparison against a baseline (e.g., 2024’s full-year contribution), this percentage likely reflects a cutoff artifact rather than a genuine statistical trend. The authors must clarify the data provenance and statistical validity of this claim.

Second, the “Stress Testing” section (Section 6) is the core of the paper’s argument regarding model limitations, yet it lacks statistical rigor. The authors present specific failure cases (e.g., the Metro Map challenge, the Jigsaw puzzle) as evidence of systemic failures in spatial logic. While illustrative, these are anecdotal. To support the claim that models “fail on spatial reconstruction” generally, the authors should report results from a systematic evaluation: the number of prompts tested, the success/failure rates, and ideally, confidence intervals or statistical significance tests comparing different model classes. Currently, the evidence is qualitative, which weakens the scientific weight of the conclusions drawn about “causal competence.”

Third, in Section 5.2, the paper discusses the shift to “VLM-as-a-Judge” and cites Spearman correlation coefficients (0.57–0.75) between VLMs and human preferences. However, the text omits the sample size ( $N$ ) and the specific benchmark subsets used to derive these correlations. Without  $N$ , it is impossible to determine the statistical power of these estimates or whether the correlations are significantly different from zero or from each other. The authors should provide the sample sizes and, where appropriate, p-values or confidence intervals for these correlation metrics to ensure the reproducibility and validity of the evaluation claims.

Finally, the paper mentions various performance metrics (e.g., accuracy scores for GenEval, text rendering accuracy) but often presents them as single point estimates without context regarding variance or experimental setup (e.g., number of seeds, randomization). While this is a survey, the synthesis of these metrics should acknowledge the statistical uncertainty inherent in the underlying studies.

#### Action items.

- **[science]** The publication trend analysis (Fig 1) reports 2025 contributing 45.7% of 411 references. As 2025 is the current year, this figure is likely biased by the cutoff date of the bibliography rather than a true exponential surge. The authors must clarify the data collection window and whether this percentage reflects a genuine trend or a sampling artifact.
- **[science]** The ‘Stress Testing’ section (Sec 6) presents qualitative failure modes (e.g., Metro Map, Jigsaw) without quantitative aggregation. To support claims about ‘spatial logic’ failures, the authors should report success rates, confidence intervals, or statistical significance tests across a larger, defined set of prompts rather than relying on anecdotal case studies.
- **[science]** In the evaluation section (Sec 5), the paper cites Spearman agreement scores (0.57–0.75) for VLM judges against humans but does not specify the sample size ( $N$ ) or the specific benchmark subsets used. Without  $N$  and p-values, the statistical reliability of these correlation claims cannot be assessed.

## Writing Quality

*Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.*

**Reviewer model:** qwen.qwen3.5-122b

**Prompt:** agents/prompts/paper\_reviewer\_writing\_quality.md

The manuscript presents a comprehensive and ambitious survey of visual generation, with a generally high standard of technical writing. The structure is logical, and the taxonomy proposed in Section 2 is clearly articulated. However, there are several instances of sentence fragments and minor grammatical inconsistencies that disrupt the flow and require polishing before final publication.

In Section 2.1, under the “Key Challenge” for Level 1, the text reads: “Uncontrolled variation: models optimize for distributional plausibility...” While the colon usage is acceptable in some styles, the preceding phrase acts as a fragment rather than a complete thought. A more robust

construction, such as “The key challenge is uncontrolled variation, where models optimize...”, would improve the sentence-level cohesion.

Similarly, in Section 3.1, the opening sentence “Views denoising as an MDP” lacks a subject. It should be revised to “We view denoising as an MDP” or “This section views denoising as an MDP” to ensure grammatical completeness.

In Section 4.2, the phrase “The field is shifting from optimizing statistical plausibility to satisfying explicit constraints” is slightly awkward. The preposition “for” is missing after “optimizing,” which makes the parallel structure less clear. It should read “shifting from optimizing for statistical plausibility to satisfying explicit constraints.”

Additionally, the abbreviation “L1” through “L5” is used frequently. While defined in the introduction, the manuscript would benefit from a consistent re-introduction of the full term “Level 1 (L1)” at the start of each major subsection where these levels are discussed, rather than assuming the reader retains the definition across the entire document. This would significantly aid readability for readers jumping between sections.

Overall, the writing is strong, but these specific grammatical and structural refinements are necessary to achieve the polish expected of a definitive survey paper.

#### **Action items.**

- **[writing]** In Section 2.1 (Level 1), the phrase ‘Uncontrolled variation’ is used as a key challenge header, but the subsequent explanation lacks a clear subject-verb structure, reading as a fragment. Rephrase to a complete sentence (e.g., ‘The primary challenge is uncontrolled variation...’) to improve flow.
- **[writing]** In Section 3.1, the sentence ‘Views denoising as an MDP’ is grammatically incomplete. It should be ‘We view denoising as an MDP’ or ‘This section views denoising as an MDP’ to establish the subject.
- **[writing]** In Section 4.2, the phrase ‘The field is shifting from optimizing statistical plausibility to satisfying explicit constraints’ is slightly ambiguous regarding the agent. Clarify to ‘The field is shifting from optimizing for statistical plausibility to satisfying explicit constraints’ for better readability.
- **[writing]** Throughout the paper (e.g., Section 2.4, 3.2), the use of ‘L1’, ‘L2’, etc., is introduced without a consistent definition of the abbreviation ‘L’ (Level) in the immediate context of the first usage in each subsection. Ensure ‘Level 1 (L1)’ is explicitly defined at first mention in every major section to aid reader navigation.