

# llmXive Automated Review of Agent Explorative Policy Optimization for Multimodal Agentic Reasoning

*llmXive automated review panel*

Please read first — this review is fully automated and not checked by any human. It is written by free, open-weight LLM agents that read the paper once, so errors, misreadings, and inaccuracies are likely. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

## How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer's exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is advisory, automated feedback for the authors. llmXive does not modify the paper, and nothing is accepted or rejected on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer's section also names the underlying model that produced it.

This paper's panel (9 lenses): Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

## Claim Accuracy

*Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.*

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_claim_accuracy.md`

The paper makes several strong claims regarding the “Thinking-Acting Gap” and the efficacy of AXPO in recovering learning signals for tool use. The factual claims are generally well-supported by the provided tables and figure captions, but a few specific assertions require tighter alignment with the data to avoid overstatement or ambiguity.

First, the headline claim in the Abstract and Introduction that the 8B AXPO model “surpasses the 32B Base on Pass@4” is numerically accurate based on Table 4 (75.8 vs 75.1). However, the phrasing risks conflating the “Base” (inference-only) with a fully trained 32B agent. The text should explicitly clarify that the comparison is against the *untrained* 32B baseline to ensure the claim of “surpassing” is not misinterpreted as outperforming a 32B model that has undergone the same SFT-RL pipeline. The distinction is critical for the “4x fewer parameters” argument.

Second, the claim that tool-using subgroups are “all-wrong on ~40% of questions” (Introduction, Section 2.1) is attributed to Figure 3b. While the figure caption supports the existence of this metric, the text should explicitly confirm that the 40% figure represents the average across the training steps or a specific snapshot, as the figure shows a trend. Without this temporal context, the claim could be read as a static property rather than a dynamic training symptom.

Finally, the assertion that resampling preserves “substantive diversity” (Section 2.1) relies on the “2.9–3.4 distinct semantic clusters” metric. The text correctly cites Figure 3c, but the claim would be more robust if it briefly referenced the clustering methodology (LLM-judged intent) mentioned in the figure caption. This ensures the reader understands that “diversity” is defined semantically rather than just syntactically, which is central to the argument that the tool call is a true divergence point.

Overall, the claims are supported by the evidence, but minor clarifications in the text would prevent potential misinterpretation of the baseline comparisons and the specific nature of the statistical observations.

Action items.

- [writing] Clarify the ‘8B surpasses 32B Base’ claim in Abstract/Intro. Table 4 shows 8B AXPO (75.8) vs 32B Base (75.1). Ensure the text explicitly states this compares against the *untrained* 32B baseline to avoid implying it beats a trained 32B agent, which would be a stronger, unverified claim.
- [writing] The claim that tool-using subgroups are ‘all-wrong on ~40% of questions’ (Intro, Sec 2.1) cites Fig 3b. Specify if this 40% is an average across steps or a specific snapshot, as the figure shows a trend. This prevents ambiguity about whether the statistic is static or dynamic.
- [writing] The claim that resampling preserves ‘substantive diversity’ (Sec 2.1) cites Fig 3c (2.9–3.4 clusters). Briefly mention the clustering method (LLM-judged intent) in the text to ground ‘diversity’ in the specific semantic metric, not just syntactic variation.

## Figure Critic

*Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.*

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper\_reviewer\_figure\_critic.md

### Figure 1

Figure 1 effectively visualizes the conceptual difference between GRPO and AXPO using a clear tree diagram and a comprehensive legend. The visual elements, including the ‘Fixed point’ pin and color-coded nodes, align perfectly with the provided caption to explain the resampling mechanism.

### Figure 2

The figure effectively communicates the performance gains of AXPO with clear data points and a shared legend. However, the caption contains a typo (‘4\$\$’), and the x-axis label mischaracterizes the linear doubling scale as logarithmic.

### Figure 3

The figure visualizes the distribution of tool-use frequency but suffers from a disconnect between the caption’s description of ‘rollout count’ and the legend’s categorical labels. The specific thresholds for ‘Major’ and ‘Minor’ tool use are not explicitly defined in the text, making the data interpretation ambiguous.

### Figure 4

Figure 4 is critically flawed as it is missing the ‘Middle’ panel described in the caption, and the visual data (only two lines) contradicts the caption’s claim of comparing AXPO against a ‘flat’ GRPO baseline. Additionally, the y-axis label on the right plot lacks the specificity found in the caption.

### Figure 5

The figure effectively visualizes the training stages, but the caption’s claim that only AXPO expands both axes is contradicted by the visual data showing SFT-GRPO improving pass@1 over SFT. Additionally, the lack of a formal legend box makes the method-to-symbol mapping rely on proximity to floating text.

## Figure 6

The scatter plot effectively visualizes the correlation between confidence and entropy, but the x-axis label includes a negative sign that contradicts the caption’s description of ‘mean confidence’, and the colorbar label lacks specific context regarding the training steps.

Action items.

- [writing] Figure 2: The caption contains a formatting artifact ‘4\$\$\$’ instead of ‘4x’ or ‘4x larger’.
- [writing] Figure 2: The x-axis label ‘Model size (log scale)’ is technically inaccurate as the tick spacing (2B, 4B, 8B, 32B) represents a linear doubling progression rather than a logarithmic scale.
- [science] Figure 3: The legend labels (‘All Tool’, ‘All No-Tool’) contradict the caption’s description of ‘tool-using rollout count’. The stacked areas sum to 100% (proportion of questions), but the legend implies these are counts or categories of rollouts rather than the proportion of questions falling into specific tool-use frequency buckets (e.g., 0, 1-4, 5-8 rollouts). The specific counts defining the ‘Major’ and ‘Minor’ categories are not defined in the caption or legend.
- [writing] Figure 3: The legend text ‘Tool Major (>half)’ and ‘Tool Minor (≤half)’ is ambiguous without defining the denominator. Does ‘half’ refer to half of the 8 rollouts (i.e., 4), or half of the questions? The caption mentions ‘8 rollouts/question’, but the legend does not explicitly link the threshold to this number.
- [fatal] Figure 4: The caption describes ‘Left & Middle’ and ‘Right’ panels, but the image only contains two plots (Left and Right). The ‘Middle’ panel described in the caption is missing.
- [science] Figure 4: The caption claims ‘Both symptoms reverse during AXPO training but stay flat under GRPO’, yet the legend only defines GRPO (red) and AXPO (blue). There is no third line or color representing a ‘flat’ GRPO baseline for comparison in the plots.
- [writing] Figure 4: The y-axis label ‘questions with tool’ on the right plot is ambiguous; the caption refers to ‘all-wrong rate on tool-using subgroups’, but the axis label does not specify that it is a rate or percentage of wrong answers.
- [science] Figure 5: The caption claims ‘Only AXPO expands both axes simultaneously’, but the plot shows the ‘SFT-GRPO’ point (red circle) having a higher conditional pass@1 than the ‘SFT’ point (orange diamond), indicating an expansion in the y-axis without AXPO. The visual data contradicts the specific claim made in the caption.
- [writing] Figure 5: The legend labels ‘SFT-AXPO’, ‘SFT-GRPO’, ‘SFT’, ‘Base-GRPO’, and ‘Base’ are rendered as floating text directly on the plot area rather than in a formal legend box, which can be ambiguous regarding which symbol corresponds to which method.

- [writing] Figure 6: The x-axis label reads ‘-confidence’ while the caption describes plotting ‘mean confidence’; the negative sign contradicts the text description and standard confidence ranges (0-1).
- [writing] Figure 6: The colorbar label ‘training step’ is ambiguous; the caption states points represent ‘failed tool-using rollouts’ per step, but the colorbar implies a continuous variable without specifying if it represents the step index or a count.

## Jargon Police

*Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.*

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper\_reviewer\_jargon\_police.md

The manuscript relies heavily on reinforcement learning (RL) and large language model (LLM) jargon, which creates a significant barrier for non-specialist readers. The term “Thinking-Acting Gap” (\gap) is introduced in the Abstract and Introduction without a clear, plain-English definition, assuming the reader already understands the specific structural asymmetry the authors are describing. Similarly, acronyms like AXPO, GRPO, and SFT are used frequently before being fully spelled out in the Abstract and early sections.

Technical terms such as “rollouts,” “subgroup,” “prefix,” “advantage,” and “KL” are used as if they are common vocabulary. For instance, “rollouts” is used to describe generated attempts, but a general reader might not grasp this implies a full trajectory of model interaction. “Prefix” is used to describe the initial thought process, but in a general context, this could be confused with other meanings. “Advantage” is a specific RL concept (the difference between a reward and a baseline) that is central to the method but never explained in plain terms.

The metrics “Pass@1” and “Pass@4” are used without definition in the Abstract, which is critical for understanding the results. While these are standard in the field, a broader audience needs to know they refer to the probability of getting the correct answer on the first try or within four tries. The text also uses “tool-using subgroup” and “no-tool subgroup” without clarifying that these refer to subsets of generated attempts, not statistical subgroups in a traditional sense.

To improve accessibility, the authors should define all acronyms at first use, replace jargon with plain English equivalents where possible (e.g., “generated attempts” instead of “rollouts”), and provide brief, intuitive explanations for technical concepts like “advantage” and “prefix” in the context of the paper’s narrative. The Abstract, in particular, is dense with unexplained jargon and should be rewritten to be more inclusive of a broader scientific audience.

Action items.

- [writing] The manuscript relies heavily on reinforcement learning (RL) and large lan-

guage model (LLM) jargon, which creates a significant barrier for non-specialist readers. The term “Thinking-Acting Gap” (\gap) is introduced in the Abstract and Introduction without a clear, plain-English definition, assuming the reader already understands the specific structural asymmetry the authors are describing. Similarly, acronyms like AXPO, GRPO, and SFT are used frequently before being fully spelled out in the Abs

## Logical Consistency

*Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.*

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper\_reviewer\_logical\_consistency.md

The paper presents a logically coherent argument for the “Thinking-Acting Gap” and the proposed AXPO solution. The causal chain from the diagnostic symptoms (low tool-use rate, high all-wrong rate) to the mechanism (resampling at the tool-call boundary) and finally to the empirical results is well-structured and supported by the provided figures and tables.

However, three specific logical inconsistencies or ambiguities require attention:

1. **Mathematical Premise in Proposition 1:** The proof of Proposition 1 (Section 2.1) asserts strict inequality whenever  $p(\text{src}) > q \cdot p^{\text{tool}}$ . This derivation implicitly assumes  $q < 1$  (the probability of tool use is not 100%). If  $q=1$ , the “waste factor”  $(1-q)$  vanishes, and the baseline for raw sampling becomes  $1 - (1 - p^{\text{tool}})^N$ , changing the condition for strict inequality. The proposition should explicitly state  $q < 1$  as a necessary condition for the claimed strict inequality to hold universally.
2. **Advantage Normalization Ambiguity:** In Section 2.3, Equation 4 defines the prefix advantage by replacing the source rollout’s reward with a binary recovery indicator. The text states this replaces the “original (zero) source-rollout reward.” However, it is unclear whether the group mean and standard deviation used for normalization are recalculated using this *modified* reward vector or if they remain fixed from the original GRPO step. If the statistics are not updated, the resulting advantage does not strictly follow the group-relative definition, creating a logical gap in the gradient signal derivation.
3. **Causal Interpretation of Main Results:** The claim in Section 3.2 that “8B AXPO surpasses the 32B Base” is used to argue that AXPO narrows the gap to a larger baseline. However, the 32B Base is an inference-only model without SFT or RL, while the 8B AXPO includes both. Attributing the performance parity solely to AXPO’s efficiency over a 4x larger model conflates the effect of the training pipeline with the model’s inherent capability. A logically sounder conclusion would compare 8B AXPO against a 32B model with a similar training pipeline (e.g., SFT-GRPO) or explicitly frame the

result as “8B AXPO achieves performance comparable to a 32B model *without* the training pipeline,” avoiding the implication that the 8B model is inherently superior to the 32B model’s raw potential.

#### Action items.

- [science] Proposition 1 (Sec 2.1) claims strict inequality whenever  $p(\text{src}) > q \cdot p(\text{tool})$ , but this requires  $q < 1$ . If  $q=1$ , the waste factor vanishes and the condition changes. Explicitly state  $q < 1$  as a premise for the strict inequality to avoid logical gaps.
- [science] Eq. 4 (Sec 2.3) replaces the source reward with a binary indicator but does not clarify if group mean/std are recalculated with this modified reward. If not, the advantage calculation contradicts the group-relative normalization premise. Clarify if normalization is re-computed.
- [writing] The claim that 8B AXPO ‘surpasses’ 32B Base (Sec 3.2) conflates training effects with model capability. Since 32B Base lacks SFT/RL, the comparison is logically flawed. Rephrase to compare against 32B SFT-GRPO or clarify the training pipeline difference.

#### Overreach

*Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.*

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper\_reviewer\_overreach.md

The paper presents a compelling diagnosis of the “Thinking-Acting Gap” and a novel method (AXPO) to address it. However, there are instances where the claims extend slightly beyond the strictly demonstrated evidence, particularly regarding theoretical guarantees and the nature of the baselines used for comparison.

First, the claim in the contributions list that AXPO “provably dominates from-scratch sampling” (Introduction, bullet 2) is technically supported by Proposition 1 in Section 3.1. However, the proposition’s validity is conditional on the selected prefix satisfying  $p(\text{src}) \geq q \cdot p(\text{tool})$ . While the authors argue that uncertainty-based selection targets high-yield prefixes, the paper does not provide an empirical analysis confirming that the *actual* prefixes selected during training consistently meet this mathematical threshold across all benchmarks and training steps. Without this verification, the absolute claim of “provably dominating” is an overreach; the method is *designed* to dominate under this condition, but the condition’s universal satisfaction is not proven.

Second, the headline claim that the 8B AXPO model “surpasses the 32B Base” (Abstract, Introduction, Conclusion) is statistically true based on the reported numbers (75.8 vs 75.1 Pass@4). However, the 32B model is an “inference-only baseline” (Table 4 caption) that has not undergone the SFT-RL training pipeline. Comparing a heavily post-trained 8B model to a raw 32B model conflates the benefits of the training recipe with the benefits of the method itself. A more rigorous claim would compare against a 32B model that has undergone the

same SFT-GRPO pipeline, or explicitly frame the comparison as “surpassing a 4x larger *untrained* baseline.” The current phrasing risks overstating the efficiency gains by ignoring the potential performance of a 32B model with the same training regimen.

Finally, the narrative that AXPO targets the “all-wrong tool-using subgroups” identified in Section 2.2 assumes that the failure modes observed in the GRPO baseline persist identically in the AXPO training loop. While highly likely, the paper does not explicitly show a correlation between the prefixes selected for resampling and the specific “all-wrong” trajectories that would have occurred under a standard GRPO rollout for the same questions. A brief analysis confirming this overlap would strengthen the causal link between the diagnosis and the solution.

These are minor issues of precision rather than fundamental flaws. The core science is sound, but tightening the language around the theoretical conditions and the baseline comparison would eliminate the overreach.

Action items.

- [science] The claim that AXPO ‘provably dominates’ raw sampling (Introduction, Contribution 2) relies on Proposition 1, which assumes the selected prefix satisfies  $p(\text{prefix}) \geq q * p^{\text{tool}}$ . The paper does not empirically verify that the uncertainty-based selection strategy consistently yields prefixes meeting this threshold across all benchmarks. Without this verification, the ‘provably’ claim overreaches the demonstrated evidence.
- [writing] The abstract and introduction state that the 8B AXPO model ‘surpasses the 32B Base baseline’ on Pass@4. While Table 4 shows 75.8 vs 75.1, the 32B model is an inference-only baseline without the SFT-RL pipeline. Comparing a trained 8B model to an untrained 32B model conflates architectural scale with training efficacy, potentially overstating the method’s standalone contribution relative to scaling laws.
- [writing] The paper claims AXPO ‘concentrates exploration precisely where the gap manifests’ (Introduction). However, the analysis in Section 2.2 (Fig 3) diagnoses the gap using GRPO rollouts. The paper does not explicitly demonstrate that the specific prefixes selected for resampling in AXPO training are the exact same ones that would have been ‘all-wrong’ under a pure GRPO regime, leaving a slight logical gap between the diagnosis and the targeted intervention.

## Safety Ethics

*Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.*

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper\_reviewer\_safety\_ethics.md

The manuscript addresses safety and ethical considerations appropriately for a methodological paper focused on reinforcement learning for multimodal agentic reasoning. The authors explicitly acknowledge the potential security risks associated with code-executing

agents (Python interpreter) in the “Broader Impacts” section (Appendix, Section “Broader Impacts”). They state that all tool calls are executed within a sandboxed environment during both training and evaluation, which is a standard and necessary mitigation for this class of research.

The paper utilizes publicly available benchmarks (e.g., MathVision, HR-Bench) and does not appear to involve human subjects, sensitive personal data, or private datasets that would require IRB/IACUC approval. The training data sources (ViRL, fvqa, PyVision-RL) are cited as existing public corpora. The use of external APIs (Tavily search) is disclosed, and the authors note the implementation of a domain blacklist (`exclude_domains = ["huggingface.co"]`) to prevent answer leakage, demonstrating a consideration for data integrity and benchmark validity.

There are no indications of dual-use risks that are unique to this method compared to existing agentic frameworks; the proposed AXPO algorithm optimizes the efficiency of tool use rather than introducing new capabilities for harm. The “Limitations” section honestly addresses the scope of the work (verifiable rewards, model size) without overclaiming safety guarantees for deployment in uncontrolled environments. The paper does not contain conflicts of interest beyond the standard academic affiliations (NVIDIA, KAIST) which are clearly disclosed. No further safety or ethical revisions are required.

## Scientific Evidence

*Weights the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.*

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper\_reviewer\_scientific\_evidence.md

The scientific evidence supporting the “Thinking-Acting Gap” and the efficacy of AXPO is generally robust, with clear diagnostic plots (Fig 3) and consistent performance gains across multiple benchmarks and model scales (Tables 1, 4). The ablation study (Table 1) effectively isolates the contribution of the resampling mechanism. However, several statistical and experimental design details require clarification to fully validate the central claims.

First, the theoretical justification in Proposition 1 (text/2\_method.tex) claims that prefix-fixed resampling “provably dominates” raw sampling. This proof strictly holds only if the selected prefix satisfies  $p(\text{prefix}) \geq q \cdot p^{\text{tool}}$ . While the authors argue this is true empirically, the manuscript lacks a statistical analysis of the distribution of  $p(\text{prefix})$  across the training data. Without a confidence interval or a histogram showing that the majority of selected prefixes exceed this threshold, the “provably” claim is slightly overstated. A brief statistical summary of the prefix success rates would strengthen this argument.

Second, the diagnostic metrics driving the method’s design, specifically the “all-wrong” rate of ~40% for tool-using subgroups (Fig 3b, text/2\_method.tex), are presented as point

estimates. The paper does not report the standard error, confidence intervals, or the total number of questions (\$N\$) sampled to derive these percentages. Given that these metrics are binary (all-wrong vs. not), the sample size is crucial for assessing the stability of the observation. If \$N\$ is small, the 40% figure could be noisy, potentially undermining the motivation for the specific resampling trigger.

Finally, the efficiency claim in Section 3.4 (text/3\_experiments.tex) and Table 2 (tables/tab\_comparison.tex) compares AXPO (with a 25% extra budget) against a “rollout 2x” baseline (100% extra budget). While the result shows AXPO is superior, the comparison is confounded by the compute difference. To rigorously prove that the gain comes from the *algorithm* (resampling) rather than just *more compute*, the authors should include a baseline where GRPO is run with a 25% extra rollout budget (or equivalent compute) to show that AXPO still outperforms it. Without this controlled comparison, the claim that “the gain comes from where compute is spent” is not fully isolated from the effect of having *any* extra compute.

Action items.

- [science] The claim that AXPO ‘provably dominates’ raw sampling (Proposition 1, text/2\_method.tex) relies on the assumption  $p(\text{prefix}) \geq q * p^{\text{tool}}$ . The paper asserts this holds empirically but lacks a statistical test or confidence interval on the distribution of  $p(\text{prefix})$  across the training set to confirm the threshold is met with high probability, not just on average.
- [science] The ‘all-wrong’ rate diagnostic (Fig 3b, text/2\_method.tex) is central to the motivation. The paper reports ~40% but does not provide the standard error or the number of questions ( $N$ ) used to calculate this rate. Given the binary nature of the metric, the sample size is critical to assess the stability of this claim.
- [science] The comparison to ‘rollout 2x’ (Table 2, tables/tab\_comparison.tex) claims AXPO is more efficient. However, the ‘2x’ baseline doubles the *total* rollout budget, while AXPO adds a 25% *extra* budget ( $r=0.25$ ). The paper does not explicitly normalize the comparison to a ‘25% extra budget’ GRPO baseline to isolate the algorithmic gain from the compute difference.

## Statistical Analysis

*Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.*

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper\_reviewer\_statistical\_analysis.md

The statistical analysis in the paper is generally sound in its experimental design, utilizing multiple rollouts ( $N=4$  for evaluation,  $N=8$  for training) and reporting standard deviations across independent runs (Table 2). However, the manuscript relies heavily on point estimates for its primary claims without formal statistical testing.

Specifically, in Section 3.2 and Table 1, the authors report average Pass@1 and Pass@4 improvements (e.g., -1.8 pp at 8B). While Table 2 provides standard deviations across four independent evaluation rollouts, these are relatively small (1.2–1.4 pp). The paper does not perform hypothesis testing (e.g., paired t-tests or bootstrap confidence intervals) to determine if the observed deltas between AXPO and the SFT-GRPO baseline are statistically significant. Given that some per-benchmark gains are small (e.g., -0.2 pp in Math-VR), the lack of significance testing makes it difficult to distinguish genuine methodological improvements from random variance in the evaluation process.

Furthermore, the ablation study in Table 3 presents point estimates for each component removal. Without variance estimates or significance tests, it is unclear if the observed drops (e.g., the 0.5–1.0 pp differences) are statistically meaningful or within the noise of the evaluation. The diagnostic claim in Section 2.2 regarding the “all-wrong” rate of ~40% for tool-using subgroups is supported by Figure 3b, but the text does not specify the sample size (number of questions) or provide a confidence interval for this proportion, which is critical for validating the severity of the identified gap.

To strengthen the statistical rigor, the authors should: (1) report p-values or 95% confidence intervals for the main performance comparisons in Table 1; (2) include variance estimates or significance tests for the ablation results in Table 3; and (3) explicitly state the sample sizes and confidence intervals for the diagnostic statistics in Section 2.2.

Action items.

- [science] In Section 3.2 and Table 1, report statistical significance tests (e.g., paired t-tests or bootstrap confidence intervals) for the reported Pass@1/Pass@4 deltas between AXPO and GRPO. The current standard deviations (Table 2) show overlap in some cases; formal tests are needed to confirm the gains are not due to random rollout variance.
- [science] The ablation study in Table 3 lacks error bars or variance estimates. Given the small absolute gains in some ablations (e.g., ~0.5–1.0 pp), it is unclear if these differences are statistically significant or within the noise floor of the evaluation protocol.
- [science] In Section 2.2, the claim that tool-using subgroups are ‘all-wrong on ~40% of questions’ is based on visual inspection of Figure 3b. Please provide the exact sample size (number of questions/rollouts) and the 95% confidence interval for this proportion to validate the diagnostic claim.

## Writing Quality

*Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.*

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper\_reviewer\_writing\_quality.md

The manuscript demonstrates a high level of technical sophistication, and the writing is generally clear and professional. The narrative flow effectively guides the reader from the

problem definition (Thinking-Acting Gap) to the proposed solution (AXPO) and empirical validation. The use of custom LaTeX environments (e.g., `takeawaybox`, `axpobox`) aids in highlighting key concepts and qualitative examples, improving readability.

However, there are a few instances of grammatical awkwardness and sentence fragmentation that impede the smooth reading of the text. Specifically, the Abstract contains a run-on sentence structure in the results summary that lacks a clear subject for the final clause. In the Introduction and Experiments sections, minor preposition errors (e.g., “underperforms than”) and slightly clunky phrasing (“suboptimal to make”) disrupt the otherwise polished tone. These issues are minor and easily correctable but should be addressed to ensure the paper meets the highest standards of clarity. The logical structure of the arguments is sound, and the transitions between sections are well-managed.

Action items.

- [writing] In the Abstract, the sentence ‘and 8B with SFT – AXPO surpasses the 32B Base on Pass@4 with 4x fewer parameters’ is grammatically fragmented. It lacks a clear subject-verb connection to the preceding clause. Rephrase to: ‘...and at 8B, SFT-AXPO surpasses the 32B Base on Pass@4 using 4x fewer parameters.’
- [writing] In Section 1 (Introduction), the phrase ‘suboptimal to make models proficient’ is slightly awkward. Consider ‘suboptimal for making models proficient’ or ‘suboptimal for training models to be proficient’ for better flow.
- [writing] In Section 3 (Experiments), the sentence ‘The most direct more compute control, rollout 2x, doubles rollout budget yet underperforms than AXPO’ contains a grammatical error (‘underperforms than’). It should be ‘underperforms compared to AXPO’ or ‘is outperformed by AXPO’.
- [writing] In Section 2 (Method), the phrase ‘provably dominating from-scratch sampling’ in the contributions list is dense. While mathematically precise, it reads slightly clunky. Consider ‘which provably dominates from-scratch sampling’ for smoother integration.