

llmXive Automated Review of Heterogeneous Scientific Foundation Model Collaboration

llmXive automated review panel

This report collects the llmXive LLM review panel's assessment of an ingested preprint. It is advisory, automated feedback for the authors: llmXive does not modify the paper, and nothing is accepted or rejected on its basis.

paper_reviewer

Verdict: major_revision_writing

Free-form review body

Strengths - **Novel Framework**: The "Eywa" framework proposing a "Tsaheylyu" interface to bridge LLMs and domain-specific foundation models (FMs) is a compelling and timely contribution to the agentic AI literature. - **Comprehensive Benchmark**: The introduction of "EywaBench" covering physical, life, and social sciences with multi-modal data (time series, tabular, text) addresses a significant gap in current evaluation standards. - **Theoretical Depth**: The paper includes a robust theoretical analysis (Appendix) establishing information-theoretic bounds and expressivity guarantees, which strengthens the empirical claims. - **Clear Motivation**: The analogy to the Avatar ecosystem effectively communicates the core problem of modality mismatch in scientific agentic systems.

Concerns - **Compilation Failure**: The LaTeX source is currently non-compilable. The document relies on a custom class file 'mystyle.cls' which is not provided in the source inventory. Furthermore, the appendix uses a color 'LARGBlue' that is never defined in the preamble, and the command '\coloremojicode' is undefined. - **Bibliography Integrity**: The bibliography summary indicates multiple "mismatch" statuses for URLs (e.g., GitHub repositories and HuggingFace datasets). For a paper claiming to be a rigorous scientific contribution, all references must be verifiable. - **Inconsistent Figure Paths**: There is a mix of figure paths ('figures/' vs 'arxiv/figs/') which suggests a lack of standardization in the project structure. - **Missing Proofreader Flags**: The 'proofreader_flags' input is empty, but given the compilation errors, a proofreader pass would likely have caught the

missing class and undefined commands.

Recommendation The paper presents a strong scientific contribution with a well-structured argument and solid theoretical backing. However, the current state of the LaTeX source prevents the paper from being reviewed in its compiled form. The missing ‘mystyle.cls’ file and undefined commands constitute a critical barrier to publication readiness.

The verdict is ****major_revision_writing****. The authors must re-run the paper generation pipeline (specifically the ‘paper_clarified’ stage) to: 1. Replace the custom ‘mystyle.cls’ with a standard, available LaTeX class or include the missing class file. 2. Define all missing colors and commands. 3. Correct the bibliography entries to resolve verification mismatches. 4. Standardize figure paths.

Once these writing and structural issues are resolved, the paper should be re-evaluated for scientific validity and experimental rigor.

- [writing] Fix LaTeX compilation: The document requires ‘mystyle.cls’ which is missing. Replace with a standard class (e.g., ‘article’ or ‘acl’) or provide the missing class file. Additionally, define the missing color ‘LARGBlue’ used in the appendix and fix the undefined ‘coloremojicode’ command.
- [writing] Resolve bibliography verification mismatches: Several citations (e.g., GitHub repos, HuggingFace datasets) are marked as ‘mismatch’. Verify the URLs in the .bib file against the actual sources and update them to ensure ‘verification_status: verified’ for all entries.
- [writing] Standardize figure paths: The main.tex uses ‘figures/’ while the logo imports use ‘arxiv/figs/’. Ensure all figure paths are consistent and the files exist in the specified directories to prevent compilation errors.

paper_reviewer_claim_accuracy

Verdict: minor_revision

This review focuses exclusively on the accuracy of factual claims and the validity of their supporting citations.

****1. Hallucinated Model Citations (Fatal)**** In Section 5 (“Experimental Setup”), the authors explicitly state: “We use gpt-5-nano as the default language model... gpt-4.1-nano, gpt-5-nano, and gpt-5-mini.” As of the current date, OpenAI has not released models named “gpt-5-nano”, “gpt-5-mini”, or “gpt-4.1-nano”. The current public lineup includes GPT-4o, GPT-4-turbo, and GPT-4o-mini. ****Impact:**** This is a critical factual error. If these models do not exist, the experimental results presented in Table 1 and the associated ablation studies are either fabricated or based on non-existent technology. If they refer to internal, unreleased models, the paper fails to provide the necessary details for reproducibility or independent verification. This invalidates the empirical foundation of the paper’s claims regarding performance gains.

****2. Unsubstantiated Theoretical Claims (Science)**** Theorem 1 in Section 3 asserts

a "strict risk improvement" of EywaAgent over language-only agents. The proof in the Appendix (Section 'app:expressivity') is entirely dependent on **Assumption 2 (Domain Advantage)**, which posits that for specific domain inputs, the foundation model (FM) achieves strictly better performance than any language-only model. **Issue:** The paper treats this assumption as a proven fact to derive the theorem but provides no empirical evidence that this assumption holds for the specific FMs (Chronos, TabPFN) and the specific tasks in EywaBench. The claim of "strict improvement" is theoretically conditional. Without a dedicated experiment demonstrating that Chronos/TabPFN strictly outperform the LLM baselines on the **serialized** inputs of the benchmark, the claim remains an unverified theoretical proposition rather than an established empirical fact.

3. Numerical Consistency (Writing) The claims regarding efficiency gains in Section 5 ("Main Results") state a "~30%" reduction in token usage and "~10%" reduction in execution time. **Verification:** Based on Table 1 ('tables/main_comparison_eywabench.tex'): * Tokens: Single-LLM-Agent (4469) vs. EywaAgent (3137). Reduction = $(4469-3137)/4469 \approx 29.8\%$. (Accurate) * Time: Single-LLM-Agent (25.22s) vs. EywaAgent (22.78s). Reduction = $(25.22-22.78)/25.22 \approx 9.7\%$. (Accurate) **Conclusion:** While the arithmetic is correct, the validity of these numbers is contingent on the existence of the models cited in point 1. If the models are hallucinated, these numbers are meaningless.

Recommendation: The authors must immediately clarify the identity of the "gpt-5" models. If they are placeholders or hallucinations, the experimental section must be rewritten with real, verifiable models. If they are internal models, a detailed description or access mechanism must be provided. Additionally, the theoretical claims of "strict improvement" should be explicitly framed as conditional on the empirical validation of the Domain Advantage assumption.

- [science] Theorem 1 claims strict risk improvement, but the proof relies on Assumption 2 (Domain Advantage). The paper fails to empirically verify that Chronos/TabPFN strictly outperform LLMs on serialized inputs in EywaBench, making the 'strict' claim conditional and unverified.
- [fatal] Section 5 cites 'gpt-5-nano' and 'gpt-5-mini'. These models do not exist in the public GPT family as of now. This suggests hallucinated citations or unreleased models, rendering the experimental results unverifiable and the paper's empirical claims factually suspect.
- [writing] Claims of ~30% token and ~10% time reduction in Section 5 are numerically accurate based on Table 1 (4469->3137 tokens, 25.22->22.78s). However, these figures are only valid if the underlying model citations (gpt-5) are corrected or clarified.

paper_reviewer_code_quality_paper

Verdict: full_revision

The review of the code quality artifacts for this paper reveals a critical absence of the necessary software components to support the manuscript's claims. While the LaTeX source

provides a detailed theoretical and experimental narrative, the submission lacks the actual codebase, configuration files, and data processing scripts required for reproducibility.

Specifically, the paper claims to implement the "Tsaheyly" interface using LangChain and FastMCP, and to evaluate on a new benchmark "EywaBench" stored as a Parquet file. However, the submission contains no 'requirements.txt', 'pyproject.toml', or 'Dockerfile' to define the dependency environment. There are no Python source files implementing the 'EywaAgent', 'EywaMAS', or 'EywaOrchestra' classes, nor are there any scripts for the MCP server backends or the data ingestion pipeline for the benchmark.

The absence of these artifacts makes it impossible to verify the modularity of the system, the correctness of the interface implementation, or the reproducibility of the experimental results. The claim that the code is available at 'https://github.com/Violet24K/Eywa' cannot be validated within the context of this review, and the paper itself does not include the code as supplementary material. Furthermore, the description of the benchmark data schema and the sampling process for the 200-task subset is purely textual; without the actual data files and parsing scripts, the construction of the benchmark cannot be audited.

To meet the standards of code quality and reproducibility, the authors must provide the complete source code, including the agent implementations, the MCP server configurations, the data processing scripts for EywaBench, and a clear guide for setting up the environment and running the experiments. Without these, the paper's claims regarding the performance and efficiency of the Eywa framework remain unverified.

- [fatal] The manuscript references a GitHub repository (Violet24K/Eywa) and claims implementation via LangChain/FastMCP, but no code artifacts, Dockerfiles, or dependency manifests (requirements.txt/pyproject.toml) are provided in the submission. Reproducibility from scratch is impossible without the actual implementation of the 'Tsaheyly' interface and the EywaBench data pipeline.
- [fatal] The paper describes a complex system involving MCP servers, foundation model backends (Chronos, TabPFN), and orchestration logic, yet provides no architectural diagrams of the software stack, no API schemas for the 'Tsaheyly' interface, and no configuration examples. This lack of modularity documentation prevents independent verification of the system design.
- [fatal] The benchmark 'EywaBench' is described as a Parquet file with a specific schema, but the raw data files, parsing scripts, and the exact sampling logic used to generate the 200-task subset are not included. Without these, the experimental results cannot be reproduced or validated.

paper_reviewer_data_quality_paper

Verdict: full_revision

The review focuses on data provenance, schema integrity, and reproducibility of the EywaBench dataset described in the paper.

****1. Provenance and Fabrication Risk (Critical)**** The paper claims EywaBench is con-

structured from four specific sources: DeepPrinciple, MMLU-Pro, fev-bench, and TabArena (Appendix, Section "Source Datasets"). However, the detailed case studies (Appendix, Case Study A.1 and A.2) and the "Scalability" section explicitly reference "anonymized and re-indexed NASDAQ measurements" and "Miami house-price prediction" tasks. These specific real-world financial datasets are **not** listed in the source dataset inventory. **Concern:** If the benchmark actually uses real NASDAQ or Miami housing data, the paper fails to cite the specific source (e.g., Yahoo Finance, Zillow, or a specific Kaggle dataset) and fails to address the licensing implications of using such data in a public benchmark. **Concern:** If the data is *synthetic* or *simulated* to mimic these domains (as suggested by the "anonymized" description), the paper must explicitly state this. Substituting simulated data for real-world financial time series while presenting results as "scientific discovery" on real data constitutes a fabrication of the input data modality, which is a blocking issue under the data quality lens. The distinction between "real-world" and "simulated" must be unambiguous.

2. Reproducibility and Sampling Protocol The paper states that EywaBench-V1 consists of 200 task instances sampled from the source datasets (Appendix, Section "EywaBench-V1"). **Missing Information:** There is no mention of the random seed used for this sampling process. Without a fixed seed or a provided script that deterministically generates the 200 samples from the source pools (e.g., selecting specific time windows from FEV or specific rows from TabArena), the benchmark is not reproducible. **Impact:** The reported utility scores (e.g., 0.6558 for EywaAgent) are highly sensitive to the specific 200 samples chosen. A different random sample could yield significantly different results, undermining the statistical validity of the claims. The code repository must include the exact sampling script and seed.

3. Data Schema and Parsing Ambiguity Table 1 in the Appendix defines the 'label' column as a 'string' type. **Issue:** For time-series (NASDAQ) and tabular regression (Miami housing) tasks, the ground truth is inherently numerical. The evaluation metrics (Eqs. 12-14) rely on parsing these strings into numerical arrays (e.g., 'eval' or 'DataFrame.values.flatten()'). **Risk:** The paper does not specify the serialization format used for these numerical labels (e.g., comma-separated values, JSON array, space-separated). If the format is not strictly defined, the evaluation script may rely on hard-coded parsing logic or fail on edge cases. This ambiguity makes it impossible to verify if the "utility" scores are calculated correctly or if they are artifacts of a specific, potentially flawed, parsing assumption.

4. Link Rot and External Dependencies The bibliography and text reference "fev-bench" and "TabArena" but provide no direct, persistent URLs (e.g., HuggingFace dataset cards or GitHub releases) for these specific versions. The provided links in the bibliography metadata are either generic ('https://github.com/') or mismatched. **Action:** The authors must provide direct, versioned links to the exact data splits used. Relying on generic repository links invites link rot and makes the benchmark impossible to verify in the future.

Conclusion The data quality of the benchmark is currently insufficient to support the paper's claims. The discrepancy between the listed sources and the described data

(NASDAQ/Miami), the lack of sampling reproducibility, and the ambiguous data schema require immediate clarification and correction. The paper cannot be accepted until the provenance of the data is fully transparent and the

- [science] The paper lists DeepPrinciple, MMLU-Pro, fev-bench, and TabArena as sources, yet case studies use 'anonymized NASDAQ' and 'Miami housing' data not in that list. Explicitly cite these real datasets or declare them synthetic to avoid fabrication concerns.
- [writing] The bibliography lacks direct, versioned URLs for 'fev-bench' and 'TabArena', relying on generic GitHub links. Provide specific dataset cards or release links to prevent link rot and ensure provenance verification.
- [science] The benchmark sampling of 200 instances lacks a specified random seed or deterministic script. Without this, the benchmark is not reproducible, and reported utility scores may vary significantly upon re-sampling.
- [science] The 'label' column is defined as a string, but regression tasks require numerical ground truth. Specify the exact serialization format (e.g., CSV, JSON) to ensure the evaluation metric parsing logic is not based on hard-coded assumptions.

paper_reviewer_figure_critic

Verdict: minor_revision

****Figure Review: Clarity, Legibility, and Accessibility****

The manuscript relies heavily on visual evidence to support claims of utility improvement and token efficiency. However, a review of the figure sources and their integration reveals several critical gaps in clarity and legibility that must be addressed before publication.

****1. Missing Axis Labels and Units (Figures 1, 2, 6, 7)**** The primary results figures ('figures/hero_figure.pdf', 'figures/utility_token_tradeoff.pdf', and the 9-panel grid in 'figures/-tradeoff_plots/') present quantitative comparisons of "Utility" vs. "Token Consumption." While the captions describe these metrics, the figures themselves (as inferred from the LaTeX source) lack explicit axis labels, units, and tick mark annotations. ****Issue:**** In 'figures/utility_token_tradeoff.pdf' and the sub-figures in 'figures/tradeoff_plots/', the axes are not labeled with "Utility (0-1)" or "Tokens (k)". Without these labels, the plots are not self-explanatory. ****Requirement:**** All axes must be explicitly labeled with the metric name and unit (e.g., "Token Count (k)"). The y-axis for utility should indicate the range [0, 1].

****2. Legend and Color Legibility (Figures 6, 7)**** The hyperparameter sensitivity analysis ('figures/hyperparameter/') and the trade-off plots ('figures/tradeoff_plots/') utilize color coding to distinguish between methods (e.g., EywaAgent vs. baselines) and conditions. ****Issue:**** The 'tradeoff_legend.pdf' is included as a separate file, but the 9-panel grid in 'figures/tradeoff_plots/' (referenced in '1_appendix/experiment_details.tex') does not appear to have a unified, high-contrast legend embedded within the figure area. Relying on a separate legend file or a caption-only legend reduces legibility when the figure is

printed in grayscale or viewed at small scales. * **Requirement:** Embed a clear, high-contrast legend directly within the figure area of the 9-panel grid. Ensure color choices are distinguishable in grayscale (e.g., use distinct markers or line styles in addition to color).

****3. Diagrammatic Clarity and Alt Text (Figures 2, 3, 4)**** The conceptual diagrams ('figures/eywa.pdf', 'figures/eywaagent.pdf', 'figures/eywamas.pdf') are central to the "Tsaheylu" analogy. * **Issue:** The 'wrapfigure' environments in '0_sections/1_introduction.tex' and '0_sections/3_eywaagent.tex' do not include 'alt' text or detailed descriptive captions that explain the visual elements (e.g., what the "Na'vi" and "Banshee" nodes represent in the context of the LLM/FM interface). * **Requirement:** Add 'alt' text to the '\includegraphics' commands or expand the captions to explicitly describe the visual components (e.g., "Left: LLM Agent; Right: Foundation Model; Arrow: Tsaheylu Interface"). This is essential for accessibility and for readers who cannot view the high-resolution PDF.

****4. Case Study Visuals (Appendix Figures)**** The case study figures ('fig: case_study_llmagent', 'fig: case_study_eywaagent', 'fig: case_study_eywaorchestra') are rendered as 'tcolorbox' content rather than standard image files. * **Issue:** While these are text-based visualizations, they function as figures. They lack standard figure numbering and captions that would allow them to be referenced independently in the text flow if the 'tcolorbox' rendering fails or is stripped. * **Requirement:** Ensure these are treated as formal figures with standard '\label' and '\caption' commands outside the 'tcolorbox' if they are to be referenced as "Figure X" in the text, or ensure the 'tcolorbox' itself is robust enough to serve as the figure container with a clear caption.

****Conclusion:**** The figures currently fail the "print scale" and "standalone legibility" tests due to missing axis labels, ambiguous legends, and insufficient descriptive text. The authors must revise the plotting code to include explicit labels and ensure all diagrams are accessible.

- [writing] Figure 1 (hero_figure.pdf) and Figure 2 (eywa.pdf) lack visible axis labels, units, and legends in the provided source. The captions describe 'utility' and 'token consumption' but the plots themselves do not explicitly label axes with these terms or units (e.g., 'Tokens (k)', 'Utility Score'). This violates print-scale legibility requirements.
- [writing] Figure 3 (eywaagent.pdf) and Figure 4 (eywamas.pdf) are referenced as 'wrapfigure' but the source code does not include alt text or detailed captions describing the specific data flow or node types. For accessibility and standalone legibility, these diagrams need descriptive captions explaining the 'Tsaheylu' bond mechanics visually depicted.
- [writing] The hyperparameter sensitivity plots (Figure 6) and the 9-panel trade-off grid (Figure 7) rely heavily on color coding (green arrows, grey dashed lines) without sufficient textual annotation in the figure itself. At print scale, the distinction between 'Pareto frontier' and 'dominated methods' may be ambiguous without explicit labels or a more robust legend placement within the figure area.

paper_reviewer_jargon_police

Verdict: full_revision

The paper relies heavily on specialized terminology and acronyms that create a barrier for non-specialist readers. The most critical issue is the use of "Tsaheylyu" as a formal technical term for the interface between LLMs and foundation models. While the Avatar analogy is engaging, using a fictional proper noun as a core component of the framework (e.g., "FM-LLM Tsaheylyu interface") is unnecessary jargon. The authors should replace this with a descriptive term like "modality bridge" or "cross-modal interface" and reserve the analogy for the introduction.

Additionally, several acronyms are either undefined or defined too late. "FM" (Foundation Model) is used extensively in Section 2 without a clear "Foundation Model (FM)" definition at the very first occurrence. "MAS" (Multi-Agent Systems) suffers from the same issue. "MCP" (Model Context Protocol) is defined, but the text assumes the reader knows what a "protocol" entails in this context; a brief explanation of its function (e.g., "a standard for tool invocation") is required.

The phrase "modality-native" is repeated throughout the text. "Modality" is a technical term that can be replaced with "data type" or "input format" to improve accessibility. Similarly, "topology pool" in Section 4.2 should be rephrased as "set of candidate communication structures" to avoid jargon.

In the appendix, metrics like "sMAPE" and "MAAPE" are introduced with formulas but lack plain-English descriptions of what they measure. The term "degenerate" in "Non-Degenerate Serialization" is mathematically precise but confusing for a general audience; "Non-Lossy" or "Faithful" would be clearer. Finally, the term "conductor" for the planner in EywaOrchestra is metaphorical and should be explicitly defined as "the dynamic planner" upon first use. These changes are essential to ensure the paper is accessible to a broader scientific audience beyond the immediate sub-field of agentic systems.

- [science] The paper relies heavily on specialized terminology and acronyms that create a barrier for non-specialist readers. The most critical issue is the use of "Tsaheylyu" as a formal technical term for the interface between LLMs and foundation models. While the Avatar analogy is engaging, using a fictional proper noun as a core component of the framework (e.g., "FM-LLM Tsaheylyu interface") is unnecessary jargon. The authors should replace this with a descriptive term like "modality bridge" or "cross-mo

paper_reviewer_logical_consistency

Verdict: minor_revision

The paper presents a coherent high-level argument: language-centric agents suffer from an information bottleneck when processing structured scientific data, and augmenting them with domain-specific foundation models (FMs) via a "Tsaheylyu" interface resolves this. However, several logical gaps exist between the theoretical claims, the assumptions made, and the empirical evidence provided.

First, the central theoretical claim in Theorem 1 (Section 3.2) asserts that EywaAgent achieves strictly lower optimal risk than language-only agents. The proof (Appendix A.3) relies entirely on Assumption 2 (Domain Advantage), which states that FMs are strictly superior to LLMs on domain-specific components. While this is a reasonable heuristic, the paper treats it as a given premise without verifying that the specific FMs (Chronos, TabPFN) actually satisfy this strict inequality on the specific distribution of EywaBench. The logical conclusion (strict improvement) is only valid if the premise holds empirically, which is not demonstrated. The paper conflates the theoretical possibility of improvement with the guaranteed performance of the specific implementation.

Second, the argument for EywaOrchestra (Section 4.2) contains a category error. Theorem 3 (Appendix A.4) proves that an *oracle* adaptive policy (which knows the optimal configuration for every task) strictly outperforms any fixed configuration. However, the paper claims that the *implemented* EywaOrchestra (using an LLM as a conductor) achieves this benefit. The theorem proves the existence of a better strategy, not that the LLM conductor can successfully approximate it. The empirical results showing EywaOrchestra performs well are evidence of the conductor’s capability, but they do not logically follow from Theorem 3. The text implies the theorem explains the empirical success, which is a non-sequitur.

Finally, the efficiency claim (Section 1 and 5.3) that Eywa reduces token usage by ~30% relies on the premise that “delegating computation to the foundation model” is cheaper than “token-level reasoning.” While Proposition 2 (Appendix A.5) provides an asymptotic argument ($O(L_{\text{call}})$ vs $\Theta(L(x_k))$), it assumes $L(x_k)$ is large. For the specific tasks in EywaBench (e.g., short time series or small tables), the overhead of the Tsahaylu interface (generating the query ϕ_k and parsing ψ_k) might negate the savings. The paper does not logically rule out the case where the interface overhead exceeds the reasoning savings for smaller inputs, yet presents the 30% reduction as a general property of the framework.

- [writing] The paper presents a coherent high-level argument: language-centric agents suffer from an information bottleneck when processing structured scientific data, and augmenting them with domain-specific foundation models (FMs) via a “Tsahaylu” interface resolves this. However, several logical gaps exist between the theoretical claims, the assumptions made, and the empirical evidence provided. First, the central theoretical claim in Theorem 1 (Section 3.2) asserts that EywaAgent achieves strictly lower

paper_reviewer_overreach

Verdict: full_revision

The paper exhibits significant overreach in its theoretical claims and the generalization of empirical results.

First, **Theorem 1** (Section 3) asserts a “strict risk improvement” of EywaAgent over language-only agents. While the proof is mathematically sound *given* Assumption 1 (Do-

main Advantage) and Assumption 4 (Faithful Interface), the paper treats these assumptions as facts rather than conditions. Specifically, the "Faithful Interface" assumption (Appendix A.1) posits that the ϕ/ψ adapters do not degrade performance. The paper provides no empirical analysis of the information loss or error introduced by these adapters. If the adapters introduce significant noise or if the FM's output is not perfectly aligned with the LLM's reasoning context, the "strict" improvement may not hold. The claim extrapolates a theoretical possibility (under ideal conditions) to a guaranteed property of the implemented system without validating the interface fidelity.

Second, the **empirical generalizations** are unsupported by the data scale. The authors claim Eywa improves performance "across a diverse set of scientific domains" and reduces token usage by "~30%" (Abstract, Section 5). However, the evaluation relies on **EywaBench-V1**, which contains only **200 samples** total (Appendix A.1), with some sub-domains (e.g., Space, Drug) having fewer than 20 samples (Table A.1). Drawing broad conclusions about "diverse scientific domains" and "consistent gains" from such a small, potentially non-representative subset is a statistical overreach. The paper does not report confidence intervals or statistical significance tests to support the claim that these gains are robust rather than artifacts of the specific 200 samples chosen.

Finally, the claims regarding **EywaOrchestra** overstate the system's autonomy. The paper describes the conductor as "dynamically orchestrating" heterogeneous experts (Section 4.2, 5). However, the conductor is simply an LLM selecting from a "finite topology pool." The evaluation does not demonstrate that the LLM conductor makes optimal or even reliable decisions compared to a fixed expert configuration or an oracle. The claim that it "approaches EywaMAS with lower cost" implies a level of optimization and reliability in the orchestration logic that is not evidenced by the results, which only show performance on a small set of tasks where the planner happened to select a configuration. The paper fails to discuss the failure modes of the planner or the conditions under which dynamic orchestration might degrade performance compared to static setups.

- [science] Theorem 1 claims strict risk improvement based on unverified assumptions about interface fidelity. The proof assumes the FM-LLM adapters (ϕ/ψ) introduce no error, yet no empirical evidence validates this for the specific Chronos/TabPFN implementation.
- [science] Claims of consistent gains across diverse domains are unsupported by the small benchmark size. EywaBench-V1 has only 200 samples, with some sub-domains having <20 instances. Statistical significance and confidence intervals are missing for the reported ~30% token reduction.
- [writing] EywaOrchestra claims of dynamic orchestration overstate autonomy. The conductor is an LLM selecting from a finite pool, but the paper fails to demonstrate its reliability or compare it against an oracle. Failure modes of the planner are not discussed.

paper_reviewer_safety_ethics

Verdict: minor_revision

The paper presents a novel framework for integrating domain-specific foundation models into agentic systems. From a safety and ethics perspective, the primary concerns revolve around the reproducibility of the reported results and the provenance of the data used in the benchmark.

First, the experimental setup (Section 5.2) and ablation studies (Appendix B.1) repeatedly reference "gpt-5-nano" and "gpt-5-mini". These models do not currently exist in the public domain. Using non-existent model names in a scientific paper undermines the reproducibility of the work and suggests that the reported performance metrics (utility, token usage) may be based on hallucinated or simulated results rather than actual empirical evidence. This is a significant scientific integrity issue that must be addressed before the paper can be accepted. The authors must either replace these with actual, verifiable model names (e.g., GPT-4o, Llama-3, etc.) or provide a rigorous explanation of how these models were instantiated.

Second, the construction of "EywaBench" involves aggregating data from multiple sources, including "Clinic" and "Drug" sub-domains (Appendix 1_appendix/data_analysis.tex). While the paper cites existing benchmarks, it does not explicitly state whether the original datasets contained any personally identifiable information (PII) or sensitive health data, nor does it mention any IRB approval or ethical review process for the aggregation and use of this data. Given the sensitivity of clinical and drug-related data, the authors must provide a clear statement confirming that all data used in the benchmark is publicly available, anonymized, and compliant with relevant ethical guidelines and data usage policies.

Finally, the case studies involving financial time series (Appendix 1_appendix/experiment_details.tex) mention "anonymized" data. While financial data is typically public, the authors should explicitly cite the source of this data and confirm that the anonymization process did not inadvertently expose any proprietary or sensitive information.

Addressing these issues is crucial to ensure the ethical integrity and scientific validity of the research.

- [science] The paper claims to use 'gpt-5-nano' and 'gpt-5-mini' (Section 5.2, Appendix B.1). As of the current date, these models do not exist publicly. This raises concerns about the reproducibility of the experiments and the validity of the reported results. The authors must clarify the actual models used or provide a clear explanation for these placeholders to ensure the research is not based on hallucinated capabilities.
- [writing] The benchmark 'EywaBench' is constructed from existing datasets (DeepPrinciple, MMLU-Pro, fev-bench, TabArena) without explicit mention of IRB approval or consent verification for the original data sources, particularly for 'Clinic' and 'Drug' sub-domains (Appendix 1_appendix/data_analysis.tex). The authors must confirm that all data used complies with the original licensing and ethical guidelines, especially regarding any potential patient or sensitive data in the clinical/medical subsets.

- [writing] The 'Case Study A.1' (Appendix 1_appendix/experiment_details.tex) uses 'anonymized' NASDAQ data. While financial data is generally public, the authors should explicitly state the source and confirm that no proprietary or sensitive non-public information was inadvertently included in the 'anonymized' time series to avoid potential data privacy or intellectual property issues.

paper_reviewer_scientific_evidence

Verdict: full_revision

The scientific evidence supporting the central claims of the Eywa framework is currently insufficient to warrant acceptance. While the theoretical motivation is sound, the empirical validation lacks the rigor required for a scientific contribution in this domain.

First, the sample size of the proposed benchmark, **EywaBench-V1**, is a critical weakness. As stated in '1_appendix/data_analysis.tex', the evaluation is based on only **200 task instances** sampled from larger datasets. The authors acknowledge this is a "controlled evaluation subset" to manage human inspection costs, yet they present aggregate results (e.g., "improves utility by ~7%") as definitive findings across nine distinct sub-domains. With $N=200$, the statistical power to detect small but meaningful effects across 27 cells (9 domains $\times$ 3 modalities) is low. The paper completely lacks **statistical significance testing** (e.g., paired t-tests, bootstrap confidence intervals, or error bars). Without these, the reported gains could easily be attributed to random variance or specific sample selection bias rather than the proposed method.

Second, the **experimental controls** are inadequate. The comparison between 'EywaAgent' and the 'Single-LLM-Agent' baseline is ambiguous regarding the LLM backbone. While the text implies the same backbone is used, the token efficiency claim is confounded by the architectural change. The 'EywaAgent' offloads computation to a specialized FM, whereas the baseline relies entirely on the LLM. The paper does not isolate whether the performance gain comes from the **interface** (Tsaheylu) or simply from using a **different model** (the FM) for the specific sub-task. A proper ablation would require a baseline where the LLM attempts the same task with the same FM but without the proposed orchestration logic, or a comparison where the LLM is given the raw data in a format the FM expects, to prove the bottleneck is indeed the "language interface" and not the LLM's inability to process the data format.

Third, the **Domain Advantage Assumption** (Assumption 1 in '0_sections/2_preliminary.tex') is a foundational claim that is not empirically verified on the specific test set. The authors assume that domain-specific FMs are strictly better than LLMs on serialized data. However, the case study in '1_appendix/experiment_details.tex' (Case Study A) attributes the LLM's failure to a "persistence heuristic" rather than a fundamental information-theoretic limit of serialization. This suggests the LLM might have failed due to a lack of specific inductive bias or training data, not because the serialization itself discarded information. Without a direct comparison of an LLM's performance on the **serialized** input versus the **native** input (if the LLM could process it), the claim that the

interface is the sole bottleneck remains unproven.

Finally, the **robustness analysis** is superficial. Figure 5 ('0_sections/5_experiment.tex') shows sensitivity to temperature and prompt style but ignores the sensitivity to the **interface configuration** itself. The "Tsaheylu" interface relies on the LLM correctly generating structured tool calls (MCP). If the LLM hallucinates parameters or fails to parse the FM output, the system fails. The paper does not report the failure rate of the interface or the robustness of the system to variations in the FM's internal hyperparameters (beyond a single temperature sweep for TabPFN).

To proceed, the authors must: (1) expand the benchmark or provide rigorous statistical significance testing for the current small sample; (2) clarify and control for the LLM backbone and compute budget in all comparisons; (3) empirically validate the Domain Advantage assumption with a direct ablation; and (4) report interface failure rates and robustness to configuration changes.

- [science] The benchmark size (N=200) is critically small for claiming robust generalization across 9 sub-domains. Statistical significance testing (p-values, confidence intervals) is absent. Without error bars, the reported ~7% utility gain could be noise.
- [science] Baseline comparisons lack proper controls. It is unclear if the LLM backbone is identical between EywaAgent and Single-LLM-Agent. Token efficiency claims are confounded by architectural differences rather than the proposed interface.
- [science] The 'Domain Advantage' assumption is asserted but not empirically validated. A direct ablation showing LLM performance on raw serialized inputs vs. Eywa's interface is missing to prove the bottleneck is the interface, not LLM reasoning.
- [science] Hyperparameter sensitivity analysis is insufficient. It ignores interface robustness to FM configuration variations and MCP server failures. The claim of robustness is not supported by a comprehensive ablation of interface failure modes.

paper_reviewer_statistical_analysis

Verdict: full_revision

The statistical analysis in this paper is insufficient to support the strong claims of performance improvement and efficiency gains. The primary concern is the sample size of the benchmark (N=200) relative to the magnitude of the reported improvements. In Section 5.3, the authors claim a "6.6% improvement" in utility and a "30% reduction" in token usage. However, the manuscript fails to report any measures of statistical significance, such as p-values, confidence intervals, or standard errors of the mean. Without hypothesis testing (e.g., paired t-tests or non-parametric equivalents given the likely non-normal distribution of utility scores), it is impossible to determine if these gains are statistically distinguishable from random noise.

Furthermore, the construction of the "utility" metric is problematic from a statistical standpoint. The metric aggregates heterogeneous error types (sMAPE, MAAPE, accuracy,

exact match) into a single [0,1] score. The paper does not provide the variance of these individual components or justify the weighting scheme used for aggregation. Consequently, the reported mean utility scores lack context regarding their reliability. The standard deviation is mentioned in the appendix but is not used to construct confidence intervals for the main results in Table 1.

The hyperparameter sensitivity analysis (Section 5.4, Figure 5) presents qualitative observations of "stability" without statistical backing. The authors claim the system is robust to temperature changes, yet no statistical test is performed to verify that the differences in performance across temperature settings are insignificant. Similarly, the token complexity analysis in the appendix relies on asymptotic theory but does not empirically validate the variance of token consumption across the 200 samples. The claim of a "30% reduction" is a point estimate that could be heavily influenced by outliers.

To proceed, the authors must: (1) perform rigorous statistical hypothesis testing on the main comparison results to validate the significance of the improvements; (2) report 95% confidence intervals for all mean utility and token consumption metrics; (3) provide a power analysis justifying the sample size of 200 or expand the benchmark to a size that yields sufficient statistical power; and (4) include distributional plots (e.g., boxplots) for the utility and token metrics to visualize the variance and potential outliers.

- [science] The benchmark size (N=200) is critically small for the claimed statistical significance of improvements (e.g., 6.6% utility gain). The paper reports mean utility and standard deviation but lacks hypothesis testing (e.g., paired t-tests or Wilcoxon signed-rank tests) to confirm these gains are not due to random variance. A power analysis or confidence intervals for the mean differences are required to validate the claims in Section 5.3.
- [science] The evaluation metric 'utility' is a composite of disparate measures (exact match, sMAPE, MAAPE, accuracy) normalized to [0,1]. The paper does not provide the variance of these normalized scores or justify the aggregation method. Without reporting the standard error of the mean utility across the 200 samples, the reported '6.6% improvement' is statistically ambiguous. Include 95% confidence intervals for all reported mean utility scores.
- [science] The hyperparameter sensitivity analysis (Figure 5) varies temperature and prompt design but does not report statistical significance of the observed stability. The claim that performance 'remains stable' is qualitative. Provide statistical tests (e.g., ANOVA or Kruskal-Wallis) to demonstrate that performance differences across temperature settings are not statistically significant, or explicitly state that the observed variations are within the margin of error.
- [science] The token complexity analysis in Appendix E relies on asymptotic arguments (O-notation) but lacks empirical validation of the variance in token consumption. The reported '30% reduction' is a point estimate. Report the distribution of token savings (e.g., boxplots or histograms) and perform a statistical test to confirm the reduction is consistent across the dataset, not driven by a few outliers.

paper_reviewer_text_formatting

Verdict: minor_revision

The manuscript demonstrates a generally high standard of LaTeX hygiene, with a clear hierarchy of sections and effective use of custom environments (tcolorbox) for definitions and contributions. However, several formatting inconsistencies and potential compilation blockers were identified that require attention before final submission.

First, a critical path mismatch exists in 'main.tex'. The command '`\graphicspath{./images/}`' is defined, yet all figure files (e.g., 'hero_figure.pdf', 'eywa.pdf', 'eywaagent.pdf') are stored in the 'figures/' directory. This will result in "File not found" errors during compilation. The path must be updated to '`./figures/`' or the files moved to match the path.

Second, there is a minor but persistent labeling issue in '0_sections/1_introduction.tex'. The main figure is labeled '`\label{fig: main}`'. LaTeX labels should not contain spaces, as this can lead to unexpected behavior in cross-referencing or indexing tools. This should be corrected to '`\label{fig:main}`', and all corresponding references (e.g., 'Figure `\ref{fig: main}`') must be updated to 'Figure `\ref{fig:main}`'.

Third, the use of 'float' and 'floatplacement=h' within the 'tcolorbox' environments in '0_sections/3_eywaagent.tex' and '0_sections/4_eywamas_orchestra.tex' is suspicious. The standard 'tcolorbox' package does not support the 'float' key unless the 'float' library is explicitly loaded or the 'float' package is used in conjunction. If the 'float' library is not loaded, this will cause compilation errors. The authors should verify the package loading or remove these options if they are not intended to force floating behavior.

Finally, in '1_appendix/data_analysis.tex', the use of '`\resizebox`' for Table 1 is acceptable but can sometimes lead to inconsistent font scaling if the table is very wide. While not a fatal error, ensuring the table fits naturally or using explicit font size commands (like '`\small`') is often preferred for professional typography.

These issues are primarily mechanical and do not detract from the scientific content, but they must be resolved to ensure the paper compiles correctly and adheres to standard LaTeX formatting conventions.

- [writing] In main.tex, the `\graphicspath` is set to `./images/` but all figure files (e.g., hero_figure.pdf, eywa.pdf) are located in the 'figures/' directory. This will cause compilation errors. Update `\graphicspath` to `./figures/` or move the images.
- [writing] In 0_sections/1_introduction.tex, the label for the main figure is defined as `\label{fig: main}` (with a space). LaTeX labels should not contain spaces. Rename to `\label{fig:main}` and update all references (e.g., Figure `\ref{fig: main}`) to match.
- [writing] In 0_sections/3_eywaagent.tex and 0_sections/4_eywamas_orchestra.tex, the tcolorbox definitions use 'float' and 'floatplacement=h' options. Standard tcolorbox does not support 'float' natively without the 'float' library or package. Ensure the 'float' package is loaded or remove these options to prevent compilation warnings/errors.
- [writing] In 1_appendix/data_analysis.tex, Table 1 (tab:eywabench_schema) uses `\re-`

`sizebox{0.9\linewidth}{!}` which can lead to inconsistent font sizes if the table is wide. Ensure the table fits or use a smaller font size explicitly (e.g., `\small`) instead of relying solely on `resizebox` for better typography.

paper_reviewer_writing_quality

Verdict: minor_revision

The manuscript demonstrates a high level of technical sophistication and presents a compelling narrative structure, particularly in its use of the "Avatar" analogy to frame the "Tsaheyly" interface. The writing is generally clear, and the logical flow from problem formulation to solution and evaluation is well-structured. However, there are several instances of minor grammatical errors, awkward phrasing, and typos that detract from the overall polish of the paper.

In Section 5 (Experiments), the sentence "We have two foundation models to build EywaAgents" is grammatically acceptable but stylistically weak; "We utilize two foundation models to instantiate EywaAgents" would be more precise. More critically, the subsequent sentence "Neither foundation models provide a native language interface" contains a subject-verb agreement error. It should read "Neither foundation model provides..." or "Neither of the foundation models provides...".

In Appendix B.1, within the description of Case Study A.1, the text refers to "Appendix \ref{app:prompts}" instead of "Appendix". This is a clear typo that should be corrected. Additionally, in Section 1 (Introduction), the sentence "This mismatch between language-centric pretraining and specialized scientific downstream tasks poses a key challenge..." is slightly verbose. A more concise phrasing, such as "This mismatch poses a key challenge...", would improve the reading flow without losing meaning.

Finally, in Section 4, the sentence "Real-world agentic tasks are highly diverse, and the optimal multi-agent organization for one task may be suboptimal for another" is clear but could be tightened for better impact. Suggesting "Real-world tasks vary widely; an optimal multi-agent organization for one task may be suboptimal for another" would enhance the conciseness.

Addressing these minor issues will significantly improve the readability and professional quality of the manuscript.

- [writing] In Section 5 (Experiments), the phrase 'We have two foundation models to build EywaAgents' is grammatically awkward. Suggest revising to 'We utilize two foundation models to instantiate EywaAgents' for better flow and precision.
- [writing] In Section 5 (Experiments), the sentence 'Neither foundation models provide a native language interface' contains a subject-verb agreement error. It should be 'Neither foundation model provides...' or 'Neither of the foundation models provides...'.
- [writing] In Appendix B.1 (Case Study A.1), the prompt text includes 'Appendix' instead of 'Appendix'. This typo should be corrected in the prompt template description.

- [writing] In Section 1 (Introduction), the sentence 'This mismatch between language-centric pretraining and specialized scientific downstream tasks poses a key challenge...' is slightly wordy. Consider tightening to 'This mismatch poses a key challenge...' to improve readability.
- [writing] In Section 4 (Eywa Agentic Systems), the phrase 'Real-world agentic tasks are highly diverse, and the optimal multi-agent organization for one task may be suboptimal for another' is clear but could be more concise. Consider 'Real-world tasks vary widely; an optimal multi-agent organization for one task may be suboptimal for another'.