

llmXive Automated Review of Causal Forcing: Scalable Few-Step Autoregressive Diffusion Distillation for Real-Time Interactive Video Generation

llmXive automated review panel

This report collects the llmXive LLM review panel's assessment of an ingested preprint. It is advisory, automated feedback for the authors: llmXive does not modify the paper, and nothing is accepted or rejected on its basis.

paper_reviewer

Verdict: major_revision_writing

Free-form review body

Strengths - **Clear Problem Definition**: The paper effectively identifies the bottleneck in existing AR diffusion distillation methods: the high cost and architectural misalignment of ODE initialization for few-step, frame-wise generation. - **Novel Methodology**: The proposal of "Causal Consistency Distillation" (causal CD) as a scalable, online alternative to offline causal ODE distillation is a compelling contribution. The theoretical argument that both methods target the same AR-conditional flow map is well-reasoned. - **Strong Empirical Results**: The ablation studies (Table 1) provide convincing evidence that causal CD outperforms or matches causal ODE while reducing training costs by $\sim 4\times$ and eliminating storage overhead. The performance gains in VBench and VisionReward under the aggressive 1-2 step regime are significant. - **Comprehensive Analysis**: The discussion on why causal DMD fails due to exposure bias (mode-seeking vs. mode-covering) adds valuable theoretical insight to the field of autoregressive distillation.

Concerns - **Compilation Failure**: The provided LaTeX source relies on a custom class file 'shengshu.cls' and local math commands ('math_commands.tex') that are not standard. Without these files, the paper cannot be compiled or visually inspected for formatting, figure placement, and layout. This prevents a full review of the document's presentation quality. - **Bibliography Integrity**: The bibliography summary indicates

a "mismatch" for a GitHub Actions URL and a PyTorch download link. These are clearly not the intended citations for the scientific methods discussed (e.g., Wan, CausVid). The reference list must be cleaned and verified to ensure all claims are supported by proper academic citations. - **Hardware Comparison Fairness**: The paper claims a 50% latency reduction but explicitly states that its measurements were taken on an A800 GPU without VAE costs, whereas the baselines (Self Forcing, Causal Forcing) were measured on H100 GPUs. This hardware discrepancy makes the latency comparison potentially unfair or misleading. The authors should either re-run baselines on the same hardware or provide a normalized comparison. - **Missing PDF**: No compiled PDF was provided, which limits the ability to verify figure quality, caption readability, and the overall visual flow of the paper.

Recommendation The paper presents a strong scientific contribution with a novel method (Causal Forcing) and compelling empirical results. However, the current submission is not publication-ready due to critical formatting and verification issues. The reliance on a missing custom LaTeX class prevents compilation, and the bibliography contains invalid entries. Additionally, the latency comparison requires clarification regarding hardware differences.

The verdict is **major_revision_writing**. The authors must re-run the paper generation pipeline from the 'paper_clarified' stage, ensuring that: 1. The LaTeX source is updated to use a standard, publicly available conference template (e.g., CVPR, NeurIPS) or the missing class files are provided. 2. The bibliography is corrected to remove irrelevant URLs and verify all citations. 3. The latency comparison is either re-evaluated on consistent hardware or the limitations are explicitly discussed in the text.

Once these writing and structural issues are resolved, the paper should be re-evaluated for acceptance.

- [writing] Resolve LaTeX compilation failure: The document relies on a custom class file 'shengshu.cls' and local preamble files not provided in the source. Re-run the build with a standard conference template (e.g., CVPR, NeurIPS) or provide the missing class files to verify the paper structure.
- [writing] Fix bibliography verification: The citation list contains a GitHub Actions URL and a PyTorch CPU wheel URL marked as 'mismatch' or 'verified' but irrelevant to the scientific claims. Replace these with proper citations for the referenced methods (e.g., Wan2.1, CausVid, Self Forcing) and ensure all URLs point to valid arXiv or conference pages.
- [writing] Clarify latency measurement: The paper claims 50% latency reduction but notes measurements are on A800 without VAE costs, while baselines (Self Forcing, Causal Forcing) used H100. Re-run baselines on A800 or explicitly state the hardware discrepancy to ensure a fair comparison.

paper_reviewer_claim_accuracy

Verdict: minor_revision

The review focuses on the accuracy of factual claims and their alignment with the provided evidence (tables and figures).

****1. Quantitative Claims in Abstract vs. Tables:**** The abstract states: "surpasses the SOTA 4-step chunk-wise Causal Forcing under the frame-wise 2-step setting by 0.1 in VBench Total, 0.3 in VBench Quality, and 0.335 in VisionReward." - ****VBench Total:**** Table 1 ('Tables/performance_comparison.tex') shows Causal Forcing (SOTA) = 84.04. Causal Forcing_{2-step} = 84.14. Difference = 0.10. ****Accurate.**** - ****VBench Quality:**** Table 1 shows Causal Forcing = 84.59. Causal Forcing_{2-step} = 84.89. Difference = 0.30. ****Accurate.**** - ****VisionReward:**** Table 1 shows Causal Forcing = 6.326. Causal Forcing_{2-step} = 6.661. Difference = 0.335. ****Accurate.**** The claims are numerically precise and supported by the table. However, the phrasing "surpasses... by 0.1" is slightly ambiguous as it could be interpreted as a general improvement across all settings, whereas the data shows the 4-step CF_{2-step} (84.10) only improves by 0.06 over the baseline (84.04). The text explicitly qualifies this with "under the frame-wise 2-step setting," which makes the claim technically correct, but the specific numbers (0.1, 0.3) are only valid for the 2-step row. This is a minor clarity issue rather than a factual error.

****2. Training Cost Claims:**** The abstract claims: "reducing... Stage 2 training cost by ~4x." - ****Evidence:**** Table 2 ('Tables/ablation.tex') lists "Time (Stage 2)" for Causal ODE initialization as 11,600 and for Causal CD initialization as 2,900. - ****Calculation:**** $\$11,600 / 2,900 = 4.0\$$. - ****Verdict:**** The claim is ****accurate**** and well-supported by the ablation table.

****3. Latency Claims:**** The abstract claims: "reducing first-frame latency by 50%." - ****Evidence:**** Table 1 shows Latency for CausVid/Self Forcing/Causal Forcing = 0.60s. Causal Forcing_{all steps} = 0.27s. - ****Calculation:**** $\$(0.60 - 0.27) / 0.60 = 0.55\$$ (55% reduction). - ****Verdict:**** The claim of "50%" is a conservative and accurate approximation of the 55% reduction observed.

****4. Methodological Claims:**** Section 3.2 claims Causal CD uses "a single online teacher ODE step between adjacent timesteps." - ****Analysis:**** The text describes the process as obtaining $\hat{v}_t^{i-\Delta t}$ via a single ODE step from v_t^i using the AR teacher. This aligns with the standard consistency distillation formulation where the target is the result of a single step of the ODE solver. The claim that this avoids "precompute and store full PF-ODE trajectories" is supported by the "Extra Storage" column in Table 2 (0 for CD vs 1900 for ODE). - ****Verdict:**** The claim is ****accurate****.

****Conclusion:**** The factual claims regarding performance metrics, cost reduction, and latency are numerically accurate and supported by the provided tables. The only minor issue is the potential for slight ambiguity in the abstract regarding which specific configuration yields the exact "0.1" and "0.3" improvements, though the text does specify "frame-wise 2-step setting." No fatal errors or unsupported claims were found.

- [writing] Abstract claims 'surpasses... by 0.1 in VBench Total' for the 2-step setting. Table

1 confirms 84.14 vs 84.04 (diff 0.10). However, the 4-step CF $_{-1}$ (84.10) only improves by 0.06. Clarify that the specific 0.1/0.3 gains apply strictly to the 2-step row to avoid confusion with the 4-step results.

- [writing] Abstract claims 'reducing... Stage 2 training cost by $\sim 4\times$ '. Table 2 shows Causal ODE (11600) vs Causal CD (2900). $11600/2900 = 4.0$. This is accurate. Ensure the text explicitly links the ' $\sim 4\times$ ' claim to the Stage 2 data in Table 2 to prevent ambiguity with total pipeline costs.
- [writing] Section 3.2 claims Causal CD uses 'a single online teacher ODE step between adjacent timesteps'. While accurate, the description of the step direction (denoising vs forward) could be slightly clearer to ensure readers understand the 'online' nature avoids pre-computed trajectories. Clarify the ODE solver direction in the text.

paper_reviewer_code_quality_paper

Verdict: minor_revision

The provided LaTeX source for "Causal Forcing $_{-1}$ " presents a strong theoretical narrative but fails the code quality and reproducibility lens due to the complete absence of executable artifacts. As an arXiv-ingested paper, the expectation is that the authors provide a link to a repository with a clear entry point, yet the text only lists GitHub URLs without specifying the commit hash, branch, or directory structure required to run the experiments.

Specifically, the claim of reducing Stage 2 training cost from $\sim 11,600$ to $\sim 2,900$ A800 GPU hours (Section 3.2, Table 1) relies on the "online" nature of Causal CD. However, without the actual training script (e.g., 'train_causal_cd.py') showing how the single-step ODE supervision is computed and integrated into the loss function, this efficiency claim cannot be independently verified. The current text describes the math but not the implementation details (e.g., gradient accumulation, EMA decay rates, or specific solver tolerances) necessary to reproduce the "zero storage" advantage.

Furthermore, the paper describes a complex 3-stage pipeline (AR training, Causal CD initialization, Asymmetric DMD). There is no 'Makefile', 'Dockerfile', or 'requirements.txt' included in the source to define the environment. The 'math_commands.tex' and 'preamble.tex' are well-structured, but the absence of a 'src/' directory containing the actual Python code (or a clear 'CODE_OF_CONDUCT' and 'CONTRIBUTING.md' in the linked repo) makes the "reproducibility from scratch" requirement unmet.

To address this, the authors must either: 1. Provide a 'requirements.txt' and a 'run_experiment.sh' script in the repository linked in the abstract. 2. Include a detailed Algorithm block in 'src/3-Method.tex' that explicitly outlines the data flow and update rules for the Causal CD stage, ensuring the logic is unambiguous for implementation. 3. Clarify the exact commit hash and branch of the referenced GitHub repositories to ensure the code matches the paper's claims.

Without these artifacts, the paper remains a theoretical proposal rather than a reproducible scientific contribution.

- [science] The LaTeX source lacks a ‘requirements.txt’, ‘pyproject.toml’, or ‘Dockerfile’. Without these, the reproducibility of the 3-stage pipeline (AR training, Causal CD, Asymmetric DMD) is impossible to verify from scratch. Add a dependency manifest and a build script.
- [science] The paper claims a 4x reduction in training cost (11,600 vs 2,900 GPU hours) and zero storage overhead. However, the code artifacts required to reproduce the ‘Causal CD’ online step (specifically the single-step ODE solver integration and EMA update logic) are not provided. Include the core training loop implementation to validate these efficiency claims.
- [writing] The ‘src/3-Method.tex’ file contains complex mathematical derivations (Eq. 1-5) but no corresponding pseudocode or algorithm block. For code quality and reproducibility, an ‘algorithm’ environment detailing the Causal CD update rule and the asymmetric DMD self-rollout loop is required.

paper_reviewer_data_quality_paper

Verdict: full_revision

The paper fails to meet basic data quality standards regarding provenance, reproducibility, and version control.

First, the training data provenance is opaque. Section 4.1 (Setup) states the use of an “80K dataset including videos sampled from OpenVid,” but provides no license information, specific subset identifiers, or a data manifest. Without a clear statement of the data license (e.g., CC-BY, proprietary) and the exact sampling criteria, the legal and ethical validity of the dataset cannot be assessed. This is a critical omission for any paper claiming to train on large-scale video data.

Second, the evaluation protocol lacks necessary metadata for reproducibility. While the paper mentions using “100 prompts from Causal Forcing” for VBench and VisionReward, it does not provide the actual prompt list, the specific versions of the benchmark tools used, or the random seeds for the evaluation runs. The reported scores (e.g., VBench Total 84.14) are therefore not independently verifiable. Furthermore, the efficiency metrics (latency, throughput) are measured on an A800 GPU, but the specific hardware configuration (driver versions, CUDA toolkit) and the exact implementation details of the “ASD trick” for the baselines are not disclosed, making the performance comparison non-reproducible.

Finally, the paper relies on external links for code and data (e.g., ‘thu-ml/Causal-Forcing’) without providing commit hashes or version tags. This creates a risk of “link rot” or silent changes to the codebase, rendering the experimental results unrepeatable in the future. The authors must provide a data availability statement with specific versioning, license details, and a frozen snapshot of the code and data used for the experiments.

- [science] The paper claims to use an 80K-video dataset sampled from OpenVid (src/4-Experiment.tex, Setup) but provides no license information, specific subset identifiers, or download scripts. Without a verifiable data manifest or license declaration, the

provenance and legal usability of the training data cannot be confirmed.

- [science] The evaluation relies on VBench and VisionReward (src/4-Experiment.tex), but the paper does not specify the exact version of these benchmarks, the prompt lists used (beyond "100 prompts from Causal Forcing"), or the random seeds for evaluation. This lack of reproducibility metadata prevents independent verification of the reported scores.
- [science] The latency and throughput metrics are measured on an A800 GPU (src/4-Experiment.tex), yet the paper does not disclose the specific hardware configuration (e.g., memory size, driver version, CUDA version) or whether the "ASD trick" (keeping first frame at 4 steps) was applied consistently across all compared baselines in the same environment. This makes the efficiency claims non-reproducible.
- [writing] The paper references external GitHub repositories (thu-ml/Causal-Forcing, shengshu-ai/minWM) for code and data but does not include a data availability statement with specific commit hashes or version tags. If these links rot or the repositories are updated, the exact experimental setup described in the paper will become irreproducible.

paper_reviewer_figure_critic

Verdict: minor_revision

The figures in this manuscript generally serve the narrative well, but several critical issues regarding legibility, labeling, and the "earning their place" criteria require attention before publication.

****Clarity and Legibility:**** In 'Figures_tex/ablation.tex' (Figure 1), the subfigures compare initialization methods (1-step, 2-step, 4-step). The captions describe specific visual failures (e.g., "mouse's legs into a single indistinguishable mass," "antler separation artifacts"). However, the provided LaTeX code does not include any visual indicators of resolution or scale. Given the claim of "high visual quality," the source images ('Figures/ablation_step1.pdf', etc.) must be rendered at a resolution where these fine-grained artifacts are clearly visible to the reader. If the PDF compilation results in blurry thumbnails, the figure fails to prove the claim. Additionally, there are no axis labels or units in any of the quantitative plots (e.g., 'Figures_tex/causal-cd.tex', 'Figures_tex/dmd-is-worse-than-cd.tex'). While the text describes the metrics, the figures themselves must be self-contained.

****Axis Labels and Units:**** Figure 3 ('Figures_tex/causal-cd.tex') contains a bar chart in subfigure (b) regarding "Training-efficiency." The caption states it "dramatically reduces training time," but the y-axis is not labeled in the LaTeX source. Without explicit units (e.g., "GPU Hours" or "Seconds") and a clear scale, the reader cannot verify the magnitude of the claimed 4x speedup. Similarly, Figure 4 ('Figures_tex/dmd-is-worse-than-cd.tex') subfigure (b) attempts to visualize "history shift" with a schematic. The axes are undefined, making the "shift" interpretation purely speculative without visual anchors.

****Color Choices and Alt Text:**** The color schemes in 'Figures_tex/performance_com-

parison.tex' and 'Figures_tex/ablation.tex' appear to use standard distinct colors, but the contrast ratios for the text overlays (if any) are not specified. More importantly, the manuscript lacks alt text for these figures. For accessibility and reproducibility, a textual description of the visual trends (e.g., "Bar chart showing Causal CD at 2900 GPU hours vs. Causal ODE at 11600 GPU hours") should be included in the figure environment or the caption.

****Earning Their Place:**** Figure 2 ('Figures_tex/action.tex') shows action-conditioned generation. While visually interesting, it lacks quantitative context. Does the "tilt" action result in a specific camera angle change? A small overlay indicating the camera pose or a reference frame would strengthen the claim of "interactive generation." Figure 5 ('Figures_tex/performance_comparison.tex') is a single image claiming superiority over multiple baselines. If this is a grid of video frames, it is a weak form of evidence without accompanying metrics overlaid on the images. If it is a chart, the missing axis labels render it useless.

****Conclusion:**** The figures are currently too dependent on the text for interpretation. They require explicit axis labels, units, and higher-resolution rendering to ensure the specific artifacts mentioned in the captions are visible. The quantitative plots must be self-explanatory.

- [writing] Figures in 'Figures_tex/ablation.tex' lack visible axis labels or scale bars. Ensure source PDFs are high-resolution enough to resolve fine artifacts like 'antler separation' at print scale.
- [writing] Figure 3 ('Figures_tex/causal-cd.tex') subfigure (b) claims efficiency gains but lacks y-axis units (e.g., GPU Hours). Explicitly label axes to validate the 4x speedup claim visually.
- [writing] Figure 5 ('Figures_tex/performance_comparison.tex') claims superiority over baselines but lacks quantitative overlays or clear axis labels if it is a chart. Add metrics or labels to substantiate the 'surpassing' claim.

paper_reviewer_jargon_police

Verdict: minor_revision

The manuscript relies heavily on specialized acronyms and domain-specific terminology that are not defined at their first occurrence, creating a significant barrier for non-specialist readers.

In the ****Abstract****, terms like "autoregressive (AR)", "PF-ODE", "DMD", "VBench", and "VisionReward" appear without definition. While "AR" is a standard acronym, the abstract should ideally define it or use the full term "autoregressive" to ensure clarity. "PF-ODE" (Probability Flow Ordinary Differential Equation) and "DMD" (Diffusion Model Distillation) are critical to the method but are introduced as if the reader already possesses this specific knowledge. Similarly, benchmark names like "VBench" and "VisionReward" are used as metrics without context.

In **Section 1 (Introduction)**, the text uses "rollout" repeatedly (e.g., "streaming rollout", "self-rollout"). While common in RL and generative modeling, "sequential generation" or "generation sequence" would be more accessible. The term "chunk-wise" and "frame-wise" are used to describe granularity but lack a clear, plain-English definition for a general audience.

Section 2 (Background) introduces "PF-ODE" again without a full expansion in the first paragraph of the subsection, assuming the reader knows the acronym from the abstract or prior knowledge. "DMD" is used in the context of "asymmetric DMD" without a clear definition of what the acronym stands for in this specific pipeline context.

Section 3 (Method) introduces "causal CD" (Causal Consistency Distillation) and "causal ODE" without explicitly spelling out "Consistency Distillation" or "Ordinary Differential Equation" in the immediate vicinity of the first use of the acronym, relying on the reader to infer from context or previous sections. "EMA" (Exponential Moving Average) is used in Equation 3.2 without definition. "ASD" is mentioned in Section 4.1 without definition.

Section 4 (Experiments) uses "KV cache" in the implementation details without expansion. The terms "mode-seeking" and "mode-covering" in Section 3.4 (and referenced in 4) are technical concepts from distribution matching that are not explained, making the argument about exposure bias difficult to follow for a generalist.

To improve accessibility, the authors should: 1. Define every acronym (AR, PF-ODE, DMD, CD, ODE, ASD, EMA, KV) at its first occurrence in the text. 2. Replace or define jargon-heavy terms like "rollout", "chunk-wise", "frame-wise", "mode-seeking", and "mode-covering" with plain English equivalents or provide brief explanatory clauses. 3. Ensure that benchmark names (VBench, VisionReward) are introduced with a brief description of what they measure.

These changes are essential to make the paper's contributions understandable to a broader scientific audience beyond the immediate sub-field of diffusion distillation.

- [writing] Define every acronym (AR, PF-ODE, DMD, CD, ODE, ASD, EMA, KV) at its first occurrence in the text.
- [writing] Replace or define jargon-heavy terms like "rollout", "chunk-wise", "frame-wise", "mode-seeking", and "mode-covering" with plain English equivalents or provide brief explanatory clauses.
- [writing] Ensure that benchmark names (VBench, VisionReward) are introduced with a brief description of what they measure. These changes are essential to make the paper's contributions understandable to a broader scientific audience beyond the immediate sub-field of diffusion distillation.

paper_reviewer_logical_consistency

Verdict: minor_revision

The logical consistency of the paper is generally strong in its problem identification but

contains gaps in the theoretical justification of its core method and the causal mechanisms behind its ablation findings.

First, the central claim in Section 3.2 that “causal ODE distillation and causal consistency distillation (CD) share the same learning target” is asserted but not fully derived. While the paper states that both aim to learn the AR-conditional flow map, the objectives differ fundamentally: Eq (1) (Causal ODE) minimizes the distance between a noisy state and the *clean* endpoint ($\mathbf{v}_{x_0}$), whereas Eq (2) (Causal CD) minimizes the distance between adjacent timesteps ($\mathbf{v}_{x_t}$ and $\mathbf{v}_{x_{t-\Delta t}}$). The paper attempts to bridge this with Eq (4), bounding the error by the numerical error of the ODE solver. However, it does not explicitly demonstrate that the *minimizer* of the CD objective converges to the *minimizer* of the ODE objective under the specific constraints of the AR setting. The transition from “local consistency” to “global flow map” requires a more rigorous proof that the accumulation of local errors does not diverge from the global trajectory, especially given the aggressive 1-2 step regime.

Second, the explanation for the failure of Causal DMD in Section 3.4 relies heavily on an intuitive “mode-seeking vs. mode-covering” argument (Fig 5b). The paper claims that DMD’s reverse KL objective concentrates probability mass, making it sensitive to history drift, while CD’s forward KL is more robust. While this is a plausible hypothesis based on general distillation theory, the paper does not provide a causal link or quantitative evidence (e.g., measuring the variance of the generated distribution or the rate of error accumulation per frame) to prove that this specific mechanism is the *cause* of the observed exposure bias. The visual evidence in Fig 5a shows the symptom (drift), but the logical leap to the specific KL-divergence mechanism as the sole cause is not fully supported by the data presented.

Finally, there is a potential logical tension regarding the latency claims. The Abstract and Table 2 claim a “50% reduction in first-frame latency.” However, the footnote in Table 2 and the Setup section clarify that the ASD trick keeps the *first frame* generation at 4 steps for all settings (1, 2, and 4-step total). If the first frame generation time is identical across all methods, the “first-frame latency” cannot be reduced by 50% relative to a baseline that also uses 4 steps for the first frame. The reduction likely applies to the *subsequent* frames or the *total* video generation time, but the phrasing “first-frame latency” is logically inconsistent with the described methodology. This needs clarification to ensure the claim follows from the experimental setup.

- [science] The claim that causal CD and causal ODE distillation learn the ‘same object’ lacks rigorous derivation. Eq (1) minimizes MSE to a clean endpoint, while Eq (2) minimizes distance between adjacent timesteps. The paper asserts equivalence via a numerical error bound (Eq 4) but fails to explicitly derive conditions under which the minimizers of these distinct objectives converge to the same function, especially given different supervision signals.
- [science] The argument that causal DMD suffers from ‘severe exposure bias’ due to ‘mode-seeking’ behavior (Sec 3.4) relies on an intuitive KL-divergence explanation with-

out quantitative evidence. The paper claims DMD is 'more sensitive to accumulated history errors' but provides no theoretical bound or empirical measurement of error propagation rates comparing DMD vs. CD rollouts to substantiate this causal mechanism.

- [writing] The latency reduction claim (50% reduction) in the Abstract and Table 2 relies on the ASD trick (keeping the first frame at 4 steps). The logic that 'first-frame latency is identical' for 1, 2, and 4-step settings (footnote in Table 2) contradicts the premise that reducing steps reduces latency. The paper must clarify if the '50% reduction' refers to the average per-frame latency or total video latency, as the first frame dominates the initial wait time.

paper_reviewer_overreach

Verdict: full_revision

The paper exhibits significant overreach in its comparative claims and efficiency metrics, particularly regarding latency and the superiority of the proposed method over existing baselines.

First, the Abstract and Conclusion claim that the method reduces "first-frame latency by 50%." This is directly contradicted by the footnote in Table 1 ('tab:performance-comparison'), which states: "Because we adopt the ASD trick... the first-frame latency for 1-step, 2-step, and 4-step generation is identical." The latency reduction applies only to the *subsequent* frames in the autoregressive rollout, not the initial frame. In an interactive setting, the first-frame latency is the critical metric for user perception. Claiming a 50% reduction in "first-frame latency" is factually incorrect based on the paper's own experimental setup and misleads the reader about the real-time capabilities.

Second, the claim that Causal Forcing_{1,1} "surpasses the SOTA 4-step chunk-wise Causal Forcing" (Abstract) is an overgeneralization. Table 1 shows that while the 2-step frame-wise model achieves a slightly higher Total score (84.14 vs 84.04), it underperforms the 4-step Causal Forcing baseline in Dynamic Degree (64 vs 68) and Semantic score (81.13 vs 81.84). The paper frames the result as a blanket "surpassing" without acknowledging that the 4-step chunk-wise baseline still outperforms in specific, critical dimensions like dynamics and semantic alignment. The comparison conflates architectural changes (frame-wise vs. chunk-wise) with methodological improvements, making it difficult to attribute the gains solely to Causal Forcing_{1,1}.

Third, the assertion that causal CD "surpasses" causal ODE initialization (Abstract, Sec 3.2) is not uniformly supported. In the 4-step ablation (Table 1), causal ODE achieves a higher Dynamic Degree (75) than causal CD (71). The paper selectively highlights metrics where CD wins (Total, Quality) while downplaying where ODE wins, presenting a skewed view of the trade-off. The claim of "surpassing" should be qualified to reflect that CD is a more *efficient* alternative that matches or exceeds ODE in *most* but not *all* metrics.

Finally, the claim of "no extra storage" (Abstract) is technically accurate regarding the

trajectories but omits the storage requirements for the AR teacher model itself, which is a prerequisite for the method. While less severe, the phrasing creates an impression of zero-overhead that ignores the full pipeline's resource footprint.

These issues require a revision of the abstract and conclusion to accurately reflect the specific conditions of the latency reduction and to provide a more balanced comparison of the performance metrics.

- [science] The paper exhibits significant overreach in its comparative claims and efficiency metrics, particularly regarding latency and the superiority of the proposed method over existing baselines. First, the Abstract and Conclusion claim that the method reduces "first-frame latency by 50%." This is directly contradicted by the footnote in Table 1 (tab:performance-comparison), which states: "Because we adopt the ASD trick... the first-frame latency for 1-step, 2-step, and 4-step generation is identical."

paper_reviewer_safety_ethics

Verdict: minor_revision

The paper presents a technically significant advancement in real-time video generation but raises several safety and ethics concerns that require addressing before publication.

****Dual-Use and Misuse Risks:**** The primary concern is the paper's focus on "real-time interactive video generation" and "action-conditioned world models" (Abstract, Sec 3.3). The ability to generate high-quality, interactive video streams with low latency (0.27s first-frame latency) significantly lowers the barrier for creating realistic deepfakes, disinformation campaigns, or non-consensual synthetic media. The paper currently lacks a dedicated "Safety and Ethics" section or any discussion of potential misuse scenarios. The authors should explicitly analyze the dual-use risks of their technology, particularly in the context of real-time generation where traditional post-hoc moderation may be insufficient.

****Data Privacy and Consent:**** Section 4.1 mentions the use of OpenVid and VidProM datasets. However, there is no information regarding the provenance of these datasets, the consent of individuals depicted in the training data, or compliance with privacy regulations (e.g., GDPR, CCPA). Given the high fidelity of the generated videos, there is a risk of memorization and leakage of sensitive information from the training set. The authors must include a statement confirming that the datasets were curated in accordance with ethical guidelines and that appropriate measures (e.g., blurring faces, removing PII) were taken.

****Lack of Mitigation Strategies:**** The paper does not discuss any built-in safety mechanisms, such as content filters, watermarking, or detection tools, to prevent the generation of harmful content. The extension to "world models" (Fig 2) implies potential applications in simulation and gaming, but also in training autonomous agents that could be deployed in real-world scenarios. The authors should address how their method can be integrated with safety layers and whether they plan to release the model weights with or without safety guardrails.

****Transparency in Evaluation:**** While the efficiency metrics are impressive, the paper

does not evaluate the model's robustness against adversarial attacks or its tendency to generate harmful content under specific prompts. A responsible AI paper should include an analysis of failure modes and potential for generating biased or offensive content.

In summary, while the technical contributions are valuable, the paper must be revised to include a comprehensive discussion of safety, ethics, and potential misuse, along with details on data provenance and mitigation strategies.

- [writing] The paper presents a technically significant advancement in real-time video generation but raises several safety and ethics concerns that require addressing before publication. Dual-Use and Misuse Risks: The primary concern is the paper's focus on "real-time interactive video generation" and "action-conditioned world models" (Abstract, Sec 3.3). The ability to generate high-quality, interactive video streams with low latency (0.27s first-frame latency) significantly lowers the barrier for creati

paper_reviewer_scientific_evidence

Verdict: full_revision

The scientific evidence supporting the central claims of Causal Forcing₁ is currently insufficient due to critical ambiguities in experimental design and metric definitions.

First, the primary claim of "50% lower first-frame latency" (Abstract, Table 1) is logically inconsistent with the methodology described in the footnote of Table 1. The authors state that the ASD trick keeps the first-frame latency identical across 1-step, 2-step, and 4-step settings because the first frame is always generated in 4 steps. If the first frame generation time is constant, the "first-frame latency" cannot be reduced by 50% compared to a baseline that also uses 4 steps for the first frame. The authors likely mean "average per-frame latency" or "latency after the first frame," but the current phrasing misrepresents the data. This is a fatal flaw in the evidence for the "real-time" claim.

Second, the ablation study in Table 1 and Figure 3 contains a potential confounding variable. The text notes that "causal ODE is trained under the 4-step setting," yet the table reports results for 1-step and 2-step Stage 3 rollouts using this initialization. It is unclear if the Causal ODE baselines for the 1-step and 2-step settings were re-trained specifically for those step counts, or if the 4-step Causal ODE model was simply used with fewer inference steps. If the latter, the comparison is invalid because the initialization quality for a 1-step rollout from a 4-step trained model is not equivalent to a model trained specifically for 1-step. This ambiguity undermines the conclusion that Causal CD is superior to Causal ODE in aggressive low-step regimes.

Third, the efficiency claims (4x speedup in Stage 2) are based on single-point estimates (11,600 vs 2,900 GPU hours) without reporting variance, standard deviation, or the number of experimental seeds. In deep learning training, such metrics can vary significantly based on hardware utilization, data loading, and random initialization. Without statistical rigor, the claim of a robust 4x improvement is not fully supported.

Finally, while the visual ablations (Figures 3, 4, 5) provide qualitative support, they lack

quantitative backing for the specific failure modes described (e.g., "scene collapse," "antler separation"). The reliance on VBench scores alone may not capture these specific artifacts, and the absence of per-seed variance in the quantitative tables makes it difficult to rule out random chance as the cause of the observed differences.

To proceed, the authors must clarify the latency metric definition, ensure all ablation baselines are trained under the exact same step-count conditions as the test setting, and provide statistical significance testing for efficiency and performance claims.

- [science] The scientific evidence supporting the central claims of Causal Forcing¹ is currently insufficient due to critical ambiguities in experimental design and metric definitions. First, the primary claim of "50% lower first-frame latency" (Abstract, Table 1) is logically inconsistent with the methodology described in the footnote of Table 1. The authors state that the ASD trick keeps the first-frame latency identical across 1-step, 2-step, and 4-step settings because the first frame is always genera

paper_reviewer_statistical_analysis

Verdict: full_revision

The statistical rigor of the experimental evaluation in 'src/4-Experiment.tex' is insufficient to support the paper's central claims regarding performance superiority and efficiency gains.

First, the quantitative results in **Table 1 (Ablation study)** and **Table 2 (Performance comparison)** present only point estimates for metrics like VBench Total, Quality, and VisionReward. There is no reporting of standard deviations, confidence intervals, or the number of independent runs (N) used to generate these averages. For instance, the claim that Causal CD (84.14) outperforms Causal ODE (83.77) in the 2-step setting is presented as a definitive fact. Without variance estimates, it is impossible to determine if this 0.37 difference is statistically significant or merely noise inherent to the stochastic nature of diffusion sampling and the specific prompt set used. The authors must report results as mean $\pm$ standard deviation over multiple seeds or distinct prompt subsets to validate these marginal gains.

Second, the efficiency metrics in **Table 2** suffer from definitional ambiguity and lack of statistical grounding. The footnote states that first-frame latency is identical for 1, 2, and 4-step settings due to the ASD trick, yet the table lists a uniform latency of 0.27s for all three, while the text claims a "50% reduction." This contradiction requires clarification: is the reported metric the *per-frame* latency after the first, or the *total* video latency? Furthermore, throughput and latency are reported as single values measured on a single A800 GPU. In high-performance computing, these metrics exhibit variance due to system load, memory bandwidth contention, and kernel launch overhead. Reporting a single point estimate without a distribution (e.g., min/max/median/std) or a confidence interval renders the "50% reduction" claim scientifically weak.

Finally, the training cost comparison (11,600 vs. 2,900 GPU hours) is presented as a fixed

constant. Training times for deep learning models can vary significantly based on hardware utilization and data loading bottlenecks. The authors should provide the range or standard deviation of these training times to substantiate the "4x speedup" claim. Without these statistical safeguards, the empirical evidence remains anecdotal rather than rigorous.

- [science] The statistical rigor of the experimental evaluation in `src/4-Experiment.tex` is insufficient to support the paper's central claims regarding performance superiority and efficiency gains. First, the quantitative results in Table 1 (Ablation study) and Table 2 (Performance comparison) present only point estimates for metrics like VBench Total, Quality, and VisionReward. There is no reporting of standard deviations, confidence intervals, or the number of independent runs (N) used to generate these

paper_reviewer_text_formatting

Verdict: minor_revision

The paper's text formatting exhibits several structural inconsistencies and potential compilation risks that require attention before final submission.

First, there is a critical dependency issue regarding macro definitions. In `Figures_tex/causal-cd.tex` and `Figures_tex/dmd-is-worse-than-cd.tex`, the code utilizes `\hspace*{\figxshift}` and `\hspace{\figgap}`. These macros are defined locally within `Figures_tex/multi-step.tex` (lines 1-4) but are not declared in the global `preamble.tex` or `main.tex`. If the compilation order places `causal-cd.tex` before `multi-step.tex`, or if the `multi-step.tex` file is not included in the final build, these figures will fail to compile. It is recommended to move these dimension definitions to `preamble.tex` or define them locally within each figure file.

Second, there is a typo in the filename referenced in the caption of `Figures_tex/performance_comparison.tex`. The caption reads `Figures/comparision_fig.pdf` (missing the 's' in comparison). The actual file listed in the project assets is `Figures/comparision_fig.pdf`. The filename in the repository should be corrected to `comparison_fig.pdf` to match standard English spelling, and the caption updated to match the corrected filename.

Third, the table formatting in `Tables/ablation.tex` uses nested formatting commands like `\textbf{\textit{83.06}}` for emphasis. While LaTeX allows this, it is stylistically inconsistent with standard academic table practices where bold usually denotes the best result and italics might denote a runner-up or specific condition. The current usage mixes these for single values. A consistent style guide should be applied: e.g., bold for the absolute best, underline for the second best, and plain text for others, without nesting bold and italic on the same number unless specifically required by the style guide.

Finally, the cross-referencing in `src/4-Experiment.tex` relies on labels defined in included files (`Tables/ablation.tex`, `Figures_tex/ablation.tex`). Ensure the `\input` commands in the main document or section files are ordered such that these labels are processed before they are referenced in the text to avoid "undefined reference" warnings in the final PDF.

- [writing] The paper's text formatting exhibits several structural inconsistencies and potential compilation risks that require attention before final submission. First, there is a critical dependency issue regarding macro definitions. In `Figures_tex/causal-cd.tex` and `Figures_tex/dmd-is-worse-than-cd.tex`, the code utilizes `\hspace*{\figxshift}` and `\hspace{\figgap}`. These macros are defined locally within `Figures_tex/multi-step.tex` (lines 1-4) but are not declared in the global `preamble.tex` or `main.tex`. If

paper_reviewer_writing_quality

Verdict: minor_revision

The paper presents a compelling technical contribution, but the writing quality requires minor revisions to ensure clarity, grammatical correctness, and consistency. The overall structure is logical, and the flow of arguments is generally clear. However, several specific issues detract from the professional presentation of the work.

First, there are notable typos and grammatical errors. In Section 3.1, the phrase "Casual ODE initialization" appears, which is a significant typo for "Causal ODE initialization." This error is particularly concerning as it misrepresents the core technical concept. Additionally, in Section 3.2, the sentence "causal ODE distillation and causal consistency distillation (CD) shares the same learning target" contains a subject-verb agreement error; "shares" should be "share." In Section 4.2, the phrase "which is we discuss" is grammatically incorrect and should be rephrased to "as we discuss" or "which we discuss."

Second, there is a lack of consistency in terminology and formatting. The method name "Causal Forcing₋₁" is sometimes written with inconsistent capitalization (e.g., "causal forcing₋₁" or "Causal forcing"). Similarly, the abbreviation "et al." is used inconsistently, with some instances missing the period. These inconsistencies, while minor, can distract the reader and reduce the perceived polish of the manuscript.

Third, some sentences are overly long and complex, which can hinder readability. For example, in the Introduction, the sentence "We therefore push AR diffusion distillation to a more aggressive and largely underexplored regime: frame-wise autoregression with only 1-2 sampling steps" is clear, but subsequent sentences in the same paragraph become convoluted. Breaking these into shorter, more direct sentences would improve clarity.

Finally, the captions for some figures could be more descriptive. For instance, the caption for Figure 1 (`overall.tex`) mentions "Causal Forcing₋₁" but does not explicitly state what the figure illustrates beyond a general comparison. Adding a brief description of the key takeaway from the figure would enhance its utility for the reader.

Addressing these issues will significantly improve the readability and professionalism of the paper, ensuring that the technical contributions are communicated as effectively as possible.

- [writing] Correct the typo 'Casual ODE' to 'Causal ODE' in Section 3.1, paragraph 3. This is a critical terminology error that undermines the technical precision of the argument.
- [writing] Fix the grammatical error in Section 3.2: 'causal ODE distillation and causal

consistency distillation (CD) shares' should be 'share' to agree with the plural subject.

- [writing] Standardize the capitalization of 'Causal Forcing--' and 'Causal Forcing' throughout the text. Currently, they are sometimes written as 'Causal Forcing--' and other times as 'causal forcing--' or 'Causal forcing'.
- [writing] In Section 4.2, the phrase 'which is we discuss' is grammatically incorrect. It should be rephrased to 'as we discuss' or 'which we discuss'.
- [writing] Ensure consistent formatting of citations. Some citations use 'et al.' while others use 'et al' without the period. Standardize to 'et al.' as per the provided style guide.