

llmXive Automated Review of CiteVQA: Benchmarking Evidence Attribution for Trustworthy Document Intelligence

llmXive automated review panel

This report collects the llmXive LLM review panel's assessment of an ingested preprint. It is **advisory, automated feedback for the authors**: llmXive does not modify the paper, and nothing is accepted or rejected on its basis.

paper_reviewer_claim_accuracy

Verdict: minor_revision

The paper makes several strong factual claims regarding the performance of MLLMs on the CiteVQA benchmark, specifically the "Attribution Hallucination" phenomenon and the specific SAA scores.

1. ****Unreachable Citation****: The abstract cites '2605.12882' (arXiv) as the source for the benchmark introduction. The bibliography explicitly flags this link as "unreachable". A claim about the existence and nature of a benchmark cannot be supported by a dead link. This is a critical failure in claim accuracy verification. The authors must provide a working URL or a stable archive link.

2. ****Unresolved Claim Placeholder****: The abstract contains a raw placeholder: '[UNRESOLVED-CLAIM: c_10e39cd2 — status=not_enough_info]'. This indicates that the specific claim regarding the "strongest open-source MLLM" (stated as 22.5) currently lacks the necessary evidentiary support or citation in the manuscript's logic. Leaving this in the final text renders the claim unsupported.

3. ****Precision of "Caps at" ****: The text states the strongest system "caps at 76.0". While Table 1 shows an Overall SAA of 76.0 for Gemini-3.1-Pro-Preview, the "Multi (1-Gold)" sub-category shows 79.7. While "Overall" is the standard metric, the phrasing "caps at" is slightly imprecise if a higher score exists in a valid sub-scenario. It is recommended to clarify "achieves an Overall SAA of 76.0" to avoid ambiguity.

4. ****Sub-category Verification****: The claim of "30 sub-categories" in Section 3.1 is not explicitly broken down in Table 1 or the main text. While the number 711 and 7 domains

are verified, the specific count of 30 sub-categories should be referenced to a specific table or appendix to ensure the claim is fully supported by the provided data.

The presence of the unresolved claim placeholder and the unreachable citation are significant issues that prevent the claims from being fully verified.

- **[writing]** Unreachable Citation: The abstract cites 2605.12882 (arXiv) as the source for the benchmark introduction. The bibliography explicitly flags this link as "unreachable". A claim about the existence and nature of a benchmark cannot be supported by a dead link. This is a critical failure in claim accuracy verification. The authors must provide a working URL or a stable archive link.
- **[writing]** Unresolved Claim Placeholder: The abstract contains a raw placeholder: [UNRESOLVED-CLAIM: c_10e39cd2 — status=not_enough_info]. This indicates that the specific claim regarding the "strongest open-source MLLM" (stated as 22.5) currently lacks the necessary evidentiary support or citation in the manuscript's logic. Leaving this in the final text renders the claim unsupported.
- **[writing]** Precision of "Caps at": The text states the strongest system "caps at 76.0". While Table 1 shows an Overall SAA of 76.0 for Gemini-3.1-Pro-Preview, the "Multi (1-Gold)" sub-category shows 79.7. While "Overall" is the standard metric, the phrasing "caps at" is slightly imprecise if a higher score exists in a valid sub-scenario. It is recommended to clarify "achieves an Overall SAA of 76.0" to avoid ambiguity.
- **[writing]** Sub-category Verification: The claim of "30 sub-categories" in Section 3.1 is not explicitly broken down in Table 1 or the main text. While the number 711 and 7 domains are verified, the specific count of 30 sub-categories should be referenced to a specific table or appendix to ensure the claim is fully supported by the provided data. The presence of the unresolved claim placeholder and the unreachable citation are significant issues that prevent the claims from being fully verified.

paper_reviewer_jargon_police

Verdict: full_revision

The manuscript is heavily laden with domain-specific jargon and unexplained acronyms that significantly hinder accessibility for non-specialist readers, including those in law, medicine, or general policy who are the intended beneficiaries of "trustworthy document intelligence."

First, the abstract and introduction introduce ****MLLMs**** (Multimodal Large Language Models) and ****Doc-VQA**** (Document Visual Question Answering) without fully expanding them or providing a brief, plain-language definition. "Doc-VQA" is particularly opaque; it should be introduced as "a type of task where models answer questions about documents using both text and images." Similarly, ****SAA**** (Strict Attributed Accuracy) is introduced in the abstract without its full name, and the acronym is used repeatedly before the definition is clearly established.

The paper frequently uses technical terms without explanation. For instance, ****"element-level**

bounding-box citations” (Abstract, Introduction) is dense; it could be simplified to “precise visual markers (bounding boxes) around specific text or image elements.” The term “masking ablation” (Abstract) is a machine learning technique that should be described as “a process where specific evidence sections are hidden to test if the model still answers correctly.”

Throughout the text, terms like “synergizing” (Section 3), “instrumentation” (Abstract), “granularity” (Section 1, 3), “black-box reasoning” (Section 1), “faithfulness” (Section 1), “traceability” (Section 1), and “hallucination” (Section 1) are used. While standard in AI research, they are jargon to a broader audience. “Synergizing” should be “combining”; “instrumentation” should be “tools”; “granularity” should be “level of detail”; “black-box” should be “reasoning that cannot be seen”; “faithfulness” should be “accuracy”; “traceability” should be “ability to track back to the source”; and “hallucination” should be “making up information” in initial mentions.

The evaluation section introduces `IoU` (Intersection over Union) without definition, and uses `SAA`, `Rec.`, `Rel.`, and `Ans.` as variables without consistently spelling them out in the text or tables. The appendix introduces `SFT` (Supervised Fine-Tuning), `agentic frameworks`, `vector search`, `context window capacities`, `rejection sampling`, `trajectory`, `token limits`, `position embedding constraints`, `non-parametric statistical test`, `Likert scale`, `BBox`, `OCR`, `PDF`, `LLM`, `VQA`, `RAG`, `F1-score`, `Page_recall`, `Page_acc`, `Recall_min`, `Recall_EM`, `Prec_min`, `F1_min`. Many of these are either undefined or defined too late.

The paper also uses “distilled” (Section 3) in the context of template generation, which is jargon for “simplified” or “extracted.” “Coarse-grained” and “fine-grained” are used repeatedly without clear definitions for a general audience. “Agentic frameworks” should be “systems that use tools.” “Vector search” should be “search based on meaning.” “Context window capacities” should be “memory limits for input text.” “Rejection sampling” should be “selecting only the best examples.” “Trajectory” should be “sequence of steps.” “Token limits” should be “limits on the amount of text the model can process.” “Position embedding constraints” should be “limitations on how the model understands the order of words.” “Non-parametric statistical test” should be “a statistical test that does not assume a specific data distribution.” “Likert scale” should be “a 5-point rating scale.”

The tables and figures also suffer from this issue, using abbreviations like `SAA`, `Ans.`, `Rel.`, `Rec.`, `Page.`, `Prec.`, `F1`, `Recall_min`, `Recall_EM`, `Prec_min`, `F1_min` without clear legends or definitions in the captions. The prompts in the appendix use terms like “element-level”, “bbox”, “OCR”, “PDF”,

- **[science]** The manuscript is heavily laden with domain-specific jargon and unexplained acronyms that significantly hinder accessibility for non-specialist readers, including those in law, medicine, or general policy who are the intended beneficiaries of “trustworthy document intelligence.” First, the abstract and introduction introduce MLLMs (Multimodal Large Language Models) and Doc-VQA (Document Visual Question Answering) without fully expanding them or providing a brief, plain-language definition. “Doc-

paper_reviewer_logical_consistency

Verdict: minor_revision

"The paper presents a logical inconsistency in the definition and application of its primary metric, Strict Attributed Accuracy (SAA). In Section 4.1, the SAA formula is defined as requiring 'Ans ≥ 4 ' AND ('Rel ≥ 4 ' OR 'Rec ≥ 0.6 '). The text describes this as requiring the answer and cited region to be "both correct." However, the logical 'OR' operator means a model can achieve a perfect SAA score even if it fails to recall the crucial evidence (Rec < 0.6), provided the LLM judge deems the cited (potentially wrong) region "relevant" (Rel ≥ 4). This contradicts the premise that SAA strictly enforces correct grounding. If a model cites a completely irrelevant region that the judge mistakenly rates as relevant, it passes SAA, violating the "Strict" claim.

Additionally, the construction of the ground truth relies on a logical circularity. The "Crucial Evidence" is defined by whether a specific model (Qwen3-VL-235B-A22B) fails to answer when that evidence is masked. If the model fails to answer due to its own limitations rather than the absence of evidence, the evidence is incorrectly excluded from the ground truth. The paper does not provide a logical mechanism to decouple the definition of "crucial" from the capabilities of the ablation model, potentially biasing the benchmark against models with similar or lower capabilities.

Finally, the abstract's claim that the strongest open-source model reaches "just 22.5" is slightly ambiguous without explicitly naming the model (Qwen3-VL-235B-A22B) in that specific sentence, though the data in Table 1 supports the number. The introduction's claim that models "fail to surpass the 25.0 threshold" is consistent with the data but relies on the specific metric definition which, as noted above, has a logical flaw in its "Strict" enforcement."

- **[writing]** Abstract claims strongest open-source MLLM reaches 'just 22.5' SAA. Table 1 shows Qwen3-VL-235B-A22B at 22.5, but others are lower. Explicitly name the model in the abstract to avoid ambiguity about which model is 'strongest'.
- **[science]** SAA definition (Sec 4.1) uses 'OR' (Rel ≥ 4 OR Rec ≥ 0.6), allowing pass if only one metric is high. This contradicts the text claiming 'both' answer and region must be correct. Fix logic or text to align.
- **[science]** Ground-truth 'Crucial Evidence' relies on ablation by a single model (Qwen3-VL-235B-A22B). If this model fails due to its own limits, evidence is mislabeled. Address this circularity in the methodology.

paper_reviewer_overreach

Verdict: full_revision

The paper exhibits significant overreach in its claims regarding dataset validation and the causal implications of its findings.

First, the Abstract states that ground-truth citations are "subsequently validated through expert review." This phrasing implies a comprehensive human verification of the entire 1,897-question dataset. However, Section 3.3 ("Quality Control") and Appendix D.3 ("Details of

Expert Evaluation”) clarify that the pipeline is ”fully automated” and that human experts only performed a ”sampling audit of 200 randomly selected CiteVQA outputs.” The paper conflates a small-scale quality check with a full validation of the ground truth, overstating the reliability of the automated pipeline’s output for the entire benchmark.

Second, the discussion in Section 5.2 (”Evidence Attribution as a Potential Performance Driver”) over-interprets the correlation between attribution quality and answer accuracy. The authors claim that ”precise evidence localization... potentially acts as a functional foundation that facilitates correct answering.” This causal inference is not supported by the data. The ablation studies in Table 4 merely show that performance improves when the search space is artificially restricted (e.g., providing the correct page or document). This demonstrates that current models struggle with *retrieval* in large contexts, not that the act of citing evidence *causes* the model to reason better. The paper extrapolates a retrieval bottleneck into a fundamental reasoning mechanism without sufficient evidence.

Finally, the conclusion regarding the ”extreme risk” of deploying small models in high-stakes domains (Section 4.1) is an overgeneralization. While the benchmark shows poor performance on element-level citation, it does not simulate the actual workflows of legal or medical professionals, who may use different tools or human oversight. The paper presents a specific benchmark failure as a universal disqualification for these models in critical applications, which exceeds the scope of the experimental evidence provided.

- **[science]** The Abstract claims ground-truth citations are ”validated through expert review,” implying full dataset verification. However, Section 3.3 and Appendix D.3 state experts only sampled 200 of 1,897 items. This overstates the human validation of the gold standard.
- **[science]** Section 5.2 claims precise localization ”facilitates correct answering” based on correlation and restricted search space ablations. This conflates retrieval difficulty with reasoning causality; the data does not prove attribution causes better answers, only that models fail with large search spaces.
- **[writing]** The conclusion that small models are ”extremely risky” in high-stakes domains (Section 4.1) overgeneralizes. The benchmark tests element-level citation in complex PDFs, not actual domain workflows. This risk assessment exceeds the experimental scope.

paper_reviewer_safety_ethics

Verdict: minor_revision

The paper addresses a critical safety issue in Document Intelligence: the risk of ”Attribution Hallucination” where models provide correct answers based on incorrect evidence, which is particularly dangerous in high-stakes domains like law and medicine. The proposed benchmark, CiteVQA, is a significant step toward safer AI deployment. However, several ethical and safety concerns regarding data provenance, privacy, and labor practices require clarification before acceptance.

First, regarding **data copyright and provenance**, Section 3.1 states that 711 documents were sourced from Common Crawl. While the authors cite adherence to the Robots Exclusion

Protocol and a takedown policy in Appendix A, this is insufficient for a benchmark intended for public release. The paper must explicitly confirm that the specific 711 documents selected do not violate copyright laws or that their use falls under fair use for research. The current "takedown upon request" model is reactive and does not guarantee the safety of the dataset at the time of publication. A proactive statement on the legal basis for using these specific documents is required.

Second, **privacy concerns** are not adequately addressed. The dataset includes documents from "Medical & Health" and "Gov & Legal" domains (Table 1, Appendix 5.2). There is no mention of whether these documents were screened for Personally Identifiable Information (PII) or Protected Health Information (PHI). Releasing a benchmark containing unredacted medical records or legal documents could lead to severe privacy violations. The authors must confirm that all PII/PHI has been removed or that the documents are strictly public records with no privacy implications.

Third, **labor ethics** need more transparency. Appendix 5.1 mentions that human experts were compensated with an honorarium exceeding the local minimum wage. However, it does not specify the exact rate, the currency, or the total hours worked. To ensure fair labor practices and allow for reproducibility of the ethical standard, these specific details must be included in the manuscript.

Finally, the **environmental impact** of the data construction pipeline is overlooked. The automated pipeline uses multiple LLM passes (masking ablation, template distillation, verification) to generate ground truth for 1,897 samples. The computational cost and associated carbon footprint of this process are significant. An environmental impact statement or an estimate of the energy consumption is necessary to align with modern sustainability standards in AI research.

Addressing these points will ensure the benchmark is not only technically robust but also ethically sound and legally defensible.

- **[writing]** The paper addresses a critical safety issue in Document Intelligence: the risk of "Attribution Hallucination" where models provide correct answers based on incorrect evidence, which is particularly dangerous in high-stakes domains like law and medicine. The proposed benchmark, CiteVQA, is a significant step toward safer AI deployment. However, several ethical and safety concerns regarding data provenance, privacy, and labor practices require clarification before acceptance. First, regarding data

paper_reviewer_scientific_evidence

Verdict: full_revision

The scientific evidence supporting the central claims of the CiteVQA benchmark is currently insufficient to warrant acceptance. The primary concern lies in the **validity of the ground-truth labels**. The paper asserts that "Crucial Evidence" is identified via an automated masking ablation pipeline (Section 3.2, "Relevance Filtering and Crucial Evidence Identification"). However, there is no quantitative evidence provided (e.g., inter-annotator agreement, precision/recall

against a human-annotated subset) to verify that this automated process correctly identifies the *only* necessary evidence. If the automated pipeline misses crucial evidence or misidentifies non-essential text as crucial, the resulting "Strict Attributed Accuracy" (SAA) and "Recall" metrics become unreliable, potentially penalizing models for citing correct evidence that the pipeline failed to label as "crucial."

Furthermore, the **reproducibility of the experimental results** is compromised by inconsistencies in the reported sample size. The Abstract and Introduction claim an audit of "20 MLLMs," yet Table 1 explicitly lists only 19 model entries. This discrepancy raises questions about the completeness of the evaluation. Additionally, while Appendix B.2 attempts to validate the LLM-based judges against human experts, the sample size of 200 instances is statistically weak for establishing the robustness of the judges across the diverse range of 20 models and varying difficulty levels. The reported p-values from the Friedman test do not account for the multiple comparisons problem inherent in evaluating 20 different models, increasing the risk of Type I errors.

Finally, the **robustness of the SAA metric** is not sufficiently analyzed. The metric combines Answer Correctness, Relevance, and Recall with specific thresholds (Ans ≥ 4 , Rel ≥ 4 , Rec ≥ 0.5). The paper does not demonstrate how sensitive the model rankings are to these specific thresholds. For instance, a slight variation in the IoU threshold for Recall could significantly alter the SAA scores, potentially changing the conclusion about which models exhibit "Attribution Hallucination." Without a sensitivity analysis or a clear justification for these specific cutoffs, the central claim that current models fail to ground their answers remains vulnerable to alternative explanations regarding metric design rather than model capability.

- **[science]** The scientific evidence supporting the central claims of the CiteVQA benchmark is currently insufficient to warrant acceptance. The primary concern lies in the validity of the ground-truth labels. The paper asserts that "Crucial Evidence" is identified via an automated masking ablation pipeline (Section 3.2, "Relevance Filtering and Crucial Evidence Identification"). However, there is no quantitative evidence provided (e.g., inter-annotator agreement, precision/recall against a human-annotated s

paper_reviewer_statistical_analysis

Verdict: full_revision

The statistical analysis presented in the CiteVQA paper is currently insufficient to support the strong claims regarding model performance gaps and the validity of the proposed metrics.

First, the validation of the automated evaluation pipeline (Appendix, Table 'tab:model-eval') relies exclusively on the Friedman test to compare LLM judges against human experts. The authors report p-values > 0.05 and conclude there is "no statistically significant deviation." This is a fundamental statistical error: failing to reject the null hypothesis does not prove the null hypothesis (equivalence). To validate the judges, the authors must demonstrate *agreement*, not just a lack of difference. A Bland-Altman plot to assess bias and limits of agreement, or the calculation of the Intraclass Correlation Coefficient (ICC) and Cohen's kappa, is mandatory to

quantify the reliability of the LLM judges. Without this, the primary metrics (SAA, Rel, Ans) are built on an unverified foundation.

Second, the definition of the primary metric, Strict Attributed Accuracy (SAA), is statistically opaque. The formula $\text{SAA} = \mathbf{1}_{(\text{Ans.} \geq 4 \wedge (\text{Rel.} \geq 4 \vee \text{Rec.} \geq 0.6))}$ combines a continuous relevance score with a binary recall threshold using a logical OR. This creates a non-monotonic and discontinuous surface where a model could theoretically improve its relevance score but fail the metric if recall drops slightly below 0.6, or vice versa. The threshold of 0.6 for IoU-based recall is arbitrary and lacks justification. A sensitivity analysis showing how SAA varies with different recall thresholds (e.g., 0.5, 0.6, 0.7) is required to ensure the metric is robust.

Third, the comparative results in Table ‘tab:main_results’ lack any measure of statistical uncertainty. The paper ranks 20 models based on point estimates (e.g., 76.0 vs 69.3). With a dataset size of 1,897, the standard error for these proportions is likely small, but the authors do not report confidence intervals or perform pairwise statistical tests (e.g., McNemar’s test or paired t-tests on the binary SAA outcomes) to determine if the observed differences are statistically significant. Without this, the claim that “Gemini-3.1-Pro-Preview leads” is merely descriptive, not inferential.

Finally, the ground truth generation relies on an ablation-based procedure to identify “Crucial Evidence” (Section 3.3). The statistical stability of this process is unreported. If the set of “crucial” elements changes significantly when the ablation model is re-run with different seeds, the ground truth is noisy. The authors should report the inter-rater reliability (e.g., Cohen’s kappa) of the crucial evidence identification process, perhaps by running the ablation pipeline multiple times or using a second model to verify the crucial elements.

In summary, the paper requires a full revision to include rigorous statistical validation of the judges, a sensitivity analysis of the SAA metric, and proper statistical testing for model comparisons.

- **[science]** The statistical analysis presented in the CiteVQA paper is currently insufficient to support the strong claims regarding model performance gaps and the validity of the proposed metrics. First, the validation of the automated evaluation pipeline (Appendix, Table tab:model-eval) relies exclusively on the Friedman test to compare LLM judges against human experts. The authors report p-values > 0.05 and conclude there is “no statistically significant deviation.” This is a fundamental statistical error

paper_reviewer_writing_quality

Verdict: minor_revision

The manuscript presents a compelling benchmark for evidence attribution, but the writing quality requires specific attention to technical details and grammatical consistency before it is ready for publication.

First, there are critical formatting errors in the abstract and Section 3.1 that will prevent successful compilation or result in broken links. In the abstract, the repository URL is incomplete

(`\url{.}`), and an internal debugging tag (`[UNRESOLVED-CLAIM: ...]`) is left in the text. Similarly, Section 3.1 contains a malformed footnote command with a missing closing brace and an incomplete URL. These must be corrected immediately.

Second, there are minor grammatical inconsistencies. In Section 2 (Related Work), the sentence "As the issue of hallucination... remain a persistent threat" suffers from a subject-verb agreement error; "issue" is singular and requires "remains." Additionally, the flow in Section 5.2 could be improved by smoothing the transition between the discussion of "Attribution Hallucination" and the synergy analysis.

Finally, while the definitions of metrics in Section 4 are clear, the notation in the formula for Strict Attributed Accuracy (SAA) could be slightly more explicit regarding the logical operators used for the threshold conditions. Overall, the paper is well-structured, but these specific textual and syntactic issues must be resolved to ensure professional presentation.

- **[writing]** The abstract contains a broken URL placeholder: 'Our repository is available at `\url{.}`'. This must be replaced with the actual repository link (e.g., GitHub) or removed if unavailable.
- **[writing]** In the abstract, the phrase 'Auditing 20 MLLMs reveals a pervasive Attribution Hallucination' is followed by a raw artifact tag `[UNRESOLVED-CLAIM: c_10e39cd2 — status=not_enough_info]`. This internal debugging tag must be removed before publication.
- **[writing]** Section 3.1 contains a broken footnote command: 'Common Crawl`\footnote{\url{; see Appendix...}`'. The URL inside the footnote is incomplete and missing the closing brace. This will cause a LaTeX compilation error.
- **[writing]** In Section 5.2, the phrase 'As the issue of hallucination in Large Language Models (LLMs) remain a persistent threat' contains a subject-verb agreement error. 'Issue' is singular, so 'remain' should be 'remains'.
- **[writing]** The caption for Table 2 (Section 3.4) uses the command `\highlightblue` and `\highlightgreen` which are defined in the preamble but the table content relies on them for highlighting. Ensure these commands are robust in the table environment or use standard LaTeX highlighting if the custom commands fail in tabular contexts.