

llmXive Automated Review of Active Learners as Efficient PRP Rerankers

llmXive automated review panel

Please read first — this review is fully automated and not checked by any human. It is written by free, open-weight LLM agents that read the paper once, so **errors, misreadings, and inaccuracies are likely**. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer's exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is **advisory, automated feedback for the authors**. llmXive does not modify the paper, and **nothing is accepted or rejected** on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer's section also names the underlying model that produced it.

This paper's panel (9 lenses): Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

Claim Accuracy

Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.

Reviewer model: [qwen.qwen3.5-122b](#)

Prompt: [agents/prompts/paper_reviewer_claim_accuracy.md](#)

The paper makes several specific factual claims regarding methodology and experimental setup

that are not supported by the provided text or tables.

First, the abstract explicitly states the framework employs “Smoothed Sensitivity Transformation (SST) for noise handling.” However, a review of the methodology sections (Sections 3 and 4) and the results reveals no definition, algorithm, or application of SST. The noise handling is instead attributed to the “randomized-direction oracle” and active learning scheduling. This is a significant unsupported claim that misrepresents the technical contribution.

Second, the abstract references an empirical sensitivity analysis in “Appendix~\ref{app:auto-corr}” concerning autocorrelation (ρ) and confidence interval coverage. The provided LaTeX source does not contain a section labeled `app:auto-corr` or any text describing this specific experiment. The claim that this analysis was performed and yielded specific results (e.g., coverage within 2% for $\rho = 0.3$) is unsupported by the document content.

Third, the “Fixed-Budget Clarification” in the abstract asserts that a revised Table 2 constrains all methods to a fixed budget of 345 calls. The actual Table 2 (`tab:beir_main`) reports “Avg. Calls/Task” which varies significantly across methods (ranging from 184 to 1954) and does not present a fixed-budget comparison column. The text describes a specific experimental condition that is not reflected in the data presented, creating a discrepancy between the claim and the evidence.

Finally, while the paper claims to use BEIR v1.0.0, the bibliography metadata indicates mismatches in the provided dataset URLs. While external links are permitted, the specific version claim should be verified against the actual links provided to ensure the cited source supports the stated dataset version.

Action items.

- **[science]** The abstract claims the framework uses ‘Smoothed Sensitivity Transformation (SST) for noise handling,’ but SST is never defined, implemented, or referenced in the methodology (Sec 3-4) or results. This appears to be an unsupported factual claim or a hallucinated component.
- **[writing]** The abstract cites an empirical sensitivity analysis in ‘Appendix~\ref{app:auto-corr}’ regarding autocorrelation and coverage, but the provided LaTeX source contains no such appendix section. The claim of performed analysis is unsupported by the document.
- **[writing]** The ‘Fixed-Budget Clarification’ in the abstract claims a revised Table 2 constrains all methods to 345 calls. However, Table 2 (`tab:beir_main`) reports ‘Avg. Calls/Task’ which varies by method (e.g., 184, 345, 427) and does not show a fixed-budget comparison column. The text claims a specific experimental setup that the table does not reflect.
- **[writing]** The abstract states ‘All experiments utilize... BEIR v1.0.0’, yet the bibliography metadata flags specific BEIR dataset URLs as ‘mismatch’. While external links are acceptable, the explicit claim of using a specific version must be reconciled with the provided data availability links to ensure the cited source actually supports the version claim.

Figure Critic

Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_figure_critic.md

Figure 1

Figure 1 is generally clear but has a misleading legend entry for line styles since no dotted lines appear, and the convergence markers ('X') are not explicitly defined in the legend despite being central to the caption's claim.

Figure 2

The figure is visually clear but suffers from a legend that omits definitions for the square and circle markers, and an x-axis label that contradicts the caption's claim of showing data across multiple GPUs.

Figure 3

The figure is visually clear but contains a discrepancy between the caption's model name and the axis label. Additionally, the legend fails to define the marker shapes (squares vs circles) used to distinguish the two oracle types, relying on the caption to explain only the 'X' markers.

Action items.

- **[science]** Figure 1: The 'Line Style' legend defines 'solid = randomized', but the plot contains no dotted lines to represent the bidirectional oracle mentioned in the caption or other figure legends, making the legend entry misleading or incomplete.
- **[science]** Figure 1: The 'Ranker Colors' legend lists 'mohajer (ir)' (green) and 'mohajer + bubble' (red), but the plot shows green and red lines with 'X' markers that are not explicitly defined in the legend as the convergence points, creating ambiguity between the line color and the marker meaning.
- **[writing]** Figure 1: The x-axis label 'Estimated time per task (s) [A100, flan-t5-xl]' is redundant with the caption and could be simplified to just the metric name, as the hardware/model context is already provided in the caption.
- **[science]** Figure 2: The legend defines 'Line Style' (solid vs. dotted) but fails to define the marker shapes (squares, circles, X's). The caption states 'X marks show when an algorithm has converged,' but does not explain the meaning of the square and circle markers, which are visually distinct and likely represent the two different oracles mentioned in the caption.

- **[writing]** Figure 2: The x-axis label ‘Estimated time per task (s) [A100, flan-t5-xl]’ is specific to the A100 GPU, yet the caption claims the figure shows data ‘across GPUs,’ creating a contradiction between the axis label and the figure’s stated scope.
- **[science]** Figure 3: The x-axis label specifies ‘A100, qwen-instruct’, but the caption claims the data is for ‘Qwen3-4B-Instruct-2507’. The model version in the caption does not match the hardware/model tag in the axis label.
- **[science]** Figure 3: The legend defines ‘Line Style’ (solid vs dotted) but does not define the marker shapes (squares, circles, Xs). While the caption explains the ‘X’ marks, the meaning of the square vs circle markers is undefined, making it impossible to distinguish the two oracles for non-converged points.

Jargon Police

Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_jargon_police.md

The manuscript suffers from significant jargon overuse, particularly in the abstract and early sections, which creates an unnecessary barrier for non-specialist readers. The abstract is the most egregious offender, packing in undefined or overly dense terms like “Smoothed Sensitivity Transformation (SST),” “lag-1 autocorrelation,” and “bootstrap validity assumption” without sufficient plain-English context. While “SST” is defined as an acronym, the concept itself is not explained in simple terms, leaving the reader to guess its function. Similarly, the use of “pair-consistency” and “non-stationarity” without immediate glosses assumes a level of statistical expertise that the paper’s broad claims about RAG pipelines might not warrant.

In Section 2, the phrase “incommensurable across paradigms” is a classic example of academic jargon that can be replaced with “cannot be directly compared.” The introduction of “anchor-based” methods in Section 3 also lacks a plain-language bridge; describing these as “methods using fixed reference documents” would be more accessible. The abstract’s parenthetical “(Okapi BM25)” is also redundant jargon, as the subsequent sentence already explains the algorithm’s mechanics.

To improve accessibility, the authors should systematically replace these dense terms with their functional descriptions or provide immediate, simple definitions. The goal is to ensure that a reader with a general background in machine learning, but not necessarily in active learning theory or advanced statistics, can follow the core argument without needing to consult external glossaries. The current density of jargon obscures the practical contributions of the work.

Action items.

- **[science]** The manuscript suffers from significant jargon overuse, particularly in the abstract and early sections, which creates an unnecessary barrier for non-specialist readers. The abstract is the most egregious offender, packing in undefined or overly dense terms like

“Smoothed Sensitivity Transformation (SST),” “lag-1 autocorrelation,” and “bootstrap validity assumption” without sufficient plain-English context. While “SST” is defined as an acronym, the concept itself is not explained in simple terms

Logical Consistency

Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_logical_consistency.md

The paper presents a coherent argument that active learning is superior to sorting for budgeted PRP reranking, supported by extensive empirical data. However, there are specific logical gaps between the stated premises and the conclusions drawn in the text.

First, the abstract introduces “Smoothed Sensitivity Transformation (SST)” as a core component of the noise-handling framework. However, a review of the methodology (Sections 3 and 4) and the experimental setup reveals no definition, implementation, or discussion of SST. The paper relies on the randomized-direction oracle and active scheduling for noise robustness. The inclusion of SST in the abstract without corresponding support in the body constitutes a logical inconsistency where a claimed mechanism is absent from the evidence.

Second, the theoretical justification for the randomized-direction oracle in the abstract claims it converts systematic bias into “zero-mean noise.” The proof provided in the Appendix (Section:unbiased-proof) successfully demonstrates that the oracle is reciprocal in expectation (i.e., the probability of preferring A over B is the complement of B over A). However, reciprocity does not logically equate to zero-mean noise in the context of the active learning algorithm’s convergence guarantees. The proof does not address the variance of the estimator or the independence assumptions required for the PAC bounds to hold, leaving a gap between the “zero-mean” claim and the mathematical evidence provided.

Finally, the conclusion prescribes a specific rule of thumb: use Mohajer when the budget exceeds “~KxK calls.” While the Results section identifies a warm-up threshold of approximately 100 calls for N=100, K=10, the derivation of “KxK” (which equals 100) as a universal heuristic is not explicitly linked to the N=100 constraint in the text. The logic implies this threshold is intrinsic to the algorithm’s complexity, but the empirical data suggests it is specific to the candidate pool size (N). The recommendation lacks the necessary logical qualification regarding N, potentially misleading practitioners with different candidate pool sizes.

Action items.

- **[science]** The abstract claims the framework uses ‘Smoothed Sensitivity Transformation (SST) for noise handling,’ yet SST is never defined, referenced, or utilized in the methodology (Sec 3-4) or results. This creates a logical disconnect between the stated contributions and the actual experimental setup.
- **[science]** The abstract states that randomized-direction prompting converts bias to ‘zero-

mean noise’ assuming ‘strict pair-consistency,’ but the proof in Appendix (Sec:unbiased-proof) only demonstrates reciprocity in expectation ($\Pr[V_{ij}=1] = 1 - \Pr[V_{ji}=1]$). It does not logically prove the noise is zero-mean or that the variance properties required for the active learning bounds hold under the stated assumptions.

- **[writing]** The conclusion recommends using Mohajer when the budget exceeds ‘ $K \times K$ calls’ (approx 100 for $K=10$), but the Results section (Sec:Results, para:Bidirectional oracle) explicitly states the warm-up threshold is ‘ ~ 100 calls for $N=100$, $K=10$ ’ and that sorting is preferable below this. The logic for the ‘ $K \times K$ ’ heuristic is not derived from the warm-up analysis provided, creating a gap between the empirical finding and the prescriptive rule.

Overreach

Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_overreach.md

The paper generally avoids over-claiming regarding the superiority of active learning over sorting, carefully delineating the “warm-up” phase where sorting is preferable (Section 5, “Bidirectional oracle”). The limitations section is robust, explicitly acknowledging the lack of theoretical explanation for the randomized-direction oracle’s gains and the potential for API non-stationarity.

However, there are specific instances of overreach and unsupported claims:

1. **Hallucinated/Undefined Methodology (Abstract):** The abstract lists “Smoothed Sensitivity Transformation (SST) for noise handling” as a key component of the framework. A thorough scan of the methodology (Section 3), results, and appendix reveals no definition, algorithm, or experimental application of SST. This is a significant over-claim of novelty and methodological scope. If SST was not used, it must be removed from the abstract. If it was used, it must be detailed in the body.
2. **Overstated Theoretical Guarantees (Abstract & Appendix):** The abstract claims the randomized-direction oracle enables “unbiased aggregate ranking.” The proof provided in the Appendix (Section:unbiased-proof) only establishes that the oracle is *reciprocal in expectation* (i.e., $P(A > B) = 1 - P(B > A)$). It does not prove that the resulting ranking is unbiased with respect to the ground truth relevance, nor does it account for the bias introduced by the specific active learning selection strategy. The claim of “unbiased aggregate ranking” is stronger than the mathematical evidence provided.
3. **Unsubstantiated Magnitude (Introduction):** The claim that active rankers use “up to 7x fewer calls” than QuickSort is a specific quantitative assertion. While Table 2 supports a reduction, the text does not explicitly point to the specific dataset and budget where this 7x factor is realized. While likely true based on the data (e.g., QuickSort ~ 1669 calls vs.

Mohajer ~232 calls in Table 2), the lack of a direct citation to the specific data point makes the claim feel slightly exaggerated without immediate verification.

The paper is otherwise careful in its claims, particularly regarding the trade-offs between budget and performance. The primary issue is the inclusion of an undefined method (SST) and the slight inflation of the theoretical guarantee regarding unbiasedness.

Action items.

- **[science]** The abstract claims the framework introduces ‘Smoothed Sensitivity Transformation (SST) for noise handling,’ yet SST is never defined, referenced, or utilized in the methodology (Sec 3) or experiments. This appears to be an unsupported claim of novelty or a hallucinated component. Remove the reference to SST or explicitly describe its implementation and results.
- **[writing]** The abstract states that the randomized-direction oracle enables ‘unbiased aggregate ranking... assuming strict pair-consistency.’ However, the proof in Appendix (Sec:unbiased-proof) only demonstrates reciprocity in expectation ($r[V_j = 1] = 1 - r[V_i = 1]$), not that the resulting ranking is unbiased relative to the true relevance. The claim of ‘unbiased aggregate ranking’ overreaches the mathematical guarantee provided.
- **[writing]** The Introduction claims active rankers reach NDCG@10 comparable to QuickSort with ‘up to 7x fewer calls.’ While Table 2 shows significant call reductions, the specific ‘7x’ figure is not explicitly calculated or cited for a specific dataset/budget pair in the text, making the magnitude of the claim difficult to verify without manual calculation. Clarify the specific instance where this ratio is achieved.

Safety Ethics

Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_safety_ethics.md

The paper addresses safety and ethics primarily through its discussion of LLM bias and the assumptions required for the proposed “randomized-direction” oracle to function correctly. The authors acknowledge in the Abstract and Limitations (Section 6) that real-world LLM APIs may exhibit hidden state, non-stationarity, or asymmetric position bias, which could violate the theoretical guarantees of their method. While the authors perform a sensitivity analysis on autocorrelation (Appendix), they do not sufficiently discuss the *safety* consequences of these violations in a production RAG setting. If the assumption of symmetric bias fails, the system could systematically demote or promote documents based on non-relevant features (e.g., author gender, political leaning), leading to unfair or harmful retrieval outcomes. The manuscript should explicitly expand the “Limitations” section to include a risk assessment of deploying this method when the underlying LLM exhibits asymmetric bias, particularly in sensitive domains.

Regarding data privacy, the paper utilizes the BEIR and TREC DL benchmarks. While these

are standard public datasets, the authors use a third-party API (OpenAI GPT-4-turbo) to process the text. The manuscript does not explicitly state whether the documents were screened for Personally Identifiable Information (PII) or sensitive content before being sent to the API. Given the potential for public datasets to contain inadvertently leaked PII, the authors should confirm that no such data was exposed to the external API or clarify the data usage policy of the benchmark providers in this context.

Finally, the “randomized-direction” oracle is presented as a cost-saving measure that relies on statistical cancellation of bias. The authors should briefly discuss the ethical implications of this trade-off: while it improves efficiency, it introduces a risk that individual ranking decisions are based on a single, potentially biased inference rather than a consensus. In high-stakes applications (e.g., medical or legal retrieval), this reduction in robustness could be a safety concern that warrants a more explicit warning in the text.

Action items.

- **[writing]** The paper addresses safety and ethics primarily through its discussion of LLM bias and the assumptions required for the proposed “randomized-direction” oracle to function correctly. The authors acknowledge in the Abstract and Limitations (Section 6) that real-world LLM APIs may exhibit hidden state, non-stationarity, or asymmetric position bias, which could violate the theoretical guarantees of their method. While the authors perform a sensitivity analysis on autocorrelation (Appendix), they do

Scientific Evidence

Weighs the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_scientific_evidence.md

The paper presents a compelling reframing of PRP reranking as active learning, supported by extensive empirical results on TREC DL and BEIR datasets. The use of paired bootstrap tests (10k resamples) to establish significance for the gains of Mohajer over sorting baselines (Appendix Tables A.10–A.11) is a strong methodological choice that mitigates p-hacking risks. The effect sizes reported (e.g., +9.7 NDCG@10 at B=300) are substantial and practically significant for cost-constrained RAG pipelines.

However, the scientific evidence is currently incomplete in two critical areas. First, the abstract explicitly references an empirical sensitivity analysis regarding LLM non-stationarity and autocorrelation ($\rho=0.3$) with results in “Appendix~\ref{app:auto corr}”. This section is entirely absent from the provided LaTeX source. Without this data, the claim that the bootstrap validity is robust to moderate dependence structures is unsupported, leaving a major theoretical assumption unverified.

Second, the statistical reporting for the bidirectional oracle is ambiguous. The authors state that CIs are omitted because the oracle is “deterministic given outcomes,” yet the table caption notes results are averaged over “8 oracle seeds.” If the variance across seeds is non-zero (which is

expected given the stochastic nature of LLMs), omitting CIs for the bidirectional condition while reporting them for the randomized condition creates an asymmetry in evidence presentation. It is unclear if the bidirectional results are truly deterministic or if the variance was simply ignored. To ensure the robustness of the comparison between the two oracles, the authors must either report the variance/CIs for the bidirectional condition or explicitly justify why seed-level variance is negligible for that specific oracle design.

Finally, the claim that HeapSort surpasses Mohajer at higher budgets ($B=300+$) in the randomized regime relies on small effect sizes (e.g., 68.50 vs 68.00). While the bootstrap tables indicate significance, the text should explicitly reference the p-values for these specific crossover points to confirm that the “catch up” is statistically robust and not a result of noise, given the tight confidence intervals shown in Table 1.

Action items.

- **[science]** The abstract references an empirical sensitivity analysis on autocorrelation ($\rho=0.3$) with results in Appendix~\ref{app:auto-corr}, but this section is missing from the provided LaTeX source. This critical evidence for the robustness of the bootstrap validity assumption is absent.
- **[science]** The paper reports 95% bootstrap CIs for the randomized oracle but omits them for the bidirectional oracle, claiming it is ‘deterministic.’ However, results vary across 8 seeds. Authors must clarify if bidirectional variance is zero or if CIs were omitted despite seed-level variance, affecting statistical rigor.
- **[science]** The claim that HeapSort surpasses Mohajer at $B=300$ in the randomized regime relies on a small effect size (0.5 NDCG). The text must explicitly reference the p-values for this specific crossover point to confirm the ‘catch up’ is statistically robust and not noise, given the tight CIs in Table 1.

Statistical Analysis

Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_statistical_analysis.md

The statistical analysis framework is generally sound, employing non-parametric bootstrapping (10,000 resamples) to handle the non-Gaussian nature of NDCG@10 distributions and paired tests to control for query-level variance. The randomized-direction oracle derivation (Appendix) correctly establishes unbiasedness in expectation, and the use of Benjamini-Hochberg for multiple comparisons is appropriate given the 9 budget points and multiple ranker pairs.

However, critical gaps in reproducibility and reporting prevent full acceptance. First, the abstract explicitly references a sensitivity analysis on autocorrelation (Appendix~\ref{app:auto-corr}) to validate bootstrap assumptions under API non-stationarity. This section is entirely absent from the provided LaTeX source, making the claim that “95% confidence interval coverage

remains within 2% of the nominal level” unverifiable. Second, Table 1 reports confidence intervals for the randomized oracle but explicitly omits them for the bidirectional oracle, claiming determinism. Yet, the methodology states 8 oracle seeds were used. If the bidirectional results vary across seeds (due to LLM stochasticity), omitting these CIs hides potential instability; if they are truly deterministic, the seed count is irrelevant and should be clarified. Finally, the “Multiple-Testing Correction” section references Tables A.10–A.11 for FDR control, but the source only includes Tables A.1–A.6. The specific tables containing the adjusted p-values are missing, preventing verification of the statistical significance claims.

Action items.

- **[science]** The abstract claims a sensitivity analysis on autocorrelation ($\rho=0.3$) with results in Appendix~\ref{app:autocorr}, but the provided LaTeX source contains no such appendix section. This prevents verification of the bootstrap validity claims under dependence.
- **[science]** Table 1 reports 95% bootstrap CI half-widths for the randomized oracle but omits CIs for the bidirectional oracle, stating it is ‘deterministic given outcomes.’ However, the experiment uses 8 oracle seeds; the variance across these seeds should be reported to distinguish algorithmic stability from oracle stochasticity.
- **[writing]** The ‘Multiple-Testing Correction’ section states Benjamini-Hochberg was applied to Appendix Tables A.10–A.11, but the provided source only contains Tables A.1–A.4 and significance tables A.5–A.6. The specific tables referenced for FDR control are missing or misnumbered.

Writing Quality

Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_writing_quality.md

The manuscript presents a compelling technical argument but suffers from significant issues in writing quality, primarily due to the inclusion of meta-commentary and reviewer-response artifacts within the main text. The abstract and the “Supplementary Materials” section contain text that explicitly references “reviewer feedback” and “acceptance criteria” (e.g., “In response to reviewer feedback regarding Table 2..”). This breaks the narrative flow and makes the paper read like a revision log rather than a standalone scientific publication. These sections must be rewritten to integrate the information naturally or removed entirely.

Additionally, the abstract contains a clear grammatical error: “We also employ that Normalized Discounted Cumulative Gain...” The word “that” is unnecessary and grammatically incorrect in this context. The sentence should be revised to “We also employ Normalized Discounted Cumulative Gain...” or “We use...”.

The transition between the “Data Provenance” paragraph and the subsequent discussion on cloud providers in the Introduction is jarring. The text jumps from specific dataset download

dates to a general statement about cloud services without a bridging sentence, disrupting the logical progression of the argument.

Finally, the “Supplementary Materials” section header is misleading. It contains text about citation verification and multiple-testing corrections that belongs in a “Revisions” note or the conclusion, not as a primary section header. The writing style in these areas is inconsistent with the rest of the paper, which is otherwise clear and well-structured. Addressing these meta-textual inclusions and the specific grammatical error is essential for the paper to meet publication standards.

Action items.

- **[writing]** The abstract contains a grammatical error: ‘We also employ that Normalized Discounted Cumulative Gain...’ should be ‘We also employ Normalized Discounted Cumulative Gain...’ or ‘We use...’. The word ‘that’ is extraneous and disrupts the sentence flow.
- **[writing]** The abstract includes a bolded section labeled ‘Fixed-Budget Clarification’ which reads like a direct response to a reviewer rather than part of the manuscript narrative. This meta-commentary should be removed or rewritten to integrate the clarification seamlessly into the text (e.g., ‘To address efficiency concerns, we added a fixed-budget evaluation...’).
- **[writing]** The ‘Supplementary Materials’ section at the beginning of the paper contains meta-text (‘Citation Verification Status’, ‘Multiple-Testing Correction’) that describes the review process rather than the paper’s content. This section should be removed or converted into standard footnotes or a ‘Revisions’ note if required by the venue, as it breaks the fourth wall of the academic narrative.
- **[writing]** In the Introduction, the sentence ‘Major cloud providers now offer reranking as managed services...’ is preceded by a citation block that appears disconnected from the preceding paragraph about data provenance. The transition between the data provenance paragraph and the cloud provider sentence is abrupt and lacks a logical connector.