

llmXive Automated Review of Audio Interaction Model

llmXive automated review panel

Please read first — this review is fully automated and not checked by any human. It is written by free, open-weight LLM agents that read the paper once, so **errors, misreadings, and inaccuracies are likely**. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer's exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is **advisory, automated feedback for the authors**. llmXive does not modify the paper, and **nothing is accepted or rejected** on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer's section also names the underlying model that produced it.

This paper's panel (9 lenses): Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

Claim Accuracy

Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_claim_accuracy.md`

The review focuses on the accuracy of factual claims and their alignment with cited evidence

and internal consistency.

Internal Consistency of Numerical Claims: There is a significant discrepancy regarding the size of the **StreamAudio-2M** dataset. The Abstract and Section 3.1 explicitly state the corpus comprises **2.6M items**. However, the caption for Figure 3 (StreamAudio-2M statistics) and the summary row in the table within Section 3.1 (Figure 3) state **2.34M items**. The Appendix Table **tab:app:sources** lists specific item counts that sum to approximately 2.34M (e.g., 539k+487k+382k+357k+270k+171k+130k = 2.336M). The claim of 2.6M in the abstract appears to be an overstatement or a rounding error that contradicts the detailed breakdown provided in the figures and tables. This needs correction to ensure the abstract accurately reflects the data presented in the body.

Precision of Comparative Claims: In the Abstract and Section 4.2, the authors claim **Audio-Interaction** “surpasses” state-of-the-art models on MMAU, citing 58.15 vs 57.81. While 58.15 is indeed higher than the 3B initialization (Qwen2.5-Omni-3B at 57.81), Table 1 clearly shows that **Qwen2.5-Omni-7B** achieves **65.60** and **Audio-Reasoner** achieves **61.71**. The phrasing “surpasses them” (referring to “state-of-the-art models”) is ambiguous and risks misleading the reader into thinking the proposed model outperforms all listed baselines, including the 7B variants. The claim should be qualified to specify that it surpasses the *3B initialization* and performs competitively against 7B models, rather than broadly “surpassing” SOTA.

Semantic Accuracy of Technical Descriptions: In Section 3.2, the description of the Time-frequency joint preprocessing (TFJP) module states: “refining both boundaries with half-chunk alignment $\delta = \frac{1}{2}$ of \texttt{Audio-Interaction}”. This is factually incorrect. δ is a time parameter (defined as 200ms in the Appendix and Algorithm 1), representing half the *chunk size* (400ms), not half of the *model* (**Audio-Interaction**). This is a semantic error in the prose that misrepresents the variable’s definition. It should be corrected to “half-chunk alignment $\delta = 200\text{ms}$ ” or “half the chunk size”.

Citation Support for Performance Gains: The claim in Section 4.2 regarding the BLEU score improvement on CoVoST2 (“+15.72/+17.04”) is mathematically accurate when comparing **Audio-Interaction** to **Qwen2.5-Omni-3B** (the initialization). However, the text refers to “its initialization” without explicitly naming the 3B variant. Given that the paper also compares against 7B models, and the 7B initialization (**Qwen2.5-Omni-7B**) has significantly higher baseline scores (41.40/29.40), the claim could be misinterpreted. The text should explicitly state “improves over its 3B initialization” to prevent confusion with the 7B baseline performance.

Overall, the core scientific claims are supported by the provided tables, but the manuscript contains inconsistencies in dataset size reporting and ambiguous phrasing in comparative claims that require clarification to ensure factual accuracy.

Action items.

- **[writing]** In Section 3.2 (Streaming Data Construction), the text claims the TFJP module uses ‘half-chunk alignment $=1/2$ of Audio-Interaction’. This is semantically incorrect; δ is a time duration (200ms), not a fraction of the model. The text should read ‘ $=1/2$ of the chunk size’ or ‘ $=200\text{ms}$ ’ to match the Appendix and Algorithm 1.
- **[writing]** Table 1 (MMAU) and the Abstract claim **Audio-Interaction** achieves 58.15 on

MMAU, surpassing Qwen2.5-Omni-3B (57.81). However, the table shows Qwen2.5-Omni-7B achieving 65.60. The claim ‘surpasses them’ is ambiguous and potentially misleading if interpreted as surpassing all baselines. Clarify that it surpasses the 3B initialization and specific 7B models in audio-instruction settings, not all 7B models generally.

- **[writing]** Section 4.2 claims the model improves over initialization by ‘+15.72/+17.04 BLEU’ on CoVoST2. Table 2 shows Audio-Interaction (55.22/35.21) vs Qwen2.5-Omni-3B (39.50/18.17). The math holds ($55.22 - 39.50 = 15.72$), but the text implies this is a general improvement over ‘its initialization’ without explicitly stating the baseline is the 3B version, which could be confused with the 7B version (41.40/29.40) where the gain is smaller. Explicitly cite the 3B baseline in the text.
- **[writing]** The Abstract states StreamAudio-2M is a ‘2.6M-item’ corpus, but Figure 3 caption and Table 3 in the Appendix list ‘2.34M items’. This numerical inconsistency between the abstract, main text, and appendix tables must be resolved.

Figure Critic

Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_figure_critic.md`

Figure 1

The figure effectively illustrates the model’s capabilities with clear visual examples, but the caption contains a typo and is difficult to read in the provided image.

Figure 2

Figure 2 effectively illustrates the concept of continuous audio interaction but has a caption filename artifact and could more clearly distinguish between the proposed model and existing systems being compared.

Figure 3

The figure illustrates an inference pipeline but the caption claims it is a training framework, creating a fundamental mismatch. Additionally, key visual elements like fire emojis and color-coded blocks lack definitions in the caption or legend.

Figure 4

The figure provides a clear visual overview of the StreamAudio-2M dataset pipeline, but contains minor text quality issues including a typo ('dataitem') and illegible labels in the preprocessing section.

Figure 5

The figure effectively visualizes the capability taxonomy and task statistics, but it fails to include the source data statistics mentioned in the caption, and the legend for the line chart is somewhat disconnected from the plot.

Figure 6

The figure effectively visualizes the continuity ratio across stages, but the x-axis labels for the initial stages are cluttered and overlap with the first layer label. Additionally, the caption's claim about the projector's minimal impact is visually supported but the axis labeling makes it slightly difficult to distinguish the exact transition point between the projector and the first GPT layer.

Figure 7

The figure is visually clear and the legend is well-defined, but the caption fails to explain the specific 'boundary / internal' metric shown on the y-axis and does not clarify the x-axis mapping for the initial components.

Figure 8

The figure effectively visualizes capability stability for MMAU and Dialogue accuracy, but the third subplot contradicts the caption by showing Response Trigger Token Accuracy instead of the promised end-to-end latency. Additionally, the legend naming is inconsistent across the three subplots.

Figure 9

The figure presents a clear comparison of model outputs, but the caption's claim that baseline models fail to detect the audio cue directly is contradicted by the 'Sound Events' row which shows the cue was recognized. Additionally, the accuracy column lacks a clear definition for its two distinct percentage values.

Figure 10

The figure effectively visualizes a complex 30-second audio interaction scenario with clear temporal alignment between audio events and model responses. However, the caption is too brief to stand alone, and the legend includes categories that are not explicitly mapped to specific events in the timeline.

Figure 11

Figure 11 is a clear and well-structured case study visualization that effectively maps a continuous audio stream to specific user interactions and model responses. The timeline, spectrogram, and task category legend are all legible and consistent with the provided caption.

Figure 12

The figure displays a bar chart of audio category distribution, but the caption is a placeholder and the x-axis labels are illegible due to rotation and overlap. Furthermore, the specific categories on the x-axis do not align with the broader groups defined in the legend.

Action items.

- **[writing]** Figure 1: The caption contains a typo ('capabilitie' instead of 'capabilities').
- **[writing]** Figure 1: The caption text is not fully legible in the rendered image due to low resolution.
- **[writing]** Figure 2: The caption text 'new__main__newnane.pdf' appears to be a filename artifact rather than a proper description.
- **[science]** Figure 2: The diagram shows 'Mini-Omni3' and 'SoundStream' as examples but does not clearly distinguish which parts represent the proposed Audio-Interaction model versus existing systems being compared.
- **[science]** Figure 3: The caption describes a 'training framework' with 'supervision signals' and 'streaming training strategy,' but the figure depicts an inference pipeline (input audio -> encoder -> adapter -> response generation) without showing loss functions, gradients, or training-specific components.
- **[writing]** Figure 3: The text 'Audio-Interaction' and 'Adapter' are accompanied by fire emojis (🔥) which are undefined in the caption or legend, creating ambiguity about whether they denote specific model components, training phases, or are merely decorative.
- **[writing]** Figure 3: The diagram shows specific text inputs (e.g., 'What is your name?', 'Count only upon hearing a dog bark') but lacks a clear legend explaining the color coding of the output blocks (orange vs. green) or the meaning of the '<Silent>' vs '<Res>' tokens.
- **[writing]** Figure 4: The text '2.4M source dataitem' in the Data collection panel contains a typo and should be 'data items'.
- **[writing]** Figure 4: The 'Preprocessing' panel contains illegible text inside the 'ASR checking' box due to low resolution.
- **[science]** Figure 5: The caption claims to show '(c) Statistics of source data', but the rendered figure only contains the taxonomy chart (a) and the round distribution/tokens/silence plots (b); the source data statistics are missing.
- **[writing]** Figure 5: The legend for the top-right line chart ('Rounds distribution') is placed outside the plot area without clear visual grouping, making it difficult to associate with the

specific data series.

- **[science]** Figure 6: The x-axis labels ‘Encoder’ and ‘Projector’ are positioned under the first two data points, but the caption claims ‘GPT Layer 0 alone recovers most of the continuity.’ The graph shows the massive jump occurs at ‘L0’, yet the visual grouping of ‘Encoder’ and ‘Projector’ in the shaded regions suggests they are the primary stages, potentially obscuring the specific contribution of the projector versus the encoder as described in the text.
- **[writing]** Figure 6: The x-axis labels ‘Encoder’ and ‘Projector’ are rotated 45 degrees and overlap significantly with the ‘L0’ label, reducing legibility.
- **[writing]** Figure 7: The caption describes the plot as showing ‘cross-chunk continuity ratio’, but the y-axis label reads ‘Continuity Ratio (boundary / internal)’, which is a specific metric definition not explained in the caption.
- **[writing]** Figure 7: The x-axis labels ‘Encoder’ and ‘Projector’ are ambiguous regarding the specific layer indices they represent compared to the ‘L0’ through ‘L35’ sequence, and the caption does not clarify if these correspond to specific layers or blocks.
- **[science]** Figure 8: The caption claims to report ‘end-to-end latency’, but the third subplot (right) displays ‘Response Trigger Token Acc (%)’ on the y-axis. The figure fails to visualize the metric described in the text.
- **[writing]** Figure 8: The legend in the rightmost subplot lists ‘Ours (w/o Streaming Loss)’, whereas the legends in the left and middle subplots list ‘Baseline’. This inconsistency in naming conventions across the panels is confusing.
- **[science]** Figure 9: The caption claims the second case study shows Audio-Interaction handling the ‘audio cue directly’ while others rely on transcription, but the ‘Sound Events’ row explicitly lists ‘<Sound effect - Cat> <End>’ as a recognized event. This implies the baseline models also have access to the audio cue, contradicting the caption’s narrative that they only detect the cat via transcribed words.
- **[writing]** Figure 9: The ‘TRIGGERED / RESPONSE ACC’ column header is ambiguous; it is unclear if the two values (e.g., 100.0% / 100.0%) represent Trigger Accuracy and Response Accuracy respectively, or if they refer to different metrics entirely. A legend or explicit definition is missing.
- **[writing]** Figure 10: The caption ‘Case study: Home’ is insufficient for a complex timeline visualization; it should describe the specific scenario (e.g., ‘Weekend Childcare’) and the model’s multi-modal responses shown.
- **[writing]** Figure 10: The legend at the bottom lists ‘Real-time ASR’ and ‘Instruction Following’ as task categories, but the timeline does not explicitly label any segments with these specific tags, creating ambiguity about which interactions fall under these definitions.
- **[fatal]** Figure 12: The caption is a placeholder (‘Enter Caption’) and does not describe the figure’s content, making it impossible to verify if the chart supports the paper’s claims.

- **[science]** Figure 12: The x-axis labels (e.g., ‘Daily Affairs’, ‘House Equipment States’) do not match the legend categories (e.g., ‘Daily Living’, ‘Human’), creating a disconnect between the data points and their defined groups.
- **[writing]** Figure 12: The x-axis labels are rotated at a steep angle, causing significant overlap and reducing legibility for labels like ‘Ecological & Biological Context’.

Jargon Police

Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_jargon_police.md

The manuscript relies heavily on acronyms and domain-specific shorthand that hinders accessibility for non-specialist readers.

First, the paper introduces **LALM** (Large Audio Language Model) in the abstract but introduces **LAIM** (Large Audio Interaction Model) in the Introduction without explicitly spelling out the acronym or defining it as a distinct class of models, forcing the reader to deduce the pattern. Similarly, the term **SALM** appears in the “Additional Analysis” section without any prior definition, likely standing for “Streaming Audio Language Models,” but this is not stated.

Second, the **TFJP** acronym (Time-frequency joint preprocessing module) is introduced in Section 3.2. While the full name is given, the acronym is then used immediately in the algorithm description and subsequent text. For a general audience, the repeated use of “TFJP” without a clear, standalone definition sentence is jargon-heavy.

Third, standard metrics like **WER** (Word Error Rate) and **BLEU** are used in table captions and text without expansion. While common in the field, a “jargon police” review requires them to be defined at first use for broader accessibility.

Finally, implementation details like **KV-cache** (Section ‘Asynchronous FIFO Inference’) are used without expansion. Replacing these with “key-value cache” or providing a brief parenthetical definition would significantly improve readability for non-experts.

Action items.

- **[writing]** The manuscript relies heavily on acronyms and domain-specific shorthand that hinders accessibility for non-specialist readers. First, the paper introduces LALM (Large Audio Language Model) in the abstract but introduces LAIM (Large Audio Interaction Model) in the Introduction without explicitly spelling out the acronym or defining it as a distinct class of models, forcing the reader to deduce the pattern. Similarly, the term SALM appears in the “Additional Analysis” section without any prior def

Logical Consistency

Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_logical_consistency.md

The paper presents a coherent logical framework for the “Audio Interaction Model,” moving from the problem definition (offline vs. streaming) to the proposed solution (SoundFlow) and empirical validation. The core argument—that a unified model can handle both offline tasks and proactive streaming interaction—is supported by the experimental design. However, there are specific instances where the textual claims do not strictly follow from the presented data or where the algorithmic description diverges from the formal pseudocode.

First, in Section 3.2, the text describes the Time-frequency joint preprocessing (TFJP) module as having an “early loop” that stabilizes statistics and iterates if the segment changes. Algorithm 1, however, places the stability check (`If stable(x,n) break`) only after the initial silence/noise operations (S1-S2) and before the boundary refinement (S3-S4). The logic of the text suggests a feedback loop that re-evaluates stability *after* boundary refinement, but the algorithm’s `goto S1` is only triggered by the final `changed` check, not the intermediate stability condition. This creates a minor logical disconnect between the prose description of the iterative process and the formal algorithm provided.

Second, in Section 4.2, the authors claim that Audio-Interaction “matches state-of-the-art models on standard benchmarks (58.15 vs. 57.81 on MMAU).” This comparison is logically flawed based on the data in Table 1. The value 57.81 corresponds to Qwen2.5-Omni-3B (the initialization), not the SOTA. The table clearly shows Qwen2.5-Omni-7B achieving 65.60 and Audio Flamingo 2 achieving 62.40. Claiming to “match SOTA” at 58.15 when the SOTA is 65.60 is a contradiction unless the authors explicitly restrict the comparison to 3B models, which they do not in this sentence. The conclusion does not follow from the premises presented in the table.

Third, in the Ablation Study (Section 5), the causal attribution for the “cumulative contribution of streaming training and data” is slightly muddled. The text states that removing TFJP (V3) drops trigger accuracy by 7.1 points compared to V2. While the numbers (92.42% vs 85.35%) are correct, the logical flow implies that V2 represents the “streaming training” baseline. However, V2 includes the streaming SFT *and* the TFJP preprocessing. The claim that TFJP is “essential” is supported, but the phrasing conflates the gain from the streaming SFT itself (V1 to V2) with the specific contribution of the preprocessing step (V2 to V3). A clearer logical separation of these ablation steps would strengthen the causal argument.

These issues are primarily presentational or require minor clarification of the experimental logic rather than indicating a fundamental flaw in the research methodology.

Action items.

- **[writing]** In Section 3.2, the text describes an iterative TFJP loop, but Algorithm 1 lacks a mechanism to re-evaluate stability after boundary refinement (S3-S4), creating a gap between the prose description and the formal algorithm.

- **[writing]** In Section 4.2, the claim that Audio-Interaction ‘matches SOTA’ (58.15 vs 57.81) contradicts Table 1, where Qwen2.5-Omni-7B scores 65.60. The conclusion does not follow from the data unless ‘SOTA’ is restricted to 3B models, which is not stated.
- **[science]** In Section 5, the ablation logic conflates the gain from Streaming SFT (V1->V2) with the specific contribution of TFJP (V2->V3). The causal claim that TFJP is ‘essential’ needs clearer isolation of variables to support the 7.1% drop attribution.

Overreach

Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_overreach.md

The paper makes several claims that extend beyond the immediate evidence provided in the experiments, particularly regarding the uniqueness of the capabilities and the nature of the performance comparisons.

First, the abstract and introduction repeatedly claim that the model “unlocks capabilities inaccessible to offline LALMs.” While the paper successfully demonstrates a *unified* architecture that handles streaming with low latency, the claim that the *capabilities* themselves (e.g., proactive help, simultaneous interpretation) are theoretically inaccessible to offline models is an overreach. Offline models can process audio in chunks sequentially; the limitation is primarily efficiency and latency, not capability. The paper should rephrase this to emphasize the *efficiency* and *unification* of these capabilities rather than their inaccessibility to other paradigms.

Second, the performance comparison in the Introduction (“58.15 vs. 57.81 on MMAU”) is misleading. Table 1 reveals that the 58.15 score for Audio-Interaction is achieved under *audio instructions*, whereas the 57.81 score for the Qwen2.5-Omni-3B baseline is under *text instructions*. Comparing cross-modality scores to claim the model “matches” SOTA is an over-interpretation. When comparing audio-instruction scores, the 3B Audio-Interaction model (58.15) actually outperforms the 3B Qwen2.5-Omni (42.51) but trails the 7B Qwen2.5-Omni (49.58) significantly. The claim of “matching SOTA” should be qualified to reflect the specific modality and model size comparisons, or the baseline comparison should be strictly like-for-like (audio vs. audio).

Third, the analysis in Section 5.2 (Obs.2) states that a single attention head (L35H14) dominates the decision process “across all four tasks.” While the data supports this for the four tasks shown in Figure 3, extrapolating this to imply a universal mechanism for the entire model’s 28 sub-tasks or general “semantic” understanding is an overreach. The claim should be restricted to the specific tasks evaluated in the ablation study.

Finally, the claim that offline baselines “collapse to 0.0” on audio instructions (Enh.3) is a strong statement based on a single data point. Without an analysis of whether this is due to a fundamental inability to process audio or a failure of the specific evaluation protocol or prompt engineering, framing it as a total capability collapse is an over-interpretation. The paper should provide more nuance regarding the nature of these failures.

Action items.

- **[writing]** The claim that the model ‘unlocks capabilities inaccessible to offline LALMs’ overreaches. Offline models can simulate streaming; the paper shows efficiency gains, not theoretical impossibility for others. Qualify to ‘unlocks efficient, low-latency implementations’.
- **[writing]** The claim that Audio-Interaction ‘matches SOTA (58.15 vs 57.81)’ is misleading. Table 1 compares Audio-Interaction (audio instruction) against Qwen2.5-Omni (text instruction). Compare like-for-like (audio vs audio) or clarify the modality mismatch to avoid over-interpretation.
- **[writing]** The assertion that a single head (L35H14) dominates ‘across all four tasks’ implies universality. The data only covers four specific tasks. Limit the claim to the evaluated tasks and avoid generalizing to the model’s full 28 sub-tasks without evidence.
- **[writing]** The statement that offline baselines ‘collapse to 0.0’ on audio instructions is an over-interpretation of a single data point. This may reflect prompt/format failure rather than a fundamental capability gap. Provide context or nuance to avoid overstating the failure mode.

Safety Ethics

Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_safety_ethics.md

The paper proposes a “proactive” audio interaction model capable of detecting safety-critical events (e.g., physiological distress, severe weather) and intervening without explicit instruction. While the technical contribution is significant, the safety and ethical implications require more rigorous treatment.

First, the evaluation of safety-critical capabilities in **Proactive-Sound-Bench** (Section 4.3, Appendix B) reveals a **40.2% false negative rate** on safety-critical domains (Appendix E). In a real-world deployment, a false negative on a “physiological distress” or “hazardous signal” could lead to physical harm. The current manuscript treats this as a standard accuracy metric. The authors must explicitly discuss the risks associated with these failure modes and propose concrete mitigation strategies (e.g., conservative triggering thresholds, human-in-the-loop verification for high-stakes categories, or clear disclaimers against autonomous deployment in safety-critical environments).

Second, the **dataset construction** (Section 4.2, Appendix D) relies on generative models (ElevenLabs, AudioX) to synthesize “acoustic events,” including “physiological states” and “distress.” The authors must clarify the provenance and licensing of the data used to train these generative models. Furthermore, there is a risk that synthesized distress sounds could inadvertently mimic identifiable individuals or violate privacy norms if the underlying training data was not properly consented. A statement on the ethical sourcing of these synthetic data

points is necessary.

Finally, the **Real-World Validation** (Appendix A) utilizes 2 hours of “naturally recorded audio” from scenarios including “Home” and “Commute.” The manuscript provides no information regarding **IRB/IACUC approval**, **informed consent** from the individuals recorded, or the specific **anonymization procedures** applied to this data. Collecting and processing audio from private or semi-private spaces without explicit consent is a significant ethical violation. The authors must provide evidence of ethical clearance or describe how the data was obtained and processed to protect participant privacy.

Action items.

- **[science]** The ‘Proactive-Sound-Bench’ reports a 40.2% false negative rate on safety-critical events (App E). Given the risk of physical harm from missed interventions, authors must discuss deployment risks and mitigation strategies (e.g., human-in-the-loop) rather than treating this as a standard metric.
- **[writing]** The dataset uses synthesized ‘distress’ sounds via ElevenLabs/AudioX (Sec 4.2, App D). Authors must clarify the consent and licensing of source data for these generators and ensure synthesized sounds do not replicate identifiable private individuals.
- **[science]** The ‘Real-World Validation’ (App A) uses naturally recorded audio from private spaces without mentioning IRB approval, informed consent, or anonymization. This is a critical ethical omission for research involving human subjects in private settings.

Scientific Evidence

Weights the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_scientific_evidence.md

The paper presents a compelling architectural shift toward streaming audio interaction, supported by a large-scale dataset (StreamAudio-2M) and a novel training framework. However, the scientific evidence supporting the robustness of the central claims regarding long-stream stability and the statistical significance of ablation results requires strengthening.

First, the claim in Section 5.2 ([Enh.3]) that the model “retains over 91% of its single-segment accuracy” as the stream extends to 5 segments is critical to the argument of long-stream robustness. While Figure 7 (fig:ablation_stability) is cited, the text does not explicitly state the accuracy values for N=1 through N=5, nor does it provide error bars or standard deviations. Without these specific numbers, the “91%” figure appears to be an approximation that cannot be independently verified. The authors should explicitly list the accuracy percentages for each stream length in the text or a table to validate this specific metric.

Second, the ablation studies in Table 4 (tab:ablation_data) and Table 5 (tab:ablation_lambda) demonstrate clear trends (e.g., the impact of TFJP preprocessing or the dual-loss weight λ). However, these tables report single-point estimates without measures of variance (standard

deviation) or statistical significance testing. In deep learning experiments, especially those involving sparse supervision signals like “proactive” triggers, performance can fluctuate significantly between random seeds. The absence of variance metrics makes it difficult to determine if the observed improvements (e.g., the 3.9% drop in trigger accuracy when removing event selection) are robust or potentially due to random initialization variance. Including results from multiple seeds (e.g., mean $\pm$ std) would significantly strengthen the evidence.

Finally, the real-world validation in Appendix A.1 reports a performance drop on natural audio (58.9% vs. 62.0% on synthetic). While this is a positive finding, the sample size (number of events or total hours) and the confidence intervals for these metrics are not provided. To robustly claim that the model generalizes well, the authors must specify the statistical power of this evaluation.

Overall, the methodology is sound, but the reporting of statistical evidence needs to be more rigorous to fully support the claims of stability and robustness.

Action items.

- **[science]** The claim that the model ‘retains over 91% of its single-segment accuracy’ as stream length N grows to 5 (Section 5.2, Enh.3) lacks explicit statistical evidence. The text references Figure 7 (fig:ablation_stability) for this data, but the specific accuracy values, standard deviations, or confidence intervals for $N=1$ through $N=5$ are not provided in the text or tables. Please report the exact accuracy percentages and variance metrics for each N to substantiate the 91% retention claim.
- **[science]** The ablation study in Table 4 (tab:ablation_data) reports trigger accuracy improvements (e.g., V2 to V5) but omits standard deviations or significance tests. Given the sparse nature of ‘proactive’ events, small sample fluctuations could drive these gains. Please include standard deviations over multiple seeds or a statistical significance test (e.g., paired t-test) to confirm the robustness of the TFJP and event selection contributions.
- **[science]** The real-world validation in Appendix A.1 (Real-World Validation) reports a drop in trigger accuracy from 62.0% (synthetic) to 58.9% (natural) but does not specify the sample size (number of events or hours) or the confidence interval for this 3.1% drop. To support the claim that the model ‘retains the bulk’ of performance, please provide the N value and statistical bounds for the real-world evaluation.

Statistical Analysis

Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_statistical_analysis.md

The manuscript presents a novel framework for streaming audio interaction, but the statistical rigor of the empirical evaluation requires strengthening to support the claims of superiority and robustness.

First, the primary results in Table 1 (MMAU) and Table 3 (CoVoST2) report single-point averages (e.g., 58.15 vs 57.81 on MMAU; +15.72 BLEU gain on CoVoST2). In deep learning benchmarks, performance can vary significantly based on random seeds, data shuffling, or evaluation stochasticity. Without reporting standard deviations, confidence intervals, or p-values from significance tests (e.g., paired t-tests or bootstrap resampling), it is impossible to determine if the observed improvements are statistically significant or within the margin of error. The claim that the model “surpasses” baselines is currently unsupported by statistical evidence.

Second, the evaluation of the new **Proactive-Sound-Bench** (Section 5.2, Table 5) relies on 644 human-designed events. While the sample size is reasonable, the paper does not detail the statistical validation of the ground truth. Were these events annotated by multiple human raters? If so, what is the inter-annotator agreement (e.g., Cohen’s kappa)? Without this, the reported accuracy (61.2% / 62.8%) may reflect label noise rather than model capability. Furthermore, confidence intervals for these accuracy metrics are missing, making it difficult to assess the precision of the benchmark results.

Third, the ablation studies (Tables 4 and 5) attribute performance changes to specific components (e.g., TFJP preprocessing, chunk size). However, these tables present results from single runs. To validate the necessity of components like the dual-loss weight λ or the FIFO scheduler, the authors should report results averaged over multiple seeds with variance. For instance, the drop in MMAU from 58.3 to 57.3 when $\lambda = 2.0$ (Table 5) needs to be shown as a statistically significant degradation, not just a point estimate difference.

Finally, the “Real-World Validation” in the Appendix reports a correlation of 0.91 between synthetic and real-world silence rates. While this is a strong correlation, the sample size (2 hours of audio) and the lack of a formal statistical test (e.g., Pearson correlation significance) weaken the claim of generalization. A more robust statistical analysis of the variance in real-world performance across the four scenarios (Travel, Work, Home, Commute) is needed.

Action items.

- **[science]** Report statistical significance (e.g., p-values, confidence intervals, or standard deviations) for the reported improvements on MMAU (58.15 vs 57.81) and CoVoST2 (+15.72 BLEU). Single-point averages without variance estimates make it impossible to assess if gains are robust or due to random seed variance.
- **[science]** Clarify the statistical methodology for the ‘Proactive-Sound-Bench’ results. With 644 events, report the 95% confidence intervals for the Single (61.2) and Multi (62.8) tier accuracies. Additionally, specify if the ‘human-designed’ events were evaluated by multiple annotators and report inter-annotator agreement (e.g., Cohen’s kappa) to validate the ground truth labels.
- **[science]** The ablation study (Table 4) presents performance differences (e.g., V2 vs V5 on Trigger Acc: 92.42% vs 96.77%) as absolute facts. Include standard deviations or results from multiple random seeds to demonstrate that these improvements are statistically significant and not artifacts of a specific initialization or data split.

Writing Quality

Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_writing_quality.md`

The manuscript presents a compelling vision for streaming audio interaction, and the overall narrative flow is generally strong. However, there are several specific instances of typographical errors and minor grammatical slips that detract from the professional polish of the paper.

First, in the caption of Figure 1 (Section 1, e000), the word “capabilitie” is misspelled and should be “capabilities.” Similarly, in the caption of Table 2 (Section 4.2, e001), the term “spee ch translation” contains an accidental space that should be removed.

Second, there is a minor article error in Section 3.2 (e000), where the text reads “forming a always-on.” This should be corrected to “forming an always-on” to adhere to standard English grammar.

Finally, in the Appendix (e003), the table defining meso-level categories (Table 1) exhibits inconsistent formatting. Several rows use the pipe character “|” as a delimiter (e.g., “Physiological states | Human | Bodily functions”) while others rely on standard tabular spacing, which breaks the visual alignment and readability of the table. Ensuring consistent delimiters throughout the table is necessary for clarity.

Addressing these specific issues will significantly improve the readability and presentation quality of the manuscript.

Action items.

- **[writing]** In the caption of Figure 1 (e000), the word ‘capabilitie’ is a typo and should be corrected to ‘capabilities’.
- **[writing]** In the caption of Table 2 (e001), the phrase ‘spee ch translation’ contains an erroneous space and should be ‘speech translation’.
- **[writing]** In Section 3.2 (e000), the phrase ‘forming a always-on’ contains a grammatical error; it should be ‘forming an always-on’.
- **[writing]** In the Appendix (e003), Table 1 contains inconsistent delimiters (e.g., ‘Physiological states | Human | Bodily functions’) where some rows use ‘|’ instead of tabs or proper alignment, disrupting the table structure.