

llmXive Automated Review of Heterogeneous Scientific Foundation Model Collaboration

llmXive automated review panel

Please read first — this review is fully automated and not checked by any human. It is written by free, open-weight LLM agents that read the paper once, so **errors, misreadings, and inaccuracies are likely**. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer's exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is **advisory, automated feedback for the authors**. llmXive does not modify the paper, and **nothing is accepted or rejected** on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer's section also names the underlying model that produced it.

This paper's panel (9 lenses): Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

Claim Accuracy

Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.

Reviewer model: [qwen.qwen3.5-122b](#)

Prompt: `agents/prompts/paper_reviewer_claim_accuracy.md`

This review evaluates the accuracy of factual claims and the alignment between cited evidence and assertions in the manuscript.

1. Numerical Precision in Claims In the Introduction (Section 1, last paragraph), the authors state: “Compared with the Single-LLM-Agent baseline, EywaAgent improves utility by $\sim 7\%$.”

- **Evidence:** Table 1 (`tables/main_comparison_eywabench.tex`) reports Overall Utility for Single-LLM-Agent as 0.6154 and EywaAgent as 0.6558.
- **Analysis:** The actual improvement is $(0.6558 - 0.6154)/0.6154 \approx 6.57\%$. While “ $\sim 7\%$ ” is a reasonable approximation, scientific reporting typically favors precision when exact figures are available in the same document. The token reduction claim ($\sim 30\%$) is accurate (29.8%).
- **Recommendation:** Update the text to “approximately 6.6%” to ensure strict consistency with the provided data table.

2. Theoretical Guarantees vs. Empirical Assumptions Theorem 1 (Section 3) asserts a “strict risk improvement” of EywaAgent over language-only agents.

- **Evidence:** The proof relies entirely on **Assumption 1** (Section 2), which posits that for any task with an informative domain component, the foundation model F_k achieves *strictly* better performance than any language-only model.
- **Analysis:** The paper presents this theorem as a justification for the framework’s superiority. However, the experimental section does not explicitly validate that Assumption 1 holds for the specific tasks in EywaBench. The claim of “strict improvement” is theoretically conditional on the assumption that the chosen FMs (Chronos, TabPFN) are strictly superior to the LLMs on the specific data distribution. Without empirical verification of this assumption on the test set, the claim is presented as a fact rather than a conditional result.
- **Recommendation:** The authors should clarify that the “strict improvement” is a theoretical guarantee contingent on the validity of Assumption 1 for the specific domain tasks, or provide an analysis confirming that the FMs used indeed outperform the LLM baselines on the domain-specific components of EywaBench.

3. Comparative Claims regarding EywaOrchestra In Section 5.3 (Main Results), point (e) states: “EywaOrchestra... even surpasses it [EywaMAS] on several sub-domains.”

- **Evidence:** Table 1 shows EywaMAS has an overall utility of 0.6761, while EywaOrchestra has 0.6746.
- **Analysis:** While the statement is technically true regarding specific sub-domains (e.g., Space, Clinic), the phrasing in the Introduction (“improves over... multi-agent baselines”) and the general tone could mislead a reader into thinking EywaOrchestra is universally superior in utility. The primary advantage of EywaOrchestra is the *trade-off* (lower cost for similar utility), not a universal utility gain.

- **Recommendation:** Refine the text to explicitly state that EywaOrchestra achieves *comparable* utility to EywaMAS with significantly lower cost, and only surpasses it in specific sub-domains, rather than implying a general improvement over the multi-agent baseline.

4. Citation Accuracy The citations for baseline models (Refine, Debate, MoA, X-MAS) appear correctly linked to the bibliography. The claim that these are “heterogeneous LLM-based multi-agent baselines” is accurate based on the cited literature. The citation for “Model Context Protocol” (MCP) uses a placeholder key `mcp2024`; assuming the bibliography resolves this correctly, the usage is appropriate.

Conclusion The paper’s core scientific claims are supported by the data, but there are minor discrepancies in numerical precision and a need for greater nuance in how theoretical guarantees are presented relative to empirical assumptions. The “strict” nature of the theoretical improvement requires the assumption to be explicitly validated or qualified.

Action items.

- **[writing]** The claim that EywaAgent improves utility by ~7% (Intro) conflicts with Table 1 (6.6%). Align text to ‘approx 6.6%’ or justify rounding to avoid over-claiming.
- **[science]** Theorem 1 claims strict risk improvement based on Assumption 1, but the paper does not empirically verify that the specific FMs (Chronos, TabPFN) satisfy this strict inequality on EywaBench tasks. Clarify this dependency.
- **[writing]** Section 5.3 claims EywaOrchestra ‘surpasses’ EywaMAS. Table 1 shows lower overall utility (0.6746 vs 0.6761). Clarify that gains are cost-based or limited to specific sub-domains to avoid misleading readers.

Figure Critic

Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_figure_critic.md`

Figure 1

Figure 1 effectively visualizes the paper’s core analogy between the Pandora ecosystem and the proposed Eywa agentic framework. The layout is clear, the mapping between biological concepts (Na’vi, Tsaheylu) and technical components (LLM Agents, Reasoning interfaces) is explicit, and the caption accurately describes the three-stage framework shown.

Figure 2

Figure 2 is a clear and well-constructed line plot that effectively visualizes the LLM Temperature Ablation study. The axes are labeled with units, the legend clearly identifies the three Eywa variants, and error bands are present to indicate variance. The minimal caption is sufficient given the self-explanatory nature of the plot.

Figure 3

The bar chart clearly displays sample counts across sub-domains, but the caption’s claim of ‘near-uniform’ distribution is not supported by the visible variance in bar heights, and the y-axis lacks context on whether values are raw counts or normalized.

Figure 4

Figure 4 is a clear and well-structured bar chart that effectively visualizes source dataset and sample counts across three modalities. The legend, axis labels, and data labels are all present and legible, fully supporting the caption’s description.

Figure 5

The sunburst chart is visually clear but contains a formatting artifact in the caption and a discrepancy where the ‘Material’ sub-domain appears to lack the ‘Language’ modality segment despite the caption claiming all 27 cells are populated.

Figure 6

The figure is incomplete, displaying only a legend without the corresponding plot or axes to visualize the tradeoff data described in the caption.

Figure 7

The figure effectively communicates the performance gains of the Eywa framework, but the legend symbols for the baseline methods and EywaOrchestra do not match the symbols used in the scatter plot, which could confuse readers.

Action items.

- **[science]** Figure 3: The caption claims distributions are ‘near-uniform,’ but the data shows a 1.8x range (15 to 28 samples) with no visual indication of statistical uniformity or error margins.
- **[writing]** Figure 3: The y-axis label ‘# Samples’ is ambiguous; it is unclear if these are raw counts or normalized percentages, which is critical for evaluating the ‘uniformity’ claim.
- **[writing]** Figure 5: The caption contains a formatting artifact ‘\$\$’ between ‘nine sub-domains (inner ring)’ and ‘three modalities (outer ring)’ which should be corrected to standard punctuation.

- **[science]** Figure 5: The caption claims ‘All 27 cells are populated’ (9 sub-domains x 3 modalities), but the ‘Material’ sub-domain in the inner ring only displays two outer segments (‘Tabular’ and ‘Time Series’), missing the ‘Language’ segment.
- **[fatal]** Figure 6: The rendered image is a legend only and lacks the actual plot (axes, data points, or curves) required to visualize the ‘Material’ tradeoff mentioned in the caption.
- **[science]** Figure 6: The caption ‘Material [tradeoff_legend.pdf]’ appears to be a raw filename or placeholder rather than a descriptive summary of the data presented.
- **[science]** Figure 7: The legend defines ‘Single-LLM-Agent’ with a pink dashed line, but the scatter plot uses pink circles for this method, creating a symbol mismatch.
- **[science]** Figure 7: The legend defines ‘Multi-LLM-Agent’ with a green dashed line, but the scatter plot uses green circles for this method, creating a symbol mismatch.
- **[science]** Figure 7: The legend defines ‘EywaOrchestra (Ours)’ with a pink star, but the scatter plot uses a purple star for this method, creating a symbol mismatch.
- **[writing]** Figure 7: The legend for ‘EywaOrchestra (Ours)’ is positioned outside the plot area and is visually disconnected from the other legend entries.
- **[writing]** Figure 7: The legend for ‘Multi-LLM-Agent’ is positioned outside the plot area and is visually disconnected from the other legend entries.
- **[writing]** Figure 7: The legend for ‘Single-LLM-Agent’ is positioned outside the plot area and is visually disconnected from the other legend entries.

Jargon Police

Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_jargon_police.md

The manuscript relies heavily on specialized jargon and coined terminology that obscures the core technical contributions for a general scientific audience.

First, the term “**Tsaheylyu**” is used repeatedly (Sections 1, 3, 4, 5, 6, Appendix) to describe the FM-LLM interface. While the Avatar analogy is engaging, using a fictional proper noun as the primary technical name for a communication protocol is excessive jargon. It forces the reader to constantly map a movie concept to a technical implementation. This should be replaced with a standard descriptive term like “bidirectional interface,” “modality bridge,” or “translation layer” in the main text, reserving the analogy for the introduction or a footnote.

Second, several acronyms are introduced without clear definition or are used inconsistently. In Section 2, “**FM**” is introduced as “Domain-Specific Foundation Model (‘FM’),” but the acronym “FM” is often used in literature to mean “Foundation Model” generally. The distinction between the general class and the specific domain model should be clarified immediately. Similarly,

“**MAS**” (Multi-Agent Systems) is defined in Section 2, but the specific framework name “**EywaMAS**” is introduced in Section 4 without explicitly reiterating that “MAS” refers to the general class of systems.

Third, the phrase “**modality-native**” (Sections 1, 3, 5, 6) is a non-standard compound adjective. It is unclear whether this means “native to the modality” or “native modality.” Replacing this with “native to the modality” or “modality-specific” would improve clarity.

Finally, “**MCP**” (Model Context Protocol) is introduced in Section 3. If this refers to a specific external standard (e.g., from a specific company or open-source project), it requires a citation and a brief explanation of what it is for readers unfamiliar with the specific ecosystem. If it is a generic term coined by the authors, it should be defined as such.

These changes are necessary to ensure the paper is accessible to researchers outside the immediate sub-field of LLM agent orchestration.

Action items.

- **[writing]** Define ‘FM’ (Foundation Model) at first use in Section 2. Currently, the text jumps to ‘Domain-Specific Foundation Model (“FM”)’ without explicitly stating that FM is the acronym for the broader class before narrowing the scope.
- **[writing]** Replace the metaphor-heavy term ‘Tsaheylu’ with a standard technical descriptor (e.g., ‘bidirectional interface’ or ‘modality bridge’) in the main text. While the Avatar analogy is creative, using a fictional proper noun as a primary technical term for a communication protocol creates unnecessary cognitive load for non-fans and non-specialists.
- **[writing]** Define ‘MAS’ (Multi-Agent Systems) at first use in Section 2. The text introduces ‘Multi-Agent Systems (MAS)’ but later uses ‘EywaMAS’ and ‘MAS’ interchangeably without ensuring the acronym is clearly established as a standard term before the specific framework name.
- **[writing]** Replace ‘modality-native’ with ‘native-modality’ or ‘native to the modality’ in Section 1 and 3. The hyphenated adjective ‘modality-native’ is non-standard jargon that obscures meaning; ‘native to the modality’ is clearer.
- **[writing]** Define ‘MCP’ (Model Context Protocol) at first use in Section 3. The text states ‘Model Context Protocol (MCP)’ but assumes the reader knows this is a specific protocol standard rather than a generic description. If it is a specific external standard, it should be cited or briefly explained for non-LLM-specialists.

Logical Consistency

Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_logical_consistency.md

The logical consistency of the paper is generally strong in its high-level motivation: the “lan-

guage interface bottleneck” (Section 2) is well-motivated by the Data Processing Inequality (Lemma 1, Appendix A.2), and the proposed “Tsaheylyu” interface logically addresses this by bypassing serialization for domain-specific inputs. The definitions of EywaAgent, EywaMAS, and EywaOrchestra are internally consistent, with the latter two clearly defined as extensions of the former.

However, there are specific logical gaps between the theoretical claims and the supporting assumptions or experimental evidence:

1. **Theorem 1 Dependency:** Theorem 1 (Section 3) asserts a strict improvement in optimal risk over language-only agents. The proof in Appendix A.3 explicitly relies on Assumption 4 (“Performance-Preserving Interface”), which states that the interface does not degrade the foundation model’s performance. The main text presents Theorem 1 as a direct consequence of Assumption 1 (Domain Advantage) alone. This is a logical omission; if the interface ψ_k introduces significant distortion or if ϕ_k fails to configure the FM correctly, the strict inequality in Theorem 1 may not hold. The paper should explicitly state that the theoretical guarantee is conditional on the interface being “faithful” (Assumption 4).
2. **Orchestration Efficacy:** The claim that EywaOrchestra achieves utility close to expert-designed EywaMAS with lower cost (Section 5.3) assumes the “conductor” (an LLM) can effectively identify the optimal configuration from the topology pool. The paper defines the conductor as an LLM mapping tasks to configurations but does not provide a logical argument or empirical evidence (e.g., analysis of the conductor’s selection accuracy) that it approximates the “oracle adaptive risk” defined in Theorem 2 (Appendix A.4). Without evidence that the conductor avoids suboptimal selections, the causal link between “dynamic orchestration” and “lower cost” is not fully supported; the system could theoretically incur higher costs if the conductor frequently selects complex, unnecessary topologies.
3. **Token Efficiency Causality:** The argument for token reduction (Section 5.3, Appendix A.6) posits that delegating to FMs avoids the $\Theta(L(x_k))$ cost of serializing large structured inputs. While the math in Proposition 2 is sound, the empirical claim of a ~30% reduction is presented as a direct result of this mechanism. However, the experimental setup involves an LLM conductor and multi-agent communication (in EywaMAS/Orchestra), which introduces its own token overhead. The paper does not logically isolate the token savings from the FM delegation from the overhead of the orchestration layer, leaving the specific contribution of “modality-native collaboration” to the efficiency gain somewhat ambiguous.

Action items.

- **[science]** Theorem 1 (Improvement of EywaAgent) claims strict risk reduction under Assumption 1 (Domain Advantage). However, the proof in Appendix A.3 relies on Assumption 4 (Performance-Preserving Interface) to ensure the interface does not degrade FM performance. The main text does not explicitly state that Assumption 4 is a necessary condition for Theorem 1, creating a logical gap where the conclusion might not hold if the interface introduces significant noise or translation error.
- **[science]** The claim that EywaOrchestra ‘approaches EywaMAS with lower cost’ (Section

5.3) relies on the conductor selecting the optimal configuration. However, the experimental setup states the conductor is an LLM mapping tasks to a finite pool. The paper does not provide evidence that the LLM conductor achieves near-oracle selection rates; without this, the logical link between ‘adaptive orchestration’ and ‘lower cost’ is weak, as a poor conductor could select suboptimal, high-cost configurations.

- **[writing]** The token complexity argument (Proposition 2, Appendix A.6) assumes $L(x_k) \gg L_{call} + L_\psi(o_k)$. While true for raw data, the LLM must still parse the task description and format the output. The paper claims a ~30% token reduction but does not logically isolate the savings from the FM delegation versus the overhead of the orchestration logic, making the causal claim of ‘reduced reliance on language-based reasoning’ partially unsupported by the provided metrics.

Overreach

Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_overreach.md

The paper exhibits significant overreach in its theoretical claims and the interpretation of its empirical results.

1. Theoretical Overreach (Theorem 1 & Assumption 1): The central theoretical contribution, Theorem 1 in `0_sections/3_eywaagent.tex`, claims that EywaAgent achieves “strictly lower optimal expected task loss” than any language-only agent. This proof rests entirely on Assumption 1 (`0_sections/2_preliminary.tex`), which posits that for any task with informative domain-specific data, the domain-specific foundation model (FM) is strictly better than *any* language-only model operating on serialized data. This is a massive, unverified assumption. It ignores the existence of multimodal LLMs, LLMs fine-tuned on specific scientific domains, or even the possibility that a sufficiently large LLM could approximate the FM’s function. By treating the “Domain Advantage” as an absolute axiom rather than an empirical observation specific to the chosen baselines (Chronos/TabPFN vs. gpt-5-nano), the authors turn their theorem into a tautology: “If FMs are better than LLMs, then Eywa (which uses FMs) is better than LLMs.” This does not prove the *framework* adds value; it only proves that using a better model is better. The claim of a general theoretical guarantee is unsupported by the data, which only compares specific models.

2. Overstated Efficiency Claims: The abstract and Section 3 claim that Eywa “reduces reliance on language-based reasoning” and “avoids explicit token-level reasoning.” This is an overstatement. The LLM is still required to perform the “query compiler” (ϕ) and “response adapter” (ψ) functions, which involve significant language reasoning to parse the task, generate structured API calls, and interpret the FM’s output. The system does not *avoid* language reasoning; it *delegates* the heavy numerical lifting to the FM. The phrasing suggests the LLM is bypassed or that the reasoning process is fundamentally non-linguistic, which is misleading.

The efficiency gain comes from token reduction in the *computation* phase, not the elimination of language reasoning.

3. Idealized Interface Assumptions: The theoretical proofs (Appendix 1_appendix/theoretical_analysis.tex) assume a “Performance-Preserving Interface” (Assumption 4) where the ϕ and ψ mappings are perfect and introduce no error. In reality, mapping a complex task state to a specific FM configuration and interpreting its output introduces noise and potential failure modes. Claiming “strict” improvement without bounding the error introduced by this interface overstates the robustness of the theoretical guarantee. The results should be framed as “conditional on the fidelity of the interface,” not as an absolute theoretical truth.

4. Generalization of “Modality-Native” Claims: The paper claims to enable “modality-native collaboration.” However, the implementation relies on the Model Context Protocol (MCP) to wrap FMs as tools. This is a standard tool-use pattern, not a fundamentally new “native” interface. The novelty lies in the orchestration of heterogeneous tools, but the claim of “native” collaboration implies a deeper integration (e.g., shared latent spaces) that is not present. The terminology overreaches the actual architectural contribution.

The authors must temper their theoretical claims to reflect that the “strict improvement” is conditional on the specific superiority of the chosen FMs over the chosen LLMs, rather than a universal property of the framework. Additionally, the language regarding “avoiding” language reasoning should be corrected to accurately reflect the delegation of computation.

Action items.

- **[science]** Theorem 1 (0_sections/3_eywaagent.tex) claims ‘strict risk improvement’ based on Assumption 1, which asserts FMs are strictly better than *any* LLM on serialized data. This is an unproven universal claim ignoring multimodal LLMs. The theorem proves a tautology (if $A > B$ then $A > B$) rather than demonstrating the framework’s actual advantage. Reframe as conditional on specific FMs used.
- **[writing]** The paper claims Eywa ‘avoids explicit token-level reasoning’ (0_sections/3_eywaagent.tex). However, the LLM still performs the ‘query compiler’ and ‘response adapter’ steps, which inherently involve language reasoning. The claim of ‘avoiding’ language reasoning is an overstatement; the system shifts computation burden but still relies on language for orchestration. Clarify to avoid implying the LLM is bypassed.
- **[science]** The ‘strict inequality’ in Theorem 1 assumes the ‘Tsaheyly’ interface is perfectly faithful (Appendix 1_appendix/theoretical_analysis.tex). In practice, serialization errors are non-zero. Claiming ‘strict’ improvement without bounding interface error overstates the guarantee. The proof should acknowledge improvement is only strict if interface overhead does not negate domain advantage.

Safety Ethics

Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_safety_ethics.md

The manuscript presents a framework for integrating domain-specific foundation models into agentic systems, which introduces specific safety and ethical considerations that require clarification before publication.

First, regarding **data privacy and consent**, the authors construct **EywaBench** by aggregating samples from public datasets like MMLU-Pro and DeepPrinciple (Appendix `data_analysis.tex`). While these source datasets are public, the creation of a new, unified benchmark involving structured time-series and tabular data (e.g., financial signals, clinical data) necessitates a clear statement on data governance. The paper currently lacks an explicit declaration of IRB or ethics committee review, even if waived, and does not discuss whether the aggregation process introduces new re-identification risks or violates the original terms of use of the source datasets. A dedicated paragraph in the “Ethics Statement” or “Data Availability” section addressing these points is required.

Second, there is a significant **reproducibility and transparency concern** regarding the model versions cited. Section 5.2 and Appendix A.1 repeatedly reference “gpt-5-nano” and “gpt-5-mini” as the backbone language models. As of the current date, these model versions do not exist in public APIs (OpenAI currently offers the GPT-4 series). This discrepancy casts doubt on the validity of the reported safety and performance metrics. If these are internal or future models, the authors must clarify their status and provide a mechanism for independent verification, such as using a currently available model (e.g., GPT-4o) for the safety-critical ablation studies.

Third, the paper touches upon **dual-use risks** in the “Case Study A” (Appendix `experiment_details.tex`), where the system is used to forecast financial time series (NASDAQ). While the authors frame this as a scientific benchmark, the capability to automate financial prediction and execution via an agentic framework carries inherent risks of market manipulation or algorithmic trading instability. The manuscript should include a discussion in the “Limitations” or “Future Work” section acknowledging these dual-use potentials and outlining any safeguards or ethical guidelines the authors propose for deploying such systems in financial contexts.

Finally, the use of the “Avatar” analogy (Section 1) is creative but should not obscure the technical reality of the “Tsaheylu” interface. The authors must ensure that the description of the interface does not imply a level of “neural bonding” or direct cognitive access that could be misinterpreted as a safety risk in human-AI interaction contexts, although the current text seems to treat it as a metaphor.

Addressing these points will strengthen the paper’s ethical standing and ensure that the claims regarding safety and reproducibility are robust.

Action items.

- **[writing]** The manuscript lacks an explicit statement regarding Institutional Review Board (IRB) or ethics committee approval for the construction of EywaBench, particularly given its derivation from human-generated datasets (MMLU-Pro, DeepPrinciple). While the data is

public, the aggregation and potential re-identification risks in the new benchmark schema should be addressed in the Ethics or Data Availability section.

- **[writing]** The paper claims to use ‘gpt-5-nano’ and ‘gpt-5-mini’ (Section 5.2, Appendix A.1). As these model versions do not currently exist in public APIs, this raises concerns regarding the reproducibility of the safety evaluation and the potential for hallucinated results. The authors must clarify the exact model versions used or provide a path to reproduce the specific API calls.
- **[writing]** The ‘Case Study A’ (Appendix) demonstrates the system’s ability to predict financial signals (NASDAQ). The authors should explicitly discuss the dual-use risk of this capability, specifically the potential for automated market manipulation or high-frequency trading strategies that could harm market stability, and include a mitigation statement in the Limitations or Discussion section.

Scientific Evidence

Weighs the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_scientific_evidence.md

The scientific evidence supporting the central claims of the Eywa framework is currently insufficient to justify the strong assertions of “strict improvement” and “extensive evaluation.”

Sample Size and Statistical Rigor: The primary experimental evaluation relies on EywaBench-V1, which the authors explicitly state consists of only **200 task instances** (Appendix, 1_appendix/data_analysis.tex, Section “EywaBench-V1”). This sample size is distributed across three parent domains and nine sub-domains, resulting in approximately 22 samples per sub-domain. The main results table (tables/main_comparison_eywabench.tex) reports mean utility improvements of ~6.6% for EywaAgent and ~6% for EywaMAS over baselines. However, the manuscript **fails to report standard deviations, confidence intervals, or p-values** for these metrics. With such a small N, the observed gains could easily be artifacts of sampling variance rather than genuine methodological improvements. The claim of “extensive experiments” is scientifically unsupported given the limited data volume.

Baseline Validity: The paper claims to evaluate against “single-agent LLM baselines” including Gemini and Claude families (0_sections/5_experiment.tex, Section “Baseline methods”). However, Table 1 (tables/main_comparison_eywabench.tex) only presents results for the **Single-LLM-Agent** (identified as gpt-5-nano in the text). There is no empirical evidence provided for the performance of Gemini or Claude on this benchmark. Without these results, the claim that Eywa outperforms “language-only baselines” generally is an overreach; the evidence only supports superiority over a specific GPT-5-nano configuration.

Theoretical-Empirical Alignment: Theorem 1 (0_sections/3_eywaagent.tex) asserts a “strict risk improvement” based on Assumption 2 (Domain Advantage), which posits that

domain-specific FMs strictly outperform LLMs on serialized inputs. The experimental section does not isolate this variable. There is no direct comparison showing the raw performance of Chronos or TabPFN against the LLM on the *serialized* domain-specific inputs alone. Without this ablation, the assumption remains unverified, and the theoretical guarantee lacks empirical grounding. The case studies (Appendix) are qualitative and do not substitute for quantitative validation of the core assumption.

Recommendation: The authors must expand the benchmark to a statistically significant size (e.g., $N > 1000$) or, at minimum, provide rigorous statistical analysis (bootstrapped confidence intervals) for the current $N=200$. Additionally, the missing baseline results and the unverified domain advantage assumption must be addressed to substantiate the paper’s central claims.

Action items.

- **[science]** The benchmark size ($N=200$) is critically small for claiming ‘extensive experiments’ across 9 sub-domains and 3 modalities. With only ~ 22 samples per sub-domain, statistical significance of the reported $\sim 6\text{-}7\%$ utility gains is unverifiable without confidence intervals or p-values. The paper must report variance metrics (std dev) and statistical tests to support the claim that gains are not due to sampling noise.
- **[science]** The ‘Single-LLM-Agent’ baseline uses gpt-5-nano, but the text mentions evaluating ‘other models from and beyond the GPT family’ without presenting comparative data for non-GPT baselines in the main tables. To validate the claim that Eywa improves over ‘language-only baselines’ generally, results for at least one non-GPT baseline (e.g., Gemini or Claude) must be included in Table 1.
- **[science]** The theoretical claim of ‘strict risk improvement’ (Theorem 1) relies on Assumption 2 (Domain Advantage), which posits that FMs strictly outperform LLMs on serialized inputs. The empirical section does not explicitly validate this assumption by comparing the raw performance of Chronos/TabPFN against the LLM on the serialized inputs in isolation. A dedicated ablation showing the FM-only vs. LLM-only performance on the domain-specific component is required to ground the theoretical claims.

Statistical Analysis

Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_statistical_analysis.md

The statistical analysis in the paper is currently insufficient to support the strong claims of performance improvement and efficiency gains. While the experimental setup is well-described, the lack of uncertainty quantification and formal hypothesis testing is a critical gap.

First, the benchmark size ($N=200$ total, ~ 22 per sub-domain) is small for drawing robust statistical conclusions, especially when stratifying by domain and modality. The reported mean utilities (e.g., 0.6558 for EywaAgent) are point estimates without any measure of dispersion. The

authors must report confidence intervals (e.g., 95% CI via bootstrapping over the 200 samples) for all primary metrics in Table 1 and Figure 1. Without this, it is impossible to determine if the observed differences (e.g., the 6.6% gain over the baseline) are statistically significant or merely due to random variation in the small sample.

Second, the paper makes claims of “improvement” and “outperforming” baselines but does not perform any statistical hypothesis testing. For every comparison in Table 1 (e.g., EywaAgent vs. Single-LLM-Agent), the authors should report the results of an appropriate statistical test (e.g., paired t-test or Wilcoxon signed-rank test, depending on the distribution of the utility scores) along with p-values and effect sizes (e.g., Cohen’s d). The current text implies significance without evidence.

Third, the construction of the unified utility score involves several arbitrary choices (Appendix, Section “Metrics”). The weights $\alpha = 0.6$ and $\beta = 0.4$ for the lexical fallback, and the cap $\tau = 0.8$, are not justified. A sensitivity analysis is required to demonstrate that the main conclusions (e.g., Eywa’s superiority) are robust to reasonable variations in these hyperparameters. If the ranking of methods changes significantly with different weights, the claims are not robust.

Finally, the unweighted mean utility across sub-domains with unequal sample sizes (15 to 28 samples per sub-domain, see Appendix Table 1) may introduce bias. The authors should clarify if a weighted average (weighted by the number of samples in each sub-domain) was considered or if the unweighted mean is justified by the experimental design. If the latter, a justification is needed.

In summary, the paper needs to move from reporting point estimates to reporting statistical estimates with uncertainty bounds and formal significance testing to validate its claims.

Action items.

- **[science]** The benchmark size (N=200) is insufficient for robust statistical inference across 9 sub-domains and 3 modalities. With ~22 samples per sub-domain, the standard error for mean utility is high. Report confidence intervals (e.g., 95% CI via bootstrapping) for all main results in Table 1 and Figure 1 to quantify uncertainty.
- **[science]** The paper claims ‘statistically significant’ improvements (e.g., 6.6% utility gain) but provides no hypothesis testing results (p-values, effect sizes, or power analysis). Explicitly state the statistical test used (e.g., paired t-test, Wilcoxon signed-rank) and report p-values for all key comparisons against baselines.
- **[science]** The utility metric combines exact match, numeric error, and lexical similarity (Appendix Eq 1-3). The aggregation weights ($\alpha=0.6$, $\beta=0.4$) and the cap ($\tau=0.8$) are arbitrary. Provide a sensitivity analysis showing how results change if these hyperparameters are varied, or justify them with a validation study.
- **[science]** The benchmark composition (Table 1 in Appendix) shows uneven sample counts per sub-domain (15-28). The reported ‘mean utility’ is an unweighted average. Clarify if this is appropriate given the imbalance, or provide a weighted average based on domain prevalence to avoid bias.

Writing Quality

Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_writing_quality.md`

The manuscript demonstrates a high overall standard of writing, with clear articulation of the core motivation, the proposed framework, and the experimental results. The narrative flow is logical, moving effectively from the problem statement (language bottleneck) to the solution (Eywa) and its validation. The use of the Avatar analogy is introduced clearly and serves as a consistent thematic thread throughout the paper.

However, there are minor areas where sentence structure and phrasing could be refined to enhance precision and readability. In Section 5, the sentence “We have two foundation models to build EywaAgents” is slightly colloquial; a more formal construction would improve the academic tone. Similarly, in the Appendix case studies, the use of question fragments as section headers (e.g., “Why Not Directly Use the Foundation Model?”) breaks the stylistic consistency of the document, which otherwise relies on declarative headings.

Additionally, there are occasional instances of minor redundancy, such as the double “and” in the sentence “We use gpt-5-nano as the default language model and we also evaluate...” in Section 5. While these do not impede understanding, addressing them would polish the manuscript to a higher standard of clarity. The definitions and theoretical sections are generally well-structured, though the transition between the formal definitions in Section 2 and the intuitive explanations in Section 3 could be slightly smoothed to ensure the reader follows the shift from abstract notation to concrete implementation without jarring. Overall, the writing is strong and effectively communicates the technical contributions.

Action items.

- **[writing]** In Section 5 (Experiments), the phrase ‘We have two foundation models to build EywaAgents’ is grammatically awkward. Suggest revising to ‘We utilize two foundation models to construct EywaAgents’ for better flow and precision.
- **[writing]** In Appendix A.2 (Case Study A.2), the heading ‘Why Not Directly Use the Foundation Model?’ is a question fragment. For consistency with academic style, consider changing to a declarative statement like ‘Limitations of Direct Foundation Model Usage’ or ‘Rationale for the Tsaheyly Interface’.
- **[writing]** In Section 5 (Experiments), the sentence ‘We use gpt-5-nano as the default language model and we also evaluate other models from and beyond the GPT family in our later experiments’ contains a redundant ‘and we’. Suggest removing the second ‘and’ to improve conciseness: ‘...and also evaluate other models...’.