

llmXive Automated Review of MemLens: Benchmarking Multimodal Long-Term Memory in Large Vision-Language Models

llmXive automated review panel

Please read first — this review is fully automated and not checked by any human. It is written by free, open-weight LLM agents that read the paper once, so **errors, misreadings, and inaccuracies are likely**. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer’s exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is **advisory, automated feedback for the authors**. llmXive does not modify the paper, and **nothing is accepted or rejected** on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer’s section also names the underlying model that produced it.

This paper’s panel (9 lenses): Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

Claim Accuracy

Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_claim_accuracy.md

The review focuses on the accuracy of factual claims and their alignment with the provided evidence.

1. Inconsistency in Image-Essential Percentages (Section 3.4 vs. Table 3) The paper states in Section 3.4 that “65.7% of questions are image-essential.” However, Table 3 (tab:subtype_detail) provides the exact counts for each subtype. Summing the counts for subtypes that logically require image evidence (e.g., IE-Entity, IE-PrevInfo, MSR-Arithmetic, MSR-Counting, MSR-Entity) yields 389 questions. $389/789 \approx 49.3\%$. Even if we include all MSR and IE types, the percentage does not reach 65.7%. The text claims 65.7% are image-essential, 14.7% supportive, and 19.6% text-sufficient. The sum is 100%, but the mapping from the specific subtype counts in Table 3 to these aggregate percentages is not transparent or mathematically consistent. The authors must explicitly define which subtypes fall into the “image-essential” bucket to justify the 65.7% figure, or correct the percentage to match the data in Table 3.

2. Overstated “Below 2%” Claim in Abstract and Section 3.4 The abstract and Section 3.4 claim that removing evidence images drops accuracy for GPT-5.4 and Gemini-3.1-Pro to “below 2%” on the “80.4% of questions whose evidence includes images.” Table 2 (tab:mm_purity) reports the ablation results for $n = 634$ questions (which is $634/789 \approx 80.4\%$). The table shows GPT-5.4 at 1.74% and Gemini-3.1-Pro at 1.89%. While these are technically “below 2%,” the phrasing in the abstract (“drops... below 2%”) combined with the “80.4%” figure creates a slight ambiguity. The 1.74% figure is the *overall* accuracy on the ablation set. The claim is numerically supported by the table, but the text should ensure it doesn’t imply that *every* question in that 80.4% subset dropped below 2%, but rather the *average* accuracy on that subset. This is a minor precision issue but worth clarifying to avoid misinterpretation of the “collapse.”

3. Inaccurate “Caps Below 30%” Claim for Multi-Session Reasoning The abstract states: “Multi-session reasoning caps most systems below 30%.” Section 4.2 elaborates: “MSR is hardest; only Kimi-K2.5 (44.06%) and Gemini-3.1-Pro (32.17%) clear 30% at 32K.” This statement is contradicted by Table 5 (tab:per_type_full_vlm). In the 32K column for the MSR type, the following models also exceed 30%:

- Qwen3.5-122B: 50.86%
- Qwen3.5-27B: 42.24%
- Qwen3.5-9B: 43.10%
- Qwen3.5-4B: 34.48%
- Qwen3.5-2B: 33.62%

- GLM-4.6V: 43.97%
- GLM-4.5V: 39.69%
- Qwen3-VL-235B (I): 54.64%
- Qwen3-VL-30B (I): 60.82%
- Qwen3-VL-8B (I): 58.25%
- Qwen3-VL-4B (I): 42.78%
- Qwen3-VL-2B (I): 50.52%

At least 12 models clear the 30% threshold at 32K. The claim that “only Kimi-K2.5 and Gemini-3.1-Pro clear 30%” is factually incorrect based on the provided table. The authors likely intended to refer to a specific subset of models (e.g., open-weight only, or a specific family) or a different context length (e.g., 128K, where performance drops significantly). As written, the claim is unsupported by the data in Table 5.

4. Citation Consistency The citations appear generally consistent with the claims made (e.g., citing [kamradt2023needle](#) for the needle-in-a-haystack analogy). However, the claim in Section 3.4 regarding the “80.4%” figure relies on the calculation $634/789$. The text should explicitly state that the ablation was performed on the 634 image-essential/supportive questions to ensure the reader understands the denominator for the 80.4% figure.

Conclusion The paper presents a strong benchmark, but the specific numerical claims in the abstract and results sections contain inconsistencies with the detailed tables. The “below 30%” cap for MSR is the most significant factual error, as it ignores a large portion of the evaluated models. The “image-essential” percentage also requires clarification to align with the subtype counts. These issues require revision to ensure the claims accurately reflect the reported data.

Action items.

- **[writing]** Abstract claims ‘below 2%’ accuracy on 80.4% of questions after image removal. Table 2 shows 1.74%/1.89% for the ablation set (n=634). Clarify if the 80.4% refers to the ablation subset or the full dataset, and ensure the ‘below 2%’ claim strictly matches the reported values without overgeneralizing.
- **[science]** Section 3.4 claims 65.7% of questions are image-essential. Summing counts in Table 3 for logical image-essential subtypes yields ~49.3%. Explicitly define which subtypes constitute the ‘image-essential’ category to justify the 65.7% figure or correct the percentage.
- **[writing]** Abstract claims MSR caps most systems below 30%. Section 4.2 says only Kimi-2.5 and Gemini-3.1-Pro clear 30% at 32K. Table 5 shows >10 models exceed 30% at 32K. Revise the claim to reflect the actual distribution or specify the context length where the 30% cap holds.

Figure Critic

Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_figure_critic.md

Figure 1

Figure 1 is a clear and well-structured pipeline diagram that effectively visualizes the construction process described in the caption. All major components, including the Topic Ontology, Question-Answer Pair Construction, and Conversation History Assembly, are logically connected with distinct visual styles and readable text.

Figure 2

The heatmap effectively visualizes per-type accuracy with clear color coding, but the caption contains a typo with missing table references, and the ‘Overall’ column lacks a definition of how the aggregate score is calculated.

Figure 3

The figure presents a line plot of task-specific accuracies, but the caption incorrectly describes it as showing only two aggregate averages (LVLM and agent). Additionally, the legend relies on undefined acronyms, reducing the figure’s standalone clarity.

Figure 4

The heatmap effectively visualizes the 32k correlation data, but the title restricts the scope to 32k while the caption discusses 128K results not shown in the figure. Additionally, the caption has missing correlation symbols, and the ‘Avg_std’ column lacks a clear definition for its subscripted values.

Figure 5

The figure presents a sample question-answer pair where the ‘Final Answer’ (24) contradicts the specific question asked in the ‘Evidence Facts’ (which asks for attention points, not a temperature value). Additionally, the text contains raw prompt artifacts that reduce clarity.

Figure 6

The figure effectively illustrates the IE-PrevInfo task type with a clear visual example and corresponding text. The layout is uncluttered, and the content aligns perfectly with the provided

caption.

Figure 7

The figure effectively illustrates the MSR-Arithmetic task type with a clear layout showing the main question, final answer, and supporting evidence facts. The visual example of the board game box and the text snippets containing numerical data align well with the caption’s description of computing over prices visible in images and text.

Figure 8

The figure fails to visualize the ‘conversation history’ required to understand the MSR-Counting task described in the caption, instead showing only the final reasoning chain and answer for a single example.

Figure 9

The figure effectively illustrates the MSR-Entity Resolution task with a clear visual example and detailed textual evidence. The layout is readable, and the content aligns perfectly with the caption’s description of identity matching.

Figure 10

The figure effectively illustrates a TR-Duration comparison question but suffers from a non-standard header label and a missing image placeholder in the text evidence, which obscures the full context of the example.

Figure 11

The figure fails to match its caption’s description of showing chronological ordering or visual cues like clocks/calendars, instead presenting a single conversational text trace that lacks standard scientific figure formatting.

Figure 12

Figure 12 effectively illustrates the KU-Update task by displaying a four-step preference chain where each step is anchored by a distinct image. The layout clearly separates the visual evidence from the textual reasoning, and the gold answer (‘baseball cap’) correctly corresponds to the most recent state as described in the caption.

Action items.

- **[writing]** Figure 2: The caption states ‘Full rosters appear in Tables and .’ but the table numbers are missing, leaving the reference incomplete.
- **[science]** Figure 2: The ‘Overall’ column aggregates accuracy across five distinct question types (IE, MSR, TR, KU, AR) with different question counts per type; the caption does not

specify if this is a simple mean or a weighted average, making the metric ambiguous.

- **[science]** Figure 3: The legend lists five categories (IE, TR, AR, MSR, KU), but the caption states the plot shows ‘LVLM average’ and ‘agent average’ (two aggregates). The figure displays 10 distinct lines (5 solid, 5 dashed) corresponding to specific task types rather than the two aggregate groups described in the caption, creating a fundamental mismatch between the visual data and the textual description.
- **[writing]** Figure 3: The legend uses single-letter abbreviations (IE, TR, AR, MSR, KU) without defining what these acronyms stand for (e.g., Information Extraction, Temporal Reasoning). While these may be defined elsewhere in the paper, the figure and its caption do not provide the definitions, making the plot inaccessible to a reader viewing it in isolation.
- **[writing]** Figure 4: The title specifies ‘32k’ context, but the caption claims to report 128K results (e.g., ‘0.94 at 128K’) which are not visible in the heatmap.
- **[writing]** Figure 4: The caption contains formatting errors where the correlation symbol (ρ or r) is missing before values like ‘= 0.87’ and ‘= 0.20’.
- **[writing]** Figure 4: The ‘Avg_std’ column displays values like ‘0.35_0.30’ without a legend or caption definition explaining the subscript notation (e.g., whether it represents standard deviation or a range).
- **[science]** Figure 5: The ‘Evidence Facts’ text contains a prompt asking ‘what would you pay closest attention to...’, but the ‘Final Answer’ is ‘24’ (a temperature value). The question and answer do not match the stated task of identifying attention points, creating a logical disconnect in the example.
- **[writing]** Figure 5: The ‘Evidence Facts’ text includes the phrase ‘Here’s a photo of me checking smart home impact on my electricity bill in Singapore <image>’, which appears to be a raw prompt template artifact rather than a coherent narrative description of the evidence.
- **[science]** Figure 8: The rendered image displays a ‘Reasoning Chain’ for a specific question but fails to show the ‘conversation history’ or ‘sessions’ mentioned in the caption; the evidence required to verify the count is missing from the visual.
- **[writing]** Figure 8: The image contains a large, distracting header ‘Example Reasoning Chain — MSR - Counting’ and a dashed vertical line that are not defined in the caption or standard figure elements.
- **[writing]** Figure 10: The image header reads ‘Example Reasoning Chain — TR - Duration (Comparison Explicit Temporal Information)’ rather than the figure number ‘Figure 10’ or the caption text, which is inconsistent with standard figure labeling.
- **[science]** Figure 10: The ‘Evidence Facts’ section contains a placeholder string ‘<image>’ in item 2 (‘...image of the boarding pass from <image> that day’), indicating a missing visual element required to fully understand the question context.

- **[science]** Figure 11: The caption claims to show ‘chronological ordering and absolute date extraction’ and mentions cues like ‘clock face or calendar page’, but the rendered image displays a single example of a conversational reasoning chain about living near Lake Zurich. It lacks the visual temporal cues (clocks/calendars) described and does not demonstrate the ‘chronological ordering’ task type mentioned.
- **[writing]** Figure 11: The rendered image is a screenshot of a reasoning trace (text + one photo) rather than a scientific figure or chart. It lacks standard figure elements such as axis labels, a legend, or a clear layout distinguishing the question, evidence, and answer components.

Jargon Police

Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_jargon_police.md`

The manuscript relies heavily on domain-specific acronyms and technical shorthand that obscure meaning for non-specialist readers. The most critical issue is the introduction of the five core memory abilities—Information Extraction (IE), Multi-Session Reasoning (MSR), Temporal Reasoning (TR), Knowledge Update (KU), and Answer Refusal (AR)—in Table 1 and Section 3 without defining the acronyms first. The Abstract and Introduction use these abbreviations immediately, violating standard readability practices.

Additionally, terms like “parametric knowledge” (Section 3.2) and “lossy cross-modality storage” (Section 4.2) are used without explanation. While precise for experts, they create a barrier for readers from adjacent fields (e.g., cognitive science or general NLP) who may not be familiar with the specific jargon of LLM architecture. The term “pHash” in the appendix is also used without expansion.

To improve accessibility, the authors should spell out all acronyms at their first occurrence in the main text and consider replacing dense technical phrases with plainer descriptions where the specific jargon does not add necessary precision. This will ensure the paper’s significant contributions are accessible to the broader AI community.

Action items.

- **[writing]** The manuscript relies heavily on domain-specific acronyms and technical shorthand that obscure meaning for non-specialist readers. The most critical issue is the introduction of the five core memory abilities—Information Extraction (IE), Multi-Session Reasoning (MSR), Temporal Reasoning (TR), Knowledge Update (KU), and Answer Refusal (AR)—in Table 1 and Section 3 without defining the acronyms first. The Abstract and Introduction use these abbreviations immediately, violating standard readability

Logical Consistency

Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_logical_consistency.md

The paper presents a logically coherent argument for the necessity of a new benchmark, successfully establishing that existing benchmarks fail to test multimodal memory under length-controlled conditions. The causal chain from “current benchmarks lack visual evidence requirements” to “MemLens is needed” is sound.

However, there is a significant logical inconsistency in the main conclusion. The abstract and introduction claim that “neither approach alone solves the task,” implying a general failure across the benchmark. Yet, the results (Table 1, Appendix Table 1) show that top models (e.g., Claude Sonnet 4.5, Gemini-3.1-Pro) achieve ~97.78% accuracy on the Answer Refusal (AR) task. This is a solved sub-problem. The conclusion should be refined to state that while epistemic calibration (AR) is achievable, the core memory tasks (specifically Multi-Session Reasoning and Knowledge Update) remain unsolved. The current phrasing overgeneralizes the failure.

Additionally, the causal claim that memory agents “lose visual fidelity under storage-time compression” is asserted as the reason for their poor performance, but the experimental design compares agents (which compress) against long-context models (which do not). The paper does not isolate “compression” as a variable; it conflates the architectural difference (compression vs. full context) with the failure mode. While the hypothesis is plausible, the evidence presented (comparing two different architectures) does not strictly prove that compression *causes* the loss of fidelity, only that the current agent architectures fail. A more precise logical claim would be that “current memory-agent architectures, which rely on compression, fail to retain visual fidelity,” rather than attributing the failure solely to the act of compression itself.

Finally, the abstract’s statement regarding the image-ablation study (“drops... below 2% accuracy on the 80.4% of questions”) is slightly ambiguous. It implies the 2% figure applies to the aggregate of image-essential and image-supportive questions. While Table 2 supports the 80.4% figure, the 2% drop is an aggregate result. The logic holds, but the phrasing could be tighter to ensure the reader understands the 2% applies to the specific subset of questions requiring visual evidence, not the entire benchmark.

Action items.

- **[writing]** The paper presents a logically coherent argument for the necessity of a new benchmark, successfully establishing that existing benchmarks fail to test multimodal memory under length-controlled conditions. The causal chain from “current benchmarks lack visual evidence requirements” to “MemLens is needed” is sound. However, there is a significant logical inconsistency in the main conclusion. The abstract and introduction claim that “neither approach alone solves the task,” implying a general failure

Overreach

Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_overreach.md

The paper contains several instances of over-claiming where the text extrapolates beyond the specific data points or generalizes findings that the top-tier results actually contradict.

First, the Abstract asserts that an image-ablation study confirms solving the benchmark “requires visual evidence” for “80.4% of questions.” This percentage corresponds to the sum of “image-essential” (65.7%) and “image-supportive” (14.7%) questions detailed in Section 3.4 and Table 2. However, the phrasing “requires visual evidence” implies strict necessity for the entire 80.4% group. The data indicates that for the 14.7% “supportive” subset, images aid performance but are not strictly required. The abstract should clarify that the accuracy collapse applies to the combined set, but strict visual necessity is limited to the 65.7% subset.

Second, the Abstract and Conclusion claim that “Multi-session reasoning caps most systems below 30%.” While this holds for the majority of the 27 evaluated models, Table 1 in the Appendix explicitly shows Kimi-K2.5 achieving 44.06% and Gemini-3.1-Pro achieving 32.17% on the MSR task at 32K context. These top performers clearly exceed the 30% threshold. The claim that the task “caps” systems below 30% is an over-generalization that ignores the leading models. The text should be qualified to state that “most systems” or “open-weight models” cap below 30%, or the threshold should be adjusted to reflect the actual ceiling demonstrated by the best models.

Finally, the Conclusion refers to Qwen3.5-122B as the “strongest LVLm” citing its 58.68% overall score. While this is the highest aggregate score, the paper simultaneously argues in Section 4.2 that “No single model dominates all types.” Using the term “strongest” without qualification risks implying a holistic dominance that the paper’s own “no dominance” finding refutes. It is more precise to refer to this model as having the “highest aggregate score” rather than being the “strongest” in a general sense.

These issues are primarily matters of precise wording and generalization rather than fundamental flaws in the experimental design, but they do represent a slight over-claiming of the limitations and capabilities observed.

Action items.

- **[writing]** Abstract claims 80.4% of questions ‘require’ visual evidence, but Section 3.4 defines only 65.7% as ‘essential’ and 14.7% as ‘supportive’. Conflating these overstates strict necessity. Clarify that the 2% drop applies to the combined set, but strict visual necessity is limited to the 65.7% subset.
- **[science]** Abstract and Conclusion state MSR ‘caps most systems below 30%’. Table 1 shows Kimi-K2.5 (44.06%) and Gemini-3.1-Pro (32.17%) exceed this. The claim overgeneralizes by ignoring top performers. Qualify to ‘most open-weight models’ or adjust the threshold to reflect actual top performance.

- **[writing]** Conclusion calls Qwen3.5-122B the ‘strongest LVLM’ based on 58.68% overall score, yet Section 4.2 states ‘No single model dominates all types’. Using ‘strongest’ implies holistic dominance contradicted by the paper’s own findings. Rephrase to ‘highest overall score’ to avoid overclaiming general superiority.

Safety Ethics

Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_safety_ethics.md`

The paper demonstrates a strong awareness of safety issues, particularly through the “Answer Refusal” (AR) task which addresses hallucination and epistemic calibration. However, two specific areas regarding human subjects and data privacy require clarification to fully meet safety and ethics standards.

First, there is a potential inconsistency regarding human subjects research. The Ethics Statement and NeurIPS Checklist claim “No human-subjects data” and “IRB NA.” However, Appendix E002 describes a rigorous three-round human review process involving “two of four annotators” evaluating 20,000 candidates, with reported inter-annotator agreement (Cohen’s $\kappa = 0.78$). If these annotators were external contractors or if the institution’s policy considers paid annotation of research data as human subjects research, the “IRB NA” claim may be insufficient. The authors must clarify the employment status of these annotators and confirm whether a formal IRB exemption or approval was obtained and documented.

Second, the dataset release includes 4,695 images sourced from public web searches. While the authors employ automated filters (CLIP, pHash) to remove watermarks and “person-centric topics,” the “Natural Photographs” category inherently risks containing incidental humans or private property. The current mitigation is a reactive “7-day removal” takedown policy. Given current ethical standards (e.g., GDPR, “Right to be Forgotten”), the authors should consider adding a more proactive mechanism, such as a permanent opt-out list, or explicitly acknowledge the residual risk of privacy leakage despite automated filtering in the dataset datasheet.

Finally, while the use of LLM-generated synthetic conversations avoids direct human data collection, the “synthetic distribution gap” mentioned in the limitations (Appendix E002) is a valid safety concern. The authors should briefly discuss how this synthetic nature might mask specific safety failure modes present in real human-AI interactions (e.g., emotional manipulation, specific cultural biases) that the benchmark might miss.

Action items.

- **[writing]** Clarify the status of the 4 annotators in the 3-round review (Appendix E002). If external, IRB exemption/approval is likely required despite the “NA” claim. Explicitly state if they were internal authors to justify the IRB exclusion.
- **[writing]** The 4,695 web-scraped images carry residual privacy risks despite automated filters.

Replace the reactive 7-day takedown with a proactive “Right to be Forgotten” mechanism or explicitly acknowledge the limitation of automated privacy filtering in the datasheet.

Scientific Evidence

Weighs the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_scientific_evidence.md

The paper presents a substantial empirical contribution with a well-constructed benchmark (789 questions) and a rigorous data curation pipeline. The central claim—that current LVLMS and memory agents fail to jointly handle multimodal long-term memory—is supported by the main results tables (Tables 3, 4, and Appendix Tables). The image-ablation study (Table 2) provides strong evidence for the necessity of visual grounding, showing a catastrophic drop in performance when images are removed.

However, the statistical rigor of the supporting analyses requires strengthening. First, the ablation study in Section 3.4 and Table 2 reports a drop to <2% accuracy but does not provide statistical significance testing (e.g., McNemar’s test for paired proportions) to formally reject the null hypothesis that the drop is due to chance, although the effect size is intuitively large. Second, the detailed error analysis in Section 4.3 (e.g., “90% of IE/KU errors are Visual”) relies entirely on an LLM-as-Judge classifier for error taxonomy. While the paper validates the judge for *answer correctness* ($\rho=0.86$ vs. human), it does not validate the judge’s ability to *categorize error types*. Without a human-annotated gold standard for error classification or an inter-annotator agreement score for the error taxonomy, these specific percentages are potentially biased by the judge’s own reasoning patterns. Finally, the scaling analysis in Appendix E002 reports a correlation ($\rho=0.62$, $p=0.002$) based on a small sample of models; reporting the exact N and confidence intervals for this correlation would improve the robustness of the claim regarding model size.

The evidence is strong enough to support the paper’s main conclusions, but the secondary statistical claims need formal validation to rule out spurious correlations or judge bias.

Action items.

- **[science]** The claim that ‘removing evidence images drops two frontier LVLMS below 2% accuracy’ (Abstract, Sec 3.4) relies on a sample of $n=634$. While the effect size is massive, the paper lacks a statistical test (e.g., McNemar’s test) to confirm this drop is significant against the baseline, especially given the binary nature of the metric. Please add p-values or confidence intervals for the ablation study.
- **[science]** The error analysis in Sec 4.3 claims ‘90% of IE/KU errors are Visual’ and ‘73% of MSR errors are Reasoning’ based on LLM-as-Judge classification. Without a human-annotated gold standard for error types (only 484 items were human-verified for answer correctness, not error taxonomy), these percentages are subject to the judge’s own hallucination biases.

Provide inter-annotator agreement (Kappa) for the error classification task or a human audit of a stratified sample of these error labels.

- **[science]** The paper reports a correlation of $\rho = 0.62$ ($p = 0.002$) between model size and retention (App E002). However, the sample size for this regression is small ($n = 22$ open-source models, but likely fewer with complete data across all lengths). The p-value seems suspiciously precise for such a small, noisy dataset. Please report the exact N used for the regression and the 95% confidence interval for the correlation coefficient to assess robustness.

Statistical Analysis

Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_statistical_analysis.md

The statistical analysis in the paper is generally rigorous, particularly in the design of the benchmark and the ablation studies. However, several key statistical reporting standards are missing or require clarification to fully support the claims.

First, the paper reports numerous point estimates for accuracy (e.g., 93.13% in Table 1, 54.10% in Table 2) without accompanying measures of uncertainty. Given the fixed test set size ($n = 789$), the standard error for a proportion near 50% is approximately 1.8%. For smaller subgroups (e.g., the 22-question AR subset), the error bars are significantly larger (~10%). Reporting 95% confidence intervals (e.g., Wilson score intervals) for all accuracy metrics in tables and figures is essential to determine if observed differences between models (e.g., the 1-2% gaps in Table 1) are statistically significant or within noise.

Second, the correlation analysis in Appendix e002 (Section “Context-Length Analysis”) reports a Spearman correlation of $\rho = 0.62$ with $p = 0.002$ between model size and retention. With only 22 data points (models), the power of this test is limited. The authors should specify the exact statistical test used to derive the p-value (e.g., permutation test vs. asymptotic approximation) and consider reporting the confidence interval for the correlation coefficient.

Third, the validation of the LLM-as-Judge relies heavily on Cohen’s κ (0.93 and 0.86). While high, Cohen’s kappa can be misleading when the prevalence of the positive class (correct answers) is very high or very low, leading to the “kappa paradox.” Given the high accuracy of top models, the agreement might be driven by the majority class. The authors should supplement κ with prevalence-adjusted metrics like Gwet’s AC1 or PABAK to ensure the agreement metric is robust to class imbalance.

Finally, the bootstrap analysis for the 195-question subset (Appendix e002) mentions 1000 iterations. While standard, the text does not explicitly state whether the resampling was stratified by question type to preserve the distribution of the 5 abilities. If simple random sampling was used, the resulting confidence intervals for specific ability scores (like MSR with only 35 items) may be unstable. Clarifying the resampling strategy is necessary for reproducibility.

Action items.

- **[science]** Report confidence intervals or standard errors for all reported accuracy metrics (e.g., Table 1, Table 2, Appendix Tables). With $n=789$, point estimates lack precision context.
- **[science]** Clarify the statistical test used for the model size vs. retention correlation ($\rho=0.62$, $p=0.002$). Specify if the p-value is from a permutation test or standard parametric test given the small sample of models ($n=22$).
- **[science]** Justify the use of Cohen’s kappa for judge agreement on a 0/1 task with highly imbalanced classes (e.g., 96.40% agreement). Report prevalence-adjusted bias-adjusted kappa (PABAK) or Gwet’s AC1 to avoid kappa paradox artifacts.
- **[science]** Define the bootstrap methodology for the 195-question subset analysis (e.g., stratified vs. simple random, number of iterations). Ensure the 1000 iterations mentioned are sufficient for stable CI estimation on small subgroups.

Writing Quality

Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_writing_quality.md

The manuscript presents a comprehensive benchmark for multimodal long-term memory, but the writing quality is significantly compromised by the use of seemingly non-existent or future-dated model names (e.g., “GPT-5.4”, “Gemini-3.1-Pro”, “Kimi-K2.5”). While the instructions for this review lens focus on prose, the credibility of the scientific narrative is inextricably linked to the clarity and accuracy of these entity references. If these are placeholders, the paper is currently unreadable as a scientific contribution; if they are real, the lack of citation or context makes the text confusing.

Beyond the model nomenclature, there are issues with sentence clarity and precision. In the abstract, the phrase “drops two frontier LVLs below 2% accuracy on the 80.4% of questions” is syntactically ambiguous. It is unclear whether the 2% figure applies to the specific subset of image-essential questions or the entire dataset. A more precise phrasing is required to avoid misinterpretation of the ablation study results.

Additionally, Section 3.1 suffers from a lack of parallel structure when defining the five memory abilities. The definitions for “Entity” and “PrevInfo” switch between noun phrases and verb phrases, disrupting the flow. The text states, “Entity requires two-hop chains... PrevInfo recalls visual details...” which should be standardized for better readability.

Finally, the introduction and related work sections rely heavily on citations to these same future-dated models without sufficient context. The writing assumes the reader is familiar with these specific versions, which is not the case for the current community. The authors must either provide clear citations for these models or revise the text to reflect the actual state of the art to ensure the paper is accessible and credible.

Action items.

- **[writing]** In Section 3.2 (Data Curation), the text states ‘Sessions are generated via dual-model simulation with GPT-5.1... and Gemini-3-Pro’. These model versions appear to be future-dated or non-existent (current state-of-the-art is GPT-4o/Gemini 1.5). This creates immediate confusion regarding the validity of the methodology. Please verify the model names or clarify if these are placeholders for future releases.
- **[writing]** The abstract claims ‘removing evidence images drops two frontier LVLMS below 2% accuracy on the 80.4% of questions whose evidence includes images.’ The phrasing ‘on the 80.4% of questions’ is ambiguous. It is unclear if the 2% drop applies to the subset of image-essential questions or the entire benchmark. Rephrase to: ‘...drops accuracy to below 2% on the subset of questions (80.4% of the total) that require visual evidence.’
- **[writing]** In Section 3.1, the definition of ‘Information Extraction (IE)’ lists ‘Entity’ and ‘PrevInfo’ as subtypes but the sentence structure ‘Entity requires two-hop chains... PrevInfo recalls visual details...’ lacks parallelism and clarity. Consider restructuring as a bulleted list or using consistent verb forms (e.g., ‘Entity: requires...; PrevInfo: recalls...’).
- **[writing]** Throughout the paper (e.g., Section 4.1, Appendix A), model names like ‘GPT-5.4’, ‘Gemini-3.1-Pro’, and ‘Kimi-K2.5’ are used. Given the current date, these names are highly suspect and may be hallucinated or placeholder text. If these are real models, they must be cited with a specific release date or technical report. If they are placeholders, they must be replaced with actual existing models to ensure the paper is scientifically credible.