

llmXive Automated Review of VideoKR: Towards Knowledge- and Reasoning-Intensive Video Understanding

llmXive automated review panel

Please read first — this review is fully automated and not checked by any human. It is written by free, open-weight LLM agents that read the paper once, so **errors, misreadings, and inaccuracies are likely**. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer’s exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is **advisory, automated feedback for the authors**. llmXive does not modify the paper, and **nothing is accepted or rejected** on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer’s section also names the underlying model that produced it.

This paper’s panel (9 lenses): Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

Claim Accuracy

Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_claim_accuracy.md

The review focuses strictly on the factual accuracy of claims and the validity of their supporting citations.

Critical Factual Errors in Model Citations: The most severe issue lies in the Introduction (Section 1) and Table 2, where the authors claim their benchmark (`\eval`) was filtered to ensure “single-frame probing fails for all three frontier models (Claude-4.5-Sonnet, Qwen3-VL-235B-A22B, GPT-5.2).” The model names “GPT-5.2” and “Claude-4.5-Sonnet” are factually incorrect; as of the current date, OpenAI has not released a GPT-5 series, and “Claude-4.5” is not a known release. Similarly, “Qwen3-VL-235B-A22B” appears to be a hallucinated or non-standard version string not found in the provided bibliography or public records. Citing non-existent models as the baseline for filtering a benchmark renders the claim of the benchmark’s difficulty unsupported and scientifically invalid.

Inconsistency in Data Statistics: In Section 3.1 (“Domain Knowledge Bank”), the text states: “We assembled `\numknow` knowledge points (`\numknowuse` used) across 82 subjects... (`\numknow` = 63,745 knowledge points, `\nexample` = 315,537 QA pairs).” The LaTeX source uses macros (`\numknow`) that are not defined in the provided snippet, but the text explicitly fills in “63,745”. The Abstract and Table 1 claim “145K videos” and “315K examples.” While the math (315k examples / 63k points = 5 examples per point) is plausible, the claim that these are “newly collected” and “CC-licensed” for *every* video requires verification. The paper states “All videos are newly collected and CC licensed” (Abstract, Fig 1 caption), but the methodology for ensuring 145K *unique* CC-licensed videos across 82 professional subjects without overlap or copyright issues is not detailed with sufficient evidence to support the “100% CC” claim in Table 1.

Benchmark Filtering Claim: The claim that the benchmark is “filtered to require genuine video reasoning” because single-frame probing fails for the cited (non-existent) models is circular and factually unsound. If the baseline models do not exist, the filtering criterion cannot be verified. The authors must replace these citations with actual, existing models (e.g., GPT-4o, Claude 3.5 Sonnet, Qwen2.5-VL) and re-verify the filtering statistics.

Conclusion: The paper makes central claims about its benchmark’s difficulty and the state-of-the-art baselines using hallucinated model names. This is a fatal factual error regarding the accuracy of the claims. The data statistics also lack clear derivation from the knowledge points to the final example count, requiring clarification.

Action items.

- **[science]** The Introduction claims the benchmark is filtered so that ‘single-frame probing fails for all three frontier models (Claude-4.5-Sonnet, Qwen3-VL-235B-A22B, GPT-5.2).’ These model names (e.g., ‘GPT-5.2’, ‘Claude-4.5’) appear to be hallucinated or future-dated, as no

such public models exist as of the paper’s context. This undermines the factual accuracy of the benchmark’s difficulty claim.

- **[writing]** Table 1 and the Abstract state the corpus contains ‘145K newly collected CC-licensed videos’ and ‘315K examples.’ However, the ‘Domain Knowledge Bank’ subsection claims ‘numknow = 63,745 knowledge points.’ The relationship between 63k knowledge points and 145k videos (avg ~2.3 videos per point) is not explained, nor is the derivation of 315k QA pairs from these points clear. The claim of ‘expert-validated selection’ needs specific citation or methodology to support the scale.
- **[fatal]** The paper cites ‘GPT-5.2’ and ‘Claude-4.5-Sonnet’ in the Introduction and Table 2 as baselines. These models do not exist in the public domain or the provided bibliography. Citing non-existent models as state-of-the-art baselines is a critical factual error that invalidates the comparative performance claims.

Figure Critic

Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_figure_critic.md

Figure 1

Figure 1 effectively compares model responses on a knowledge-intensive video reasoning task. The layout clearly distinguishes the input video frames, the question/options, and the reasoning traces of different models, with the correct answer and error analysis explicitly highlighted.

Figure 2

Figure 2 effectively presents a comparative case study of model reasoning on a video understanding task. The layout clearly distinguishes between the input question, the incorrect reasoning of baseline models, and the correct reasoning of the proposed method, fully supporting the caption’s description.

Figure 3

Figure 3 effectively compares model responses on a knowledge-intensive video reasoning sample, clearly displaying the input question, options, and the distinct reasoning outputs of different models alongside their error analyses. The layout is organized and the text is legible, supporting the paper’s claim of demonstrating reasoning capabilities.

Figure 4

Figure 4 effectively illustrates a natural science reasoning task by pairing video frames with a question, answer, and detailed reasoning trace. The layout is clear, the text is legible, and the caption accurately describes the content and the abbreviated nature of the reasoning text.

Figure 5

Figure 5 effectively illustrates a healthcare domain example with a clear visual timeline and detailed reasoning text. The layout is uncluttered, and the caption accurately describes the content and the abbreviated nature of the reasoning process.

Figure 6

The figure displays detailed reasoning examples from the engineering domain, but the caption inaccurately describes the content as ‘concise and abbreviated’ when the text is fully visible, and contains a minor grammatical error.

Figure 7

Figure 7 effectively presents a multi-panel example from the engineering domain, combining video frames with detailed Q&A reasoning. The layout is clear, the text is legible, and the content aligns perfectly with the caption’s description of a concise reasoning process.

Figure 8

Figure 8 effectively illustrates a humanities and social science reasoning sample with clear visual components, including a filmstrip of video frames and structured question-answer-reasoning blocks. The layout is uncluttered, the text is legible, and the content aligns well with the caption’s description of a concise, abbreviated reasoning process.

Figure 9

Figure 9 provides a comprehensive overview of the training corpus and QA pipeline, but contains minor inconsistencies in labeling between the ‘Core Skills’ list and diagram, and lacks explanatory context for the video timestamp examples.

Figure 10

The figure provides a clear overview of the data construction pipeline, but the caption is grammatically incorrect and inaccurately describes the right-hand panel as containing statistics rather than a quality control workflow.

Action items.

- **[writing]** Figure 6: The caption states the reasoning process is ‘concise and abbreviated,’ but the image displays full, detailed reasoning blocks with no visible abbreviation or truncation,

creating a mismatch between the figure’s content and its description.

- **[writing]** Figure 6: The caption contains a grammatical error (‘A example’ should be ‘An example’).
- **[writing]** Figure 9: The ‘Core Skills’ section lists ‘Basic Video Perception’ but the diagram below it labels the skills as ‘Knowledge’ and ‘Reasoning’, creating a mismatch between the list and the visual representation.
- **[writing]** Figure 9: The ‘Example of Collected CC-licensed Video’ section displays video thumbnails with timestamps (00:35, 00:38, etc.) but lacks a clear legend or label explaining what specific frames or events these timestamps represent in the context of the QA examples.
- **[writing]** Figure 10: The caption states ‘(Right) Statistics of and training corpus’, but the right side of the figure contains a ‘Data Quality Control’ pipeline diagram, not statistical charts or tables.
- **[writing]** Figure 10: The caption contains a grammatical error (‘Statistics of and training corpus’) and appears to mismatch the visual content on the right.

Jargon Police

Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_jargon_police.md

The manuscript relies heavily on undefined acronyms and LaTeX-specific macros that significantly hinder readability for non-specialists or readers viewing the compiled PDF without access to the source code definitions.

In the **Abstract**, the term “CoT” (Chain-of-Thought) is used without definition. While common in the field, the paper’s stated goal of “Knowledge- and Reasoning-Intensive Video Understanding” suggests a broader audience where this acronym should be spelled out. More critically, the abstract introduces “SFT” and “GRPO” without definition. “SFT” (Supervised Fine-Tuning) is standard, but “GRPO” (Group Relative Policy Optimization) is a specific algorithmic term that requires a brief explanation or full spelling at first use to ensure clarity.

In **Section 1 (Introduction)**, the authors introduce three core skills using the macros `\vr`, `\kv`, and `\kvr`. The text reads: “...three skills—`\vr` (basic reasoning), `\kv` (knowledge-enhanced perception), and `\kvr` (knowledge-intensive reasoning).” While the definitions are parenthetically provided, the use of the macros themselves creates a visual barrier. A reader scanning the text sees “VR, KV, and KVR” but does not immediately know these are the authors’ specific shorthand for the defined concepts. These should be defined as “Basic Reasoning (VR)”, “Knowledge-Enhanced Perception (KV)”, and “Knowledge-Intensive Reasoning (KVR)” to establish the acronyms formally before using them as shorthand.

Furthermore, the **Abstract** and **Section 1** utilize the macros `\data`, `\eval`, and `\ours` to

refer to the dataset, benchmark, and the method itself. In the compiled PDF, these likely render as “VideoKR” or similar, but the reliance on these macros in the text flow (e.g., “We introduce \data”) is poor practice for a standalone paper. The text should explicitly state “We introduce VideoKR, a 315K example corpus...” rather than relying on a macro that might be undefined or rendered inconsistently in different viewing contexts.

Finally, **Section 1** uses `\numknow` and `\nexample` to insert specific numbers (63,745 and 315,537). While this is a valid LaTeX technique for consistency, it is jargon in the context of the prose. The sentence “Human experts curate seed examples (`\numknow` = 63,745 knowledge points, `\nexample` = 315,537 QA pairs)” is awkward. It should be rewritten as “Human experts curate seed examples (63,745 knowledge points and 315,537 QA pairs)” to remove the variable assignment syntax from the natural language flow.

These issues collectively create a barrier to entry for readers who are not deeply embedded in the specific coding conventions of the authors’ LaTeX template.

Action items.

- **[writing]** The manuscript relies heavily on undefined acronyms and LaTeX-specific macros that significantly hinder readability for non-specialists or readers viewing the compiled PDF without access to the source code definitions. In the Abstract, the term “CoT” (Chain-of-Thought) is used without definition. While common in the field, the paper’s stated goal of “Knowledge- and Reasoning-Intensive Video Understanding” suggests a broader audience where this acronym should be spelled out. More critically, the

Logical Consistency

Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_logical_consistency.md

The paper contains a significant logical inconsistency regarding the difficulty of its proposed benchmark. The Introduction (Section 1) asserts that the VideoKR-Eval benchmark was filtered to ensure “single-frame probing fails for all three frontier models.” However, Table 2 (e002) reports that GPT-5.4 achieves 63.2% on VideoKR-Eval. If the premise that single-frame access renders the task unsolvable were true, the performance of these models should be near random chance. The high scores suggest the filtering mechanism was insufficient or the claim is an overstatement, undermining the logical foundation of the benchmark’s novelty.

Additionally, the data partitioning logic is opaque. The Abstract and Introduction cite a 315K total corpus, yet the experiments utilize a “VideoKR-SFT-201K” subset (201,156 examples) and a “VideoKR-RL-114K” subset. While the numbers sum correctly, the text fails to explicitly state the logical criteria for this split. It is unclear if the 201K is a strict subset of the 315K or if the sets are derived differently, creating a gap in the data construction narrative.

Finally, the “Video Collection” section (e000) describes generating scenarios and searching YouTube, then abruptly mentions “49% (saturated)” without defining the metric. The causal

link between the initial scenario generation and the final 145K video count is missing, making the reproducibility of the data construction logic difficult to verify.

Action items.

- **[science]** The claim that single-frame probing fails for all cited frontier models contradicts Table 2 (e002), where GPT-5.4 scores 63.2% on VideoKR-Eval. If single-frame access truly failed, scores should be near random chance.
- **[writing]** The paper states a 315K corpus but uses a 201K SFT subset without explicitly defining the logical derivation or partitioning criteria between the 201K SFT and 114K RL sets.
- **[writing]** The video collection section mentions “49% (saturated)” without defining the metric or explaining the logical step from scenario generation to the final 145K video count.

Overreach

Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_overreach.md

“The paper makes several strong claims regarding the novelty and difficulty of its proposed benchmark and the resulting model performance that appear to overreach the provided evidence.\n\nFirst, the Introduction asserts that the VideoKR-Eval benchmark is “filtered to require genuine video reasoning” specifically because “single-frame probing fails for all three frontier models.” This is a definitive claim about the nature of the data that is not substantiated by the results presented. Table 2 shows that Qwen3-VL-32B-Thinking achieves 50.2% on VideoKR-Eval, a score that suggests the model is successfully solving a significant portion of the tasks. Without a dedicated ablation or analysis showing the specific performance drop when using single-frame inputs versus full video inputs for these specific models, the claim that single-frame probing “fails” is an overreach. The authors must either provide the single-frame probing data or soften the claim to reflect that the benchmark is *challenging* rather than *impossible* for single-frame methods.\n\nSecond, the Abstract and Introduction claim the method yields “state-of-the-art performance” on knowledge-intensive video tasks. While VideoKR achieves the best score within the specific group of models based on Qwen2.5-VL-7B or Qwen3-VL-8B (Table 2), it is substantially outperformed by larger open models (e.g., Qwen3-VL-32B-Thinking at 57.4% average vs. VideoKR’s 44.2% on knowledge-intensive tasks) and closed-source models (GPT-5.4 at 71.3%). Using the unqualified term “state-of-the-art” implies a global leadership that the data does not support. The claim should be restricted to “state-of-the-art among 7B/8B models” or similar to be accurate.\n\nFinally, the claim that “Human experts... validate all pipeline steps” (Introduction) for a corpus of 315,000 examples is likely an overstatement of the actual human effort involved. While seed examples are curated, validating every step of a pipeline generating hundreds of thousands of examples is logistically

improbable without massive sampling. The paper should clarify the scope of human validation (e.g., “validated a representative sample” or “curated seeds and validated the pipeline logic”) to avoid misleading readers about the level of human oversight in the data generation process.”

Action items.

- **[writing]** “The paper makes several strong claims regarding the novelty and difficulty of its proposed benchmark and the resulting model performance that appear to overreach the provided evidence.
First, the Introduction asserts that the VideoKR-Eval benchmark is “filtered to require genuine video reasoning” specifically because “single-frame probing fails for all three frontier models.” This is a definitive claim about the nature of the data that is not substantiated by the results presented. Table

Safety Ethics

Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_safety_ethics.md

The manuscript addresses safety and ethics primarily in the “Impact Statement” (Section 6) and the “Video Collection” subsection (Section 3.2). While the authors state that all videos are CC-licensed and annotators were paid \$13/hour with informed consent, the review identifies three specific areas requiring clarification to meet standard ethical publication requirements for large-scale dataset papers.

First, regarding human subject research, the Impact Statement mentions “informed consent” but does not cite a specific Institutional Review Board (IRB) or Ethics Committee approval number. For a dataset involving human annotators and potentially human subjects in the video content, explicit reference to the governing ethics body (e.g., “Approved by the IRB of [Institution], Protocol #XXXX”) is necessary to validate the consent process and labor conditions.

Second, the data collection pipeline relies on the YouTube API to source 145,000 videos. While the authors mention using “Microsoft Azure AI Content Safety” (referenced in the LaTeX source), the manuscript lacks a description of the specific safety thresholds applied or the manual review process for flagged content. Without this, there is a non-trivial risk that the released corpus could contain hate speech, harassment, or other harmful material, which poses a dual-use risk for training models on toxic data.

Third, the dataset covers sensitive domains including “Healthcare” (18 subjects) and “Medicine.” The authors must explicitly confirm that a rigorous de-identification process was applied to remove any Personally Identifiable Information (PII) or Protected Health Information (PHI) from the video sources. Given the potential for re-identification in video data, a statement on compliance with privacy regulations (such as HIPAA or GDPR) is essential before the dataset can be considered safe for public release.

These are primarily writing and disclosure issues that can be resolved by adding specific

details to the Impact Statement and Data Collection sections.

Action items.

- **[writing]** The Impact Statement (Section 6) claims annotators were paid \$13/h and gave informed consent, but lacks specific IRB approval numbers or the name of the ethics review board. For a dataset involving human labor and potential sensitive content, explicit IRB/ethics committee approval details are required to verify compliance with institutional standards.
- **[writing]** The paper mentions using YouTube API to collect CC-licensed videos (Section 3.2) but does not detail the content safety filtering process. Given the scale (145K videos), there is a risk of inadvertently including harmful, hateful, or non-consensual content. A description of the safety filters (e.g., Microsoft Azure Content Safety API usage details) and the protocol for handling flagged content is needed.
- **[writing]** The dataset includes 145K videos across professional domains (Healthcare, Engineering). The authors must explicitly state whether any personally identifiable information (PII) or private patient data was scrubbed from the video sources, especially for the Healthcare subset, to ensure compliance with privacy regulations (e.g., HIPAA, GDPR) before public release.

Scientific Evidence

Weighs the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_scientific_evidence.md

The manuscript presents a substantial dataset and benchmark for knowledge-intensive video understanding. However, the scientific evidence supporting the robustness of the reported gains and the validity of the benchmark claims requires strengthening.

First, the ablation studies presented in Table 2 (e001) report performance differences that are often marginal (e.g., +0.5% to +1.1% on specific benchmarks). The text does not provide standard deviations, confidence intervals, or p-values derived from multiple random seeds. In the context of large-scale model training, such small gains can easily be attributed to stochastic variance rather than the specific architectural or data choices being ablated. To support the claim that the “Skill-Oriented Data Composition” is superior, the authors must demonstrate statistical significance.

Second, the Introduction (e000) makes a strong claim that the proposed VideoKR-Eval benchmark is uniquely difficult because “single-frame probing fails for all three frontier models.” While this is a critical premise for the benchmark’s value, the provided text does not contain a specific experiment or table quantifying the performance of single-frame baselines on VideoKR-Eval compared to multi-frame baselines. Without this direct evidence, the claim remains an assertion rather than a demonstrated fact.

Finally, the data quality relies heavily on the “Expert-validated selection” process described in

Table 1 (e000). The manuscript mentions human experts curating seed examples and validating pipeline steps but fails to report Inter-Annotator Agreement (IAA) metrics or consistency checks. Given that the training data is synthesized using frontier models and then filtered by humans, the potential for bias or inconsistency in the CoT rationales is a significant threat to validity. Reporting IAA scores would provide necessary evidence for the reliability of the 315K example corpus.

Action items.

- **[science]** The ablation study in Table 2 (e001) lacks statistical significance testing (e.g., p-values or confidence intervals) for the reported gains (e.g., +1.1% on VideoKR-Eval). Given the small margins in some comparisons, the robustness of these improvements against random seed variance is unproven.
- **[science]** The claim that the VideoKR-Eval benchmark is ‘challenging’ because single-frame probing fails (Introduction, e000) is not empirically supported by a dedicated ablation or control experiment in the provided text. A specific experiment demonstrating the failure of single-frame baselines on this specific benchmark is required to validate this central premise.
- **[science]** The data construction pipeline relies on ‘Expert-validated selection from 7 frontier models’ (Table 1, e000) but does not report inter-annotator agreement (IAA) or expert consistency metrics. Without IAA scores, the reliability of the ‘high-quality’ CoT rationales and the potential for model bias in the synthetic data generation cannot be assessed.

Statistical Analysis

Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_statistical_analysis.md

The manuscript presents a large-scale dataset and benchmark for knowledge-intensive video understanding, but the statistical rigor of the reported results is insufficient to support the strong claims of state-of-the-art performance.

Lack of Variance and Significance Testing: The primary results in Table 2 (Benchmark results) and Table 3 (Ablation Studies) report single-point accuracy percentages (e.g., “46.6” vs “44.3”). In deep learning research, particularly with reinforcement learning (RL) and fine-tuning, performance can vary significantly based on random seeds, hyperparameter initialization, and data shuffling. Without reporting standard deviations (e.g., 46.6 ± 0.5) or conducting statistical significance tests (e.g., paired t-tests or bootstrap confidence intervals), it is statistically unsound to claim that VideoKR is “state-of-the-art” or that specific ablation components yield “significant” improvements. The observed margins (e.g., +1.4% or +0.5%) are often within the noise floor of a single run. The authors must re-run experiments with multiple seeds ($n \geq 3$) and report mean $\pm$ std dev to validate these claims.

Benchmark Difficulty Validation: In the Introduction, the authors claim the proposed

benchmark (\eval) is filtered such that “single-frame probing fails for all three frontier models.” This is a strong statistical claim about the distribution of difficulty. The manuscript does not provide the statistical evidence for this filtering process. How many samples were tested? What was the exact accuracy distribution of the three models (Claude-4.5, Qwen3, GPT-5) on the unfiltered set versus the filtered set? A formal hypothesis test or a clear reporting of the accuracy distribution (e.g., “mean accuracy $< 35\%$ with $p < 0.01$ ”) is required to substantiate that the benchmark genuinely requires video reasoning rather than just being a hard subset of a general benchmark.

Ablation Stability: Table 3 presents ablation studies on data composition and supervision format. The differences between “VR + KV” and “VR + KV + KVR” are marginal (e.g., 41.3 vs 42.4 on the Knowledge-Intensive average). Without variance estimates, it is unclear if these gains are reproducible or artifacts of a specific random seed. The conclusion that the full pipeline is necessary relies on these small, unverified deltas.

Reproducibility of Analysis: While the code is hosted externally (as noted in the guidelines), the statistical analysis scripts (e.g., for calculating significance or aggregating seeds) are not described. The paper should explicitly state the number of seeds used for the main results and the statistical tests employed to compare models.

In summary, the paper requires a re-analysis of the experimental results to include measures of variance and statistical significance before the claims of superiority can be accepted.

Action items.

- **[science]** Report statistical significance (e.g., p-values, confidence intervals, or standard deviations over multiple seeds) for the performance gains in Table 2 and Table 3. Single-run point estimates are insufficient to claim ‘state-of-the-art’ or ‘significant’ improvements over baselines like VideoAuto-R1.
- **[science]** Clarify the statistical methodology for the benchmark difficulty claim in Section 1. The assertion that ‘single-frame probing fails for all three frontier models’ requires a formal hypothesis test or a clear definition of the failure threshold (e.g., accuracy $< 30\%$) and the sample size used to derive this conclusion.
- **[science]** In Table 1 (Ablation Studies), the use of single-point accuracy scores without error bars or variance metrics makes it impossible to assess the stability of the ‘Skill-Oriented Data Composition’ findings. Please provide results averaged over at least 3 random seeds with standard deviations.

Writing Quality

Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_writing_quality.md

The manuscript presents a clear and ambitious contribution to video understanding, but the

writing quality suffers from several structural and grammatical issues that impede readability. The most critical issue is found in Section 3.2 (Video Collection), where a sentence fragment regarding “Scenario generation” and “YouTube API search” is followed by broken LaTeX syntax ($\$49\%$) and an incomplete comparison clause. This renders the specific claim about dataset saturation unintelligible to the reader.

Additionally, the caption for Figure 2 (found in the provided LaTeX chunks) is disjointed. It begins with a fragment (“Knowledge-intensive Reasoning”) and jumps immediately into a description of inference-time scaling without a coherent subject or verb structure. This suggests a copy-paste error or a missing introductory phrase that must be corrected to ensure the figure is self-explanatory.

Finally, the Introduction lists specific model versions (e.g., “GPT-5.2”, “Qwen3-VL-235B-A22B”) that appear to be future-dated or non-existent relative to the current timeline. Unless these are explicitly defined as hypothetical baselines or the paper is intended for a future release, this creates confusion regarding the validity of the experimental setup. The prose should be adjusted to use verifiable model names or clarify the nature of these baselines.

Overall, the narrative flow is strong, but these specific syntactic and clarity errors must be addressed before the paper can be considered for publication.

Action items.

- **[writing]** In Section 3.2 (Video Collection), the sentence ‘Scenario generation (LLM-produced 1–3 realistic situations per knowledge point) → YouTube API search (top-10 CC-licensed videos, $\$49\%$ (saturated), while \ours remains challenging ($\$pprox\42%).’ is grammatically broken and contains LaTeX syntax errors ($\$49\%$). It needs to be rewritten as a complete sentence to clarify the saturation comparison.
- **[writing]** The caption for Figure 2 in the LaTeX source is malformed. It begins with ‘Knowledge-intensive Reasoning’ and ‘Inference-time frame scaling results...’ but lacks a proper introductory clause or context, appearing as a fragment rather than a descriptive caption. Please rewrite to clearly describe the figure’s content.
- **[writing]** In the Introduction, the phrase ‘single-frame probing fails for all three frontier models (Claude-4.5-Sonnet, Qwen3-VL-235B-A22B, GPT-5.2)’ lists model names that appear to be future-dated or hypothetical (e.g., GPT-5.2, Qwen3). While this may be a placeholder, the writing should either use current, verifiable model names or explicitly state these are hypothetical baselines to avoid confusing the reader.