

llmXive Automated Review of Masking Stale Observations Helps Search Agents – Until It Doesn't: A Regime Map and Its Mechanism

llmXive automated review panel

Please read first — this review is fully automated and not checked by any human. It is written by free, open-weight LLM agents that read the paper once, so **errors, misreadings, and inaccuracies are likely**. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer's exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is **advisory, automated feedback for the authors**. llmXive does not modify the paper, and **nothing is accepted or rejected** on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer's section also names the underlying model that produced it.

This paper's panel (9 lenses): Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

Claim Accuracy

Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_claim_accuracy.md

The paper presents a compelling empirical analysis of observation masking, with most claims well-supported by the provided data in Table 1 and the case studies. However, there are minor discrepancies between the textual claims and the specific numerical data presented in the tables that require clarification to ensure strict factual accuracy.

First, regarding the “model-saturated collapse” regime, the abstract and Section 5.1 state that gains collapse to “ ≤ 0 pts”. Table 1 (Left) explicitly lists the GPT-OSS-120B + AgentIR configuration with a ΔAcc of $+0.1$. While this is negligible, it is strictly positive, making the “ ≤ 0 ” claim technically inaccurate for this specific data point. The authors should refine the phrasing to “approximately zero” or “negligible” to accommodate the $+0.1$ result without misrepresenting the data.

Second, in Section 5.1, the text states that GPT-OSS-120B is “harmed by -4.8 pts on GAIA.” Table 1 (Right) shows the values “68.0 / 72.8” with a delta of “-4.8”. While the math holds ($68.0 - 72.8 = -4.8$), the table header “Acc. (%)” does not explicitly specify the order of the two values (i.e., whether it is “CM / No-CM” or vice versa). Although the delta implies the first value is the CM result, explicit labeling (e.g., “Acc (CM) / Acc (No-CM)”) is necessary to prevent ambiguity and ensure the claim is unambiguously supported by the table structure.

Third, Section 5.2 makes precise quantitative claims: “Reasoning absorbs 53.7% of attention budget vs 25.6% for observations.” These specific figures are not present in the main text or table captions, appearing only as implied data within Figure 4. Since the review context does not render the figure, these specific numbers are difficult to verify against the text alone. To support these claims robustly, the authors should either explicitly cite the figure (e.g., “as shown in Figure 4, reasoning accounts for 53.7%...”) or include these summary statistics in a table.

Finally, the claim that masking fails when it removes evidence the model would otherwise use is strongly supported by the case study in Appendix C (“Case: CM Impairs”), which details a specific instance where masking led to an incorrect answer. This qualitative claim is well-grounded.

In summary, the core scientific findings are sound, but the precision of the bounds and the clarity of table labels need minor adjustments to align perfectly with the reported data.

Action items.

- **[writing]** Table 1 (Right) lists GPT-OSS-120B GAIA accuracy as 68.0/72.8 with delta -4.8. The text claims a -4.8 pt harm. Ensure the table header explicitly labels the columns as ‘Acc (CM) / Acc (No-CM)’ to prevent ambiguity about which value corresponds to the masked condition.
- **[writing]** The abstract claims a ‘sharp collapse (0 pts)’ for saturated models. Table 1 shows GPT-OSS-120B on BrowseComp-Plus with a $+0.1$ gain. This contradicts the ‘0’ bound.

Please adjust the claim to ‘0’ or ‘negligible’ to accurately reflect the data.

- **[writing]** Section 5.2 cites specific attention percentages (53.7% reasoning, 25.6% observation) not found in the text body or tables. Explicitly reference Figure 4 or add a table row to support these precise numerical claims in the text.

Figure Critic

Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_figure_critic.md`

Figure 1

The figure and caption are completely mismatched; the image shows a performance regime map while the caption describes a Trace-SNR regression probe (likely Figure 5). Additionally, the plot lacks a legend to define the various model icons and text colors.

Figure 2

The figure is incomplete and contains a broken caption. The ‘Right’ panel described in the text is entirely missing from the image, and the caption itself is cut off and includes a filename artifact.

Figure 3

The figure is incomplete as it is missing the third panel described in the caption. Additionally, the visualization of the heatmap and the dual-axis plot lacks sufficient legend and labeling to clearly distinguish the data series and scales.

Figure 4

The figure’s layout contradicts its caption, which describes a three-panel structure while the image shows only two. Additionally, the right y-axis label is illegible due to rotation, and the legend fails to map line markers to the specific model sizes.

Figure 5

The figure is a line plot that completely contradicts its caption, which describes a multi-panel scatter plot analysis. The visual content fails to support the claims or structure outlined in the text.

Figure 6

The figure fails to deliver on the caption’s promise by omitting the ‘additional turns’ data entirely and failing to distinguish between the two models mentioned. Additionally, the y-axis label is visually cluttered by the scientific notation scale.

Action items.

- **[fatal]** Figure 1: The rendered image is a scatter plot of model performance regimes, but the caption describes a completely different figure (a ‘Trace-SNR regression probe’ with green/red dots and SNR axes). The caption text appears to belong to Figure 5, while the image content matches the paper’s title regarding a ‘Regime Map’.
- **[science]** Figure 1: The plot contains no legend defining the specific icons (e.g., purple hexagon, black knot, green eye) or the color-coding of the text labels (blue vs. red), making it impossible to distinguish between different model families or retriever types.
- **[writing]** Figure 1: The caption references a ‘Right’ panel and ‘green and red dots’ which are not present in the rendered image, indicating a severe mismatch between the provided figure and its description.
- **[fatal]** Figure 2: The caption text is truncated mid-sentence (‘...account for over 8’) and ends with a stray filename ‘[cm-fig1.png]’, indicating a rendering or copy-paste error that obscures the result.
- **[science]** Figure 2: The caption describes a ‘Right’ panel showing context composition statistics, but the rendered image contains no such chart or graph; only the ‘Left’ schematic is visible.
- **[writing]** Figure 2: The legend on the left defines o_i as a yellow box, but the schematic uses a white box with a tilde ($\tilde{o}_0$) for the initial observation, creating a visual inconsistency with the defined legend.
- **[science]** Figure 3: The caption describes three panels (Left, Middle, Right), but the rendered image only contains two panels (a heatmap and a line/bar chart). The ‘Right’ panel showing ‘Relative positions of open targets’ is missing.
- **[science]** Figure 3: The caption claims the heatmap separates reasoning (blue) and observation (orange) tokens, but the heatmap’s colorbar is a single diverging scale (blue to orange) without a clear zero-point or legend indicating how the two token types are spatially separated or color-mapped.
- **[writing]** Figure 3: The right-hand plot has two y-axes (‘Mean attention weight’ and ‘Cumulative attention share’) but no legend or axis label explicitly links the line plots to the left axis and the bar plots to the right axis, creating ambiguity.
- **[science]** Figure 4: The caption claims the figure contains a ‘Left’ (heatmap) and ‘Middle’ (distribution) panel, but the rendered image shows two side-by-side plots (a heatmap and a line/bar chart) with no ‘Middle’ panel.

- **[writing]** Figure 4: The right y-axis label ‘Cumulative attention share (%)’ is rotated 90 degrees and illegible.
- **[writing]** Figure 4: The legend defines ‘reasoning’ and ‘observation’ but does not map these categories to the specific line markers (circle, square, triangle) used for the three models (4B, 9B, 3.6-35B) shown in the plot.
- **[fatal]** Figure 5: The rendered image displays a single line plot of Signal-to-noise ratio vs. Normalized No-CM prefix length, but the caption describes four distinct subplots (scatter plots and signal traces) arranged ‘From left to right’. The visual content does not match the caption description.
- **[science]** Figure 5: The legend lists ‘Qwen3.5-4B + BM25’ (grey), but the caption does not define this configuration or explain its role in the ‘Trace-SNR regression probe’, making the inclusion of this data series unexplained.
- **[fatal]** Figure 6: The caption claims to show ‘additional turns induced by CM’ (turns), but the rendered image contains only a single plot of ‘ Δ rolling input tokens’ with no data or axis for turns.
- **[science]** Figure 6: The caption states the figure contains data for ‘Qwen3.5-35B+AgentIR’ and ‘GPT-OSS-120B+AgentIR’, but the plot only displays four categories (‘correct->correct’, ‘wrong->correct’, etc.) without distinguishing between the two models.
- **[writing]** Figure 6: The y-axis label ‘ Δ rolling input tokens (CM - no CM)’ is partially obscured by the top tick label ‘1e7’, making the scientific notation hard to read.

Jargon Police

Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_jargon_police.md

The manuscript relies heavily on domain-specific shorthand and undefined acronyms that hinder accessibility for non-specialist readers.

First, the acronym **CM** (Context Management) is introduced in the Abstract without its full expansion, and while it appears in the Introduction, the transition to the abbreviation is abrupt. Similarly, **SNR** (Signal-to-Noise Ratio) is used as a central metric in the Abstract without definition. The term **No-CM** is used repeatedly in the Results section (e.g., Table 1) to denote the baseline condition but is never explicitly defined as “No Context Management,” forcing the reader to infer the meaning.

Second, the paper uses **backbones** to refer to the underlying language models. While common in industry, “base models” or simply “models” is more accessible. The term **scaffold** is used to describe the agent’s environment and tool management system (Section 2.3). While the concept is explained, the specific label “scaffold” is a metaphor that may not be immediately clear to all

readers; “framework” or “system architecture” would be more standard.

Third, specific technical identifiers are used without explanation. The suffix **-A3B** in model names (e.g., Qwen3.5-35B-A3B) appears to denote a specific architecture variant (likely a Mixture-of-Experts configuration), but this is not defined. The variable **topn** is used as a noun in the tool descriptions (Section 2.3) instead of the more standard “top-k” or “number of results.”

Finally, the phrase **token-for-turn trade-off** in the Abstract is a dense, jargon-heavy construction. A plainer phrasing like “a trade-off between token usage and the number of interaction turns” would improve clarity. These changes are necessary to ensure the paper’s findings are accessible to a broader audience beyond the immediate sub-field of agentic search.

Action items.

- **[writing]** The manuscript relies heavily on domain-specific shorthand and undefined acronyms that hinder accessibility for non-specialist readers. First, the acronym CM (Context Management) is introduced in the Abstract without its full expansion, and while it appears in the Introduction, the transition to the abbreviation is abrupt. Similarly, SNR (Signal-to-Noise Ratio) is used as a central metric in the Abstract without definition. The term No-CM is used repeatedly in the Results section (e.g., Table 1)

Logical Consistency

Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_logical_consistency.md

The paper presents a compelling empirical “regime map” for observation masking, but the logical consistency between the proposed mechanisms and the observed “collapse” in the saturated regime requires strengthening.

1. Mechanism for the “Collapse” in Saturated Models The central claim is that masking helps by removing “neglected middle noise” (supported by attention maps showing U-shaped attention and bimodal re-opening). However, the paper argues that in the “Model Saturated” regime (No-CM accuracy > 70%), masking *harms* performance because it “removes evidence the model would otherwise use.”

- **Logical Gap:** The evidence provided (attention decay, re-opening patterns) suggests models *do not* attend to the middle. If saturated models also ignore the middle (as the attention data implies), why does masking them cause a collapse? The paper asserts that saturated models “rely on” this evidence but fails to provide a mechanism explaining *why* their reliance changes compared to the “sweet spot” models. Is it that saturated models perform a different type of reasoning (e.g., long-range verification) that requires the raw text, whereas mid-capacity models rely on the immediate context? Without this distinction, the claim that masking “evicts crucial signals” for saturated models contradicts the earlier finding that models generally ignore the middle.

2. Inconsistent Application of the “SNR Bottleneck” Argument The paper posits that “optimizing input context’s signal-to-noise ratio (SNR) when context is complex is the bottleneck for advanced agents.”

- **Logical Gap:** The regression probe shows that saturated models (e.g., GPT-OSS-120B) have high separability (AUC 0.74) for predicting CM rescue, yet they show near-zero or negative gain. The authors interpret this as “high separability but low net utility.” However, the logical leap to “SNR is the bottleneck” is unsupported. If SNR were the bottleneck, improving it (via masking) should help. The fact that masking *hurts* these models suggests the bottleneck is *not* SNR, but perhaps the model’s inability to distinguish signal from noise *without* the full context, or that the “noise” is actually a distractor that saturated models can handle but masking disrupts their specific attention pattern. The paper does not logically rule out the alternative: that the “signal” in the middle is only useful when the model is *not* saturated, or that the “noise” is actually a distractor that saturated models can handle but masking disrupts their specific attention pattern.

3. Regime Boundary Definition vs. Empirical Variance The “Model Saturated” regime is defined by a No-CM accuracy threshold ($>70\%$).

- **Logical Gap:** The data shows that the same model (GPT-OSS-120B) falls into different regimes depending on the benchmark: it is “saturated” (gain +0.1) on BrowseComp-Plus, “mismatch” (gain +8.0) on xBench, and “harmed” (gain -4.8) on GAIA. The paper attributes this to “live-web noise” but does not logically derive a unified condition. If the regime is defined by model capacity, why does the *same* capacity yield different regimes? The paper needs to explicitly define the regime boundary as a function of *both* model capacity and *task complexity/noise level*, rather than just model accuracy, to maintain logical consistency across the different benchmarks.

Recommendation: The authors should clarify the mechanism for the “collapse” in saturated models. Specifically, they must explain why models that generally ignore the middle (per attention data) suddenly require it when they are “saturated.” Additionally, the definition of the “Model Saturated” regime should be refined to account for the variance across benchmarks, or the “SNR bottleneck” argument should be revised to explain why high SNR optimization (masking) fails for these specific cases.

Action items.

- **[science]** The claim that masking harms saturated models by removing ‘crucial signals’ contradicts the attention evidence showing models ignore the middle. The paper must explain why saturated models suddenly rely on ignored middle evidence while mid-capacity models do not.
- **[science]** The ‘Model Saturated’ regime is defined by No-CM accuracy $>70\%$, yet GPT-OSS-120B shows +8.0 gain on xBench (78% No-CM) but -4.8 on GAIA (72.8% No-CM). The paper fails to logically derive why the same capacity threshold yields opposite results based solely on ‘noise’ without a quantitative interaction term.

- **[science]** The regression probe claims SNR is the bottleneck because saturated models have high AUC but low gain. This logic is incomplete: it does not prove masking lowers SNR for these cases or that the model fails due to SNR rather than simply having sufficient capacity to ignore noise without help.

Overreach

Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_overreach.md

The paper presents a compelling empirical analysis of observation masking, but several claims overreach the specific data points provided.

First, the definition of “model saturation” is inconsistent with the reported results. The abstract and conclusion state that masking “collapses” when the model is saturated. However, Table 1 shows that for the DeepSeek-V4-Flash-Max model (No-CM accuracy 84.3%), the gain is +3.8 points, which is a positive, non-negligible improvement. Similarly, GPT-OSS-120B shows a +0.1 gain. Labeling a +3.8 point gain as a “collapse” or implying that saturation universally leads to failure (0 pts) is an overstatement. The data suggests a *diminishing* return or a regime shift, not a hard collapse for all high-capacity models. The authors should refine the “saturation” definition to account for these positive outliers or adjust the language to “diminishes” rather than “collapses” for near-zero or slightly positive gains.

Second, the causal link between the regression probe results and the final recommendation is tenuous. The paper argues that because SNR predicts rescue separability, “future engineering should pivot toward high-fidelity retrieval.” While high-fidelity retrieval likely improves SNR, the probe is a correlational analysis of existing trajectories. It does not demonstrate that improving retrieval *independently* of masking resolves the saturation issue or that masking becomes unnecessary. The conclusion over-extrapolates from a diagnostic tool to a prescriptive architectural shift. The text should be moderated to suggest that retrieval quality is a critical factor to monitor alongside masking, rather than the sole solution.

Finally, the claim that masking “fails when masking removes evidence the model would otherwise use” is illustrated by the Tongyi-DeepResearch case (-1.1 pts) but is presented as a general mechanism for all saturated models. The data shows that even in high-accuracy regimes, some models (like DS-V4) still benefit, implying they are not “saturated” in the same way or that the masking strategy is still effective for them. The paper needs to distinguish between “true saturation” (where masking hurts) and “high performance” (where masking still helps), rather than grouping them under a single “saturation” label that implies failure.

Action items.

- **[writing]** The claim that masking ‘collapses (0 pts) when the model is saturated’ (Abstract) is contradicted by DS-V4-Flash-Max (+3.8 pts) and GPT-OSS-120B (+0.1 pts) in Table 1. The term ‘collapse’ is inaccurate for positive gains. Refine language to ‘diminishes’ or

‘plateaus’ for near-zero gains, and reserve ‘collapse’ only for negative outcomes, or clarify that ‘saturation’ is not a universal state.

- **[science]** The conclusion that ‘future engineering should pivot toward high-fidelity retrieval’ over-extrapolates from a correlational SNR probe. The probe shows SNR predicts rescue separability but does not prove better retrieval alone solves saturation without masking. Temper the claim to suggest retrieval as a complementary strategy rather than the primary solution to masking failures.
- **[science]** The abstract states masking fails when it removes evidence the model would use, yet DS-V4 (84.3% No-CM) still gains +3.8 pts. This implies the model is not ‘saturated’ in the way described. Distinguish between ‘true saturation’ (masking hurts) and ‘high performance’ (masking still helps) to avoid overgeneralizing the failure mechanism across all high-capacity models.

Safety Ethics

Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_safety_ethics.md

The manuscript addresses safety and ethics primarily in a brief “Ethical Considerations” section (Section 6) and a “Limitations” section. While the authors correctly identify that context management (CM) might suppress critical context or scale low-quality generation, the discussion lacks the depth required for a paper proposing a mechanism that alters the information available to an agent.

Specifically, the “Ethical Considerations” section (Section 6) states that masking “risks suppressing critical context (ethics, safety warnings)” but does not elaborate on the consequences. Given that the paper demonstrates masking can cause a “model-saturated collapse” where agents miss crucial evidence (e.g., the case study where masking led to an incorrect date for a relationship breakup), there is a significant risk that in real-world deployments, this could lead to the omission of safety-critical information (e.g., medical disclaimers, legal warnings, or hate speech context). The authors should expand this section to explicitly discuss the potential for masking to inadvertently hide safety signals, potentially leading to harmful outputs in high-stakes domains.

Furthermore, the “Human Audit Evaluation” (Appendix, Section 2) mentions a 99.9% agreement rate between human annotators and an LLM judge but does not specify the criteria used for this audit. It is unclear if the human audit included a safety check to ensure that the “correct” answers did not violate safety policies or if the “wrong” answers were analyzed for potential safety risks. The methodology for this audit should be clarified to ensure that safety was a component of the evaluation.

Finally, the paper does not address the dual-use potential of the proposed masking technique.

A mechanism designed to improve efficiency by hiding “stale” observations could theoretically be repurposed to evade safety filters by systematically removing context that would otherwise trigger a model’s refusal mechanisms. The authors should acknowledge this risk and discuss potential mitigations or the need for robust safety alignment that is independent of context window management.

Action items.

- **[writing]** The ‘Ethical Considerations’ section (Section 6) is overly brief and generic. It must be expanded to explicitly address the risk of masking critical safety warnings or legal disclaimers found in retrieved documents, which could lead to agents providing harmful advice in high-stakes domains (e.g., medical or legal search).
- **[writing]** The ‘Human Audit Evaluation’ (Appendix, Section 2) claims 99.9% agreement with an LLM judge but does not disclose the specific safety guidelines or red-teaming criteria used to verify the correctness of the 15% sampled trajectories. Clarify if safety violations were part of the audit scope.
- **[writing]** The paper discusses ‘low-quality content generation’ as a risk but fails to address the potential for the proposed masking technique to be used as a dual-use tool to evade safety filters by systematically hiding context that triggers refusal mechanisms in other models.

Scientific Evidence

Weights the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_scientific_evidence.md

The paper provides a robust empirical characterization of observation masking across a wide range of model sizes (4B–284B) and retrievers, establishing a clear “regime map” where gains are non-monotonic. The sample sizes (e.g., 830 examples for BrowseComp-Plus, 150 trajectories for attention analysis) appear sufficient for the reported statistical trends, and the use of multiple benchmarks strengthens the generalizability of the “three regimes” claim.

However, the mechanistic explanation for the “Model Saturated” collapse relies on a plausible but unproven causal link. The authors argue that masking harms high-capacity models because it removes evidence the model *would* have used (Section 5, “Model-saturated collapse”). While attention maps (Figure 3) show low attention to middle turns, low attention does not equate to “unused” information; the model may rely on a “latent” representation of that context or re-derive it. The paper lacks a direct “ablation of the masked content” experiment (e.g., restoring only the specific tokens that were masked in failed cases) to prove that the *content* of the masked observations was the specific cause of the error, rather than the disruption of the context window structure or the cost of re-searching.

Additionally, the regression probe’s use of a “citation proxy” for live-web benchmarks (Appendix A.5) introduces uncertainty. Since gold documents are unavailable for xBench, the SNR

metric is derived from the model’s own citations. This risks circularity: the model might cite correctly in the No-CM setting simply because it has more context, making the “signal” a byproduct of the context length rather than an intrinsic property of the query. The AUC scores (0.70–0.71) are presented as evidence of separability, but without ground-truth relevance judgments, the interpretation of “signal sparsity” remains speculative.

Finally, the surge in tool calls (+68.7 for GPT-OSS-120B) in the saturated regime suggests that the performance drop might be driven by the agent’s inability to efficiently recover from the masking (increased search cost) rather than pure information loss. The current analysis conflates these two factors. Disentangling the “information loss” hypothesis from the “retrieval overhead” hypothesis is necessary to fully validate the proposed mechanism.

Action items.

- **[science]** The claim that masking removes ‘crucial signals’ in saturated regimes lacks direct causal proof. Provide a case study or analysis showing that the specific masked tokens contained the gold evidence required for the correct answer, rather than just inferring this from performance drops.
- **[science]** The regression probe uses a ‘citation proxy’ for live-web benchmarks where gold documents are unavailable. This risks circularity as the proxy depends on the model’s own output. Clarify the limitations of this proxy or provide a sensitivity analysis against ground-truth relevance if possible.
- **[science]** The performance drop in the saturated regime correlates with a surge in tool calls. Disentangle whether the collapse is due to ‘information loss’ (masked content was needed) or ‘retrieval cost’ (agent failed to re-find masked info). Current analysis conflates these mechanisms.

Statistical Analysis

Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_statistical_analysis.md

The statistical analysis in this paper is generally robust in its experimental design, covering a wide range of model sizes and retrievers. However, several key statistical claims lack necessary measures of uncertainty or formal hypothesis testing, which is critical for interpreting the “regime map” boundaries.

First, **Table 1** presents point estimates for accuracy gains ($\Delta\text{Acc.}$) but omits measures of variance (e.g., standard error, 95% confidence intervals). Given the sample sizes (e.g., $N=830$ for BrowseComp-Plus), small differences such as the -1.1% drop for Tongyi-DeepResearch or the +0.1% gain for GPT-OSS-120B may not be statistically distinguishable from zero. Without confidence intervals, the claim of a “sharp collapse” in the saturated regime is difficult to validate statistically. The authors should report bootstrapped confidence intervals for the accuracy

differences to confirm the significance of the regime boundaries.

Second, the **attention analysis** in Section 5.2.1 claims a “U-shaped” pattern and states that attention to middle observations is “significantly lower.” The text references Figure 5 but does not specify the statistical test used (e.g., paired t-test, ANOVA) to compare attention weights across turn positions. The claim of “significance” requires a reported p-value or effect size to be scientifically rigorous.

Third, the **regression probe** results in Section 5.2.2 rely on AUC scores (e.g., 0.74) to argue for “separability” of rescue cases. While AUC is a useful metric, the paper does not provide confidence intervals for these AUC estimates or a statistical test comparing them against a null model (e.g., random guessing). The distinction between “partially separable” and “highly separable” regimes needs statistical backing beyond point estimates.

Finally, the **human audit** validation (Appendix E001) reports a >99.9% agreement rate based on a 15% sample. The exact number of samples (N) and the 95% confidence interval for this agreement rate should be provided to assess the precision of the LLM-as-Judge evaluation metric.

Addressing these points by adding confidence intervals, p-values, and sample sizes will significantly strengthen the statistical validity of the paper’s conclusions.

Action items.

- **[science]** Report confidence intervals or standard errors for the accuracy gains ($\Delta\text{Acc.}$) in Table 1. With $N=830$ (BrowseComp-Plus), a 1.1% drop (Tongyi-DeepResearch) may not be statistically significant without variance estimates.
- **[science]** Clarify the statistical test used to validate the ‘U-shaped’ attention patterns in Section 5.2.1. Specify the null hypothesis and p-values for the claim that middle-turn attention is significantly lower than periphery attention.
- **[science]** The regression probe (Section 5.2.2) reports AUC scores (e.g., 0.74) but lacks significance testing against a random baseline or confidence intervals for the AUC estimates. Add these to support the claim of ‘separability’.
- **[science]** The human audit agreement rate is stated as >99.9% (Appendix E001) based on a 15% sample. Report the exact sample size (N) and the 95% confidence interval for this agreement rate to assess the reliability of the LLM-as-Judge metric.

Writing Quality

Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_writing_quality.md

The manuscript is generally well-written, with a clear narrative flow and precise technical terminology appropriate for the field. The abstract effectively summarizes the core findings, and the introduction sets up the research question clearly. However, there are a few areas where

clarity and grammatical precision can be improved to ensure the reader fully grasps the nuances of the results.

First, in Section 5.1 (“The Trade-Off”), the description of “broken queries” as “(correct -> wrong)” is slightly ambiguous without immediate context. While the surrounding text explains the concept, explicitly stating that this refers to queries where the baseline (No-CM) was correct but the masked version failed would prevent any momentary confusion for the reader.

Second, in Section 5.2.1 (“Attention Evidence”), the claim that “Reasoning absorbs 53.7% of attention budget vs 25.6% for observations” leaves a significant portion of the attention budget unaccounted for. While this is likely due to attention on system prompts, tool calls, or other tokens, the text does not explicitly mention this. A brief clarification or a note that the remaining percentage is distributed among other components would improve the completeness of the statement.

Third, the caption for Figure 1 (teaser) contains a grammatical awkwardness: “Whereas, the retriever bottleneck weakens the baseline signal...” The use of “Whereas” to start a sentence in this manner is non-standard. Rephrasing to “In contrast, the retriever bottleneck...” or integrating the clause into the previous sentence would improve readability.

Finally, in Table 1, the column header “ Δ calls/ $q^{\downarrow}$ ” uses a down arrow to suggest that lower values are better. However, the values listed are positive increases in tool calls. While the context implies that fewer extra calls are preferable, the notation could be slightly misleading. Clarifying that the arrow indicates the *desirability* of the metric (i.e., lower is better) rather than the direction of the change would eliminate potential ambiguity.

Overall, the paper is strong, and these minor revisions will further polish the presentation.

Action items.

- **[writing]** In Section 5.1 (Trade-Off), the phrase ‘broken queries (correct -> wrong)’ is ambiguous. Clarify that this refers to queries that were correct without masking but became incorrect with masking.
- **[writing]** Section 5.2.1 states ‘Reasoning absorbs 53.7% of attention budget vs 25.6% for observations’. Ensure the sum of these percentages is explained or that other attention targets (e.g., system prompt, tool calls) are accounted for to avoid confusion.
- **[writing]** The caption for Figure 1 (teaser) uses ‘Whereas’ to start a sentence (‘Whereas, the retriever bottleneck...’). This is grammatically awkward; rephrase to ‘In contrast, the retriever bottleneck...’ or similar.
- **[writing]** In Table 1, the column header ‘ Δ calls/ $q^{\downarrow}$ ’ uses a down arrow to indicate lower is better, but the values are positive increases. Clarify if the arrow refers to the desirability of the metric or the direction of change, as the current notation is slightly confusing.