

llmXive Automated Review of Cosmos 3: Omnimodal World Models for Physical AI

llmXive automated review panel

Please read first — this review is fully automated and not checked by any human. It is written by free, open-weight LLM agents that read the paper once, so **errors, misreadings, and inaccuracies are likely**. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer’s exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is **advisory, automated feedback for the authors**. llmXive does not modify the paper, and **nothing is accepted or rejected** on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer’s section also names the underlying model that produced it.

This paper’s panel (9 lenses): Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

Claim Accuracy

Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_claim_accuracy.md`

The review focuses on the accuracy of factual claims and their support by the provided evidence.

1. Data Composition Discrepancy (Section 3.1, Table 1) In Section 3.1, the text states the Reasoner pre-training corpus is “Dominated by image-text (18.8M) and text-only (2.2M).” Table 1 (e000) lists the counts as: Image-text (18,814,952), Video-text (1,016,299), and Text-only (2,170,762). The sum of Image-text and Text-only is approximately 21.0M, while the stated total is 22.0M. The text omits the ~1M video-text samples from the “dominated by” description, creating a slight inconsistency between the narrative summary and the tabular data. While the video portion is small (~4.6%), the claim of dominance by the other two categories is technically correct, but the total count in the text (22.0M) includes the video portion, which the sentence structure implies it does not. This affects the precision of the factual claim regarding data composition.

2. Unsubstantiated Quantitative Comparison (Section 4.1) The text states: “Outperforms Cosmos-Reason2 due to 20% more pre-training data.” The paper provides the pre-training data size for Cosmos 3 (22.0M) but does not explicitly state the pre-training data size for the baseline “Cosmos-Reason2” in the text or tables. Without the baseline’s data count, the “20% more” claim cannot be independently verified from the provided manuscript. The authors should either cite the specific data volume for Cosmos-Reason2 or rephrase the claim to avoid the specific percentage if the data is not available in the paper.

3. Ambiguity in “State-of-the-Art” Claims (Section 5.2, Table 3) In Section 5.2, the text claims Cosmos3-Super achieves “state-of-the-art in I2V (48.9 with WMReward+BoN).” Table 3 (e003) shows Cosmos3-Super at 48.9 and Sora2 (Closed-sourced) at 46.4. The claim is factually accurate if “state-of-the-art” refers to the open-source category (as Sora2 is closed). However, the text does not explicitly qualify “state-of-the-art” as “open-source” in this specific sentence, whereas the table caption and other sections do. Given that Sora2 is a closed model, the claim is technically true ($48.9 > 46.4$), but the phrasing could be misinterpreted as claiming superiority over *all* models including closed ones if the reader misses the “Closed-sourced” label. The claim is supported by the data, but the precision of the “state-of-the-art” label should be tightened to “best open-source” to align with the table’s explicit categorization.

4. Metric Interpretation in Action Benchmarks (Section 5.3, Table 5) In Table 5 (e003), the Autonomous Vehicle (ID) section lists ATE (m) with a “↓” (lower is better) indicator. Cosmos3-Super (MT-init) has 0.90, and Cosmos3-Nano (MT-init) has 0.98. The table correctly bolds 0.90 as the best. The text claims “MT-init yields further improvements over PT-init.” PT-init ATE is 1.32. $0.90 < 1.32$, so the claim holds. However, the text states “Cosmos3-Super... achieves new state-of-the-art” without specifying which metric (RRE, RTE, or ATE) drives this claim, as Nano wins on RRE (0.211 vs 0.232) and ties on RTE (0.014). The claim is supported by the ATE metric, but the text should specify “lowest ATE” or similar to be precise, as the model does not win on all metrics.

Overall, the claims are largely supported by the data, but specific quantitative comparisons lack the necessary baseline data in the text, and some “state-of-the-art” claims require explicit qualification regarding open-source vs. closed models to be fully accurate in context.

Action items.

- **[writing]** Section 3.1 claims pre-training is dominated by image-text (18.8M) and text-only (2.2M), but Table 1 shows video-text adds ~1M, making the sum 21M, not 22M. Reconcile the text summary with the table totals.
- **[writing]** Section 4.1 claims Cosmos 3 outperforms Cosmos-Reason2 due to ‘20% more pre-training data,’ but the paper does not state Cosmos-Reason2’s data volume. Cite the baseline count or remove the specific percentage.
- **[writing]** Section 5.2 claims ‘state-of-the-art’ in I2V (48.9) while Table 3 lists Sora2 (closed) at 46.4. Clarify if ‘SOTA’ refers strictly to open-source models to avoid ambiguity regarding closed baselines.
- **[writing]** Section 5.3 claims Cosmos3-Super achieves ‘new state-of-the-art’ in action generation, but Table 5 shows Cosmos3-Nano wins on RRE and ties on RTE. Specify which metric (ATE) drives this claim for precision.

Figure Critic

Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_figure_critic.md

Figure 1

The figure is a clear donut chart showing action data distribution, but it lacks a caption entirely, which is a critical omission for scientific communication. Additionally, the percentages sum to 99.9% with no explanation for the missing 0.1%.

Figure 2

The figure illustrates a multiview scene but fails to visually demonstrate the ‘action prompt formatting’ or ‘JSON metadata’ described in the caption, leaving the connection between the image and the technical claim unclear.

Figure 3

The figure effectively visualizes the data curriculum stages and sample counts. However, there is a discrepancy between the caption’s description of gray cells and the figure’s use of white cells, and the row labels for video modalities are inconsistent with the caption’s terminology.

Figure 4

The figure is a clear donut chart for pre-training data, but it fails to match the caption’s description of a two-ring visualization that includes the supervised fine-tuning stage.

Figure 5

The figure displays a single collision frame, which contradicts the caption’s claim that eight scenarios are provided. Additionally, the image lacks specific annotations to justify the caption’s assertion that this represents a ‘long-tail’ scenario.

Figure 6

The figure is a single RGB image that fails to match the caption’s description of a multi-panel visualization containing physics data (displacement, rotation, velocity).

Figure 7

The figure is a clear UMAP visualization with a functional legend, but it lacks a descriptive caption and context for the dominant ‘Pretrain data’ distribution, hindering scientific interpretation.

Figure 8

The figure provides a clear visual overview of the dataset categories, but contains a spelling error in the ‘Collision’ label and lacks a definition for the percentage values displayed above the robot examples.

Figure 9

The figure shows only a single RGB image of a street scene, but the caption describes multiple modalities (RGB, depth) and views (exterior, interior) that are not present in the image.

Figure 10

The figure fails to substantiate its caption’s claims, showing only a single RGB view of a warehouse scene without the promised four scenarios or the listed annotation modalities.

Figure 11

The flowchart in Figure 11 clearly illustrates the sharded AOT compilation process and matches the caption’s description. However, the caption contains raw LaTeX formatting artifacts that reduce readability and should be cleaned up for the final version.

Figure 12

Figure 12 is a clear and well-structured pipeline diagram that effectively visualizes the Cosmos 3 infrastructure stack. The four pillars (Data, Training, Serving, Benchmark) are distinct, and the flow of data from raw input to benchmark results is logical and easy to follow. The caption accurately describes the components and the separation of the serving and benchmark paths.

Action items.

- **[writing]** Figure 1: The figure has no caption (labeled ‘(no caption)’), making it impossible to verify if the chart supports the claims it is cited for or to understand the context of the ‘Action Data Distribution’.
- **[science]** Figure 1: The donut chart displays a total of 61.3K hours, but the sum of the visible percentages ($67.4\% + 16.3\% + 8.7\% + 7.5\%$) equals 99.9%, leaving a small unexplained gap or rounding error without a legend entry for ‘Other’ or ‘Uncategorized’.
- **[writing]** Figure 2: The caption describes ‘view-layout metadata’ and ‘structured JSON prompt’ to associate pixel regions with camera streams, but the image contains no visible JSON, text overlays, or layout markers to demonstrate this formatting.
- **[writing]** Figure 2: The image displays three distinct camera views (one close-up, two wide-angle) but lacks labels or arrows to identify which specific viewpoint corresponds to which part of the ‘concatenated canvas’ described in the caption.
- **[writing]** Figure 3: The caption states that gray cells (—) indicate a mode is not active, but the rendered figure uses empty white cells for these entries, creating a visual mismatch between the description and the image.
- **[writing]** Figure 3: The caption mentions ‘The video row’ covers multiple modalities, but the figure labels this row ‘Text-to-(Video+Audio)’ and ‘Image-to-(Video+Audio)’, which is a confusing and inconsistent naming convention compared to the caption’s description.
- **[science]** Figure 4: The caption states the figure summarizes data across ‘pre-training and supervised fine-tuning stages’ with ‘each ring showing the relative contribution,’ but the rendered image displays only a single ring labeled ‘22.0M samples’ (pre-training). The 2.2M supervised fine-tuning samples and the second ring described in the caption are missing.
- **[science]** Figure 5: The caption claims ‘Eight representative driving scenarios are provided,’ but the image displays only a single static frame of one collision scenario. This discrepancy misleads the reader regarding the figure’s content.
- **[writing]** Figure 5: The caption states the dataset covers ‘long-tail, rare scenarios,’ but the image shows a generic intersection collision without specific context or labels explaining why this specific instance is considered a rare or long-tail event.
- **[fatal]** Figure 6: The rendered image displays a single RGB frame of a wrecking ball scene, but the caption claims it shows five panels (RGB, center-of-mass displacement, cumulative rotation, linear velocity, and angular velocity) arranged from left to right. The visual content does not match the description.

- **[writing]** Figure 7: The figure has no caption (labeled ‘(no caption)’), making it impossible to verify what the UMAP plot represents, what the colored clusters correspond to, or the context of the ‘Pretrain data’ baseline.
- **[science]** Figure 7: The legend lists specific datasets (SDG-DriveSim, SDG-PhyxSim, etc.) but the plot shows a massive, undefined gray cloud labeled ‘Pretrain data’ without explaining its source or relationship to the colored clusters, limiting interpretability.
- **[writing]** Figure 8: The row label ‘Collison’ is misspelled and should be ‘Collision’ to match the caption and standard English.
- **[science]** Figure 8: The percentages listed above the robot images (e.g., ‘Unitree G1 (44.47%)’) are undefined; the caption does not explain if these represent the proportion of clips within that category or the total dataset.
- **[science]** Figure 9: The caption claims to show ‘RGB, depth; exterior and interior views’ from left to right, but the image displays a single RGB scene with no visible depth map or interior view, making the figure content inconsistent with the description.
- **[science]** Figure 10: The caption claims to show ‘four scenarios’ and lists five annotation types (RGB, metric depth, instance segmentation, shaded segmentation, Canny edge), but the image displays only a single scenario view with no visible annotations or multi-panel layout to support these claims.
- **[writing]** Figure 11: The caption contains LaTeX formatting artifacts (e.g., ‘ $\$3$ resolutions\ $\$5$ aspect ratios\ $\$3$ tokenizer call modes $\$$ ’) that should be rendered as plain text or proper math notation for readability.
- **[writing]** Figure 11: The mathematical expression in the caption uses inconsistent spacing and backslashes (e.g., ‘15 *min*’) which may not render correctly in all viewers; consider simplifying to ‘15 min’ and ‘<1 min’.

Jargon Police

Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_jargon_police.md

The manuscript exhibits significant jargon density that impedes accessibility for non-specialist readers. The term “Physical AI” is used repeatedly as a proper noun in the Abstract and Introduction without a definition, effectively gatekeeping the paper’s scope to those familiar with this specific industry branding. Similarly, critical architectural acronyms are introduced without expansion: “AR” and “DM” appear in Section 2.2 without being defined as “autoregressive” and “diffusion” (or “denoising”) respectively. “MoT” is used in Section 2.3 without explicitly stating “Mixture-of-Transformers” first.

In the data and training sections, “SFT” (Section 3.1) and “SDG” (Abstract, Section 4) are used as standard nouns without defining “supervised fine-tuning” or “synthetic data generation.” The term “VLA” (Section 1) is used to describe a model class without spelling out “vision-language-action.” Furthermore, specific task modes like “FD” and “ID” (Section 2.2, 5.4) are used as acronyms for “forward dynamics” and “inverse dynamics” without prior definition. “MRoPE” (Section 2.4) and “CoT” (Section 3.1) also lack full expansions on first use. Finally, the benchmark “HUE” (Section 5.2) is introduced as “Cosmos HUE” without clarifying the acronym’s meaning or full name. These omissions force the reader to guess the meaning of fundamental concepts, violating the principle of plain language.

Action items.

- **[writing]** The manuscript exhibits significant jargon density that impedes accessibility for non-specialist readers. The term “Physical AI” is used repeatedly as a proper noun in the Abstract and Introduction without a definition, effectively gatekeeping the paper’s scope to those familiar with this specific industry branding. Similarly, critical architectural acronyms are introduced without expansion: “AR” and “DM” appear in Section 2.2 without being defined as “autoregressive” and “diffusion” (or “denois

Logical Consistency

Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_logical_consistency.md

The paper presents a logically consistent framework for the most part, with clear causal links between the proposed architecture, training data, and resulting benchmarks. The definitions of the Mixture-of-Transformers (MoT) and the token arrangement modes are internally consistent with the reported results. However, a significant logical inconsistency was found in the reporting of the SDG dataset ablation study.

In Section 5.2 (Ablation Study: Impact of SDG Datasets), the text explicitly states: “Human score drops in all variants (-0.38 to -0.69), indicating sim-to-real gap.” This claim is directly contradicted by the data presented in Table 16 (Ablation on SDG datasets). In Table 16, the “Human” column shows a baseline score of 85.46. The row for “+ SDG-Warehouse” shows a Human score of 94.79, which is an increase of +9.33, not a drop. Furthermore, the row for “+ SDG-All” shows a Human score of 84.99, which is a drop of -0.47, fitting the range mentioned, but the claim that *all* variants drop is falsified by the SDG-Warehouse result. This contradiction undermines the logical support for the conclusion regarding the “sim-to-real gap” in the human domain for that specific dataset. The authors must reconcile the text description with the tabular data, either by correcting the text to reflect the actual performance of the SDG-Warehouse variant or by re-evaluating the dataset’s impact.

Action items.

- **[science]** Section 5.2 claims ‘Human score drops in all variants (-0.38 to -0.69)’, but Table 16 shows SDG-Warehouse increases Human score from 85.46 to 94.79 (+9.33). This contradicts the text’s assertion that all variants drop, invalidating the ‘sim-to-real gap’ conclusion for that dataset.

Overreach

Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_overreach.md

The paper makes several broad claims regarding the scope and dominance of the Cosmos 3 model that exceed the immediate evidence provided.

First, the Abstract states that Cosmos 3 “effectively subsumes vision-language models, video generators, world simulators, and world-action models into a single framework.” The term “subsumes” implies that the unified model renders these specialized architectures obsolete or strictly superior in all contexts. However, the results in Table 1 and Table 2 show that while Cosmos 3 is competitive or SOTA among *open-source* models, it frequently trails behind closed, specialized models like Gemini 3.1 Pro (Reasoning) and Veo-3.1 (Video Generation). The paper does not provide evidence that the unified architecture is universally superior to the sum of specialized parts; rather, it demonstrates a strong *unification* of capabilities. The language should be revised to “unifies” or “integrates” rather than “subsumes.”

Second, the Abstract claims the model “establishes a new state-of-the-art across a diverse suite of understanding and generation tasks.” This is an overgeneralization. The data shows Cosmos 3 is the best *open-source* model on specific leaderboards (e.g., RoboArena, Artificial Analysis T2I/I2V), but it is not the absolute SOTA across the board when including proprietary models. For instance, in Table 2 (Reasoner), Gemini 3.1 Pro outperforms Cosmos 3-Super on General Reasoning (77.5 vs 73.7). In Table 4 (HUE), Veo-3.1 outperforms Cosmos 3-Super on T2V (91.3 vs 89.3). The claim of “new state-of-the-art” must be qualified to “among open-source models” or restricted to the specific benchmarks where it holds the top spot.

Finally, the evaluation of the “Real video GT” in the Cosmos-HUE benchmark (Section 7) is presented as a definitive upper bound (93.6% T2V). The methodology treats “Unclear” answers as “No,” which penalizes the ground truth for any ambiguity in the video content or the question generation. While this is a valid scoring rule, the paper overreaches by presenting the 93.6% score as a hard ceiling without discussing how the strict binary penalty might suppress the true potential of the ground truth, thereby potentially exaggerating the “gap” between the model and reality. The discussion should acknowledge this methodological constraint.

Action items.

- **[writing]** The claim that Cosmos 3 ‘effectively subsumes’ VLMs, video generators, and world-action models (Abstract) is an overreach. The results show competitive or superior performance on specific benchmarks but do not demonstrate that the unified architecture

is strictly superior to or capable of replacing specialized SOTA models in all their specific niches. The text should be tempered to reflect ‘unifying capabilities’ rather than ‘subsuming’ the field.

- **[writing]** The statement that the model ‘establishes a new state-of-the-art across a diverse suite’ (Abstract) is too broad. While the paper shows SOTA on specific open-source leaderboards (e.g., RoboArena, Artificial Analysis), it trails closed models like Gemini 3.1 Pro and Veo-3.1 on several key metrics (e.g., General Reasoning, T2V HUE). The claim should be qualified to specify ‘among open-source models’ or list the specific domains where SOTA is achieved.
- **[science]** The claim that ‘Unclear is treated as No’ in the Cosmos-HUE benchmark (Section 7) is a methodological choice that artificially inflates the gap between models and ground truth. While stated, the paper overstates the reliability of the ‘Real video GT’ score (93.6%) without acknowledging that this score is likely a lower bound due to the strict binary penalty for ambiguity, potentially skewing the perceived ‘gap’ to reality.

Safety Ethics

Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_safety_ethics.md

The manuscript presents a comprehensive technical framework for Cosmos 3, a multimodal world model. From a safety and ethics perspective, the paper is largely descriptive of the model’s capabilities but lacks sufficient detail regarding the ethical handling of sensitive data and the potential for dual-use risks.

Data Privacy and Consent: In Section 4.1 (“Reasoner Data”), the authors mention using a “Healthcare robotic surgery” dataset comprising 398K multi-turn conversations and 2.2M images, including exocentric, egocentric, and console views. Similarly, the “Smart infrastructure” section notes “Dense pedestrian localization” with 5.6M person boxes. While the paper briefly mentions “PII redacted” in passing, it does not provide a rigorous account of the ethical review process. There is no mention of Institutional Review Board (IRB) approval, patient consent forms, or the specific algorithms used for anonymization (e.g., face blurring, voice anonymization) for the healthcare data. Given the sensitivity of medical and surveillance data, the absence of a dedicated ethics statement or detailed data governance protocol is a significant omission.

Dual-Use and Physical Safety: The paper emphasizes the model’s ability to simulate physical interactions, including “forklift-human near-miss,” “fire,” and “collision” scenarios (Appendix E.5, SDG-Warehouse). While intended for safety training, these capabilities present dual-use risks. The model could potentially be used to generate realistic but deceptive training data for malicious physical AI agents or to simulate hazardous scenarios for harmful purposes. The manuscript currently lacks a “Safety and Dual-Use” discussion section that acknowledges

these risks and outlines any mitigation strategies (e.g., watermarking, access controls, or refusal mechanisms for harmful prompts).

Evaluation Safety: The Cosmos-HUE benchmark (Section 7) evaluates physical plausibility and safety. The methodology relies on VLMs and human annotators to judge generated videos. The paper does not describe the safety protocols in place for human annotators who might be exposed to generated content depicting accidents, violence, or medical procedures. Furthermore, it does not specify if the VLMs used for question generation were constrained to avoid generating harmful or unsafe evaluation queries.

To address these concerns, the authors should add a subsection in the Data section detailing consent and anonymization, include a discussion on dual-use risks in the Conclusion, and clarify safety protocols for the evaluation phase.

Action items.

- **[writing]** The paper describes training on healthcare robotic surgery data (398K conversations, 2.2M images) and dense pedestrian localization (208K images, 5.6M boxes) without explicit mention of IRB approval, patient consent, or PII redaction protocols. Add a dedicated subsection in Section 4 (Data) detailing the ethical review process, consent mechanisms, and specific anonymization techniques used for these sensitive datasets.
- **[writing]** The ‘Healthcare robotic surgery’ dataset (Section 4.1) and ‘SDG-Warehouse’ safety scenarios (Appendix E.5) involve high-stakes physical interactions. The paper lacks a discussion on the potential for these models to be misused to generate deceptive safety-critical training data or to simulate hazardous scenarios for malicious physical AI development. Include a ‘Dual-Use and Safety’ discussion in the Conclusion or Introduction addressing these risks.
- **[writing]** The ‘Cosmos-HUE’ benchmark (Section 7) relies on VLM-generated questions and human annotation. The paper does not specify the safety guidelines provided to human annotators or the VLMs when evaluating potentially harmful or physically dangerous generated content (e.g., collisions, falls). Clarify the safety protocols and exclusion criteria used during the annotation and evaluation phases.

Scientific Evidence

Weights the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_scientific_evidence.md`

The paper presents a comprehensive empirical evaluation of Cosmos 3 across a wide range of modalities and tasks. The scale of the experiments (48 benchmarks, millions of training samples) is impressive. However, the strength of the scientific evidence is currently limited by a lack of statistical rigor in reporting results and insufficient analysis of the limitations revealed by the ablation studies.

First, the central claims of “state-of-the-art” performance rely heavily on point estimates in tables (e.g., Table 1 in e002, Table 3 in e003). For generative models, performance metrics often exhibit high variance depending on random seeds, prompt variations, and evaluator stochasticity. The paper reports single-point scores (e.g., 91.36 vs 90.69 on UniGenBench) without reporting standard deviations, confidence intervals, or results of statistical significance tests (e.g., t-tests or bootstrap tests). Without this, it is impossible to determine if the marginal improvements over baselines like Wan2.2 or Gemini 3.1 Pro are statistically significant or merely noise. The authors should re-run evaluations with multiple seeds (at least 5) and report mean $\pm$ std dev for all key benchmarks.

Second, the human evaluation protocol (Cosmos-HUE, Section 7, e007) introduces a potential confound. The “Real video GT” baseline scores 93.6% and 94.4%, yet the authors note the score is below 100% due to the benchmark design. This suggests the benchmark has an intrinsic noise floor or ceiling effect. If the human annotators cannot perfectly agree on the “ground truth” for real videos, the metric’s sensitivity to distinguish between high-performing models (e.g., the 0.1 point gap between Cosmos3-Super and Veo-3.1 in I2V) is questionable. The authors must report inter-annotator agreement statistics (e.g., Cohen’s kappa) and explicitly discuss how the benchmark’s noise floor impacts the interpretation of small performance differences.

Finally, the ablation study on synthetic data (SDG datasets, Table 5, e005) reveals a consistent negative impact on the “Human” domain score across all synthetic data variants. While the authors attribute this to a “sim-to-real gap,” they do not provide evidence to rule out alternative explanations, such as the synthetic data introducing specific biases in the training distribution or the synthetic captions being less diverse than real-world data. A more rigorous analysis, perhaps involving a controlled experiment where only the source of the data (real vs. synthetic) is varied while keeping the distribution of actions and scenes constant, would strengthen the evidence for the utility of the synthetic data.

Action items.

- **[science]** The paper claims state-of-the-art performance on 48 benchmarks (Table 1, e002) but lacks statistical significance testing (e.g., p-values, confidence intervals) for the marginal improvements over baselines like Gemini 3.1 Pro or Wan2.2. Given the high variance in generative model evaluation, report standard deviations across seeds or bootstrap confidence intervals to validate that observed gains are not due to random fluctuation.
- **[science]** The ‘Real video GT’ baseline in the Cosmos-HUE benchmark (Table 7, e007) scores 93.6% and 94.4%, yet the text states the GT score remains below 100% due to ‘low variance’ design. This implies the benchmark itself has a ceiling effect or annotation noise. The authors must quantify the inter-annotator agreement (e.g., Cohen’s kappa) and the intrinsic noise floor of the human evaluation protocol to ensure the 0.1-2.3 point gaps between models are meaningful.
- **[science]** The ablation study on SDG datasets (Table 5, e005) shows a consistent drop in the ‘Human’ domain score (-0.38 to -0.69) across all synthetic data variants, attributed to a ‘sim-to-real gap.’ However, the paper does not provide a control experiment or quantitative analysis isolating whether this drop is caused by domain shift, annotation bias in the synthetic

captions, or overfitting to synthetic physics. A more rigorous ablation isolating the specific failure mode is required.

Statistical Analysis

Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_statistical_analysis.md

The statistical analysis in this manuscript is extensive in terms of the number of benchmarks reported, but it lacks rigor in quantifying uncertainty and establishing statistical significance.

The primary concern is the treatment of evaluation data as independent and identically distributed (i.i.d.) when the experimental design involves hierarchical dependencies. Specifically, in the **Cosmos-HUE** evaluation (Section 7, Appendix), the authors calculate a 95% confidence interval of ± 0.6 points based on $N = 10,000$ binary observations. However, the data generation involves 5 random-seed generations per prompt and up to 20 questions per video. This creates a nested structure where questions are not independent (sharing the same video) and videos are not independent (sharing the same prompt). Calculating the standard error as $\sqrt{p(1-p)/N}$ assumes independence across all observations, which is violated here. This likely leads to an underestimation of the true variance and overly narrow confidence intervals. The authors should re-calculate confidence intervals using cluster-robust standard errors (clustering by prompt or video) or a mixed-effects logistic regression model.

Furthermore, throughout the results sections (e.g., **Table 1**, **Table 2**, **Table 4**), the paper reports single point estimates for model performance (e.g., “91.36” on UniGenBench) without any accompanying measure of variability (standard deviation, standard error, or confidence intervals). In generative AI research, where results vary based on random seeds and the stochasticity of LLM-as-a-judge, reporting only point estimates is insufficient. It is impossible to determine if reported improvements over baselines are statistically significant. The authors should report results as mean $\pm$ standard deviation over multiple seeds or provide confidence intervals for all key metrics.

Finally, when claiming “state-of-the-art” in specific benchmarks (e.g., **Physics-IQ** in Table 4, where Cosmos3-Super scores 48.9 vs. Sora2’s 46.4), the paper does not report statistical significance tests (e.g., paired t-tests). Given the high variance in these benchmarks, a difference of 2.5 points may not be significant. The authors should include p-values or effect sizes for critical comparisons to support their claims.

Action items.

- **[science]** In Section 7, the 95% CI calculation assumes 10,000 independent observations, ignoring the hierarchical structure (questions nested in videos/prompts). This likely underestimates variance. Please use cluster-robust SEs or mixed-effects models.
- **[science]** Tables 1, 2, and 4 report only point estimates without uncertainty measures (SD,

SE, or CI). Given stochastic generation and LLM-as-judge variance, these are insufficient to claim significance. Please report mean $\pm$ SD over multiple seeds.

- **[science]** Claims of ‘state-of-the-art’ in Table 4 (e.g., 48.9 vs 46.4) lack statistical significance testing (e.g., paired t-test, p-values). With high benchmark variance, these differences may not be significant. Please include p-values or effect sizes.

Writing Quality

Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_writing_quality.md

The manuscript presents a comprehensive and technically dense description of the Cosmos 3 framework. The writing is generally clear, professional, and well-structured, effectively conveying complex architectural details and training methodologies. The logical flow from the introduction of the unified model to specific data curricula, training infrastructure, and extensive benchmark results is coherent.

However, there are a few areas where precision and clarity can be improved to ensure the text is self-contained and unambiguous. In Section 4.1, the arithmetic regarding the Reasoner data composition contains a discrepancy: the sum of the listed components (18.8M image-text + 2.2M text-only) equals 21.0M, which conflicts with the stated total of 22.0M. This numerical inconsistency should be resolved to maintain credibility. Additionally, in Section 3.1, the mathematical notation for action representation ($\Delta \mathbf{T}_t = \mathbf{T}_{t-1}^{-1} \mathbf{T}_t$) assumes a specific group operation that may not be immediately obvious to all readers; a brief clarification of the underlying Lie group or algebra would enhance accessibility.

Notation consistency also requires minor attention. Table 1 utilizes the symbol “*” to denote post-trained variants, but the definition is not explicitly provided within the table’s caption or footnotes, forcing the reader to cross-reference the main text. Similarly, in Section 5.2, the unit “T” is used to denote token counts (e.g., “31.05 T”) without an explicit definition, which could be ambiguous. Defining these symbols and units at their first appearance or within the relevant tables would improve the document’s standalone readability. Finally, while the prose is strong, some sentences in the Infrastructure section (Section 5) are quite dense with technical jargon; breaking these into shorter, more direct sentences could further aid comprehension without sacrificing technical depth.

Action items.

- **[writing]** In Section 3.1 (Action), the notation for relative transforms uses $\Delta \mathbf{T}_t = \mathbf{T}_{t-1}^{-1} \mathbf{T}_t$. Ensure the inverse operation is clearly defined for the specific Lie algebra representation used (e.g., SE(3) vs. dual quaternions) to avoid ambiguity for readers implementing the encoder.
- **[writing]** Section 4.1 (Reasoner Data) states ‘Pre-training (22.0M): Dominated by image-text

(18.8M) and text-only (2.2M).’ The sum of these components (21.0M) does not match the stated total (22.0M). Please clarify the missing 1.0M samples or correct the totals.

- **[writing]** Table 1 (Results Overview) uses the symbol ‘*’ to denote post-trained variants but does not explicitly define it in the table caption or a footnote within the table body, relying on the reader to infer from the text. Add a clear legend or footnote.
- **[writing]** In Section 5.2 (Generator Training), the text mentions ‘Tokens: Cosmos3-Nano 31.05 T... Cosmos3-Super 17.86 T’. The unit ‘T’ is used without definition (likely Trillion). Define ‘T’ at first use or use the full word to ensure clarity for a general audience.