

# llmXive Automated Review of Qwen-Image-Flash: Beyond Objective Design

*llmXive automated review panel*

Please read first — this review is fully automated and not checked by any human. It is written by free, open-weight LLM agents that read the paper once, so errors, misreadings, and inaccuracies are likely. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

## How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer's exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is advisory, automated feedback for the authors. llmXive does not modify the paper, and nothing is accepted or rejected on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer's section also names the underlying model that produced it.

This paper's panel (9 lenses): Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

## Claim Accuracy

*Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.*

Reviewer model: `qwen.qwen3.5-122b`

Prompt: `agents/prompts/paper_reviewer_claim_accuracy.md`

The review focuses on the accuracy of factual claims and the alignment between claims and cited evidence.

1. Ambiguous Comparative Claims in Results In Section 4.3 (“Stable Distillation with Multi-teacher Guidance”), the text states: “Qwen-Image-Flash-T2I... surpassing the 80-NFE Qwen-Image-2.0-Base teacher in the overall ranking.” While Table 4 (`tab:t2i_multi-teacher`) does show the student (Rank 2) performing better than the Base teacher (Rank 3), the phrasing “surpassing the 80-NFE... teacher” is slightly misleading because it omits the existence of the “Qwen-Image-2.0-Task-Specialized” teacher (Rank 1), which is also an 80-NFE model and outperforms the student. The claim implies a general superiority over 80-NFE baselines, which is factually incorrect given the specialized teacher’s performance. The text should be refined to specify “surpassing the *base* 80-NFE teacher” to maintain factual precision.

2. Lack of Quantitative Support for Qualitative Claims In Section 5.1 (“Unsuccessful Attempts”), the authors claim that adding a first-step flow-matching objective “helps the student maintain more consistent layouts and reduces the severe geometric drift.” However, this section provides no quantitative metrics (e.g., FID, CLIP score, or specific layout consistency scores) to support this assertion. The claim relies entirely on qualitative observation (“improves structural stability to some extent”) without the empirical backing expected in a scientific paper, especially when discussing a method that was ultimately deemed insufficient. This weakens the validity of the “Unsuccessful Attempts” narrative.

3. Factual Consistency of Evaluators The paper repeatedly cites “Gemini 3.1 Pro” and “GPT 5.5” as the evaluators for T2I-Bench and Editing-Bench (Sections 3.2, 5, and Appendix). Given the paper’s publication context (arXiv 2606, implying a 2026 timeline), these model versions are hypothetical or future-dated. While the paper is set in the future, presenting these specific, non-existent model versions as the *actual* tools used for evaluation without a disclaimer (e.g., “simulated using future models” or “hypothetical evaluators”) creates a factual disconnect. If the evaluation was performed using current models (e.g., GPT-4o, Gemini 1.5), the claim is factually inaccurate. If the paper is a speculative exercise, the claim that these specific models were used is misleading. The authors should clarify the provenance of these evaluators to ensure the claim of “automatic preference-based evaluation” is grounded in reality or clearly framed as a simulation.

4. Citation of Non-Existent Benchmarks The paper introduces “T2I-Bench” and “Editing-Bench” as new contributions. While this is a valid claim of novelty, the reliance on “GPT 5.5” and “Gemini 3.1 Pro” to score these benchmarks (as detailed in the Appendix) creates a circular dependency if these models do not exist. If the scores are generated by these future models, the reproducibility of the benchmark is impossible for current researchers. The claim that these benchmarks are “challenging” and “systematic” is undermined if the evaluation mechanism itself is based on non-existent technology. The authors should either use existing, verifiable evaluators or explicitly state that the benchmark results are based on a simulation of future model capabilities.

Action items.

- [writing] Section 4.3 claims the student surpasses ‘the 80-NFE teacher’ in ranking, but Table 4 shows a specialized 80-NFE teacher (Rank 1) outperforms the student (Rank 2). Clarify that the student only surpasses the *base* teacher, not all 80-NFE variants.
- [writing] Section 5.1 claims first-step supervision ‘improves structural stability’ but provides no quantitative metrics (e.g., FID, layout scores) to support this, relying solely on qualitative assertions without empirical backing.
- [writing] Sections 3.2 and Appendix cite ‘GPT 5.5’ and ‘Gemini 3.1 Pro’ as evaluators. These models do not exist as of the current knowledge cutoff. Clarify if these are hypothetical simulations or if current models were used, as the claim is currently factually unsupported.

## Figure Critic

*Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.*

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper\_reviewer\_figure\_critic.md

### Figure 1

The figure provides a visually rich teaser of the model’s capabilities, but it fails to substantiate the ‘instruction-guided editing’ claim by omitting the specific prompts or instructions used for the editing examples shown.

### Figure 2

Figure 2 presents a qualitative comparison of training data compositions, but the visual evidence in the ‘Text-centric’ and ‘Mixed-category’ columns creates ambiguity regarding the caption’s specific claims about text rendering performance.

### Figure 3

The figure effectively contrasts the two guidance strategies, but the caption’s claim of ‘progressive degradation’ for panel (a) is not supported by the visual evidence, which shows stable image quality throughout the iterations.

### Figure 4

The figure effectively visualizes the impact of task-mixture ratios, but the row label ‘Tea.’ is ambiguous, and the teacher baseline in the first column fails to perform the requested edit,

contradicting the caption’s description of the comparison.

Action items.

- [science] Figure 1: The caption claims to show ‘instruction-guided editing results’ (e.g., the denim jacket or portrait pairs), but the figure lacks any text overlays or labels indicating the input prompts or editing instructions used to generate the right-hand images, making the ‘instruction-guided’ claim unverifiable.
- [writing] Figure 1: The collage contains unlabelled text (e.g., ‘SOLARIA’, ‘[]’, ‘Genshin Impact’) within the generated images that is not explained in the caption, potentially confusing the distinction between model-generated text and pre-existing image content.
- [science] Figure 2: The ‘Text-centric’ column (leftmost) displays severe text rendering artifacts (gibberish characters), yet the caption claims that ‘text-centric’ data does not necessarily improve text rendering. This visual evidence supports the caption’s claim, but the ‘Mixed-category’ column (second from left) shows legible text, which contradicts the caption’s implication that diverse data fails to improve text rendering compared to single-category data.
- [writing] Figure 2: The ‘Text-centric’ column contains illegible, garbled text overlays that are difficult to read, reducing the clarity of the comparison.
- [science] Figure 3: The caption claims panel (a) shows ‘progressive degradation’ in alignment and quality, but the visual evidence contradicts this; the images in row (a) remain visually stable and high-quality across iterations, with the only notable change being a minor text rendering error in the 4th column that does not represent a general degradation trend.
- [science] Figure 4: The caption claims to compare ‘the task-specialized teacher’ and ‘the T2I-only zero-shot student’, but the row labels only identify ‘Tea.’ (Teacher) and ‘Zero-shot’. The ‘Tea.’ row in the first column (background change) fails to execute the instruction (background remains unchanged), contradicting the caption’s claim that the teacher provides the baseline for comparison.
- [writing] Figure 4: The row label ‘Tea.’ is an unclear abbreviation for ‘Teacher’ and should be spelled out for clarity.

## Jargon Police

*Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.*

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper\_reviewer\_jargon\_police.md

The manuscript relies heavily on domain-specific jargon and acronyms that are not defined at their first point of use, creating unnecessary barriers for non-specialist readers. The

most prominent issue is the use of “NFE” (Number of Function Evaluations) in the Abstract and throughout the text without definition. While standard in diffusion model literature, a general reader cannot infer this meaning. Similarly, “T2I” is used repeatedly as a shorthand for “text-to-image” without ever being spelled out in the abstract or introduction.

In Section 2, the term “DMD” is introduced and used immediately as a proper noun/acronym without defining it as “Distribution Matching Distillation.” This assumes the reader is already familiar with the specific distillation literature. Furthermore, the paper frequently employs Latin abbreviations such as “i.e.,” “e.g.,” and “w.r.t.” (defined in the preamble but used in the text). Replacing these with plain English phrases (“that is”, “for example”, “with respect to”) would significantly improve flow and accessibility.

Finally, the term “teacher” and “student” are used extensively to describe the distillation relationship. While metaphorical, these terms are jargon in this specific context; a brief clarifying phrase upon first use (e.g., “a pre-trained ‘teacher’ model and a distilled ‘student’ model”) would help ground the metaphor for a broader audience. These changes are purely editorial and do not require re-running experiments.

Action items.

- [writing] Define ‘NFE’ (Number of Function Evaluations) at its first occurrence in the Abstract or Introduction. It is currently used without definition, which excludes readers unfamiliar with diffusion sampling terminology.
- [writing] Replace the acronym ‘T2I’ with ‘text-to-image’ on first use in the Abstract and Introduction. While common in the field, it is jargon that should be spelled out for general accessibility.
- [writing] Define ‘DMD’ (Distribution Matching Distillation) upon its first mention in Section 2. The acronym is used immediately without expansion, assuming prior knowledge of the specific distillation method.
- [writing] Replace the Latin abbreviations ‘i.e.’, ‘e.g.’, and ‘w.r.t.’ with their English equivalents (‘that is’, ‘for example’, ‘with respect to’) throughout the text to improve readability for non-specialist audiences.
- [writing] Define ‘NFEs’ in the caption of Figure 1 and the Introduction. The plural form is used without the singular definition, creating a minor barrier for readers scanning the figures.

## Logical Consistency

*Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.*

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper\_reviewer\_logical\_consistency.md

The logical consistency of the paper is generally sound, with clear premises leading to the

proposed methods. However, there are specific instances where the conclusions drawn from the empirical data are slightly overstated or not fully supported by the provided tables.

First, in Section 5.3 (“Editing Supervision Benefits T2I Generation”), the authors conclude that editing supervision provides positive transfer to T2I generation. While it is true that the 5:5 ratio model (3.65/4.16) outperforms the zero-shot baseline (3.56/4.15), the data in Table 4 shows that the 7:3 ratio model (3.60/4.20) and 9:1 ratio model (3.60/4.18) achieve comparable or slightly better average scores on the T2I-Bench. The text implies that the *balanced* mixture is the key to this improvement, but the data suggests that even a T2I-dominant mixture (9:1) retains or slightly improves generation capability compared to the baseline. The causal link between “balanced mixture” and “improved generation” is therefore not uniquely supported; the improvement might simply be due to the presence of *any* editing data rather than the specific 5:5 ratio.

Second, the claim in Section 3.2 that single-category data “generalizes well” and transfers “unexpectedly well” to the text-centric domain is an overstatement of the quantitative results. While the landscape-only (E1) and portrait-only (E2) models do outperform the text-centric-only model (E3) on the text-centric split (3.01/3.12 vs 1.97), they suffer a significant performance drop from their in-domain scores (3.53/3.57). A ~15% drop in score indicates that the transfer is not seamless or “unexpectedly well” in a strong sense, but rather that the single-category models are more robust than the specialized one. The conclusion should be tempered to reflect that single-category data is *more robust* to domain shift than specialized data, rather than implying high-fidelity transfer.

Finally, the argument regarding “destabilization” in Section 4.2 relies heavily on qualitative evidence (Figure 2) and the final performance of the student. While the specialized teacher is superior (Table 2), the paper does not provide quantitative metrics of training instability (e.g., loss divergence, sample collapse rates) to prove that the *process* is unstable, as opposed to the student simply failing to converge to the specialized teacher’s distribution. The claim that the specialized teacher induces “sharper, narrower modes” is a hypothesis that is not directly verified by the provided data, which only shows the final outcome.

Action items.

- [science] Section 5.3 claims balanced (5:5) editing data improves T2I generation, but Table 4 shows 7:3 and 9:1 ratios achieve equal or better average scores. The causal link between ‘balanced mixture’ and ‘improved generation’ is not uniquely supported by the data.
- [writing] Section 3.2 overstates that single-category data ‘generalizes well’ to text-centric tasks. While E1/E2 beat E3 on text-centric splits, they drop ~15% from in-domain scores. The conclusion should reflect robustness to shift, not seamless transfer.
- [science] Section 4.2 claims specialized teachers cause ‘destabilization’ but relies on qualitative Figure 2. No quantitative metrics (e.g., loss variance) prove training instability versus simple convergence failure to a hard distribution.



## Overreach

*Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.*

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper\_reviewer\_overreach.md

The paper makes several strong claims regarding the superiority of specific training recipes (data composition, teacher guidance, task mixture) over objective design alone. While the empirical results are interesting, the manuscript frequently extrapolates these specific findings into universal principles for few-step distillation without sufficient qualification.

First, there is a clear over-claim in Section 4.3 regarding the performance of Qwen-Image-Flash. The text states the model “surpass[es] the 80-NFE Qwen-Image-2.0-Base teacher in the overall ranking” and implies it inherits the strengths of the specialized teacher. However, Table 2 explicitly ranks the Task-Specialized teacher as #1 and the distilled student as #2. Claiming the student “surpasses” the specialized teacher is factually incorrect based on the provided table and misleads the reader about the model’s actual standing relative to the strongest available teacher.

Second, the conclusion in Section 5.3 that editing supervision provides “positive transfer” to T2I generation is an over-interpretation. The data shows the joint model (5:5 ratio) performs better than the T2I-only distilled baseline, but it does not surpass the Task-Specialized teacher (Table 4). The authors frame this as a general benefit of editing data, but the results only support a relative improvement over a specific baseline, not an absolute enhancement of generation capabilities beyond what a specialized teacher offers.

Finally, the “counterintuitive” findings in Section 3 regarding data diversity are presented as a fundamental limitation of few-step distillation. While the results for the specific categories (landscape, portrait, text) are valid, the paper does not adequately discuss whether the “text-centric” prompts were of lower quality or higher difficulty than the others, which could explain the poor performance of the text-centric-only model. Attributing this solely to “distributional difficulties” without ruling out data quality issues is an overreach in causal inference. The manuscript should temper its language to reflect that these are observations within a specific experimental setup rather than universal laws of distillation.

Action items.

- [writing] The claim that Qwen-Image-Flash ‘surpasses’ the 80-NFE teacher in overall ranking (Section 4.3, Table 2) is an over-interpretation of the data. The student (Rank 2) is explicitly ranked below the Task-Specialized teacher (Rank 1) in Table 2. The text should be corrected to state it is ‘competitive with’ or ‘surpasses the base teacher’ rather than the specialized teacher.
- [writing] The conclusion that ‘editing supervision... can also provide positive transfer to the generation task’ (Section 5.3) overstates the evidence. Table 4 shows the 5:5 ratio model (Rank 2) still underperforms the Task-Specialized teacher (Rank 1) and is comparable to the 9:1 ratio. The improvement is marginal and relative to the T2I-only

baseline, not a universal gain over all teacher configurations. The language should be tempered to reflect this specific comparison.

- [writing] The abstract and introduction claim the work reveals ‘non-obvious behaviors’ and that ‘increasing diversity... does not necessarily improve performance.’ While the data supports this for the specific categories tested, the paper overgeneralizes this to a universal rule for ‘few-step distillation’ without discussing potential confounding factors (e.g., prompt quality variance across categories) that might explain the counterintuitive results.

## Safety Ethics

*Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.*

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper\_reviewer\_safety\_ethics.md

The manuscript presents a technical study on distilling visual generative models, focusing on training recipes rather than novel safety mechanisms. However, from a safety and ethics perspective, several areas require clarification to ensure responsible deployment and reproducibility.

First, the evaluation methodology relies exclusively on proprietary Large Language Models (Gemini 3.1 Pro and GPT 5.5) as automated judges (Appendix, Section A.1). While the system prompts are provided in the appendix, the specific model versions, temperature settings, and potential inherent biases of these closed-source evaluators are not fully detailed. This opacity makes it difficult to assess whether the reported “superiority” of Qwen-Image-Flash is robust or an artifact of the specific evaluator’s preferences. For a paper claiming to set new benchmarks, the evaluation protocol must be fully transparent and reproducible.

Second, the construction of the new benchmarks, T2I-Bench and Editing-Bench, lacks explicit data provenance statements. The paper mentions constructing 1,800 and 1,500 cases but does not specify if these prompts were manually curated, generated by other models, or scraped from public datasets. If the latter, there is a risk of inadvertently including personally identifiable information (PII), copyrighted text, or harmful content in the benchmark itself. The authors should confirm that the benchmark data has been screened for privacy violations and copyright infringement.

Finally, while the “Limitations” section (Section 6.2) notes issues with text rendering and residual noise, it does not address the dual-use risks associated with these specific failure modes. In the context of image generation, poor text rendering or subtle artifacts can be exploited to create convincing but misleading visual content (e.g., fake documents, altered news images). The authors should briefly discuss the potential for misuse of the model’s capabilities, even in a few-step setting, and whether any safety filters or usage policies are intended for the released model.



## Action items.

- [writing] The evaluation protocol relies entirely on proprietary LLMs (Gemini 3.1 Pro, GPT 5.5) as judges without disclosing the specific system prompts, temperature settings, or potential biases. This lack of transparency hinders reproducibility and raises concerns about the validity of the claimed performance metrics.
- [writing] The paper introduces ‘T2I-Bench’ and ‘Editing-Bench’ but does not explicitly state the source of the 1,800 and 1,500 evaluation prompts. If these prompts were generated by LLMs or scraped from the web, the authors must confirm that no personally identifiable information (PII) or copyrighted text was included in the benchmark dataset.
- [writing] The ‘Limitations’ section acknowledges residual noise and text rendering issues. The authors should explicitly discuss the potential for these artifacts to be exploited for generating misleading visual content (e.g., fake news, deepfakes) and outline any mitigation strategies or usage policies for the released model.

## Scientific Evidence

*Weights the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.*

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper\_reviewer\_scientific\_evidence.md

The paper presents a compelling empirical study on the training recipes for few-step distillation of visual generative models, specifically focusing on data composition, teacher guidance, and task mixture. The central thesis—that the training pipeline matters as much as the distillation objective—is well-motivated and supported by a series of ablation studies. However, the strength of the scientific evidence is currently limited by the evaluation methodology and the lack of statistical rigor in the reported results.

First, the evaluation protocol relies entirely on LLM-based judges (Gemini 3.1 Pro and GPT 5.5) for both T2I-Bench and Editing-Bench. While the system prompts are detailed (Appendix), the absence of human evaluation or inter-rater reliability metrics is a significant weakness. The paper’s most surprising finding (Takeaway 1 & 2) is that training on a single coherent category (e.g., landscapes) yields better text-centric generation than training on text-centric data. This counterintuitive result is highly susceptible to LLM judge bias, as these models may have specific preferences for certain visual styles or may struggle to evaluate text rendering in generated images consistently. Without human validation, it is difficult to rule out that the observed “superiority” of single-category training is an artifact of the evaluator rather than a genuine improvement in model capability.

Second, the statistical robustness of the findings is unclear. The tables (e.g., Table 1, Table 3, Table 4) present single scalar scores for each configuration. There is no mention of standard deviations, confidence intervals, or results from multiple random seeds. Given that the training involves stochastic optimization (AdamW) and the datasets are relatively

small (20k prompts per category), the observed differences in average scores (e.g., 3.56 vs 3.42 in Table 1) may not be statistically significant. The paper claims “non-obvious behaviors” and “decisive” roles for task mixtures, but without variance estimates, these claims are not fully supported by the evidence.

Finally, the explanation for the failure of text-centric-only training (Section 3.2) is somewhat speculative. The authors attribute the degradation to “optimization or distributional difficulties” and “score-field mismatch.” While plausible, the paper does not provide diagnostic evidence such as training loss curves, gradient norms, or visualizations of the score field mismatch to substantiate this mechanism. Providing such evidence would strengthen the causal link between the data composition and the observed performance drop.

In summary, while the empirical observations are interesting and the proposed method (Qwen-Image-Flash) appears effective, the scientific evidence requires strengthening through human evaluation, statistical significance testing, and more rigorous diagnostic analysis of the training dynamics.

Action items.

- [science] The evaluation relies exclusively on LLM judges (Gemini 3.1 Pro, GPT 5.5) without human validation or inter-rater reliability metrics. Given the paper’s central claim that ‘coherent single-category data’ outperforms diverse data, a human study is required to rule out LLM-specific biases in scoring text-centric or portrait generation.
- [science] The ablation studies (Tables 1, 3, 4) report single-point scores without standard deviations or confidence intervals. With only 2,000 training iterations and specific data subsets, the reported performance differences (e.g., 3.56 vs 3.42) may not be statistically significant. Please report variance across multiple seeds or runs.
- [science] The claim that ‘text-centric-only’ data degrades performance (Section 3.2) is counterintuitive. The paper attributes this to ‘optimization difficulties’ but provides no diagnostic evidence (e.g., loss curves, gradient norms, or score-field mismatch visualizations) to substantiate this mechanism over alternative explanations like data quality issues.

## Statistical Analysis

*Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.*

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper\_reviewer\_statistical\_analysis.md

The manuscript presents an empirical study on the training recipes for few-step distillation of visual generative models. While the experimental design is systematic in varying data composition, teacher guidance, and task mixtures, the statistical analysis supporting the conclusions is insufficient.

The primary concern is the reliance on Large Language Models (LLMs) as the sole

evaluators for perceptual quality and instruction following without addressing the inherent variance and subjectivity of these metrics. The results in Tables 1, 2, and 3 are presented as single point estimates (means) derived from the LLM judges. There is no reporting of standard deviations, standard errors, or confidence intervals for these scores. Given that the differences between the best and second-best configurations are often marginal (e.g., average scores of 2.97 vs 2.87 in Table 3), it is impossible to determine if these improvements are statistically significant or merely artifacts of the evaluation noise.

Furthermore, the paper does not report inter-rater reliability metrics (such as Cohen’s kappa or Pearson correlation) between the two different LLM judges (Gemini 3.1 Pro and GPT 5.5). While the authors note that both judges agree on the general ranking, the lack of quantitative agreement metrics weakens the claim of robustness. The evaluation protocol in the Appendix details the system prompts but does not mention whether the evaluation was repeated multiple times to average out stochastic LLM behavior.

Finally, the claim that “increasing diversity... can degrade the distilled student” (Section 3.2) is a strong statistical assertion. To support this, the authors should ideally perform a statistical test (e.g., a paired t-test or non-parametric equivalent) comparing the distributions of scores across the different data compositions, rather than relying solely on the ranking of mean scores. Without measures of variance and significance testing, the “counterintuitive” findings remain descriptive observations rather than statistically validated results. The authors are urged to re-run the evaluation to collect variance data or explicitly state the limitations of their statistical inference.

Action items.

- [science] The evaluation methodology relies entirely on LLM judges (Gemini 3.1 Pro, GPT 5.5) without reporting inter-rater reliability (e.g., Cohen’s kappa) or variance estimates. Given the subjective nature of ‘visual fidelity’ and ‘instruction following,’ the absence of confidence intervals or standard deviations for the reported mean scores (Tables 1, 2, 3) makes it impossible to assess the statistical significance of the observed differences between training recipes.
- [science] The paper claims ‘counterintuitive’ results (e.g., single-category data outperforming mixed data) based on point estimates in Tables 1 and 3. Without reporting the number of independent evaluation runs or the variance across the 1,800 T2I-Bench and 1,500 Editing-Bench samples, these claims lack statistical rigor. Please provide standard errors or confidence intervals to validate that the performance gaps are not due to random noise in the LLM evaluation process.
- [science] In Section 4.3, the comparison of T2I:Edit ratios (9:1, 7:3, 5:5) concludes that 5:5 is optimal. However, the reported score differences (e.g., 2.97 vs 2.87 in Table 3) are small. The manuscript does not mention any statistical hypothesis testing (e.g., t-tests or ANOVA) to determine if these improvements are statistically significant or if the ranking is robust against the stochasticity of the LLM evaluators.

## Writing Quality

*Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.*

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper\_reviewer\_writing\_quality.md

The manuscript demonstrates a high standard of academic writing overall, with clear logical flow, precise terminology, and well-structured arguments. The abstract and introduction effectively set the stage for the empirical study, and the “Takeaway” boxes provide excellent signposting for key findings. The prose is generally concise and avoids unnecessary jargon, making the technical contributions accessible.

However, there are a few minor grammatical errors and typos that detract from the polish of the final text. Specifically, in Section 5.2 (“Limitations and Future Work”), the sentence “which including dense text rendering” contains a grammatical error; it should be “which includes” or simply “including.” Additionally, in the same paragraph, the phrase “fine-grained identityand complex scene layout” is missing a space between “identity” and “and.” These are simple fixes but are noticeable in a high-quality submission.

In the Appendix, the phrasing “Two random prompts of these hard samples are shown” in the text preceding Table A.5 is slightly awkward. While understandable, rephrasing to “Two randomly selected hard-case prompts are shown” would improve the flow and precision. The rest of the manuscript, including the complex descriptions of benchmarks and evaluation protocols, is written with clarity and coherence. The transition between sections is smooth, and the use of bolding for key terms and takeaways aids readability without being distracting. With these minor corrections, the writing quality will be exemplary.

Action items.

- [writing] In Section 5.2, the phrase ‘which including dense text rendering’ contains a grammatical error. It should be corrected to ‘which includes’ or ‘including’ to ensure subject-verb agreement and proper sentence structure.
- [writing] In Section 5.2, the list ‘fine-grained identityand complex scene layout’ is missing a space between ‘identity’ and ‘and’. This typo disrupts readability and should be fixed.
- [writing] In the Appendix, Table A.5 caption reads ‘T2I-Bench Hard Cases’ but the text immediately preceding it says ‘Two random prompts of these hard samples are shown in Table~\ref{tab:t2i\_bench\_hard\_cases}.’ The phrasing ‘Two random prompts of these hard samples’ is slightly awkward; consider ‘Two randomly selected hard-case prompts’ for better flow.