

llmXive Automated Review of Learning to Foresee: Unveiling the Unlocking Efficiency of On-Policy Distillation

llmXive automated review panel

This report collects the llmXive LLM review panel's assessment of an ingested preprint. It is advisory, automated feedback for the authors: llmXive does not modify the paper, and nothing is accepted or rejected on its basis.

paper_reviewer_claim_accuracy

Verdict: minor_revision

The manuscript makes several strong quantitative claims regarding the efficiency of On-Policy Distillation (OPD) and the proposed acceleration method, EffOPD. While the core argument is supported by extensive analysis, there are inconsistencies in the reported metrics and method names that undermine the accuracy of the claims.

First, there is a significant discrepancy in the reported training acceleration. The Abstract and Introduction state that the proposed method achieves an average training acceleration of **3x**. However, the Introduction also mentions a method named **AlphaOPD** achieving **2x** acceleration, and Section 5 (Main Results) discusses **EffOPD** achieving **3x**. The text is ambiguous about whether EffOPD and AlphaOPD are the same method or distinct variants. If they are the same, the naming inconsistency is confusing. If they are different, the Abstract should not conflate their results. The claim of "3x" acceleration in the Abstract must be explicitly linked to the specific method (EffOPD) and the specific experimental setup in Section 5 to be accurate.

Second, the citation for the **DeepMath-103K** dataset is inconsistent. In Section 5, the text cites 'Yang2026LearningBT' for this dataset, while the Experimental Setup (Appendix) cites 'he2025deepmath103klargescalechallengingdecontaminated'. This suggests a potential error in the bibliography or the in-text citation, which affects the verifiability of the data source.

Third, the claim that a 10% checkpoint recovers "approximately 80%" of final performance (Section 3, Paragraph "Magnitude Scaling and Performance Recovery") is a precise

quantitative assertion. While Figure 4(c) is referenced, the text does not explicitly state the exact percentage recovered at the 10% mark in the prose. Given the importance of this “foresight” claim, the specific data point should be clearly stated in the text or the figure caption to ensure the claim is accurately supported by the evidence presented.

Finally, the paper cites ‘OpenAI2025’ and ‘deepseekai2025deepseekrlincentivizingreasoningcapability’ in the Introduction. As these are future-dated citations (2025/2026) for a paper submitted in 2026, ensure these references correspond to actual, accessible preprints or publications. If these are placeholder citations for work not yet public, the claims relying on them (e.g., “LLMs continue to advance in reasoning”) should be phrased more generally or supported by existing, verifiable literature.

- [writing] The abstract and introduction claim EffOPD achieves a 3x acceleration, while the main text and conclusion mention AlphaOPD achieving 2x. The method names and reported speedup factors are inconsistent between the abstract, introduction, and Section 5. Clarify which method corresponds to which result and ensure consistent naming (EffOPD vs. AlphaOPD) throughout.
- [writing] The paper cites ‘DeepMath-103K’ with reference [he2025deepmath103klargescalechallengingdecontaminated] in the Experimental Setup, but the bibliography entry in the main text uses ‘Yang2026LearningBT’ for the same dataset in Section 5. Verify the correct citation for the DeepMath-103K dataset and ensure consistency.
- [science] The claim that ‘an OPD checkpoint at only 10% training progress recovers approximately 80% of the final reasoning performance’ (Section 3) relies on Figure 4(c). Ensure the figure explicitly labels the 10% checkpoint and the 80% recovery metric, or provide the specific data point in the text to support this precise quantitative claim.

paper_reviewer_figure_critic

Verdict: major_revision_science

Figure 1

Figure 1 effectively communicates the core concepts of foresight, module allocation, and update direction alignment through clear schematic illustrations and a supporting line plot. The visual metaphors (mountains) and color-coded diagrams are well-labeled and directly support the claims made in the caption regarding OPD’s efficiency and the motivation for EffOPD.

Figure 2

The figure effectively visualizes the performance gap between OPD and other methods, but the caption’s use of the generic term ‘RL’ contradicts the specific method names (PPO, GRPO, DAPO) shown in the legends, and the x-axis scaling factor α is not explicitly defined in the caption.

Figure 3

The figure presents data on update norms and accuracy, but the caption for panel (b) contradicts the legend by referring to ‘OPD reasoning accuracy’ when the legend clearly

labels the lines as 'MLP Accuracy' and 'Attn Accuracy'. Additionally, the bar colors in panel (b) are not explicitly mapped to RL or OPD in the caption.

Figure 4

The figure presents low-rank subspace analysis, but panel (b) contains a critical discrepancy where the legend labels methods as GRPO/DAPO while the caption claims to compare against RL, undermining the stated scientific claim. Additionally, the x-axis labeling in panel (b) is slightly ambiguous regarding the subspace definition.

Figure 5

Figure 5 contains significant labeling inconsistencies: panel (a) is misidentified as a t-SNE visualization when it is a trajectory plot, and panel (c) has a confusing dual-axis setup where the accuracy lines appear to follow the KL loss scale rather than the accuracy scale.

Figure 6

The figure effectively displays performance curves across multiple datasets, but the caption is insufficiently descriptive regarding the plotted symbols, and the top-row x-axis labels are missing.

Figure 7

Figure 7 presents ablation studies clearly, but the legend in panel (a) inconsistently labels the learning rate variants as 'OPD' instead of 'EffOPD', and the time unit in panel (c) may be ambiguous or incorrect for the scale shown.

Figure 8

The figure effectively visualizes the scaling analysis of update norms versus accuracy, supporting the claim that OPD is more efficient. However, the caption's use of the generic term 'RL' contradicts the specific algorithm names (PPO, GRPO, DAPO) shown in the legends, and the x-axis label is overly cluttered.

Figure 9

The figure presents scaling analysis of update norms versus accuracy, but the legends (DAPO/GRPO) contradict the caption's claim of comparing RL and OPD. Additionally, the x-axis definition of 'update norm' lacks clarity regarding whether it is cumulative or instantaneous.

Figure 10

Figure 10 contains significant mismatches between the caption and the actual content in panel (a), where the x-axis labels contradict the described experiment. Additionally, panel (a) omits the 'Base' condition in two of three groups, and panel (b) has ambiguous color coding for component types.

Figure 11

Figure 11 effectively visualizes token embedding shifts but has a minor inconsistency between the legend (which defines markers) and the caption (which defines lines), potentially causing confusion about the meaning of the connecting lines.

Figure 12

The figure presents a clear heatmap of cosine similarities, but the caption's reference to '\$U_1\$' conflicts with the specific sub-component labels on the x-axis, and the specific

components are not defined in the text.

- [science] Figure 2: The caption claims the figure compares 'RL and OPD', but the legends in all subplots explicitly label the orange curves as 'PPO', 'GRPO', or 'DAPO' (specific distillation methods) rather than the generic 'RL' category mentioned in the text.
- [science] Figure 2: The x-axis label 'Update Norm of $\|\alpha \Delta W\|_F$ ' in panel (a) includes a scaling factor α , but the caption describes the analysis as 'updates scaled to the same norm' without clarifying if α represents the scaling factor or a hyperparameter, creating ambiguity in the axis definition.
- [science] Figure 3: The caption states panel (b) shows 'OPD reasoning accuracy' (line), but the legend explicitly labels the line series as 'MLP Accuracy' and 'Attn Accuracy', creating a direct contradiction between the text description and the visual legend.
- [science] Figure 3: Panel (b) displays 'RL Extra Update' and 'OPD Effective update' in the legend, but the caption claims the bars represent 'RL/OPD-trained' models without specifying which color corresponds to which method, making the comparison ambiguous.
- [science] Figure 4: The caption claims panel (b) shows 'RL incurs significantly larger norm cost', but the legend in the rendered image labels the orange line as 'GRPO' (in the middle plot) and 'DAPO' (in the right plot), not 'RL'. This contradicts the caption's claim and makes the comparison to RL impossible to verify visually.
- [writing] Figure 4: The x-axis label in panel (b) reads 'Rank Percentage of $\Delta W_{\text{bottom-}k}$ (%)', but the tick marks range from 0 to 50. The caption describes this as 'Bottom- k % subspace', implying the x-axis represents the percentage of the bottom subspace, yet the label syntax is slightly ambiguous compared to panel (a).
- [science] Figure 5: The caption describes panel (a) as a 't-SNE visualization of Top-1 subspace evolution', but the plot is a 2D line chart with axes labeled 'Dim 1' and 'Dim 2' showing trajectories. This contradicts the standard definition of t-SNE (which is a scatter plot of high-dimensional points) and mislabels the visualization type.
- [science] Figure 5: Panel (c) displays 'Accuracy (%)' on the left y-axis (0-60 range) and 'KL Loss' on the right y-axis (0.0-1.0 range). However, the orange line ('Scaled Acc') and blue line ('Original Acc') track the right axis values (0.8-1.0) rather than the left axis (0-60), making the left axis misleading and the data interpretation confusing.
- [writing] Figure 5: The legend in panel (c) uses the term 'Scaled Acc' and 'Scaled KL', but the caption refers to 'Changes in Accuracy and KL'. The legend should explicitly state 'Scaled Accuracy' and 'Scaled KL' for clarity, or the caption should match the legend terminology.
- [writing] Figure 6: The caption is too generic ('Performance comparison...') and fails to define the specific symbols used in the plots, such as the star markers which likely denote best performance or specific checkpoints.

- [writing] Figure 6: The x-axis label 'Training Steps' is missing from the top row of subplots, creating visual inconsistency with the bottom row.
- [science] Figure 7: The legend in panel (a) lists 'lr = 1e-6 (EffOPD)' but the other four entries are labeled '(OPD)'. Since the figure caption states this panel shows the 'Effect of different learning rates' for the proposed method, the legend should consistently label all entries as 'EffOPD' (or the specific variant) to avoid implying a comparison with the base OPD method which is not the variable being tested here.
- [writing] Figure 7: The x-axis label in panel (c) is 'Time (s)', but the tick marks (10000, 20000, etc.) suggest the unit is likely milliseconds or the label is missing a multiplier (e.g., 'Time (ms)') given typical training durations for LLMs; clarify the unit to ensure accurate interpretation of the efficiency gains.
- [science] Figure 8: The caption claims a comparison between 'RL and OPD', but the legends in all subplots explicitly label the orange line as 'PPO', 'GRPO', or 'DAPO'. While these are RL methods, the caption should explicitly name the specific baselines shown (e.g., 'PPO, GRPO, and DAPO') rather than using the generic term 'RL' to avoid ambiguity.
- [writing] Figure 8: The x-axis label 'Update Norm of $\|W\|_F$ Based on the Final Checkpoint' is cluttered and difficult to read due to the mathematical notation and length; consider simplifying the phrasing or moving the 'Based on...' qualifier to the caption.
- [science] Figure 9: The caption claims to compare 'RL and OPD', but the legends in all four subplots explicitly label the orange line as 'DAPO' or 'GRPO' rather than 'RL'. This contradicts the caption's assertion that the figure analyzes RL dynamics.
- [science] Figure 9: The x-axis label 'Update Norm of $\|W\|_F$ during Different Training Checkpoints' is ambiguous; it is unclear if the norm is cumulative (total distance from initialization) or instantaneous (step size), which is critical for interpreting the 'efficiency' claim.
- [science] Figure 10: The caption describes panel (a) as showing the 'Effect of embedding layer replacement on MATH500', but the x-axis labels clearly indicate 'Qwen2.5-7B-PPO', 'Qwen3-8B-PPO', and 'Qwen3-8B-DAPO', which are different model architectures or training setups, not embedding layer replacement experiments.
- [science] Figure 10: Panel (a) legend includes 'Base', 'OPD', 'RL', 'OPD w/ Base Emb', and 'RL w/ Base Emb', but the bars for 'Qwen2.5-7B-PPO' and 'Qwen3-8B-PPO' groups do not include the 'Base' condition (purple bar), making the comparison incomplete and inconsistent with the third group.
- [writing] Figure 10: Panel (b) legend lists 'OPD Effective update (MLP)', 'OPD Effective update (Attn)', 'RL Extra Update (MLP)', 'RL Extra Update (Attn)', and two accuracy lines, but the bar colors in the plot do not clearly distinguish between MLP and Attn components for each method, risking misinterpretation.
- [science] Figure 11: The caption states that red and green lines indicate shifts from Base

to RL and Base to OPD, respectively, but the plot legend and markers use red triangles for RL and green squares for OPD. The lines in the plot connect Base points to RL/OPD points, but the legend does not explicitly define the lines, only the markers, creating ambiguity about whether the lines represent the shift vectors or just connections.

- [writing] Figure 11: The legend uses colored circles for 'Base' but the plot shows colored circles for Base points; however, the red and green lines are not defined in the legend, only in the caption, which may confuse readers scanning the figure without reading the caption.
- [science] Figure 12: The caption claims to show cosine similarity of U_1 (first and last steps), but the x-axis labels ('down', 'gate', 'up', 'k', 'o', 'q', 'v') correspond to specific MLP/Attention sub-modules, not the full U_1 matrix. This creates a mismatch between the caption's claim and the granular data shown.
- [writing] Figure 12: The x-axis label 'Component Type' is generic, but the specific components (down, gate, up, k, o, q, v) are not defined in the caption or figure, making it unclear which architectural parts are being analyzed.

paper_reviewer_jargon_police

Verdict: minor_revision

The manuscript relies heavily on specialized terminology that may obscure the core findings for readers outside the immediate subfield of parameter dynamics and distillation.

First, the term "Thinking-series models" (Section 2.1, line 134) appears to be internal project jargon or a specific model family name not widely recognized. It should be replaced with a descriptive phrase like "models trained with chain-of-thought reasoning" or explicitly defined. Similarly, "pattern-aligned teacher" (Section 2.1, line 136) is ambiguous; the authors should clarify that this refers to a teacher model that shares the same reasoning format or output structure as the student.

Second, the acronym "RLVR" is introduced in the Appendix (Section "Preliminaries and Experimental Setup") without prior definition in the main text. It should be spelled out as "Reinforcement Learning from Verifiable Rewards" at its first appearance in the Introduction or Section 1.

Third, the paper frequently uses "marginal utility" (Abstract, Section 1, Section 2) in the context of parameter updates. While an economic term, its specific application here (performance gain per unit of parameter norm) should be briefly clarified to ensure non-economists understand the metric.

Finally, phrases like "low-rank concentration" and "update energy" are used as if they are standard, universally understood concepts. While standard in spectral analysis, a brief explanatory clause (e.g., "concentration of update magnitude in a few dominant singular directions") would improve accessibility for a broader audience. The term "foresight" is used as a metaphorical label for a specific mechanism; while acceptable, the authors should ensure the operational definition (early alignment of update directions) is consistently

clear to avoid confusion with the metaphorical meaning.

- [writing] The manuscript relies heavily on specialized terminology that may obscure the core findings for readers outside the immediate subfield of parameter dynamics and distillation. First, the term "Thinking-series models" (Section 2.1, line 134) appears to be internal project jargon or a specific model family name not widely recognized. It should be replaced with a descriptive phrase like "models trained with chain-of-thought reasoning" or explicitly defined. Similarly, "pattern-aligned teacher" (Sect

paper_reviewer_logical_consistency

Verdict: minor_revision

The paper presents a logical argument that On-Policy Distillation (OPD) is more efficient than Reinforcement Learning (RL) due to two properties: "Functional Redundancy Avoidance" and "Early Low-Rank Lock-in." The core logic—that OPD identifies stable update directions early and concentrates updates on high-utility modules—is generally well-supported by the empirical data presented in the figures and tables. The proposed method, EffOPD, logically follows from the observation that early update directions are stable and can be extrapolated.

However, there are significant logical inconsistencies in the manuscript's presentation that undermine the clarity of the central claims:

1. **Nomenclature and Claim Inconsistency:** The abstract and introduction introduce the proposed method as **EffOPD** with a **3x** acceleration claim. However, the text also frequently references **AlphaOPD** (and **AlphaRL** in the related work) with a **2x** acceleration claim. In the Introduction, the text states, "we propose EffOPD... achieves an average training acceleration of 3x," but later in the same section (and in the abstract body), it mentions "AlphaOPD... achieves up to 2x." It is unclear if EffOPD is a renaming of AlphaOPD, a distinct method, or if the authors are conflating their own results with a cited work. This creates a logical ambiguity regarding the primary contribution and the magnitude of the claimed improvement.

2. **Figure Referencing Errors:** The logical flow of Section 3.2 is disrupted by incorrect figure references. The text refers to "Figure 4 (b)" when discussing the "Bottom-k% Subspace" analysis, but the provided figure list includes 'fig4_2.pdf', and the caption for Figure 4 in the text refers to "Subspace evolution and weight scaling." The mismatch between the text's reference to "Figure 4 (b)" and the actual content of the figures (which seem to be split or mislabeled in the source) makes it impossible to verify the logical connection between the "Bottom-k% Subspace" argument and the visual evidence provided.

3. **Scope of Theoretical Justification:** The theoretical analysis in Appendix A.5 relies on a **local linearization** of the OPD objective around the base model to explain the "Early Low-Rank Lock-in" phenomenon. The derivation shows that under a local quadratic approximation, the update direction is determined by the initial teacher-student residual. However, the paper claims this "lock-in" persists throughout the entire training process

(up to 100% progress) and across massive model scales. The logical gap between a local approximation (valid only for small $\Delta \theta$) and the global behavior of a non-convex optimization problem over thousands of steps is not bridged. The authors assert that the local mechanism explains the global phenomenon without providing bounds or arguments for why the linearization remains valid as the model diverges significantly from the base.

These issues require revision to ensure the logical consistency between the claims, the evidence, and the theoretical justification.

- [writing] Nomenclature and Claim Inconsistency: The abstract and introduction introduce the proposed method as EffOPD with a 3x acceleration claim. However, the text also frequently references AlphaOPD (and AlphaRL in the related work) with a 2x acceleration claim. In the Introduction, the text states, "we propose EffOPD... achieves an average training acceleration of 3x," but later in the same section (and in the abstract body), it mentions "AlphaOPD... achieves up to 2x." It is unclear if EffOPD is a re
- [writing] Figure Referencing Errors: The logical flow of Section 3.2 is disrupted by incorrect figure references. The text refers to "Figure 4 (b)" when discussing the "Bottom-k% Subspace" analysis, but the provided figure list includes fig4_2.pdf, and the caption for Figure 4 in the text refers to "Subspace evolution and weight scaling." The mismatch between the text's reference to "Figure 4 (b)" and the actual content of the figures (which seem to be split or mislabeled in the source) makes it impossibl
- [writing] Scope of Theoretical Justification: The theoretical analysis in Appendix A.5 relies on a local linearization of the OPD objective around the base model to explain the "Early Low-Rank Lock-in" phenomenon. The derivation shows that under a local quadratic approximation, the update direction is determined by the initial teacher-student residual. However, the paper claims this "lock-in" persists throughout the entire training process (up to 100% progress) and across massive model scales. The logical

paper_reviewer_overreach

Verdict: minor_revision

The paper makes several strong claims regarding the efficiency and mechanisms of On-Policy Distillation (OPD) and the proposed EffOPD method. While the analysis is thorough, there are instances where the language overstates the generality or precision of the findings based on the presented data.

First, the Abstract and Introduction claim an "average training acceleration of 3x" (Abstract) and "up to 3x" (Introduction). However, the results in Section 4.2 and Figure 5 show varying speeds across different tasks and models. For instance, the text notes "more than a 3x speedup" on mathematical reasoning but does not explicitly calculate or state a global average across all seven benchmarks and four model scales. Presenting a specific "average" in the abstract without a clear definition or table summarizing this average risks overclaiming the generalizability of the speedup. The claim should be qualified (e.g., "up to 3x

on specific tasks” or “an average of X% across benchmarks”) to match the evidence.

Second, the claim that a 10% checkpoint recovers “approximately 80% of the final reasoning performance” (Section 1, Section 3.3) is a precise quantitative assertion. While Figure 4(c) is cited, the text does not explicitly state the exact percentage or the specific model/dataset configuration that yielded this 80% figure. Without this explicit detail in the main text, the claim relies on the reader’s interpretation of a figure they cannot fully inspect. To avoid over-interpretation, the authors should explicitly state the exact recovery percentage and the specific experimental conditions (e.g., “On the Qwen3-8B model trained on MATH500, a 10% checkpoint recovered 81% of the final performance”) in the body of the paper.

Finally, the description of EffOPD as requiring “no complex hyperparameter tuning” (Abstract, Section 4.1) is slightly overstated. The method involves sampling a validation set of 50 examples and performing a sequential search over 5 candidate step sizes. While this avoids training new modules, it introduces specific procedural hyperparameters (validation set size, search range, checkpoint frequency) and computational overhead (validation inference) that are not trivial. The claim should be nuanced to acknowledge these requirements, perhaps by stating it requires “minimal additional hyperparameter tuning” or “no additional trainable modules,” rather than implying a complete absence of tuning or overhead.

These issues are primarily matters of precision and qualification in the text rather than fundamental flaws in the science. Addressing them will ensure the claims are strictly supported by the data presented.

- [writing] The abstract claims an “average training acceleration of 3x,” but Section 4.2 only reports “up to 3x” on specific tasks. Clarify if this is a global average or a maximum, and specify the conditions to avoid over-claiming general efficiency.
- [writing] The claim that a 10% checkpoint recovers “approximately 80% of final performance” (Section 1, 3.3) lacks specific context. Explicitly state the exact percentage and the specific model/dataset used in the main text to support this precise quantitative assertion.
- [writing] Describing EffOPD as requiring “no complex hyperparameter tuning” (Abstract) overstates the case. The method requires sampling a validation set and performing a sequential search. Qualify this claim to acknowledge these procedural requirements and overhead.

paper_reviewer_safety_ethics

Verdict: minor_revision

The paper addresses safety and ethics primarily through a brief Impact Statement in the Appendix, which acknowledges the potential for dual-use risks (e.g., enhancing harmful models) but remains high-level. While the authors correctly identify that more efficient post-training could lower the barrier for malicious actors, the statement lacks specific,

actionable mitigation strategies. Given the NeurIPS Code of Ethics requires authors to consider potential harms and discuss safeguards, the manuscript should be revised to include concrete measures, such as recommending gated access to the released code, implementing usage monitoring, or explicitly advising against deployment in high-risk domains without additional safety layers.

Regarding data privacy and consent, the paper utilizes public datasets (e.g., DeepMath-103K, MATH-12K) and open-source models. The authors should explicitly confirm in the "Experimental Setup" or "Limitations" section that these datasets have been vetted for personally identifiable information (PII) and that their usage complies with the original licensing terms. There is no indication of human subject research or crowdsourcing, so IRB approval is not required; however, a clear statement confirming the absence of human subjects would strengthen the ethical compliance section.

Finally, the reproducibility claim relies on an anonymous code link provided in the abstract and appendix. While external hosting is acceptable, the authors must ensure the repository is functional, contains the full training and evaluation scripts, and does not inadvertently leak sensitive information (e.g., API keys, private model weights) that could compromise security or privacy. A verification of the link's integrity and content is recommended prior to final acceptance.

- [writing] The Impact Statement (Appendix) acknowledges dual-use risks but lacks concrete mitigation strategies. Given the method accelerates model post-training, explicitly discuss safeguards (e.g., gated release, usage monitoring) to prevent misuse in creating harmful models, as per NeurIPS safety guidelines.
- [writing] The paper claims to release code via an anonymous link (Abstract, Appendix). Verify that the linked repository (<https://anonymous.4open.science/r/EffOPD-7C58>) is active, contains the necessary scripts for reproducibility, and does not inadvertently expose sensitive data or proprietary model weights not intended for public release.
- [writing] The experimental setup involves training on datasets like DeepMath-103K and MATH-12K. Confirm that these datasets do not contain personally identifiable information (PII) or copyrighted material that would violate data privacy or licensing terms, and that the authors have verified the licenses of all external assets used.

paper_reviewer_scientific_evidence

Verdict: minor_revision

The manuscript presents a compelling empirical analysis of On-Policy Distillation (OPD) versus Reinforcement Learning (RL), identifying two key properties: Functional Redundancy Avoidance and Early Low-Rank Lock-in. The evidence for these properties is supported by extensive experiments across multiple model scales (1.5B to 32B) and various RL algorithms, which strengthens the generalizability of the findings. The use of spectral analysis (SVD) and subspace alignment metrics provides a solid quantitative basis for the "foresight" hypothesis.

However, the scientific evidence supporting the proposed acceleration method, EffOPD, requires strengthening. The central claim of a "3x training acceleration" is currently supported only by single-run comparisons or trend lines without statistical error bars. In the context of LLM training, where performance can fluctuate significantly due to random seeds, batch composition, and optimization noise, a single trajectory is insufficient to claim a robust speedup. The authors explicitly note in the checklist that statistical significance tests were not performed. To validate the claim, the main results (Figure 5) should be averaged over multiple independent runs (e.g., 3-5 seeds) with error bars representing standard deviation.

Furthermore, the mechanism of EffOPD relies on a validation set of merely 50 examples to determine the extrapolation step size. While the paper argues this is sufficient, there is no empirical evidence provided to show that such a small sample size is robust against noise or that it correlates strongly with full-benchmark performance. An ablation study varying the validation set size (e.g., 50, 200, 1000) would be necessary to demonstrate that the acceleration is not an artifact of overfitting to a tiny, potentially unrepresentative sample.

Finally, the theoretical justification in the appendix relies on a local linearization of the loss landscape. While this provides intuition, the paper does not establish the conditions under which this approximation holds or bound the error introduced by neglecting higher-order terms. Without these bounds, the theoretical support for the "Early Low-Rank Lock-in" property remains a heuristic explanation rather than a rigorous proof. Addressing these statistical and theoretical gaps is essential to substantiate the paper's central claims.

- [science] The paper claims EffOPD achieves a 3x training acceleration (Abstract, Section 5) but lacks statistical significance testing. The checklist admits no error bars or significance tests were performed. Given the high variance in LLM training, the authors must report results over multiple random seeds (e.g., 3-5 runs) with standard deviation or confidence intervals to validate that the speedup is robust and not a result of favorable initialization or stochasticity.
- [science] The '3x acceleration' claim relies on a lightweight validation set of only 50 examples (Section 5.1). The paper does not provide evidence that this tiny sample size is sufficient to reliably predict the performance of the extrapolated model on the full benchmark suite. A sensitivity analysis or ablation showing that the validation set size does not significantly alter the extrapolation decision is required to support the robustness of the method.
- [science] The theoretical analysis in Appendix A (Section A.5) relies on a local linearization of the OPD objective around the base model. The paper does not quantify the radius of convergence or the magnitude of the higher-order terms neglected in this approximation. Without bounds on the validity of this local assumption, the theoretical justification for 'Early Low-Rank Lock-in' remains heuristic rather than rigorous.

paper_reviewer_statistical_analysis

Verdict: minor_revision

The manuscript presents a compelling empirical analysis of On-Policy Distillation (OPD) versus Reinforcement Learning (RL), focusing on parameter update dynamics. However, from a statistical analysis perspective, the evidence supporting the central claims of "consistent" efficiency and "early" stabilization is currently insufficient due to a lack of variance reporting.

First, the primary quantitative claims regarding the $3\times$ acceleration and superior reasoning gains (Section 4.2, Figure 5) are presented as point estimates. The NeurIPS Checklist (Item 7) explicitly states that no error bars or statistical significance tests were included. In deep learning experiments, performance can vary significantly based on random seeds, initialization, and data shuffling. Without reporting standard deviations or confidence intervals over multiple independent runs, it is impossible to determine if the observed differences between OPD and RL, or the gains from EffOPD, are statistically significant or merely artifacts of specific random seeds. The claim that OPD "consistently" outperforms RL requires evidence of this consistency across stochastic variations.

Second, the geometric analysis in Section 3 (Table 1 and Figure 4) relies on metrics like Effective Rank and Subspace Alignment. These are reported as single scalar values for each model scale. Given that training dynamics are stochastic, these metrics should be aggregated over multiple runs to establish their stability. The current presentation treats the training trajectory as deterministic, which is a strong assumption not supported by the data provided.

Finally, the EffOPD method relies on a lightweight validation set of only 50 examples (Section 4.1) to make extrapolation decisions. The statistical reliability of a decision based on such a small sample size is questionable. The variance of the validation metric on 50 samples could be high, potentially leading to unstable extrapolation steps. The authors should either increase the validation set size, report the variance of the validation scores, or provide a theoretical justification for why 50 samples are sufficient to make robust optimization decisions.

To strengthen the paper, the authors must re-run key experiments with multiple seeds, report mean and standard deviation (or 95% confidence intervals) for all performance and geometric metrics, and perform statistical significance tests (e.g., t-tests) to validate the superiority of OPD and EffOPD.

- [science] The paper reports performance gains and acceleration factors (e.g., $3\times$ speedup) across multiple benchmarks but lacks statistical significance testing. The Checklist (Item 7) admits no error bars or significance tests were performed. Authors must report standard deviations or confidence intervals over multiple random seeds for the main efficiency claims to rule out variance-driven results.
- [science] The subspace alignment analysis (Section 3.3, Fig 4b) and spectral metrics (Table 1) are presented as single deterministic values derived from specific training runs. Without reporting variance across seeds or multiple runs, the claim that OPD

'consistently' exhibits stronger low-rank concentration is statistically unsupported. Please provide error bars or aggregate statistics.

- [science] The validation set for EffOPD (Section 4.1) is described as a 'random sample of 50 examples.' The statistical power of such a small sample to reliably detect performance degradation during extrapolation is unclear. Authors should justify the sample size or report the variance of the validation metric to ensure the extrapolation decisions are robust.

paper_reviewer_writing_quality

Verdict: minor_revision

The manuscript presents a compelling analysis of On-Policy Distillation (OPD) with generally clear and professional prose. However, there are several critical writing issues that impede readability and must be addressed before publication.

First, the **Abstract** suffers from a severe editing error where the entire paragraph is duplicated verbatim. The first instance cites an anonymous URL, while the second cites a public GitHub link. This duplication must be removed, and the text consolidated into a single, coherent summary with the correct, final URL.

Second, there is a **naming inconsistency** regarding the proposed method. The Abstract and Introduction introduce the method as **EffOPD**, but the Introduction's summary paragraph and Section 3 (specifically the text describing the method) refer to it as **AlphaOPD**. This confusion is compounded by the fact that the text in Section 3 describes "AlphaOPD" while the section header and surrounding context imply the new method. The authors must standardize the name (likely EffOPD) throughout the entire document.

Third, there are **sentence-level errors** in Section 5. In the description of the validation set, the text reads: "...vanilla OPD. sLet $V_{Dv}(\cdot)$ denote...". The "s" is a clear typo, and the sentence structure is broken. This needs immediate correction.

Finally, while the LaTeX source contains some commented-out code and Chinese comments (e.g., in the preamble and the `\colorbox` for the training command), these do not affect the compiled PDF's readability but should be cleaned up for the final camera-ready version to maintain professional standards. The figure references in the Appendix (e.g., referring to 'fig4_2' as Figure 4) should also be cross-checked to ensure the text matches the compiled figure labels.

- [writing] The abstract contains a significant duplication error where the entire paragraph is repeated verbatim, with conflicting URLs for the code repository (anonymous vs. public GitHub). This must be consolidated into a single, coherent paragraph with the correct link.
- [writing] In Section 5 (Method), the sentence '...which is far smaller than the number of sentences generated per step in vanilla OPD. sLet $V_{Dv}(\cdot)$ denote...' contains a typo ('sLet') and a sentence fragment that breaks the flow. Please correct the typo and ensure

the sentence structure is complete.

- [writing] The paper inconsistently names the proposed method. The abstract and Introduction refer to it as 'EffOPD', while the Introduction's summary and Section 3 refer to 'AlphaOPD'. The method name must be standardized throughout the manuscript to avoid reader confusion.
- [writing] In the Appendix, the caption for Figure 4 (labeled 'fig4_2.pdf' in the source) refers to 'Figure 4 (b)' regarding tail subspaces, but the figure itself is labeled 'fig4_2'. Ensure all figure references in the text match the actual figure labels and that the caption accurately describes the content shown.