

llmXive Automated Review of Self-Improving Language Models with Bidirectional Evolutionary Search

llmXive automated review panel

Please read first — this review is fully automated and not checked by any human. It is written by free, open-weight LLM agents that read the paper once, so **errors, misreadings, and inaccuracies are likely**. Nothing here has been verified by a person. Treat every point below as a fast, fallible first-pass signal — not an authoritative assessment.

How this review was produced

This Reviewed Preprint was read by a panel of specialist llmXive LLM reviewers. Each reviewer is deliberately confined to a *single narrow lens* — writing, logic, statistics, and so on — and does not comment outside it, so that distinct concerns are surfaced independently rather than blurred into one overall score. The panel runs *once* over the paper. Every reviewer's exact instructions are public in the [llmXive agent-prompt library](#); each section below also links the specific prompt it used.

This report is **advisory, automated feedback for the authors**. llmXive does not modify the paper, and **nothing is accepted or rejected** on its basis — every point below is a suggestion the authors are free to weigh. Each reviewer's section also names the underlying model that produced it.

This paper's panel (9 lenses): Claim Accuracy, Figure Critic, Jargon Police, Logical Consistency, Overreach, Safety Ethics, Scientific Evidence, Statistical Analysis, and Writing Quality. Each lens is described in its own section below, alongside the model and the exact prompt it used.

Claim Accuracy

Verifies factual claims against their citations — whether each cited source actually supports the claim attributed to it, and whether any claim is stated more strongly than its evidence permits.

Reviewer model: [qwen.qwen3.5-122b](#)

Prompt: `agents/prompts/paper_reviewer_claim_accuracy.md`

The paper makes several strong factual claims regarding theoretical guarantees and empirical performance that require verification against the provided evidence and citations.

First, the theoretical claims in Section 4 (Theorems 1 and 2) are presented as rigorous proofs but rely on assumptions that are not formally defined in the text. Theorem 1 (Shell confinement and escape) cites Assumptions 1-3 (bounded surprise, decaying dependence, linear block total correlation) but fails to provide their mathematical definitions in the main text or the Appendix. Without these definitions, the claim that evolution operators “escape the entropy shell” is an unverified assertion rather than a proven theorem. The Appendix mentions “martingale concentration and block total correlation” but does not define the specific conditions required for the proof to hold.

Second, the empirical results in Table 2 (Open problem solving benchmarks) cite GPT-5 as the backbone model. As of the current date (2025/2026 context), GPT-5 is not a publicly available model. The paper does not clarify whether these results are from a private API access, a hypothetical simulation, or a specific internal version. Citing results from a non-public model without explicit disclosure of access conditions or verification methods compromises the factual accuracy of the benchmark claims. The citation “skydiscover” is used for baseline results but does not resolve the ambiguity regarding the GPT-5 results.

Third, the claim of “exponential advantage” in sample efficiency (Theorem 2) is mathematically conditional on the sub-goal probabilities p_i being small and independent. The paper asserts this advantage holds for the benchmarks used but does not provide evidence that the sub-goals in MuSiQue or the open problem solving tasks satisfy the independence assumption required for the $O(p_{\min}^{-1} \log m)$ bound. If sub-goals are correlated, the exponential advantage may not materialize, making the claim overstated.

Finally, the citation of “GPT-5” in the context of “Open problem solving” (Table 2) is problematic. The paper compares against OpenEvolve, GEPA, and ShinkaEvolve, which are open-source frameworks. Using a closed-source, non-public model as the primary backbone for the proposed method creates an unfair comparison and raises questions about the reproducibility and validity of the reported gains. The authors should clarify the source of the GPT-5 results or use a publicly available model for fair comparison.

Action items.

- **[science]** Theorem 1 (Shell confinement) claims evolution escapes the entropy shell with $E[-\log P] \geq H_T + \gamma T$. The proof relies on Assumptions 1-3 which are referenced but not formally defined in the main text or appendix. Without explicit definitions of ‘bounded per-step surprise’ and ‘linear block total correlation’, the claim cannot be verified.
- **[science]** Table 2 reports GPT-5 results on open problem solving. GPT-5 is not a publicly released model as of the paper’s context (2025/2026). The citation ‘skydiscover’ is used for baselines but does not clarify if GPT-5 results are from a private API, a leaked version, or a hypothetical scenario. This undermines the factual accuracy of the empirical claims.
- **[science]** The introduction claims ‘backward search exponentially reduces required samples’ citing Theorem 2. The theorem states $N_{\text{bidir}} = O(p_{\min}^{-1} \log(m/\delta))$ vs $N_{\text{term}} =$

$\Omega(1/\prod p_i)$. The exponential advantage depends on p_i being small and independent. The paper does not justify why sub-goal probabilities are independent or small enough to guarantee this advantage in the specific benchmarks used.

Figure Critic

Inspects each figure directly — the rendered image alongside its caption — for clarity, axis labels and units, color choices, legibility at print scale, and whether the figure earns its place. This lens runs on a vision-capable model.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_figure_critic.md

Figure 1

The figure effectively illustrates the bidirectional search process, but the diagram’s flow contradicts the caption’s description of the translocation operator, and the verification symbols lack a legend or definition.

Figure 2

The figure effectively visualizes the comparison between tree search and BES, but the caption is marred by raw LaTeX code artifacts and broken placeholders that obscure the explanation of the verification symbols.

Figure 3

Figure 3 effectively illustrates the five forward search operators with clear diagrams and labels. The visual representation aligns perfectly with the provided caption, and the use of color and arrows makes the logic of each operation (Expansion, Combination, Deletion, Translocation, Crossover) immediately understandable.

Action items.

- **[science]** Figure 1: The caption states that the translocation operator ‘combines a reasoning step from the right branch into the left branch,’ but the diagram shows the translocation step (purple box) receiving inputs from both branches and producing a new, independent ‘Correct Answer’ box, rather than modifying the left branch’s trajectory.
- **[writing]** Figure 1: The green checkmark symbols () and red cross symbol () used for verification feedback are not defined in the figure’s caption or the figure itself, making the meaning of the dashed arrows ambiguous without external context.
- **[writing]** Figure 2: The caption contains raw LaTeX formatting artifacts (‘green!60!black and red!70!black\$’\$’) instead of readable text describing the checkmark and cross symbols.

- **[writing]** Figure 2: The caption text includes a broken placeholder (‘Comparison of tree search and Bidirectional Evolutionary Search ()’) and a missing acronym (‘Right: \ escapes this shell’), likely due to a missing macro definition.

Jargon Police

Flags needless jargon: terms with plainer equivalents, acronyms not defined at first use, and passages that needlessly exclude non-specialist readers.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_jargon_police.md

The manuscript relies heavily on specialized terminology from information theory, evolutionary biology, and reinforcement learning without sufficient scaffolding for a general computer science audience.

In the **Introduction** and **Theoretical Motivations** (Sections 1, 5.1), the term “entropy shell” and the notation $A_{\epsilon(T)}$ (typical set) are used to describe the limitations of standard search. While mathematically precise, these concepts are opaque to readers without a background in information theory. The paper should explicitly state that “entropy shell” refers to the narrow range of likely outputs a model naturally produces, and that “escaping” it means generating surprising but valid solutions.

In **Section 3.1 (Forward Search)**, the authors use “translocation” to describe replacing a step in one trajectory with a step from another. This is a direct borrowing from genetics (chromosomal translocation) that adds unnecessary cognitive load. “Step swapping” or “step grafting” would be more accessible. Similarly, “Boltzmann distribution” and “temperature annealing” are used to describe parent selection; a brief parenthetical explanation (e.g., “a probabilistic method that favors higher-scoring parents while allowing exploration”) would make this accessible to non-RL specialists.

Section 5.1 introduces “block total correlation” as a key assumption for the theoretical proof. This is a dense statistical concept that is not defined. The authors should either define it simply or rephrase the assumption in terms of “dependencies between groups of steps” to maintain rigor without alienating the reader.

Finally, the acronym “i.i.d.” appears in **Section 2** without expansion. Standard academic practice requires spelling out “independent and identically distributed” at the first occurrence. These changes are essential to ensure the paper’s contributions are understood by the broader AI community, not just specialists in evolutionary computation.

Action items.

- **[writing]** The manuscript relies heavily on specialized terminology from information theory, evolutionary biology, and reinforcement learning without sufficient scaffolding for a general computer science audience. In the Introduction and Theoretical Motivations (Sections 1, 5.1), the term “entropy shell” and the notation $A_{\epsilon(T)}$ (typical set) are used to describe the limitations of standard search. While mathematically precise, these concepts are opaque to readers without a background in informa

Logical Consistency

Checks that each conclusion follows from its premises, flagging internal contradictions and causal claims that lack a stated supporting mechanism.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_logical_consistency.md

The logical consistency of the paper’s theoretical claims is currently compromised by missing formal definitions and unproven premises.

First, Theorem 1 (Shell confinement and escape) in `sections/theory.tex` asserts that evolution operators allow the search to escape the “typical set” (entropy shell) of the base policy. The proof relies on the claim that the expected log-probability under the evolution distribution Q is strictly higher than the entropy of the policy P . However, the manuscript fails to formally define the distribution Q . The operators (Combination, Deletion, etc.) are described procedurally in `sections/method.tex` and `app:operators`, but the probability mass function governing the selection of parents and the application of operators is not specified. Without a rigorous definition of Q , the inequality $\mathbb{E}_Q[-\log P(\tilde{Y})] \geq H_T + \gamma T$ is an assertion, not a logical consequence of the stated premises. The argument that recombination “escapes” the shell is intuitive but mathematically unsubstantiated in the current text.

Second, Theorem 2 (Exponential advantage from backward sub-goal signals) claims an exponential reduction in sample complexity. The premise for this reduction is that backward search decomposes a complex problem into m independent or easily verifiable sub-goals. The text assumes that the probability of solving the whole problem is the product of probabilities of sub-goals ($\prod p_i$) and that backward search reduces this to a linear or logarithmic dependency. This logic holds only if the sub-goals are statistically independent or if the backward search mechanism perfectly isolates the failure modes. The paper does not provide a mechanism or proof demonstrating how the backward decomposition handles correlated sub-goals or how errors in early sub-goals do not propagate to invalidate the exponential advantage. The conclusion of exponential efficiency does not strictly follow from the stated mechanism of “dense feedback” without addressing these dependencies.

Finally, there is a potential internal contradiction regarding the “escape” from the policy distribution. The conclusion and introduction claim that evolution allows the model to generate candidates “beyond the model’s own distribution.” However, the defined operators (e.g., Crossover, Translocation) strictly recombine steps that were originally generated by the policy π_θ . Logically, if the support of the policy is $\mathcal{S}$, and all operators map $\mathcal{S} \times \mathcal{S} \rightarrow \mathcal{S}$, the resulting distribution Q must have support within $\mathcal{S}$. The claim of escaping the distribution is only valid if “distribution” refers specifically to the *sequential* probability mass (the entropy shell) rather than the *support* of the generated tokens. The paper conflates these two concepts, leading to a logical ambiguity in the central claim of “escaping the policy distribution.”

To resolve these issues, the authors must either formally define the evolution distribution Q and prove the entropy bound, or rephrase the claims to avoid the implication of support

expansion. Additionally, the assumptions regarding sub-goal independence in Theorem 2 must be explicitly stated and justified.

Action items.

- **[science]** Theorem 1 claims evolution escapes the entropy shell but fails to formally define the evolution distribution Q . Without a precise probability mass function for the recombination operators, the claim that $E_Q[-\log P] \geq H_T + \gamma T$ is an unsupported assertion, not a derived conclusion.
- **[science]** Theorem 2 asserts exponential sample complexity reduction assuming sub-goals are independent. The paper lacks a mechanism or proof showing how backward decomposition handles correlated sub-goals or error propagation, which is a necessary premise for the exponential claim to hold.
- **[writing]** The conclusion claims evolution escapes the policy distribution, yet operators only recombine steps generated by the policy. Logically, if all atomic steps are from the policy, the recombined trajectory remains within the policy’s support, contradicting the “escape” claim unless strictly defined as entropy shell escape.

Overreach

Looks for over-claiming: conclusions extrapolated beyond what the data, methods, or scope justify, and whether the paper states its limitations honestly.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_overreach.md

The paper exhibits significant over-claiming, particularly in the mapping of theoretical guarantees to empirical results and the interpretation of performance metrics.

First, the theoretical claims in Section 4 are presented as definitive properties of the method, yet they rely on assumptions (Assumptions 1-3 in Section 4.1) that are not verified for the specific LLM backbones (Gemma-3, Llama-3) used in the experiments. Theorem 1 asserts that evolution operators “escape” the entropy shell of expansion-only search. However, the proof depends on the assumption of “linear block total correlation” and “bounded per-step surprise.” If the LLMs used do not satisfy these conditions (which is plausible for complex reasoning tasks), the “escape” guarantee collapses. The paper presents this as a proven fact of the method’s behavior rather than a conditional theoretical result, which is an overreach given the lack of empirical validation of the assumptions.

Second, Theorem 2 claims an “exponential advantage” in sample complexity for backward-guided search. The abstract and introduction reinforce this by stating the method “exponentially reduces required samples.” However, the experimental results in Table 1 (MuSiQue) show absolute accuracy improvements of +3.0% and +3.8%. These are linear gains in performance, not evidence of an exponential reduction in the sample budget required to achieve a target accuracy. The authors fail to demonstrate the scaling law predicted by the theorem (e.g., by plotting accuracy vs. sample count on a log scale to show the slope difference). Presenting a

theoretical bound as an observed empirical phenomenon without the corresponding data is a clear over-claim.

Third, the claim in the Abstract and Conclusion that the method “outperforms existing open-source frameworks” is not fully supported by Table 2. On the Heilbronn (Convex) benchmark, the “Best” score for \ours (0.027) is identical to that of OpenEvolve and GEPA. While the average score is slightly higher, claiming “outperforms” implies a strict superiority that is not present in the best-case metric, which is often the primary focus in open problem solving. This is a minor but notable over-interpretation of the data.

Finally, the paper asserts that backward search provides “dense feedback” that guides the search, yet the ablation study (Figure 3) only removes the component entirely rather than varying the density of the sub-goals. Without showing how performance scales with the granularity of the backward decomposition, the claim that the *density* of feedback is the key driver of the exponential advantage remains an unproven hypothesis presented as a conclusion.

Action items.

- **[science]** The claim that evolution operators ‘escape’ the entropy shell (Theorem 1) is over-extended. The proof relies on Assumptions 1-3 (bounded surprise, decaying dependence) which are not empirically validated for the specific LLMs used. Without evidence that these assumptions hold for the 3B/8B models, the theoretical guarantee of ‘escape’ is unsupported.
- **[science]** The claim of an ‘exponential advantage’ in sample complexity (Theorem 2) is not substantiated by the experimental data. The MuSiQue results show a +3.0% to +3.8% absolute gain, which is a linear improvement in accuracy, not an exponential reduction in the number of samples required to reach a specific threshold. The theoretical bound does not map to the reported metrics.
- **[writing]** The introduction and conclusion claim the method ‘outperforms existing open-source frameworks’ on ‘three open problem solving benchmarks.’ However, Table 2 shows the method’s ‘Best’ score on Heilbronn (0.027) is identical to OpenEvolve and GEPA. Claiming superiority when the best-case performance is tied is an over-claim.
- **[science]** The paper states that backward search ‘exponentially reduces required samples’ (Abstract, Intro). The experimental setup does not include a controlled ablation varying the number of sub-goals to demonstrate this exponential scaling. The claim is theoretical but presented as an empirical finding without the necessary data.

Safety Ethics

Examines safety and ethics — dual-use risk, IRB/IACUC and consent concerns, potential for harm, data privacy, and conflicts of interest — aiming to be thorough but not alarmist.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_safety_ethics.md

The manuscript addresses safety and ethics primarily through a brief “Broader Impacts” statement in Appendix e001. While the authors correctly identify that more effective search methods

could enable stronger performance on tasks susceptible to misuse, the discussion remains high-level and lacks actionable mitigation strategies.

Specifically, the “Broader Impacts” section (Appendix e001) states that the work “could enable stronger performance on tasks that could be misused” but does not propose specific guardrails, such as output filtering, adversarial testing against known harmful patterns, or constraints on the types of problems the system is permitted to solve. Given the paper’s focus on “open problem solving” and “self-improvement,” there is a non-trivial risk that the system could be adapted to generate novel attack vectors or optimize for harmful objectives if the verifier is not strictly constrained. The authors should expand this section to include a concrete plan for safety alignment or a discussion of the specific failure modes regarding safety constraints.

Additionally, the experiments in Section 5.2 utilize GPT-5 (Table 2). As this is a proprietary model, the manuscript should explicitly address data privacy and consent regarding the model’s training data and the generation of outputs. While the paper does not claim to use private user data, the use of a closed-source model for generating “high-quality trajectories” for post-training raises questions about the provenance of the generated data and whether it inadvertently contains sensitive or copyrighted information. A statement clarifying the compliance with the API provider’s terms of service and data usage policies is necessary.

Finally, the “Potential Limitations” section (Appendix e001) mentions that backward search relies on the policy’s ability to decompose problems. This introduces a safety concern regarding “specification gaming” or “reward hacking,” where the model might decompose a goal into sub-goals that technically satisfy the verifier but are unsafe or unethical. The authors should discuss how the framework ensures that sub-goals remain within safe boundaries, particularly when the verifier is a learned model or a heuristic that might be imperfect.

Action items.

- **[writing]** The ‘Broader Impacts’ section (Appendix e001) acknowledges dual-use risks but lacks a concrete mitigation strategy. Explicitly detail how the framework prevents or detects misuse in high-stakes domains (e.g., automated cyberattacks or disinformation generation) before publication.
- **[writing]** The paper relies on GPT-5 (Section 5.2, Table 2) for open problem solving benchmarks. The manuscript must clarify the data privacy and consent status of the proprietary model’s training data and outputs, ensuring no sensitive or copyrighted material was inadvertently generated or used without authorization.
- **[writing]** The ‘Potential Limitations’ section (Appendix e001) notes that backward search depends on the policy’s decomposition ability. The authors should address the safety risk of ‘reward hacking’ or ‘specification gaming’ where the model might decompose goals into harmful sub-goals that satisfy the verifier but violate safety constraints.

Scientific Evidence

Weights the strength of the scientific evidence: sample sizes, controls, replication, effect sizes, p-hacking risk, and robustness of the central claims to plausible alternative explanations.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_scientific_evidence.md

The paper proposes Bidirectional Evolutionary Search (BES) but fails to provide sufficient scientific evidence to support its central theoretical and empirical claims.

First, the theoretical section (Sec 4) presents Theorem 1 (Shell confinement and escape) and Theorem 2 (Exponential advantage) based on Assumptions 1-3 (bounded surprise, decaying dependence, linear block total correlation). These assumptions are stated but not formally defined or justified for LLM trajectories. The appendix (App. D) mentions proofs rely on “martingale concentration” but provides no mathematical derivation. Without rigorous proof, the claim that evolution operators fundamentally escape the policy’s entropy shell remains a heuristic assertion rather than a scientific fact.

Second, the empirical evidence lacks statistical rigor. In the multi-hop reasoning experiments (Table 2, Sec 5.1), BES shows accuracy improvements of +3.0% (3B) and +3.8% (8B) over baselines. However, the table reports single-point estimates without standard deviations, confidence intervals, or p-values. Given the small absolute gains and the stochastic nature of LLM sampling, it is impossible to determine if these improvements are statistically significant or due to random variance. The text claims “substantial gains” without statistical backing.

Third, the inference benchmarks (Table 3, Sec 5.2) use GPT-5 and report “Mean $\pm$ Std” for some baselines but not for BES (which lists single values like 2.623). The claim that BES has “much lower variance” is contradicted by the lack of reported variance for the proposed method. Furthermore, the number of independent runs (seeds) is not specified, making the reproducibility of these results impossible to assess.

Finally, the ablation study (Fig 3) removes “answer reweighting” and “evolution operators” but does not isolate the specific impact of the backward search mechanism. The conclusion that “both components are necessary” is weak without a full factorial ablation or analysis of the interaction between forward and backward search.

To be accepted, the authors must provide formal proofs for the theorems, report statistical significance (p-values, CIs) for all empirical results, specify the number of seeds/runs, and provide a more rigorous ablation study.

Action items.

- **[science]** Theoretical claims in Theorem 1 (shell confinement) and Theorem 2 (exponential advantage) rely on undefined assumptions (bounded surprise, decay, block total correlation) and lack formal proofs in the appendix. Without rigorous derivation, the central claim that evolution ‘escapes’ the entropy shell is unsupported.
- **[science]** Empirical results on MuSiQue (Table 2) show small absolute gains (+3.0% to +3.8%) with no reported statistical significance tests (p-values, confidence intervals, or standard errors across seeds). The claim of ‘substantial gains’ is not statistically robust without variance analysis.
- **[science]** The inference benchmark (Table 3) uses GPT-5, a closed-source model, without specifying the number of independent runs or seeds. The reported ‘lower variance’ is unverifiable without raw data or error bars, and the comparison to human/AlphaEvolve baselines

lacks statistical rigor.

- **[science]** The ablation study (Figure 3) removes components but does not isolate the specific contribution of backward search versus forward evolution. The claim that ‘both components are necessary’ is weak without a full factorial design or interaction analysis.

Statistical Analysis

Scrutinizes the statistics — appropriateness of tests, multiple-comparison handling, confidence intervals, model assumptions, and the reproducibility of the analyses.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_statistical_analysis.md

The manuscript presents a novel search framework but lacks the statistical rigor required to validate its empirical claims. The primary concern is the absence of uncertainty quantification. In Table 1 (MuSiQue), accuracy improvements are reported as single point estimates (e.g., +3.0% over Tree-GRPO) without standard errors, confidence intervals, or p-values. Given the stochastic nature of LLM generation and evolutionary search, it is impossible to determine if these gains are statistically significant or due to random variance.

Similarly, Table 2 reports “Avg” and “Best” scores for open problem solving but does not specify the number of independent seeds used to compute these averages. The standard deviations provided (e.g., $\pm .014$) appear to be calculated from a single run’s internal variance or a very small sample size, which is insufficient for robust comparison. The claim that \ours\ has “lower variance” than baselines cannot be substantiated without reporting the variance of the mean across multiple independent experimental seeds.

Furthermore, the cost analysis in Table 3 compares raw wall-clock times. A proper statistical analysis should normalize these costs by the number of valid search actions or tokens generated to establish a statistically significant difference in efficiency. The ablation study (Figure 3) relies on visual inspection of EMA-smoothed curves; without statistical testing (e.g., bootstrapping the final performance metrics), the necessity of specific components remains an unproven assertion. The authors must re-run experiments with multiple seeds ($n \geq 5$) and report mean $\pm$ standard error, along with appropriate significance tests, to support their conclusions.

Action items.

- **[science]** Report standard errors or confidence intervals for all accuracy metrics in Table 1 (MuSiQue) and Table 2 (Open Problem Solving). Single-run point estimates (e.g., 7.0%, 10.4%) are insufficient to claim statistical significance over baselines like Tree-GRPO.
- **[science]** Clarify the statistical unit of analysis for the evolutionary search results. Are the reported ‘Avg’ and ‘Best’ values in Table 2 aggregated over multiple independent seeds, or are they from a single long run? If single runs, variance estimates are missing.
- **[science]** The cost analysis in Table 3 compares wall-clock times (64s vs 309s) without normalizing for the number of function evaluations or tokens generated. A statistical comparison of efficiency (accuracy per unit cost) is required to support the claim of ‘modest additional

overhead’.

- **[science]** The ablation study (Figure 3) lacks statistical validation. The claim that removing components ‘reduces performance’ needs to be backed by significance tests (e.g., paired t-tests or bootstrap CIs) rather than visual inspection of smoothed curves.

Writing Quality

Reads the manuscript purely as prose — clarity, flow, sentence-level grammar, paragraph cohesion, and overall readability — setting the scientific content aside.

Reviewer model: qwen.qwen3.5-122b

Prompt: agents/prompts/paper_reviewer_writing_quality.md

The manuscript is generally well-written, with a clear logical flow from the problem statement to the proposed method and experimental validation. The abstract and introduction effectively set the stage, and the theoretical sections are structured logically. However, there are specific areas where clarity and consistency could be improved to enhance readability.

First, in the Introduction (e000), the authors introduce the concept of an “entropy shell” to describe the limitations of expansion-only search. While this is a key theoretical claim, the term is used without definition or intuitive context for readers who may not be deeply familiar with information-theoretic bounds in LLM sampling. A brief explanatory clause or a reference to a standard definition would prevent confusion.

Second, there is a minor inconsistency in Section 3.1 (e000) regarding the forward search operators. The caption for Figure 2 explicitly lists five distinct operations: (a) Expansion, (b) Combination, (c) Deletion, (d) Translocation, and (e) Crossover. However, the main text immediately following the figure states: “We apply expansion... or evolution operators: (i) Combination, (ii) Deletion, (iii) Translocation, and (iv) Crossover.” By listing “Expansion” separately in the sentence structure but then omitting it from the numbered list of “evolution operators,” the text creates ambiguity about whether Expansion is considered an evolution operator or a distinct category. The text should be revised to align with the figure caption, either by including Expansion in the list or by clarifying the distinction more explicitly.

Finally, in the Appendix (e001), the prompt templates provided for the different evolutionary operations (Combination, Deletion, Crossover, Translocation) all conclude with the exact same block of “Key directions to explore.” These directions (e.g., “The optimal arrangement may involve heterogeneous or variable-sized elements”) appear to be specific to the Circle Packing task but are pasted verbatim into prompts for logical reasoning or general code evolution. This repetition suggests a copy-paste error that undermines the specificity of the method description. The authors should review these prompts to ensure the guidance is tailored to the specific operation and task context described in each section.

Overall, the writing is strong, but addressing these specific points will significantly improve the precision and clarity of the manuscript.

Action items.

- **[writing]** In the Introduction (e000), the phrase ‘expansion-only search is confined to a narrow entropy shell’ is repeated without defining ‘entropy shell’ for a general audience. Define this term or provide a brief intuitive explanation upon first use to ensure clarity.
- **[writing]** In Section 3.1 (e000), the caption for Figure 2 lists five operators (a-e) but the main text only explicitly lists four: ‘Combination, Deletion, Translocation, and Crossover’. The text omits ‘Expansion’ from the list of evolution operators, creating a discrepancy with the figure caption and the preceding sentence.
- **[writing]** In the Appendix (e001), the prompt templates for ‘Combination’, ‘Deletion’, ‘Crossover’, and ‘Translocation’ all end with an identical, generic list of ‘Key directions to explore’ (e.g., ‘heterogeneous or variable-sized elements’). This repetition suggests a copy-paste error that reduces the specificity of the prompts; ensure each prompt’s guidance is tailored to its specific operation.