tenet DIAGNOSTICS
It's Good to Know

MC-2977

PLEASE SCAN QR CODE
TO VERIFY THE REPORT ONLINE

Name	: **MRS.NAGA LAXMI J**	TID/SID	: UMR2162620/ 30644477
Age / Gender	: 70 Years / Female	Registered on	: 07-Nov-2025 / 07:58 AM
Ref.By	: DR RAJASHEKAR CHAKRAVATHY M	Collected on	: 07-Nov-2025 / 08:01 AM
Req.No	: 25BNJH0012386	Reported on	: 07-Nov-2025 / 12:52 PM
Sample Type	: Serum		

TEST REPORT

DEPARTMENT OF CLINICAL CHEMISTRY I

Uric Acid, Serum

Investigation	Observed Value	Biological Reference Interval
Uric Acid. Method:Uricase	**5.9**	2.4-5.7 mg/dL
Note	Kindly correlate clinically	

Interpretation

It is the major product of purine catabolism. Hyperuricemia can result due to increased formation or decreased excretion of uric acid which can be due to several causes like metabolic disorders, psoriasis, tissue hypoxia, pre-eclampsia, alcohol, lead poisoning, acute or chronic kidney disease, etc. Hypouricemia may be seen in severe hepato cellular disease and defective renal tubular reabsorption of uric acid.

* Sample processed at National Reference Laboratory,Tenet Diagnostics,54, Kineta Towers, Journalist Colony, Banjara Hills

--- End Of Report ---

Dr.Abdur Rehman Asif
Consultant Biochemist
Reg.No - APMC/FMR/78102