
STC COOKBOOK "REVISED" APPROACH TO STC OPERATIONS



Network Operations Management (NOM)

March 2005

TABLE OF CONTENTS

STC OPERATIONS - A COOKIE-CUTTER APPROACH

INTRODUCTION **1**

WHAT IS THE STC 1
WHY STC 3

SURFACE TRANSFER CENTER PROGRAM (STC) **5**

STC FUNCTION 5
Break/Bulk Operations *5*
NETWORK NODES AND FEEDERS 6
"PARENT/CHILD" RELATIONSHIP 6

PLANNING PROCESS **7**

STC CRITERIA 7
STC TIMELINE 10

INFORMATION SYSTEMS **11**

NATIONAL AIR AND SURFACE SYSTEM (NASS) 11
TRANSPORTATION INFORMATION MANAGEMENT EVALUATION SYSTEM (TIMES) 11
SCAN-WHERE-YOU-BAND (SWYB) 11
STC MODELING 12
USPS Corporate EIS *12*
National Traffic Management System (NTMS) - Plan vs. Actual Analysis *12*
Error Reporting System (ERS) 13
Load Restraint Reporting System (LRRS) 13

TRANSPORTATION SCHEDULE REQUIREMENTS **14**

Frequency *14*
Contract Specification *14*
Procurement Of Emergency Highway Contract Service *15*
Contingency Plans *15*

STC TRANSPORTATION MATRIX ***16***

Mail Classes *16*
Develop STC Operating Requirements *16*

CREATING THE STC OPERATING PLAN ***19***

PLACARD PROGRAM **20**

FIELD TRAINING **22**

OPERATIONAL READINESS **22**

MAIL TRANSPORT EQUIPMENT (MTE) **23**

MAIL TRANSPORT EQUIPMENT (MTE) PLANNING *24*
MANAGING MTE *24*

VISUAL AIDS **24**

"TRIPS" *24*
Staging Area *25*

OPERATING THE STC **26**

PRODUCTIVITY ASSESSMENT 26

FACILITY MANAGEMENT 27
Managing Dock Operations 27
Managing Bullpen Operation 28
Managing Rehandling Operation 28
Safety (All Employees) 28
Administrative (STC Manager) 29
ADMINISTRATIVE RESPONSIBILITIES 29
Area Distribution Networks Office 29
Manager, Transportation and Networks 30

STC IRREGULARITIES 30

SLIDE LABELS 30
NON-NETWORK AND OFFNET 31

QUALITY CONTROL 32

MEASURING FOR SUCCESS 32
STC Metrics 32
STC NETWORK ENHANCEMENTS 33
Network Change Process 33
STC OPERATIONAL REVIEW CHECKLIST 34
Platform Operations 34
Bullpen Sort Area 34
Rehandling Operation 35
Administrative Issues 35

STC OVERVIEW 36

STC OPERATIONS
A COOKIE-CUTTER APPROACH

INTRODUCTION

In 1989, the United States Postal Service implemented the first STC (Surface Transfer Center Project) network by creating three consolidation STCs in the former Northeast Region (Binghamton STC 13H NY, Northern STC 01H MA, Bronx STC 10H NY). The network was created to transport mail intra-area. The success of this program helped to eliminate transfer problems experienced at various P&DC and P&DF(s) and improved service performance within the area.

Since then, the STC network has evolved to a National network of 13 facilities. As new sites are implemented, each is unique and operates independently with few similarities. Some sites operate as truck terminal operations, while others perform a sortation to purify mail by product type. Operating differently causes problems to the overall network, impacting each site's ability to function properly.

In order to ensure smooth network flows, it is important that new and existing STCs function in the same manner. The purpose of this cookie cutter approach to STC operations is to establish those guidelines which must be followed by all future STCs for successful network integration. The Manager of Surface Operations has been tasked with standardization of STC operations.

What is the Surface Transfer Center Program (STC)?

STC is a specialized transportation network designed to divert specific destinations from air transportation and put them into a dedicated surface network. Sorting containers by product type and trucked to final destination the USPS can improve service by avoiding many of the problems associated with commercial air carriers. STCs also serve as a concentration point where mail can be consolidated and transportation can be optimized, since surface transportation has proven to be more cost effective.

How does a STC Function?
Imagine a wagon wheel. Now, think of the "hub" at the center of the wheel as a centrally located city where the STC would be located. Instead of several trucks moving independently between the many cities on the "rim" of the imaginary wheel -- they would converge on one central point. Because they don't have to go to all the destinations on the rim, the trucks that are going to this central point (STC) are now capable of carrying mixed, or multiple destination loads. When the trucks reach the STC -- they unload their containers, the mail is then identified by label, massed with other mail for that particular destination, and moved to the docks where outbound trucks are waiting. The mail is then loaded


onto trucks for trips from the STC out to the final destinations on the "spokes". The STC must establish its role within the national STC Network.

This is first done by defining the intra-destinating service area, by providing direct transportation to the ADC/AADC or both, with pure mail-type containers. This relationship defines the "PARENT" STC! All plants within the intra-service area are nodes, and are the responsibility of the Parent STC. The Parent STC can also be responsible for feeder facilities outside of their intra-service area, not yet under a Parent STC, having enough volume to warrant feeder service to a STC site.

An important feature of a STC is performing **BREAK/BULK** operations; sorting mail by product type and shape. Mail arrives at the STC from the nodes or feeders in mixed destination, pure mail type containers (i.e., letters, flats, Priority). The break/bulk operation at the STC sorts the mail into direct pure mail type containers for direct transportation. The advantages of performing break/bulk operations are:

-Containers become available for earlier dispatches at the STC and origins
-Improved container utilization
-Improved transportation cube utilization
-Building multi-ZIPPED containers requires less floor space at origins
-Containers are ready for distribution, bypassing incoming bullpens requiring less Man-hours at destination

Manual Sort Operations



Why STC?

Strategic Initiative V was a program designed to improve service and achieve cost savings. At that time Logistics' piece of that pie was to reduce expenses $600 million by the year 2000. The STC concept accomplished this by reducing, point to point transportation on surface and mail that currently flies by commercial air carriers. Surface transportation costs an average of $.20 less per pound than air. In addition, the STC was instrumental in capturing savings by optimizing transportation resources along with maintaining or improving service. STC also supports the new service initiatives to improve on time performance for two and three day mail. Plants now can expect to receive their mail sorted by mail type, at the same time daily.

Mail routed via surface (point-to-point), typically makes one or more surface connections at transfer point(s) prior to arrival at destination P&DC. Previous testing indicates mail making one or more surface transfers will miss the planned connection approximately 13 percent of the time. Usually, mail routed by surface does not generate enough volume to warrant a direct surface trip between O&D pairs. In fact, traveling 600 miles requires 2,100 pounds of FCM/Priority in each direction to break even. Worse yet, mail designated to fly is held at the origin AMC all night for a bank of morning/noon flights, rather than advancing mail to the destination.

There is no arguing that a STC operation cannot compare with point-to point transportation in terms of speed. Given that approximately 40 percent of our product that flies, flows through an airline hub and spoke as opposed to point-to-point and given the low reliability achieved in that network, it is only prudent to explore more efficient options.


A STC cannot capture transport efficiencies if plants do not dispatch mail in accordance with their plan and continue to send planned surface dispatches to an AMC. Lack of quality dispatch discipline, operating plan failures, and dispatch errors (offnet mail) reduce potential savings.

Sorting containers by mail type and utilizing point-to-point transportation the USPS can improve service by avoiding many of the problems associated with commercial air carriers. Containers can be available for transportation earlier, ready for distribution operations, bypassing incoming bullpens. In addition, by separating mail by type, the cubic utilization of trucks is enhanced.

OPERATION TYPES

- STC-GATEWAY
- STC-END OF THE ROAD
- STC-GATEWAY
- STC-END OF THE ROAD

STC OPERATIONS DESIGN



SURFACE TRANSFER CENTER PROGRAM (STC)

STC is defined as a specialized surface transportation network designed to divert origin and destination pair mail volume from air transportation and serve as a concentration point to consolidate volume from under utilized surfacing trips. It is a dedicated facility capable of performing **Break/Bulk** or sorting Priority, periodicals and First-Class Mail by mail-type.

STC FUNCTION

There are several ways mail can enter the STC network. Transportation may service a node, a feeder facility, another STC, or arrive from a mailer's plant. Also inter-modal transportation can be realized because of the proximity to an airport (i.e., air to surface or surface to air connections).

Generally, mail is transported to a STC site by truck from network nodes or feeders in containers by mail type for mixed destinations. As trucks arrive, containers are off-loaded and identified by standardized placards affixed to each container. Containers are either cross docked or moved to a Break/Bulk bullpen operation where mail is sorted to direct ADC/AADC containers by mail type. As containers fill, they are moved to staging areas or pre-loaded onto trucks that transport the mail to final destination or "network spoke."

Break/Bulk Operations

It is important to highlight the benefits of performing **Break/Bulk** operations at a STC. They include:

- Advancing mail on earlier dispatches to and from the STC by consolidating several ADCs in containers
- Recapturing work floor space normally required at an origin for bullpen operations
- Improved container utilization
- Improved transportation cube utilization
- Reducing work-hours used at destination and origin. Container make-up by mail type bypasses bullpen operations at the destinating plant and mail can be transported directly to an automated or mechanized operation for distribution
- Reduced AMC transportation and handlings
- Relieving air hub congestion
- Improving mail flow and profiles

NETWORK NODES AND FEEDERS


Nodes for a STC are defined as mail processing plants geographically located within the "Parent" STC's service area (intra-service area). These plants are permanently assigned to dispatch specific destinations of two and three-day First-Class and Priority Mail to the "Parent" STC. The nodes will dispatch to the "Parent" STC site mixed ADC/AADCs in containers by product type and shape.

Feeders include mail processing plants or other STCs located outside of a STC service area (inter-service area). Participating feeder sites function exactly like the nodes, but usually get only one chance to dispatch mail into the network. After the STC dispatch, feeders must scan mail for air transportation.

By participating in the STC network nodes and feeders can and should eliminate point-to-point service where possible.

"PARENT/CHILD" RELATIONSHIP

"PARENT" - Defines the intra-STC service area as shown by nodes B-H.
"CHILD" - Defined as (1) a node (B-H) that sends all originating mail to specified STC network destinations; and, (2) a node (B-H) receiving all destinating mail from specific origins on the STC network.



PLANNING PROCESS

STC CRITERIA

The following are important criteria for initiating a STC network. During the planning process, preparation of the following will ensure successful implementation of the program:

- Select a geographic area with the greatest opportunity for reach, servicing a two and three day network from a location which has adequate volume available for surface diversion. Transportation must be service responsive and economical.

- Select a location in an area with adequate highway infrastructure with access to an AMC to support contingency routing (commercial airlift).

- Determine space requirements of the building structure needed, and sites necessary to meet operational needs using standards published in Handbook AS-504, *Space Requirements.* New facility project actions require the preparation of detailed space requirements and must be included in the Facility Planning Concept (FPC). The FPC provides the foundation for establishing the operating concept for facility projects. The FPC also contains important information about what functions, automation, and equipment are to be included in the proposed facility project. Without this information, proposed new buildings cannot be properly sized. Management Instruction AS520-96-9, entitled Facility Planning Concept, should be used as a reference guide for preparation of the required information.

- The location chosen must be established as a separate facility (if applicable) with a separate account number to track savings and expense. This also prevents sharing resources that will dilute the effectiveness of the STC.

- Preparation and approval of the Decision Analysis Report (DAR), and must identify anticipated cost and savings to be realized.

- Make a determination of staffing requirements – outsource versus postal employees. A decision to outsource will require preparation of a Statement of Work (SOW) for the Request for Proposal (RFP) to be solicited. Consulting and coordinating with Area Purchasing and Human Resource departments will be necessary.

- Ascertain the frequency of the STC is six (or five) days a week to ensure maximum connectivity to other STCs.

- STC facilities must report to the Area DN or Headquarters Surface Operations for functional guidance.

- The site must be a separate facility code in NASS to identify CETs, CTs, transfer times, and identify routing opportunities within the operating plan.

- STC facilities must obtain a bilateral agreement (in writing) if transportation arrives after CET at destinations; such efforts should be coordinated with the affected Area DN.

- STC facilities must be capable of being tied into the Transportation Information Management Evaluation System (TIMES).

- STC facilities must incorporate Break/Bulk operations (sort by product type).

- STC facilities must be capable of cross docking direct-pallets.

- STC facilities must be capable of working mixed pallets

- Areas must ensure that all STC transportation routing is service responsive

THE MAIN INGREDIENTS - PLANNING A STC

Surface Operations – Business Unit Finance - Review and approval process for identifying new transportation resource requirements and cost reductions. Requests should be submitted at the earliest time in the program development process when all necessary data is available. The following is reflected in Draft Management Instruction (dated).

Submission of Requests – Planning group should originate with field managers at the District level or above. The level of origination is dependent on the scope of the change and the estimated cost impact. The origination level is the lowest at which all information required to prepare a request is available; this may be at the District or Area level as appropriate.

The servicing Distribution Network Manager prior to submission to Headquarters must review technical Review – all support documentation, regardless of the originator. This technical review will insure that the submission contains all needed forms and that the data included is accurate and current.

Approvals - All expense documentation must be approved by the responsible Area Vice President prior to submission to Headquarters for a decision.

Develop TIMELINE - A timeline must be developed at the earliest stages of the project, documenting expected completion dates for every task involved to successfully begin STC operations. List each task needed, from the planning

stage to full up operations. Those tasks play a major role in STC implementation process and will decide the success of a STC operation.

Develop Transportation Matrix - The transportation matrix for the STC must be service responsive for all two and three day O&D pairs within the Network. Include Critical Entry (CET) and Clearance Times (CT) for all O&D pairs to plan proposed transportation's ability to meet two or three day service. This information is vital to the STC Facility Operating Plan and MTEL development.

Convert Plan vs. Actual volumes from pounds to pieces for the conversion to surface transportation for all proposed surface transportation; quantify highway cube requirements. This will determine if the expected volume warrants mode conversion to surface. Combined volume available from several processing plants, make STC necessary and efficient.

Document actual Leave and Arrive times for all proposed routes and trips in TIMES, as reported on statement of service in TCSS, establishing transfer times for working and direct containers or pallets.

Document surface distance and travel times insuring Network integrity prior to submitting proposed requirements to Contracts.

TIME CHANGES AND TIME ZONES - Must be incorporated in the transportation schedules when traveling across a time zone. From west to east you add one hour to the actual travel time when traveling across a time zone from east to west you subtract one hour from the travel time. Contract requirements must take into account the changes in arrival and departure times, determined by Time Zone and clock changes in October and April. The leave time at origin should remain constant year round during a time change.

FREQUENCY - All STCs should operate on the same frequency schedule. At a minimum transportation frequencies should be no less than R1 (Daily except Monday, and day after New Years Day, Independence Day, Thanksgiving Day, Christmas Day).

HOLIDAYS - Operations outside of the R1 frequency should be coordinated with all other STC and Distribution Networks offices.


Space Requirements

In the attached example, there are 50 separations and staging for containers. This example uses almost 5000 sq. ft. Using this as a minimum requirement, a rule of thumb would be to allow 100 sq. ft. separation. However, this does not allow for a great deal of area for moving and staging mail coming off trucks, and staging empty equipment. It would be fair to say that for every sq. ft. of area, there should be two sq. ft. of support area. This would bring the space requirements up to 300 sq. ft. per separation.

Other variables must be considered. For instance, in this example spacing of columns is 50" x 50", which is not what you would find. If the column spacing were 25" x 25", it would increase the need for space for both staging and work.

Another way of looking at the space requirements is based strictly on the amount of containers worked and transferred through the facility. Based on existing STC facilities, this would require between 7 and 28 sq. ft. per container worked.

Based on both of these, a fair appraisal of the sq. ft. required would..... to take the number of bullpen separations needed and multiply by..... Then divide this total by the anticipated in/out volume of equipment. This should fall in the 7 to 28 range.



STC TIMELINE

A timeline must be developed at the earliest stages of the project, documenting expected completion dates for every task involved to successfully implement STC operations at the desired start-up date. Identify each task for each phase of the planning process. An area core committee should be established and responsible for completion of the action items. The core team should be comprised of individuals with expertise to work on issues expediently, and play a major role in the STC implementation process. Use of Microsoft Project to develop the timeline is recommended.

INFORMATION SYSTEMS

Telecommunication and information system requirements must be considered in the planning process to enable accessibility to the following postal sub-systems.

National Air and Surface System (NASS)

Upon Area approval of all required documentation and prior to network implementation, written notification should be provided to Headquarters, Routing Policy and Networks for establishment of a new STC facility code. Notification should include the proposed new facility code, finance number, facility characteristics, transfer, clearance, and critical entry times.

Completion by Headquarters will provide the field required access to the NASS database to create STC facility routings. More importantly, TCSS interface to NASS must occur for input of network transportation awarded to highway contractors. Ultimately, this information will pass to TIMES to record transportation arrival and departure.

Transportation Information Management Evaluation System (TIMES)

Transportation Information Management Evaluation System (TIMES) will be used by dock clerks to collect data about the arrival and departure of surface transportation, and communicate that information to other USPS processing facilities. Receiving facilities can view information about incoming transportation and make determinations about resources and scheduling. As a planning tool, the system aids in balancing the network and container tracking. All nodes, feeders, AMCs, and STC facilities should be on-line and networked to the LAN site.

TIMES require 100% data accurate input by all sites to make the available reports reliable. This is one of the most important management tools available to manage the performance of all surface transportation; in any network. TIMES reports are required documentation when, submitting service change requests, and justifying point-to-point transportation. The reports also show where regional MTE deficits occur and why. Extracting and analyzing TIMES reports will improve data entry by TIMES sites. In order for TIMES to be effective, entries must be made promptly.

Scan-Where-You-Band (SWYB)

The Scan-Where-You-Band (SWYB) system should be implemented at the STC to handle overflow, offnet and non-network volumes that may be received. The system is an automated means of assigning mail to air flights and producing Dispatch and Routing labels. Performing this function at the STC will eliminate a handling at the origin AMC servicing the STC in contingency situations.

At origin, distribution tables contained in SWYB must be updated to reflect STC surface dispatches for First Class and Priority. Star Cluster, in CIS (Corporate Information System) reports will identify missed opportunities for surface transportation, showing mail scanned after the surface trip has departed.

STC MODELING

The following systems can be used to assist area core committee planners in modeling the STC.

USPS Corporate EIS

The Service Commitment EIS is an on line application on the intranet, displaying service commitments using a map of the continental United States, http://ssd/. Color codes show service commitment for each mail class. Originating or destinating facilities can be selected by choosing names from the pull-down menu, entering three-digit codes in the space provided, or choosing geographical locations on the map. Estimated miles are shown for any destination once an origin is chosen. Under the Network option, the map displays show graphic locations such as ADC, AADC, BMC networks and the service area for each.

National Traffic Management System (NTMS) - Plan vs. Actual Analysis

Another tool that available is NTMS. This system assists in the identification of volumes flown by commercial air carriers. Conversion from pounds to pieces to quantify highway cube requirements will be needed to scope the overall STC transportation network. This exercise will determine if the expected volume warrants mode conversion from air to surface. Remember: NTMS, plan vs. actual volumes only report what is available at an air stop. It does not report the volume contribution from the plants feeding the air stop.

The Error Reporting System (ERS)

The Error Reporting System provides a tool for recording and reporting problems associated with STC operations. This system provides information critical to improvement of the quality of mail preparation from originating sites, proper routing of mail from originating sites, and on-time arrival of the mail at the proper STC or end destination. The Error Reporting System allows the STC to record and report the condition of mail it receives.

The system provides the ability to send generic daily and weekly email messages to each originating facility which has sent offending mail to the STC since the last transmission of data to the mainframe. Reports on offending mail events for the specific originating facilities will be attached to the email messages.

The offending mail records will be rolled up at the end of each day and sent to the mainframe via FTP TCP/IP. This data will be stored in a FOCUS database and will be available to users with access to CIS.

Load Restraint Reporting System (LRRS)

The Load Restraint Reporting System (LRRS) is a national web-based reporting system designed to track exception data when trailers arrive without the required number of straps, or, are improperly loaded. This program establishes historical data to document and spotlight those facilities that consistently fail to restrain their loads properly.

The system can be used for all vehicles over 10 ft. in length. It encourages safer transport of mail and reduces exposure to liability. The system was deployed nationwide on August 28, 2003.

Transportation Contract Support System (TCSS)

Access to TCSS should be considered for read-only for the STC manager.

TRANSPORTATION SCHEDULE REQUIREMENTS

Formulate transportation schedule requirements as accurately as possible. Planning Specialists at the Area Distribution Networks Office are required to provide pertinent information governing state speed laws, an estimated line of travel and travel time required by the highway contractor.

Transportation schedule proposals should take into account:

Transportation movement between time zones

Seasonal trips determined by time changes in observance of Daylight Saving Time, April through October, where necessary. The departure time at origin should remain constant year-round during a time change period.

Standardize load/unload times

Establish postal standards for travel time should be applied

Frequency

The frequency of STC transportation is determined by the STC's days of operation and holiday schedule as stated in the operating plan. To maximize STC connectivity all node, feeder and inter-STC transportation should have the same operating frequency as the STC.

Contract Specification

Procurement of Highway Contract Routes (HCRs) requires the following minimum specification.

1. Tractor
2. Trailer length minimums 45' to 53'
3. Trailers must include:
   * Dual E-Track load restraint system
   * Door savers
   * Tandem axle
   * Roll-up doors
   * Trailer locking device
   * Stake Pockets
   * Pocket installed in the interior for postal forms
4. Contractors must have cellular phones
5. Pagers

Procurement of Emergency Highway Contract Service

Contingency Contracts - "Go Anywhere" contracts provide a contingency outlet for movement of increased/overflow volumes and should be a consideration.

Contingency Plans

Formulate contingency plans to anticipate abnormal conditions. Some suggestions include plans to accommodate:

- Dispatch of off-network volume
- Alternative routings or facilities for overflow volume
- Late arriving transportation/omitted service
- MTE deficiencies
- Facility power outages
- Spare straps/shoring bars
- Label printing machine
- Weather/Acts of God
- Acts of Terrorism
- Alternate facilities (if necessary)

STC TRANSPORTATION MATRIX

Preparation of the transportation matrix for the STC will immediately identify service responsiveness for two and three-day O&D pairs within the network. Document schedule arrival and departure times; include and align Critical Entry (CET) and Clearance Times (CT) on the matrix for each origin. This information is vital in the STC Facility Operating Plan and Placard development.

Mail Classes

During the planning stage it is important to decide which mail classes will be processed at the STC. This will affect the transportation matrix that must be service responsive for all classes of mail chosen. The primary function of the STC is to process First-Class and Priority Mail. However, it is noted that some STCs have opted to include other mail classes such as Express, periodicals and Registered Mail where service and security are not jeopardized.

Currently, STCs are not required to handle Registered Mail as deemed by the area or the headquarters reporting office. STC and feeder sites must receive specific instructions and approval in order to route Registered Mail through a STC. As an example: the Indianapolis STC has already notified all Area DN offices on the network that they cannot accept Registered Mail.

Develop STC Operations Requirements Matrix

1. Select location based on the criteria established by STC expansion planning group
2. Select the potential node locations within an acceptable mileage reach
3. Document CET's and CT's for potential node locations. This will establish the transportation window
4. Document service standards for the nodes on the network
5. Determine the mileage between STC and spokes (nodes)
6. Establish potential mail volume using **Plan vs. Actual** for air-to-surface diversions, and **TIMES** to estimate volumes moved from surface nodes (O&D pairs) into the STC
7. Establish the travel time between the nodes and the STC using 45-52 MPH (speed will be contingent upon input from the Area DN Transportation Specialist)
8. Establish the schedule and frequency of operation
9. Determine the STC operating window. This is done by calculating the time between your last arrival and your first departure (This window can be expanded or contracted depending on staffing obtained to process the volume transiting the STC).

10. Determine the volume of mail flowing through the STC at start-up
    - This can be done by limiting the number of vehicles dispatched to the STC, or the volume by destination being dispatched from the STC
11. Project the cost for transportation
12. Project the cost for sortation
    - Convert pounds into pieces
    - Establish piece per hour throughput
    - Calculate the number of employees needed
13. Track the cost of the operational savings for future use
14. Establish transfer times– how much time is needed for working & direct containers

Sample of STC Transportation Matrix

	MORNING OPERATION					
	CT	STD	STA	STD	STA	CET
	2-DAY	(ORIG.)	(STC)	(STC)	(ORIG.)	(ORIG.)
370	0230	0230	0930	1030	1530	1800
370	0230	0315	1015	1100	1600	1800
373	0230	0145	1030			N/A
373	0230					N/A
377	0230	0210	0940	1010	1800	1800
377SH	N/A	N/A		1010	1700	N/A
377SH	N/A	2000	0300	0845	1545	N/A
380	0230	N/A				1800
SDF	N/A	0515	0745	0930	1200	1530
SDF	N/A	0500	0730	1230	1530	1530
400	0100	0430	0730	1230	1500	1625
400	0100	0530	0825	1145	1440	1625
403	0100	0345	0825	1145	1625	1845
430	0100	0220	0720	1145	1600	1800
430	0100	N/A	N/A	N/A		1800
430	0100	0445	0900	N/A		1800
430AX	N/A	0245	0745	N/A		N/A
430AX	N/A	0300	0720	N/A		N/A

	EVENING OPERATION					
	CT	STD	STA	STD	STA	CET
	3-DAY	(ORIG.)	(STC)	(STC)	(ORIG.)	(ORIG.)
370	0430	N/A				0800
370	0430	1100	1800	2230	0330	0800
373	0230			1430	2330	0800
373	0230			2000	0500	0800
377	0430	0815	1600	2215	0600	0800
377SH	N/A	N/A				N/A
377SH	N/A	N/A				N/A
380	0430	0915	1945	2230	0800	0800
SDF	2359					N/A
SDF	2359					0800
400	0100	1500	1730	2230	0100	0800
400	0100	1405	1700	2230	0125	0800
403	0100	1220	1700	2230	0310	0800
430	0400	N/A		1700	2130	0800
430	0400	N/A		2230	0230	0800
430	0400	N/A		2315	0330	0800
430AX	N/A	N/A				N/A
430AX	N/A	N/A				N/A

OPERATING PLAN

The STC operating plan differs slightly from a mail processing plants'. The operating plan is driven by, (1) the turnaround time to process working and direct containers and (2). the transportation matrix (leave and arrive times of all transportation). Clearance times are based on transportation departure times. These established leave times allow origins to plan, based on the transportation matrix, what destinations they could send into the STC. The transportation arrival time, plus the turnaround time determines the Critical Entry Time for all dispatches.

Operating Plan should include:

1. Updated transportation matrix.
2. Dock transfer times, stating turnaround time for working and direct containers
3. Hours of operation
4. Critical Entry and, Clearance Times (CET and CT)
5. Equipment needs; shrink wrap, and banding machines
6. Rewrap SOP and clearance time
7. Operational responsibilities for each area
8. Service Area: Intra and Inter service area
9. Dock limitations
10. Distribution requirements (ADC/STC) separations
11. Bilateral agreements for destinations accepting mail beyond CET
12. Contingency Plans; transportation, weather, mech. down time, etc.

PLACARD PROGRAM

All STC sites must utilize a standardized placard. Problems occur when placards, created by each Area require different interpretation and container handling across Area boundaries. MTEL is a new web-based application that will provide standardization of placard printing system-wide. This program is in the process of being implemented.

Eventually all placard administration will be controlled by the MTEL program to maintain distribution and network integrity. Instructions to the field on proper placard use must be issued prior to STC startup date. Placards may not be changed or altered in any manner by field personnel. Each plant will be sent an updated placard file when additions or changes to STC placards are made. The hard copy stock must be destroyed when a new placard (MTEL Program) is implemented. An effective date must be included on all placards to identify the latest version approved by the Area DN.

Placards should be on white paper, 8 ½" X 11". The following numbered list corresponds with the placard exhibit on the next page:

1. **Destination** facility name
2. **Via** - Facility name where the first dock transfer occurs
3. **Date:** Date of dispatch from origin facility
4. **Departures:** Route(s)/trip(s) leave times indicating the intended transportation from the **ORIGIN** plant, up to three per placard
5. **Contents:** Include 3-digit ZIP spans for container sort
6. **Origin** facility name
7. **Effective date**
8. **Placard ID number**

Placard reviews should be performed as often as necessary to monitor compliance by the Area DN. The reviews should include making sure that no two placards in the same bullpen operation, at the same time of day; have the same distribution in the contents section.

TO: Southern MD PDC 207

via JERSEY HASP 070JH

DATE: 10/07/2003

Departure(s):

HCR:	07129	TRIP 3	0100
	07129	TRIP 7	0415

CONTENTS: FIRST CLASS- LETTERS

206-209

LOAD IN FRONT OF TRANSPORT

STAGE # C7

IF MISSORTS OR OTHER PROBLEMS EXIST PLEASE CALL:617-344-2365

Origin: NEWARK MAIN POST OFFICE 070

Effective: 09/01/2003

FIELD TRAINING

A comprehensive training program should be developed and conducted with field employees prior to implementation of the STC network. Training should help employees understand the benefits of STC operations.

The training program developed should encompass key areas such as:

Quality Dispatching ... defining the motto of "Right Mail, on the Right Truck, at the Right Time." Equipment used standardized placards, Logistics Directory; labels and dispatch references such as NASS Reports, local visual aids.

Platform Operation and Transportation... information must stress the importance of proper container/content identification (placarding), accurate recording of transportation arrivals, departures irregularities in **TIMES** and safety.

Communication... whose responsibility is it to ensure offices are contacted.

Administrative Responsibilities... to manage the STC network.

Contingencies... alternatives to moving the mail.

NOTE: It is not recommended to furnish contracted labor with postal training material. Potential bidders must provide a detailed training plan for employees in proposal submissions.

OPERATIONAL READINESS

To ensure operational readiness for the STC, a review of the STC timeline should be conducted with core committee members to guarantee completion of all tasks. It may be necessary to conduct frequent meetings as you approach start-up to finalize any pending issues.

In preparation for readiness assessment, major obstacles in the following areas cited below will impede opening of the STC facility. These areas must be monitored closely and problems communicated immediately.

Beneficial Occupancy, Safety Inspection, Telecommunications and Information Systems, Labor, Equipment, Inspection Service and other areas that may impede the readiness of the facility.

MAIL TRANSPORT EQUIPMENT (MTE)

MAIL TRANSPORT EQUIPMENT (MTE) Planning

Controlling MTE is best accomplished by first preparing an MTE Service Plan based on the rule of a one-for-one exchange of MTE between the NODES and STC. There will be no perfect balance between facilities. One or more facilities will find themselves in either an equipment deficit or surplus condition under the STC operation. It is imperative that the STC plan allows for sufficient space and inventory stores to manage the balances. Establish a "bank" of equipment that is readily available on-site or at certain "deficit" nodes to manage the peaks and valleys. Surplus nodes must readily return excess MTE to the STC "bank" on either a space available basis, or through a network of surface trips (extras if necessary). This management methodology must be presented in the STC proposal and should identify projected weekly balances by Feeder, Node, and STC operations.

The Area will participate in supplying the "banks" with reserve equipment when imbalances are not managed efficiently. Headquarters MTE may order distribution of equipment from Mail Transport Equipment Service Center (MTESC) locations to accommodate the Areas' request for equipment. Lack of planning or delay in recognizing the imbalances that lead to "out of stock" situations. Distribution supply patterns, HQ or otherwise, should not be relied upon to provide "just in time" reserve equipment. The importance of establishing and managing an adequate equipment "bank" is critical to the STC operation. Plan to recommend that the STC facility design be large enough (square footage) to store a "bank" of MTE.

The simple rules of thumb to follow when establishing the MTE Plan are:

- Prepare for maximum equipment utilization between the feeders, nodes and STC. Quantify this information.
- Maintain a closed loop of equipment within the STC service area.
- Build a "bank" of equipment prior to STC operations to contribute to the STC network. Nodes must do the same.
- Plan on storage space
- Maintain a 7-10 day "bank" of rolling stock equipment on hand at all STCs
- Seek help from the Area and headquarters MTE in developing the plan

The primary equipment types that should be sent to a STC consist of rolling stock (GPMC/APCs) or pallets. The following types of equipment should not be sent to a STC:

- BMC/OTRs
- AMTRAK "Red Top" containers
- Wiretainers
- Hampers or Utility carts

MANAGING MTE

Define in the management plan all known equipment deficit and surplus areas. Identify mailers, customers or operations that use equipment other than rolling stock (i.e., pallets, Gaylord boxes) that will circulate in and out of the STC.

Create a daily log sheet by NODE to manage the exchange. Allow the imbalances to be corrected internally within a seven day time frame. If imbalances reduce the "bank" to a critical three (3) day level, manage the return of the equipment from the nodes and notify the Area DN office of the need to re-supply the "bank". The areas will coordinate the movement of equipment to the STC from internal storage locations, or request assistance at the Headquarter level.

Create a SOP to exchange equipment one-for-one where possible, between sites/areas. The use of pallets will affect this exchange, but deficits can be kept to a minimum. The best method has origin nodes load 100 percent container loads to make a one-for-one exchange at the STC. Notify the Area DN when and where deficit nodes exist, who does not cooperate in assisting in a proper exchange of equipment. Monitor daily equipment flows using a local equipment log, TIMES, and internal inventory control counts.

VISUAL AIDS

Visual aids, such as menu boards and dispatch reports, must be monitored and kept current to be effective.

"TRIPS"

If an electronic display medium is selected, "TRIPS" (Transportation Routing Information Panel System) offers a state of the art method for communicating real time dispatch information to the workroom and dock employees. It replaces methods of posting signage and eliminates the need for duplication of hard copy dispatch reports.

Signage

Signs should be strategically positioned to denote bullpens, CT, CET, Inbound and Outbound bay doors in facilities.

Staging Area

The staging area should be marked off on the floor showing trailer capacity for each dispatch. This would quickly show the need for additional transportation. Markings can be made by marking designated areas on the floor or via overhead signs at staging areas and dock doors.

OPERATING THE STC

STC operations will require daily monitoring by the personnel assigned. This section will address operational and managerial tasks and responsibilities.

PRODUCTIVITY ASSESSMENT

Bullpen Distribution Productivity

The efficiency of bullpen distribution can be based on proximity and set-up of the staging area. Arriving containers should be staged to allow distribution on a first in/first out basis. Supervisors and employees should be cognizant of the need to stage mail properly for employees performing the sort operation within the bullpens. Moreover, bullpen areas should be set up to allow for a maximum number of employees and containers ample room (line of travel) and flow of mail necessary to promote efficient distribution. Areas selected for set-up must also allow for ample room for containers and must not obstruct the flow of mail into and out of the sort operation or create a safety hazard.

Valuable work hours can be lost when employees working bullpen operations are required to constantly remove and replace full containers. It is recommended that an employee serve as an expediter with the responsibility of removing and replacing full containers. This employee can also have the responsibility of maintaining the flow of containers in the bullpen to ensure mail is processed in the order in which it was received.

Bullpen areas should be designed to promote the efficient breakdown and distribution of mail (trays, tubs, and sacks) from containers. Walkways for employees performing manual distribution should not cause congestion if two employees have to use the same path to retrieve and/or distribute mail. To avoid excessive rehandling of mail, plants should be required to identify mail destined for distribution in the appropriate bullpen. For example, if two-day mail is primarily processed during the A.M. operations, any three-day mail should be identified so it can be processed in the correct bullpen and advanced. All P&DCs and feeder offices should be advised of the seriousness of mixing two-day mail destinations with three-day mail since this mail is normally processed during P.M. operations.

Mail arrives at the STC by mail type but, with mixed ZIP ranges in (predominantly) rolling stock containers. Both direct and working pallets are acceptable for distribution breakup at the STC.

Expectations – The average productivity by the contractor at the Indianapolis STC was over 200 pieces per hour in the letter mail bullpens and over 140 pieces per hour in the tub and sack bullpens. However, the intensity in the level of distribution in the bullpens can vary based upon the time of day, amount of mail on hand and the criticality of workload with the operational window.

Therefore, the STC workforce must be flexible and able to move from various bullpens and operational duties during the tour. It is not recommended to operate a facility where shared resources are required by other functional operations.

FACILITY MANAGEMENT

It is recommended that a STC Facility Standard Operating Procedure (SOP) is established. The following outlines a generic SOP of the core responsibilities for STC operation employees.

Managing Dock Operations

- Performs all normal reporting procedures for arriving and departing vehicles to include the following:

    1. Monitors TIMES information input via computer systems.
    2. Compiles and issues PS Forms 5398A, 5500, 5466, 5397, as appropriate, to contract drivers
    3. Maintains file of documents (i.e., 5398A, 5500, 5397, seals, etc.)
    4. Seals/unseals vehicles. Verifies and signs 5398A form received.
    5. Ensures loads are properly secured by drivers or dock personnel.
    6. Ensures proper compliance of duplicate seal program

- Monitors loading and unloading of all vehicles by employees, and accurately records container volumes received and dispatched via TIMES
- Ensures timely movement of mail to bullpen operation for sort
- Communicates transportation irregularities to the STC Manager (i.e., late arrivals, omitted service)
- Establishes contact with drivers and/or contractors, as necessary, to obtain periodic update of transportation delays
- Conducts vehicle inspections and records on PS Form 5201
- Advises STC Manager of anticipated volume overflow (bulk out) situations

Managing Bullpen Operation

- Ensures bullpen set-up is accurate by verification of placards
- Ensures timely movement of the mail from bullpen to platform to meet intended dispatches
- Monitors misrouted mail volume within each bullpen and ensures mail is moved timely to appropriate bullpen
- Provides feedback regarding quality of sort performed by employees

Managing Rehandling Operation

- Interfaces with employees in this section and monitors the redirection of mail to the appropriate bullpen for distribution and dispatch
- Ensures mail is returned to sort bullpen expeditiously to meet transportation
- Issues dispatch instructions to employees for "NON-NETWORK" mail
- Ensures correct labels and D&R Tags are affixed to mail for commercial carriage
- Prepares Irregularity Report(s) for volumes rehandled or received as "NON-NETWORK" and provides information to STC Manager

Safety (All Employees)

- Operate in a safe functional environment including:
  - Compliance with Postal Service safety guidelines to promote accident prevention
  - Timely report of any unsafe work practices observed
  - Compliance with the proper handling of HazMat substances
  - Ensure security measures are in place for protection of the mails and personnel.

Administrative (STC Manager)

- Conducts periodic reviews to determine rate of productivity performed by employees
- Oversees and coordinates the duties and responsibilities of postal employees assigned to STC
- Recommends termination action of highway contract routes to respective Administrative Officials and Area Distribution Networks Offices
- If appropriate, certifies and submits PS Form 5429 (Certification of Extra Transportation) each pay cycle to Area DN office
- Maintains daily problem log of irregularities. Communicates problem log to Area DN Offices for assistance
- Updates TIMES databases as needed
- Evaluates and prepares a summary of Tour Condition and furnishes to Area Distribution Networks Office
- Ensures periodic preventive maintenance is conducted on equipment (SWYB, ODLS/PASSPORT or MTEL equipment, copier machines, etc.)

ADMINISTRATIVE RESPONSIBILITIES

Administrative responsibility for the STC transportation and distribution falls under the guidance of the Area Distribution Networks (DN) Office Manager or Headquarters, Manager, Surface Operations.

Area Distribution Networks Office

The Area DN Manager, or his/her designee, is responsible for determining transportation requirements and maintaining network integrity. The DN Office must provide updated matrices and MTEL driven placards to all plants participating in the STC network. A STC representative should be designated to monitor and resolve network problems, initiate needed network changes, and participate in any opportunities to provide feedback to the designated STC management.

The Supervisor, Transportation Contracts or Contracting Officer at the Area DN Office is responsible for:

- Procurement of the transportation services required
- Awarding new service and renewing/extending existing contracts
- Negotiating amendments to existing contracts
- Termination of contracts when required

The Area DN Office will coordinate and communicate changes affecting the STC network with the Manager, Transportation Networks at each Processing and Distribution Center.

Manager, Transportation and Networks (Local Plants)

Equally important are the duties and responsibilities of the Manager, Transportation Networks at the Processing and Distribution Centers. Activities include the following:

- Initiating transportation change requests to the Area DN
- Administrative Official -
  - highway contractor orientation
  - contract compliance assurance
  - maintaining driver screening profiles
  - certify exceptional (extra) service
- Oversee supervision of dock operations
- Analyze service accomplishment
- Disseminate MTEL driven placards to the work floor, and verify compliance

STC IRREGULARITIES

Mail received at the STC without straps, sleeves, slide labels must be rehandled to correct deficiencies. When irregularities occur, a standard rework label should be attached to the ADC level of distribution to avoid misdirecting and delaying mail. The rework area must be equipped with a strapping machine, sleeves and a means for producing slide labels and D&R tags.

SLIDE LABELS

Despite the changes in mail flow and standard operating procedures, labeling practices condoned by both P&DCs and customers can seriously inhibit distribution in the STC, and have an adverse effect on service. During bullpen distribution large volumes of First-Class Mail (FCM) trays and tubs are identified, sorted, and massed together with mail for the same destination. Noted below are the common irregularities associated with incorrect labels:

- Label size- Too small for letter and flat tray pockets

- Label Print Quality - Labels that are too light are usually generated from a variety of operations such as On Demand Labeling Systems or DBCSs, and can barely be read by employees involved in distribution of this mail. In addition, large volume mailings from major mailers can contain labels that are

too light. Handwritten or color coded labels should not be allowed for use on any mail containers dispatched to the STC.

- Label Font Size (Human Readable) - Inconsistency in font sizes can seriously hamper distribution in bullpen operations. In some instances the airstop code is much larger than the ZIP Code on labels and vice versa. Moreover, there should be consistency and standardization in the placement of ZIP Code and airstop codes, since they are primarily used by employees during distribution.

- Incorrect Information on Labels - A common problem occurs when plants do not remove labels from trays left over from the previous day. As a result this mail is dispatched with the incorrect delivery date. This mail is often perceived as dead on arrival; however, upon examination the label displayed the incorrect delivery date. This happens particularly on mail dispatched from DBCSs equipped with label printers, or operations where a clerk did not physically remove labels from the previous day.

NON-NETWORK AND OFFNET

Non-network and offnet mail contribute too many of the irregularities experienced at the STC. Non-network mail enters the STC after the dispatch of value leaves. For instance, if mail intended for the A.M. network arrives at the STC on a P.M. truck, it missed the intended transportation and will have to be flown in order to make service. On the other hand, offnet mail covers all destinations not on the STC network. This mail will also have to be flown in order to make service.

Employ quality dispatch methods at origins to avoid receipt of non-network and offnet mail at the STC.

QUALITY CONTROL

Error Reporting System (ERS)

Error Reporting System provides a tool for recording and reporting problems associated with STC operations. This system provides information critical to improvement of the quality of mail preparation from originating sites, proper routing of mail from originating sites, and on-time arrival of the mail at the proper STC or end destination. The Error Reporting System allows the STC to record and report the condition of mail it receives.

The system provides the ability to send generic daily and weekly email messages to each originating facility which has sent offending mail to the STC since the last transmission of data to the mainframe. Reports on offending mail events for the specific originating facilities will be attached to the email messages.

MEASURING FOR SUCCESS

Development of a daily feedback process will advise origins of STC performance and must be in place prior to implementation. It is recommended that each STC have an effective quality measurement system and a simplified tour report.

STC Metrics

Service Performance

The assumption should not be made that the STC network is an automatic fix for two and three day service problems. The STC lights out philosophy insures that each STC will clear all mail daily. However, service performance analysis should be conducted for O/D pairs on the network each pay cycle by Network Specialists to monitor success or deficiencies. A plan to actively correct service deficiencies where noted is recommended.

Cost Savings Analysis

Weekly audits of NTMS (Plan vs. Actual) are necessary to disclose volumes flown from each origin airstop. The information contained in the report identifies additional opportunities for air to surface diversion.

STC NETWORK ENHANCEMENTS

Network changes to national STC operations are approved by Headquarters, Surface Operations. Changes to the network will be worked through a structured process that will maintain network integrity, add value, and ensure network connectivity to future STCs.

A service change is defined as any formally submitted request, with supporting documentation (i.e., justification), for additional requirements or changes in current transportation. All requests should be directed to Headquarters Manager, Surface Operations.

Network Change Process

The following procedures define the change request process:

- Upon receipt, each proposal will be evaluated to determine operational (sort) and network (transportation) impacts, and the value the request will add
- Identifies potential opportunities for network expansion (placard review) between O&D pairs
- Advises STC network service areas of expected change, if approved, and communicate opportunities identified
- Coordinates planned start-up with Area DN initiating the request to ensure network integrity (placard development and/or change)
- Updates National Network Matrix and disseminates to National STC Committee members
- Issues memoranda for any requests that are denied

Service Change Requests

Headquarters has developed a standardized process to provide a single Point-of-Contact for receipt and tracking that is designed to reduce cycle time; and develop an accountable system for submitted service change proposals.

This process is under the purview of headquarters Surface Operations.

STC OPERATIONAL REVIEW CHECKLIST

Below is a checklist to be completed when conducting follow-up visits to the STC. Its purpose is to provide a review of the STC operation to ensure adherence to the Standard Operation Procedure.

PLATFORM OPERATIONS

1. Are TIMES inputs being completed timely?
2. Are employees using TIMES correctly and are there excessed canceled trips.
3. Are transportation forms (PS Forms 5398, 5398A, 5466, 5500, etc.) filled out correctly, and issued by postal employees?
4. Are all vehicles securely loaded and sealed?
5. Are postal employees monitoring the loading and unloading performed by contractor or postal employees?
6. Is mail being expedited to the bullpen operations for sort upon arrival?
7. Are placards affixed to all containers departing the STC?
8. Are vehicle inspections being done periodically by postal employees?
9. Is PS Form 5201 being used for vehicle inspections?
10. Are extra trips reconciled each pay cycle on PS Form 5429?
11. Is there a file maintained for each transportation route?
12. Are vehicles departing the STC prior to scheduled departure time?
13. Are postal officials cognizant of all mail available that is staged in and around the platform area?
14. Are employees following the TRIPS System or other dispatch media for vehicle arrival and departure information (if applicable)?

BULLPEN SORT AREA

1. Are bullpen set-ups accurate and consistent with dispatch matrix?
2. Are placards placed properly on all containers staged for work or dispatch?
3. Are placards on all containers?
4. Is mail transported to the platform timely to meet vehicle departures?
5. Are missorts moved to the correct bullpen and handled expeditiously to make transfer?
6. Are sort quality performance reviews done and communicated to STC Management?

REHANDLING OPERATION

1. Are employees rehandling mail timely to ensure mail is returned to proper bullpens for sort and dispatch?
2. Is distribution and dispatch of "NON-NETWORK" mail accurate for AMC dispatches?
3. Are any backlogs being experienced in this area?
4. Are postal employees present in this area to observe and assist the contractor (if applicable)?

ADMINISTRATIVE ISSUES

1. Are updates to TIMES and TRIPS databases being performed?
2. Is the proper dispatch information posted or available to employees
3. Is preventive maintenance performed on label and other pertinent equipment?
4. Are problems noted and communicated to Area DN and Field Representatives?
5. Are extra trips being reconciled each pay cycle on PS Form 5429?
6. Is there a file maintained for each transportation route and are they readily available for reference?
7. Is there a follow up procedure in place to address recurring problems?
8. Is there a current contingency plan readily available if needed?

STC OVERVIEW

- **"Surface Transfer Center Program (STC) are dedicated transfer facilities within a specialized surface transportation network designed to transport First-Class, Priority and residual Periodicals**

  Targeting volume previously moved by air and under-utilized point-to-point surface transportation".

MISSION STATEMENT

Provide consistent network optimization solutions for First Class and Priority Mail, meeting our internal and external customers' service requirements for on time delivery.

STC BENEFITS

- Provides consistent and reliable on-time transportation
- Reduces transportation expenses
  - Optimizes cube utilization with less MTE
  - Achieves 80% utilization or better vs. the 55% national average
  - Surface transportation costs are considerably less than commercial air
  - Eliminates under utilized point-to-point surface transportation
  - Reduces dependency on limited air lift and mitigates commercial air hub congestion
  - Creates surface opportunities where volume does not exist for point-to-point
  - Transportation pays for itself through air to surface savings
- Less handling throughout network
  - Provides a simplified dispatch plan
  - Advances mail by massing ADC/AADCs
  - Eliminates piece handling
  - Break/bulk (sort by mail type) activity advances mail to downstream processing operations
  - Provides door to door transportation
  - Reduces bull pen labor requirements at origin and destination
  - Captures floor space at origin and destination due to bull pen set ups and staging for dispatch
- First line contingency planning
  - Weather events
  - Carrier back logs
  - Job actions affecting air performance
  - Christmas planning
  - Loss of air capacity
- Improved EXFC Two/Three Day service performance

OPTIONS TO STC-STC OPERATIONS

- Advantage
  - Dock transfer facility
  - Allows the network a wider transportation window, increasing surface reach
  - Reduces AMC transportation and handling
  - Reduces commercial air hub congestion
  - Eliminates under-utilized point-to-points
- Disadvantage
  - Demands bullpen operation at origin and expands operation to build direct containers
  - Does not improve cube utilization with less than full containers
  - Demands bullpen operation at destination to sort mail types before available to downstream operations
  - Does not address congestion and lack of floor space
  - STC containers do not fit STC requirements without making additional splits

BARRIERS

- Long haul surface transportation may be required to leave origin prior to Clearance time to connect to STC dispatches
- Bi-lateral agreement may be required for transportation arriving after Critical Entry Time
- Cost per handling

IMPACTS

- Wrong container types
- Potential for imbalance of MTE
- Illegal/improper Placards
- Transportation held at origin
- Offnet and missent mail
- Extra transportation arrival without notification
- Increase in operating cost
- Improper mail preparation (strapping, sleeving, and labeling)

APPROACH

- Standardization
  - Placard Program
  - Transportation Matrix
  - Operating Plan
  - Distribution Plan
  - Holiday notification and other HQ instruction
  - Surface Operations – Service Change Board
  - Operating Methodology
  - Cookie Cutter Approach to STC Operations
  - Error Reporting System (ERS)

Facility / Address	NASS Code	MCRS Code	Manager	Finance Number	STC Coordinator Phone Number FAX Number	STC Coordinator Address	ERS ACCESS	MCRS ACCESS	S.V. READY	MTEL READY
Atlanta Surface Transfer Center 6255 Fulton Industrial Blvd. SW Atlanta, GA 30354-2848	30H	302	Bernadette Tuggle, A. Manager (404) 349-1934 FAX (404) 349-3291	66-0677	Dan Slattery (901) 747-7416 FAX (901) 747-7484	Southeast Area DNO 225 Humphreys Blvd Memphis, TN 31866	Yes	Yes	Yes	Yes
Binghamton Surface Transfer Center 5 Pine Camp Drive Binghamton NY 13904-3107	13H	139	Chris Wood, Manager (607) 775-3234/3317 FAX (607) 773-2106	08-9904	Ric Gaudet (860) 285-7365 FAX (860) 285-1205	Northeast Area DNO 6 Griffin Rd. North Windsor, CT 06006-7070	Yes	Yes	Yes	Yes
Capital Metro Surface Transfer Center 3636 Pennsy Drive Landover, MD 20785-1676	20H	209	Pauline G Dawson-Brisbon, Mgr. (301) 618-4414 FAX (301) 618-4444	23-1380	Regina Odom (301) 618-4426 FAX (301) 618-4444	Capital Metro DNO 3636 Pensy Drive Landover, MD 20785-1611	Yes	Yes	Yes	Yes
Charlotte NC STC/L&DC 1820 West Pointe Drive Charlotte NC 28214-9106	28H		Authur Helms, A. Manager (704) 398-5541 FAX (704) 398-5553/52	36-1392	Kim Hackney (301) 618-4445 FAX (301) 618-4444	Capital Metro DNO 3636 Pensy Drive Landover, MD 20785-1611			Yes	Yes
Chicago Metro STC (Busse) 2526 Busse Road Elk Grove Village, IL 60007-6101	60H	603	Ruby D. Branch, A. Manager (847) 595-7348 FAX (847) 595-7373	16-1128	Ken Walton (630) 539-6444 FAX (630) 539-7093	Great Lakes Area DNO 244 Knollwood Dr 3rd Floor Blomingdale, IL 60117-5050	Yes	Yes	Yes	Yes
Harrisburg Surface Transfer Center 1425 Crooked Hill Road Harrisburg, PA 17107-9725	170*	170	John S. Mills Jr., Manager (717) 257-2363 FAX (717) 257-4808	41-4214 41-3484	Annamaria Kramzer (412) 494-2648 FAX (412) 494-2676	Eastern Area DNO 5315 Campbells Run Road Pittsburgh, PA 15277-7070	Yes	Yes	Yes	Yes
Indianapolis Surface Transfer Center 2475 South Hoffman Rd Indianapolis, IN 46241-3737	46H	462HA	Shelaine D. Scaggs, Manager (317) 487-4003 FAX (317) 487-4027	17-2428(Adm) 67-7550(Tran)	Ken Walton (630) 539-6444 FAX (630) 539-7093	Great Lakes Area DNO 244 Knollwood Dr 3rd Floor Blomingdale, IL 60117-5050	Yes	Yes	Yes	Yes
Memphis Surface Transfer Center 3845 Crowfarn Drive Memphis TN 38118-7308	38H		Kenneth L. Walker, Manager (901) 370-6167/8/9 ext. 208 FAX (901) 370-6860	47-5665	Dan Slattery (901) 747-7416 FAX (901) 747-7484	Southeast Area DNO 225 Humphreys Blvd Memphis, TN 38166		Yes	Yes	Yes
New Jersey Surface Transfer Center 60 Minue Street Carteret, NJ 07008-1112	07H	075	Charles Pryor, Manager (732) 541-0007 FAX (732) 541-8860	33-5975	Jim Scigliano (646) 473-3724 FAX (646) 473-3704	New York Metro DNO 421 8th Ave Rm 459 New York, NY 10199-9792	Yes	Yes	Yes	Yes
New York Surface Transfer Center 815 Hutchinson River Pkwy/Brush Ave. Bronx, NY 10465-9998	10H	109	Valerie Willis, Manager (718) 409-6007 FAX (718) 822-7542	35-0979 35-0984	Jim Scigliano (646) 473-3724 FAX (646) 473-3704	New York Metro DNO 421 8th Ave Rm 459 New York, NY 10199-9792	Yes	Yes	Yes	Yes
Northern CA Surface Transfer Center 1227 Striker Ave., Suite 100 Sacramento, CA 95834-1157	95H	956	Richard J. Lahm, Manager (916) 419-0247, 7038 FAX (916) 419-8647	05-6680	Mark Crowder (510) 292-2407 FAX (510) 292-2437	Pacific Area DNO 2501 Rydin Road Rm 215 Richmond, CA 94850-9650	No	Yes	Yes	Yes
New England Surface Transfer Center 123 1st. Avenue Chicopee, MA 01020-9710	01H	015	Allan Hearn (413) 594-7881 FAX (413) 594-7936	24-5739	Ric Gaudet (860) 285-7355 FAX (860) 285-1205	Northeast DNO 6 Griffin Rd. North N. Windsor, CT 06006-7070	Yes	Yes	Yes	Yes
Orlando FL STC 2036 E. Landstreet Road Orlando, FL 32824-7398	32H		Gwynn M. Williams (407) 812-1107 FAX (407) 812-1101	11-6790 11-6920	Dan Slattery (901) 747-7416 FAX (901) 747-7484	Southeast Area DNO 225 Humphreys Blvd Memphis, TN 38166			Yes	Yes
Phoenix Surface Transfer Center 620 N. 47th Avenue, STE 28 Phoenix, AZ 85043-2801	85H	850PD	Douglass J. Rhoades, L&DC Spc. (602) 442-6076 FAX (650) 442-8076	03-6365	Dan Mounts (303) 313-5248 FAX (303) 313-5177	Western Area DNO 1745 Stout Street Suite 800 Denver, CO 80299-6000		Yes	Yes	Yes
Pittsburgh L & DC (STC)			Daniel L. Keener, A. Manager		Annamaria Kramzer	Eastern Area DNO				

Facility / Address	NASS Code	MCRS Code	Manager	Finance Number	STC Coordinator Phone Number FAX Number	STC Coordinator Address	ERS ACCESS	MCRS ACCESS	S. V. READY	MTEL READY
51 Pennwood Place Warrendale PA 15086-7531	150PM	150PM	(724) 779-3110 (724) 779-3111	41-6602	(412) 494-2648 FAX (412) 494-2676	5315 Campbells Run Road Pittsburgh, PA 15277-7070	Yes	Yes	Yes	Yes
Salt Lake City Surface Transfer Center 2440 S 3600W Salt Lake City, UT 84119-1137	84H	841ST	Patricia X. Toerck, Manager (801) 972-3603 FAX (801) 972-3661	(ADM) 49-7770 49-7789 (Tran)	Dan Mounts (303) 313-5248 FAX (303) 313-5177	Western Area DNO 1745 Stout Street Suite 800 Denver, CO 80299-6000	Yes	Yes	Yes	Yes
Southeast Area STC 840 North Park Drive Clinton, TN 37716-6762	37H	377SH	Ed Symington, Manager (865) 463-2110 FAX (865) 463-2146	47-1760(Adm) 67-7551(Tran)	Dan Slattery (901) 747-7416 FAX (901) 747-7484	Southeast Area DNO 225 Humphreys Blvd Memphis, TN 38166	Yes	Yes	Yes	Yes
Southern CA Surface Transfer Center 28201 Franklin Parkway Santa Clarita, CA 91383	91H	913	Gary Ogimachi, Manager (661) 775-7841/7842 FAX (661) 775-7186	05-8105	Mark Crowder (510) 292-2407 FAX (510) 292-2437	Pacific Area DNO 2501 Rydin Road Rm 215 Richmond, CA 95815-9650	No	Yes	Yes	Yes
Southwest Area STC 777 Freeport Pkwy, Suite D (Peak only) Coppell, TX 75019-3998 (for Peak Only)	75H	753	Brodrick Beasley, Manager (469) 549-4302 (for Peak Only) FAX (469) 549-4303 (Peak Only)	48-2264(Adm) 66-0678(Tran) 48-9221	Alessandra Carroll (214) 819-8833 FAX (214) 819-8850	Southwest Area DNO PO Box 225428 Dallas, TX 75222-5428	Yes	Yes	Yes	Yes
Twin Cities Metro STC 3501 NE Broadway St Minneapolis, MN 55413-1712	554MA	552	Jeff Blahut, A. Manager (612) 321-5958 FAX (612) 349-4422	26-6359	Dan Mounts (303) 313-5248 FAX (303) 313-5177	Western Area DNO 1745 Stout Street Suite 800 Denver, CO 80299-6000	Not Available	Yes	Yes	Yes

Errors and Omissions Contact Cornelius Wilson
EMAIL. cornelius.w.wilson@usps.gov
* Not a unique NASS Code

USPS STC HOLIDAY SCHEDULE
Christmas Day Holiday Schedule, 12/25/2008

Origin STC / Surface HUB	Wednesday Dec 24, 2008	Thursday Dec. 25, 2008	Friday Dec 26, 2008
Atlanta GA STC Ph. # (678) 858-8473, 74	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Binghamton NY STC Phone # (607) 775-3317	OPEN 00:01 – 14:00	OPEN 00:01 – 14:00	OPEN 04:00 – 10:30 DEST. TRIPS ONLY
New York Metro STC Phone # (718) 918-0308	OPEN 00:01-13:00,19:30-24:00	OPEN 00:01-13:00,23:00-24:00	OPEN 00:01-13:00,19:30-24:00
Busse Surface IL STC Phone # (847) 595-7348	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Capital Metro MD STC Phone # (301) 618-4417	OPEN 00:01-17:00,21:00-24:00	OPEN 00:01-17:00,21:00-24:00	OPEN 00:01-17:00,21:00-24:00
Charlotte NC STC Phone # (704) 398-5543	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Harrisburg PA STC Phone # (717) 257-2185	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Indianapolis IN STC Phone # (317) 487-4045	OPEN 05:00 – 23:30	OPEN 05:00 – 23:30	CLOSED Re-opens 12/27@ 0500
Memphis TN STC Phone # (901) 370-6167	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
New Jersey NJ STC Phone # (732) 541-0007	OPEN 00:01-14:00,18:00-24:00	OPEN 00:01-14:00,22:00-24:00	OPEN 00:01-14:00,18:00-24:00
New England STC Phone # (413) 594-7881	OPEN 00:01-15:30,21:00-24:00	OPEN 00:01 – 15:30	OPEN 00:01-10:30,21:00-24:00
Orlando FL STC Phone # (407) 812-1135	OPEN 04:00 – 12:30	OPEN 04:00 – 12:30	STC OPERATIONS CLOSED
Pittsburgh PA STC Phone # (724) 779-3100	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Northern CA STC Phone # (916) 419-0247	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Southeast Area STC Phone # (865) 463-2156	OPEN 06:30 – 10:30	OPEN 06:30 – 10:30	CLOSED
Southwest Area STC Phone # (972) 456-0455	OPEN 24 Hours	OPEN 24 Hours	RE-OPENS 22:00
Twin City Metro MN STC Phone # (612) 490-5955	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Southern CA STC Phone # (661) 775-7841	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Phoenix AZ STC Phone # (602) 225-3122	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Salt Lake City UT STC Phone # (801) 641-0520	OPEN 00:01-08:00,11:00-24:00	OPEN 00:01-06:00,11:00-24:00	OPEN 00:01-06:00,14:00-16:00

USPS STC HOLIDAY SCHEDULE
New Years Day Holiday Schedule, 01/01/2009

Origin STC / Surface HUB	Wednesday Dec 31, 2008	Thursday Jan. 01, 2009	Friday Jan. 02, 2009
Atlanta GA STC Ph. # (678) 858-8473, 74	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Binghamton NY STC Phone # (607) 775-3317	OPEN 00:01 – 14:00	OPEN 00:01 – 14:00	OPEN 04:00 – 10:30 DEST. TRIPS ONLY
New York Metro STC Phone # (718) 918-0308	OPEN 00:01-13:00,19:30-24:00	OPEN 00:01-13:00,23:00-24:00	OPEN 00:01-13:00,19:30-24:00
Busse Surface IL STC Phone # (847) 595-7348	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Capital Metro MD STC Phone # (301) 618-4417	OPEN 00:01-17:00,21:00-24:00	OPEN 00:01-17:00,21:00-24:00	OPEN 00:01-17:00,21:00-24:00
Charlotte NC STC Phone # (704) 398-5543	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Harrisburg PA STC Phone # (717) 257-2185	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Indianapolis IN STC Phone # (317) 487-4045	OPEN 05:00 – 23:30	OPEN 05:00 – 23:30	CLOSED Re-opens 01/03@ 0500
Memphis TN STC Phone # (901) 370-6167	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
New Jersey NJ STC Phone # (732) 541-0007	OPEN 00:01-14:00,18:00-24:00	OPEN 00:01-14:00,22:00-24:00	OPEN 00:01-14:00,18:00-24:00
New England STC Phone # (413) 594-7881	OPEN 00:01-15:30,21:00-24:00	OPEN 00:01 – 15:30	OPEN 00:01-10:30,21:00-24:00
Orlando FL STC Phone # (407) 812-1135	OPEN 04:00 – 12:30	OPEN 04:00 – 12:30	STC OPERATIONS CLOSED
Pittsburgh PA STC Phone # (724) 779-3100	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Northern CA STC Phone # (916) 419-0247	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Southeast Area STC Phone # (865) 463-2156	OPEN 06:30 – 10:30	OPEN 06:30 – 10:30	CLOSED
Southwest Area STC Phone # (972) 456-0455	OPEN 24 Hours	OPEN 24 Hours	RE-OPENS 22:00
Twin City Metro MN STC Phone # (612) 490-5955	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Southern CA STC Phone # (661) 775-7841	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Phoenix AZ STC Phone # (602) 225-3122	OPEN 24 Hours	OPEN 24 Hours	OPEN 24 Hours
Salt Lake City UT STC Phone # (801) 641-0520	OPEN 00:01-08:00,11:00-24:00	OPEN 00:01-06:00,11:00-24:00	OPEN 00:01-06:00,14:00-16:00

USPS STC HOLIDAY SCHEDULE
Martin Luther King Jr. Holiday Schedule, 01/19/2009

Origin STC / Surface HUB	Sunday Jan. 18, 2009	Monday Jan. 19, 2009	Tuesday Jan. 20, 2009
Atlanta GA STC Ph. # (678) 858-8473, 74	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00
Binghamton NY STC Phone # (607) 775-3317	OPEN 00:01 – 14:00	OPEN 04:00 – 10:30 DEST. TRIPS ONLY	OPEN 00:01 – 14:00
New York Metro STC Phone # (718) 918-0308	OPEN 00:01-13:00,21:00-24:00	OPEN 00:01-05:00,23:00-24:00	OPEN 00:01-13:00,19:30-24:00
Busse Surface IL STC Phone # (847) 595-7348	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00
Capital Metro MD STC Phone # (301) 618-4417	OPEN 00:01-17:00	OPEN 05:00–13:50, 2100-2400	OPEN 00:01-17:00,21:00-24:00
Charlotte NC STC Phone # (704) 398-5543	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00
Harrisburg PA STC Phone # (717) 257-2185	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00
Indianapolis IN STC Phone # (317) 487-4045	OPEN 05:00 – 23:30	CLOSED	OPEN 05:00 – 23:30
Memphis TN STC Phone # (901) 370-6167	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00
New Jersey NJ STC Phone # (732) 541-0007	OPEN 00:01-14:00,20:00-24:00	OPEN 00:01-05:00,22:00-24:00	OPEN 00:01-14:00,18:00-24:00
New England STC Phone # (413) 594-7881	OPEN 00:01-15:30,21:00-24:00	OPEN 00:01 – 09:00	OPEN 00:01-15:30,21:00-24:00
Orlando FL STC Phone # (407) 812-1135	OPEN 04:00 – 12:30	STC OPERATIONS CLOSED	OPEN 04:00 – 12:30
Pittsburgh PA STC Phone # (724) 779-3100	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00
Northern CA STC Phone # (916) 419-0247	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00
Southeast Area STC Phone # (865) 463-2156	OPEN 06:30 – 10:30	CLOSED	OPEN 06:30 – 10:30
Southwest Area STC Phone # (972) 456-0455	OPEN 00:01 – 24:00	RE-OPENS 22:00	OPEN 00:01 – 24:00
Twin City Metro MN STC Phone # (612) 490-5955	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00
Southern CA STC Phone # (661) 775-7841	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00
Phoenix AZ STC Phone # (602) 225-3122	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00	OPEN 00:01 – 24:00
Salt Lake City UT STC Phone # (801) 641-0520	OPEN 00:01-06:00,14:00-24:00	OPEN 00:01-06:00,14:00-16:00	OPEN 00:01-06:00,14:00-24:00

Updated 11/05/2007

Facility: Southwest Area HASP

Terminal Handling Sevice: YES
NASS Code: 75H
Area (Location): Southwest Area
District (Location): Dallas District

Leased (Facility): N/A
Contract Expiration Date:
Postal Employees: NO
Number Employees: 104

AM HASP NETWORK-BULLPENS A & B

Operation	START	CET	CT	Avg Daily Volume (Containers) Letters	Flats	Pouches	Pallets	# DOORS
INBOUND DOCK								5
Working Containers	0:01	9:30	10:30					
Direct Containers	0:01	10:00	10:30					
SORT OPERATIONS	0:01	9:30	10:30					
OUTBOUND DOCK	0:01	10:30	15:00					47

PM HASP NETWORK-BULLPENS C & D

Operation	START	CET	CT	Avg Daily Volume (Containers) Letters	Flats	Pouches	Pallets	# DOORS
INBOUND DOCK								5
Working Containers	18:00	21:30	22:30					
Direct Containers	18:00	22:00	22:30					
SORT OPERATIONS	18:00	21:30	22:30					
OUTBOUND DOCK	18:00	22:30	23:50					47

SVA (LONG HAUL)-BULLPENS E & F

Operation	START	CET	CT	Avg Daily Volume (Containers) Letters	Flats	Pouches	Pallets	# DOORS
INBOUND DOCK								5
Working Containers	0:01	3:00	4:00					
Direct Containers	0:01	3:30	4:00					
SORT OPERATIONS	0:01	3:00	4:00					
OUTBOUND DOCK	0:01	4:00	6:45					47

PRIORITY-BULLPEN P

Operation	START	CET	CT	Avg Daily Volume (Containers) Letters	Flats	Pouches	Pallets	# DOORS
INBOUND DOCK								5
Working Containers	8:00	10:30						
Direct Containers	8:00	11:00						
SORT OPERATIONS	8:00	10:30						47
OUTBOUND DOCK	8:00	11:30						

HOURS OF OPERATION (Winter Operations):

Tuesday-Sunday (R1)	24 Hours
Monday	CLOSED

Mail Type Accepted

Express	NO
Priority	YES
FSM	YES
Periodicals	YES

Platform Attributes

Doors	52
Space (square feet)	78,839
Height Restriction	NO
Max. Vehicle Size Accepted	53'
Pallets Accepted (Directs)	YES
Pallets Accepted (Mixed)	NO

Sort Equipment

Mechanized Sortation

Workroom

Space (square feet)	75,538
Break Bulk	YES

STC to STC Mileage

	01H	07H	10H	13H	150PM	170	20H	28H	30H	328PM	37H	38H	46H	554MA	60H	75H	84H	85H	91H	95H
01H	0	199	168	279	548	346	396	795	1059	1269	902	1304	906	1397	973	1754	2335	2664	2965	297
07H	199	0	35	179	379	163	207	621	869	1072	712	1123	744	1205	813	1593	2247	2434	2803	288
10H	168	35	0	180	388	180	231	622	895	1092	743	1141	747	1198	823	1618	2190	2440	2809	283
13H	279	179	180	0	371	177	294	658	906	1154	731	1093	689	1120	734	1569	2100	2430	2731	274
150PM	548	379	388	371	0	221	265	469	715	997	525	785	385	851	464	1260	1830	2125	2486	247
170	346	163	180	177	221	0	118	485	733	978	558	930	554	1067	681	1406	2047	2295	2630	269
20H	396	207	231	294	265	118	0	418	666	875	516	888	608	1112	726	1364	2092	2348	2684	273
28H	795	621	622	658	469	485	418	0	249	537	251	610	586	1180	780	1039	2047	2091	2435	269
30H	1059	869	895	906	715	733	666	249	0	451	225	365	551	1138	745	794	1890	1846	2188	247
328PM	1269	1072	1092	1154	997	978	875	537	451	0	662	759	988	1575	1183	1115	2327	2142	2529	282
37H	902	712	743	731	525	558	516	251	225	662	0	388	349	930	543	863	1816	1865	2200	246
38H	1304	1123	1141	1093	785	930	888	610	365	759	388	0	472	824	564	488	1549	1489	1825	211
46H	906	744	747	689	385	554	608	586	551	988	349	472	0	590	204	873	1521	1743	2080	216
554MA	1397	1205	1198	1120	851	1067	1112	1180	1138	1575	930	824	590	0	388	949	1243	1704	1919	188
60H	973	813	823	734	464	681	726	780	745	1183	543	564	204	388	0	934	1398	1784	2030	204
75H	1754	1593	1618	1569	1260	1406	1364	1039	794	1115	863	488	873	949	934	0	1226	1062	1430	171
84H	2335	2247	2190	2100	1830	2047	2092	2047	1890	2327	1816	1549	1521	1243	1398	1226	0	771	703	64
85H	2664	2434	2440	2430	2125	2295	2348	2091	1846	2142	1865	1489	1743	1704	1784	1062	771	0	388	75
91H	2965	2803	2809	2731	2486	2630	2684	2435	2188	2529	2200	1825	2080	1919	2030	1430	703	388	0	37
95H	2979	2889	2832	2746	2476	2693	2738	2693	2475	2829	2462	2112	2167	1889	2044	1717	645	757	376	

STC to STC Mileage

	01H	07H	10H	13H	150PM	170	20H	28H	30H	328PM	37H	38H	46H	554MA	60H	75H	84H	85H	91H	95H
01H	0	199	168	279	548	346	396	795	1059	1269	902	1304	906	1397	973	1754	2335	2664	2965	297
07H	199	0	35	179	379	163	207	621	869	1072	712	1123	744	1205	813	1593	2247	2434	2803	288
10H	168	35	0	180	388	180	231	622	895	1092	743	1141	747	1198	823	1618	2190	2440	2809	283
13H	279	179	180	0	371	177	294	658	906	1154	731	1093	689	1120	734	1569	2100	2430	2731	274
150PM	548	379	388	371	0	221	265	469	715	997	525	785	385	851	464	1260	1830	2125	2486	247
170	346	163	180	177	221	0	118	485	733	978	558	930	554	1067	681	1406	2047	2295	2630	269
20H	396	207	231	294	265	118	0	418	666	875	516	888	608	1112	726	1364	2092	2348	2684	273
28H	795	621	622	658	469	485	418	0	249	537	251	610	586	1180	780	1039	2047	2091	2435	269
30H	1059	869	895	906	715	733	666	249	0	451	225	365	551	1138	745	794	1890	1846	2188	247
328PM	1269	1072	1092	1154	997	978	875	537	451	0	662	759	988	1575	1183	1115	2327	2142	2529	282
37H	902	712	743	731	525	558	516	251	225	662	0	388	349	930	543	863	1816	1865	2200	246
38H	1304	1123	1141	1093	785	930	888	610	365	759	388	0	472	824	564	488	1549	1489	1825	211
46H	906	744	747	689	385	554	608	586	551	988	349	472	0	590	204	873	1521	1743	2080	216
554MA	1397	1205	1198	1120	851	1067	1112	1180	1138	1575	930	824	590	0	388	949	1243	1704	1919	188
60H	973	813	823	734	464	681	726	780	745	1183	543	564	204	388	0	934	1398	1784	2030	204
75H	1754	1593	1618	1569	1260	1406	1364	1039	794	1115	863	488	873	949	934	0	1226	1062	1430	171
84H	2335	2247	2190	2100	1830	2047	2092	2047	1890	2327	1816	1549	1521	1243	1398	1226	0	771	703	64
85H	2664	2434	2440	2430	2125	2295	2348	2091	1846	2142	1865	1489	1743	1704	1784	1062	771	0	388	75
91H	2965	2803	2809	2731	2486	2630	2684	2435	2188	2529	2200	1825	2080	1919	2030	1430	703	388	0	37
95H	2979	2889	2832	2746	2476	2693	2738	2693	2475	2829	2462	2112	2167	1889	2044	1717	645	757	376	

Yard Attributes

# Parking spots	None
Off street parking	None

Annex's Utilized

Facility Address	NO

Origin ZIPS SERVED:

700, 701
703-708, *
710-714
716-722, 724-729
730, 731, 734-738, 748
740, 741, 743-747, 749
750, 754
751-753
755-759
760-764, 768, 769
770-772
773-778
780-782, 786
779, 783-785
733, 765-767, 786, 787, 789

Through ZIPS SERVED:

200, 202-205, * Fits for 200, (Ltrs & Sprs for 200, 202-205)
202-205 (Flats only)
206-209
210-212, 214-219, 254, 267, *
201, 220-223, 226, 227
224, 225, 228-239, 244, *
240-243, 245
246-253, 255-259, 261-266, 268, *
270-279, 285
280-284, 286-289, 297, *
290-296, *
302, 303, 311, 399
298, 300, 301, 305, 306, 308, 309, *
310, 312, 316-319, 398
299, 304, 313-315, 320-324, 326, 344
327-329, 334, 347, 349
307, 370-374, 376-379, 384, 385, *
375, 380-383, 386-389, 723
400-409, 411-418, 420-427, 471, 476, 477*
430-438, 456, 457, *
439-449
410, 450-455, 458, 459, 470
460-469, 472-475, 478, 479, *

ZIPS SERVED:

HASP A- 298-323, 324 (flats and pouches only), 326, 344, 350-352, 354-364, 36 458-479, 723
HASP B- 500-528, 540, 546-548, 550-567, 570-577, 580-588, 600-693, 739, 800-820, 822-831, 840-847, 850-863, 865-884, 898
HASP C- 324(letters only), 325, 365-366, 394-395, 700-708, 710-714, 716-722, 724-731, 734-738, 740-741, 743-759, 770-778
HASP D- 733, 760-769, 779-799, 880, 885
HASP E- 003, 005, 068-079, 085-099, 100-119, 124-127, 200-223, 226-227, 254, 267, 900-935
HASP F- 080-084, 150-168, 179-199, 260, 327-329, 334-339, 341-342, 346-347, 349, 430-449, 456-457, 480-492, 493-497
HASP P- 369, 390-393, 396-397, 463-464, 669-679, 710-714, 716-722, 724-731, 733-797

SPECIAL COMMENTS