

Blockchain Security - Smart Contract Audits

Security Assessment

March 26, 2022



Disclaimer	3
Description	5
Engagement	5
Project Engagement	5
Logo	6
Contract Link	6
Risk Level Classification	7
Methodology	8
Used Code from other Frameworks / Smart Contracts (Imports)	9
Description	10
Scope of Work	12
Inheritance Graph	13
Verify Claim	14
Overall Checkup	18
Write Functions of Contract	19
SWC Attack	20
Audit Result	24
Audit Comments	25

Disclaimer

ContractWolf.io audits and reports should not be considered as a form of project's "advertisement" and does not cover any interaction and assessment from "project's contract" to "external contracts" such as Pancakeswap or similar.

ContractWolf does not provide any warranty on its released reports.

ContractWolf should not be used as a <u>decision</u> to invest into an audited project and is not affiliated nor partners to its audited contract projects.

ContractWolf provides transparent report to all its "clients" and to its "clients participants" and will not claim any guarantee of bug-free code within it's **SMART CONTRACT**.

ContractWolf presence is to analyze, audit and assess the client's smart contract's code.

Each company or projects should be liable to its security flaws and functionalities.

Network

Binance Smart Chain (BEP20)

Website

https://sanjiinu.io/

Telegram

https://t.me/sanjiinuofficial

Twitter

https://twitter.com/InuSanji

Description

Sanji Inu is a community controlled deflationary token, Sanji Inu's purpose is to develop solutions that will make the cryptocurrency space safer and easier to understand for everyone.

ContractWolf Engagements

26th of March 2022, **Sanji Inu** engaged and agrees to audit their smart contract's code by **ContractWolf**. The goal of this engagement was to identify if there is a possibility of security flaws in the implementation of the contract or system.

ContractWolf will be focusing on contract issues and functionalities along with the projects claims from smart contract to their website, whitepaper and repository which has been provided by **Sanji Inu**.

Logo



Contract link:

https://bscscan.com/address/0x3C068F1061Ed448c0Fb671f031Af7f9952 18cbcF#code

Risk Level Classification

Risk Level represents the classification or the probability that a certain function or threat that can exploit vulnerability and have an impact within the system or contract.

Risk Level is computed based on CVSS Version 3.0

Level	Value	Vulnerability
Critical	9 - 10	An Exposure that can affect the contract functions in several events that can risk and disrupt the contract
High	7 - 8.9	An Exposure that can affect the outcome when using the contract that can serve as an opening in manipulating the contract in an unwanted manner
Medium	4 - 6.9	An opening that could affect the outcome in executing the contract in a specific situation
Low	0.1 - 3.9	An opening but doesn't have an impact on the functionality of the contract
Informational	0	An opening that consists of information's but will not risk or affect the contract

Auditing Approach

Every line of code along with its functionalities will undergo manual review to check its security issues, quality, and contract scope of inheritance. The manual review will be done by our team that will document any issues that there were discovered.

Methodology

The auditing process follows a routine series of steps:

- 1. Code review that includes the following:
 - Review of the specifications, sources, and instructions provided to ContractWolf to make sure we understand the size, scope, and functionality of the smart contract.
 - Manual review of code, our team will have a process of reading the code line-by-line with the intention of identifying potential vulnerabilities and security flaws.
- 2. Testing and automated analysis that includes:
 - Testing the smart contract functions with common test cases and scenarios, to ensure that it returns the expected results.
- 3. Best practices review, the team will review the contract with the aim to improve efficiency, effectiveness, clarifications, maintainability, security, and control within the smart contract.
- 4. Recommendations to help the project take steps to secure the smart contract.

Used Code from other Frameworks/Smart Contracts (Direct Imports)

Imported Packages

- IERC20
- SafeMath
- Context
- Address
- Ownable
- IUniswapV2Factory
- IUniswapV2Router01
- Sanjilnu

Description

Optimization enabled: No

Version: v0.6.12

Decimal: 18

Symbol: \$SANJI

Capabilities

Components

Version	Contracts	Libraries	Interfaces	Abstract
1.0	2	2	3	1

Exposed Functions

Version	Public	Private
1.0	30	22


Version	External	Internal
1.0	15	17

State Variables

Version	Total	Public
1.0	29	9

Capabilities

Version	Solidity Versions Observed	Experimental Features	Can Receive Funds	Uses Assembly	Has Destroyable Contracts
1.0	^0.6.12		Yes	Yes (2asm blocks)	No




Scope of Work

Sanji Inu's team provided us with the files that needs to be tested (Github, Bscscan, Etherscan, files, etc.). The scope of the audit is the main contract.



Inheritance Graph



Verify Claims

Correct implementation of Token Standard

Tested	Verified
√	X

Function	Description	Exist	Tested	Verified
TotalSupply	Information about the total coin or token supply	√	√	√
BalanceOf	Details on the account balance from a specified address	√	√	✓
Transfer	An action that transfers a specified amount of coin or token to a specified address	√	√	✓
TransferFrom	An action that transfers a specified amount of coin or token from a specified address	√	√	√
Approve	Provides permission to withdraw specified number of coin or token from a specified address	√	√	✓

Optional implementation

Function	Description	Exist	Tested	Verified
renounceOwnership	Owner renounce ownership for more trust	√	√	√



Deployer cannot mint after initial deployment

Statement	Exist	Tested	Verified	File
Deployer cannot mint	_	_	_	Main

Max / Total supply: 1,000,000,000,000,000

Deployer cannot block user

Statement	Exist	Tested	Verified
Deployer cannot block user	√	✓	✓

Deployer cannot burn

Statement	Exist	Tested	Verified
Deployer cannot burn	√	√	√

Deployer can pause contract

Statement	Exist	Tested	Verified
Deployer can pause	√	√	✓

Overall Checkup (Smart Contract Security)



Legend

Attribute	Symbol
Verified / Checked	✓
Partly Verified	X
Unverified / Not checked	P
Not Available	_

Write Functions of Contract



SWC Attacks

ID	Title	Relationships	Status
<u>SWC-136</u>	Unencrypted Private Data On-Chain	CWE-767: Access to Critical Private Variable via Public Method	PASSED
<u>SWC-135</u>	Code With No Effects	CWE-1164: Irrelevant Code	PASSED
SWC-134	Message call with hardcoded gas amount	CWE-655: Improper Initialization	PASSED
<u>SWC-133</u>	Hash Collisions with Multiple Variable Length Arguments	CWE-294: Authentication Bypass by Capture-replay	PASSED
<u>SWC-132</u>	Unexpected Ether balance	CWE-667: Improper Locking	PASSED
SWC-131	Presence of unused variables	CWE-1164: Irrelevant Code	PASSED
SWC-130	Right-To Left Override control character (U+202E)	CWE-451: User Interface (UI) Misrepresentation of Critical Information	PASSED
SWC-129	Typographical Error	CWE-480: Use of Incorrect Operator	PASSED
SWC-128	DoS With Block Gas Limit	CWE-400: Uncontrolled Resource Consumption	PASSED

SWC-127	Arbitrary Jump with Function Type Variable	CWE-695: Use of Low-Level Functionality	PASSED
SWC-126	Insufficient Gas Griefing	CWE-691: Insufficient Control Flow Management	PASSED
<u>SWC-125</u>	Incorrect Inheritance Order	CWE-696: Incorrect Behavior Order	PASSED
<u>SWC-124</u>	Write to Arbitrary Storage Location	CWE-123: Write-what- where Condition	PASSED
SWC-123	Requirement Violation	CWE-573: Improper Following of Specification by Caller	PASSED
SWC-122	Lack of Proper Signature Verification	CWE-345: Insufficient Verification of Data Authenticity	PASSED
SWC-121	Missing Protection against Signature Replay Attacks	CWE-347: Improper Verification of Cryptographic Signature	PASSED
SWC-120	Weak Sources of Randomness from Chain Attributes	CWE-330: Use of Insufficiently Random Values	PASSED
<u>SWC-119</u>	Shadowing State Variables	CWE-710: Improper Adherence to Coding Standards	PASSED
SWC-118	Incorrect Constructor Name	CWE-665: Improper Initialization	PASSED

SWC-117	Signature Malleability	CWE-347: Improper Verification of Cryptographic Signature	PASSED
SWC-116	Timestamp Dependence	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
SWC-115	Authorization through tx.origin	CWE-477: Use of Obsolete Function	PASSED
<u>SWC-114</u>	Transaction Order Dependence	CWE-362: Concurrent Execution using Shared Resource with Improper Synchronization ('Race Condition')	PASSED
SWC-113	DoS with Failed Call	CWE-703: Improper Check or Handling of Exceptional Conditions	PASSED
SWC-112	Delegate call to Untrusted Callee	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
SWC-111	Use of Deprecated Solidity Functions	CWE-477: Use of Obsolete Function	PASSED
SWC-110	Assert Violation	CWE-670: Always- Incorrect Control Flow Implementation	PASSED
SWC-109	Uninitialized Storage Pointer	CWE-824: Access of Uninitialized Pointer	PASSED

		I	
State Variable SWC-108 Default		CWE-710: Improper	
		Adherence to Coding	NOT PASSED
	Visibility	<u>Standards</u>	
	Reentrancy	CWE-841: Improper	
SWC-107		Enforcement of Behavioral	PASSED
		Workflow	
	Unprotected	CWE-284: Improper	
SWC-106	SELFDESTRUCT	Access Control	PASSED
	Instruction		
	Unprotected	CWE-284: Improper	
SWC-105	Ether	Access Control	PASSED
	Withdrawal		
CMC 104	Unchecked Call	CWE-252: Unchecked	DACCED
<u>SWC-104</u>	Return Value	Return Value	PASSED
	Floating Pragma	CWE-664: Improper	
SWC-103		Control of a Resource	NOT PASSED
		Through its Lifetime	
	Outdated	CWE-937: Using	
SWC-102	Compiler Version	Components with Known	PASSED
		<u>Vulnerabilities</u>	
CMC 101	Integer Overflow	CWE-682: Incorrect	DACCED
<u>SWC-101</u>	and Underflow	<u>Calculation</u>	PASSED
	Function Default	CWE-710: Improper	
SWC-100	Visibility	Adherence to Coding	PASSED
		<u>Standards</u>	

AUDIT PASSED

Low Issues

A floating pragma is set	L: 5
State variable visibility is not set	L: 538, 539, 540

Audit Comments

- Deployer can renounce ownership
- Deployer can transfer ownership
- Deployer can set fees/ taxes with an indefinite amount
- Deployer can pause/lock contract
- Deployer can set transaction limit
- Deployer cannot mint after initial deployment
- Deployer cannot burn



CONTRACTWOLF

Blockchain Security - Smart Contract Audits