

**Blockchain Security - Smart Contract Audits** 

# **Security Assessment**

May 22, 2022



Disclaimer	3
Scope of Work & Engagement	3
Links	4
Project Description	5
Logo	5
Risk Level Classification	6
Methodology	7
Used Code from other Frameworks / Smart Contracts (Imports)	8
Token Description	9
Inheritance Graph	10
Overall Checkup	11
Verify Claim	12
Write Functions of Contract	13
Call Graph	14
SWC Attacks	15
Audit Result	17
Audit Comments	18

#### **Disclaimer**

**ContractWolf.io** audits and reports should not be considered as a form of project's "advertisement" and does not cover any interaction and assessment from "project's contract" to "external contracts" such as Pancakeswap or similar.

ContractWolf does not provide any warranty on its released reports.

**ContractWolf** should not be used as a <u>decision</u> to invest into an audited project and is not affiliated nor partners to its audited contract projects.

ContractWolf provides transparent report to all its "clients" and to its "clients participants" and will not claim any guarantee of bug-free code within it's SMART CONTRACT.

**ContractWolf** presence is to analyze, audit and assess the client's smart contract's code.

Each company or projects should be liable to its security flaws and functionalities.

### Scope of Work

**Speakeasy's** team agreed and provided us with the files that needs to be tested (Github, Bscscan, Etherscan, files, etc.). The scope of the audit is the main contract.

The goal of this engagement was to identify if there is a possibility of security flaws in the implementation of the contract or system.

**ContractWolf** will be focusing on contract issues and functionalities along with the projects claims from smart contract to their website, whitepaper and repository which has been provided by **Speakeasy.** 

#### **Network**

Binance Smart Chain (BEP20)

### **Contract link**

https://bscscan.com/address/0x099Fc22F0f038DD85B31170e3b76b5E5E4F62A31

#### Website

https://speakeasy.finance/

#### **Twitter**

https://twitter.com/SpeakeasyToken

## **Telegram**

https://t.me/speakeasytoken

## **Description**

During the roaring 20s and times of prohibition, there were **Speakeasys**! An exclusive nightclub to gather, enjoy alcohol, and sometimes, gamble! **Speakeasy** features our very own, and innovative, Spin Jackpot DAPP & Parlay, a Peer-to-Peer Betting DAPP!

# Logo



#### **Risk Level Classification**

Risk Level represents the classification or the probability that a certain function or threat that can exploit vulnerability and have an impact within the system or contract.

Risk Level is computed based on CVSS Version 3.0

Level	Value	Vulnerability
Critical	9 - 10	An Exposure that can affect the contract functions in several events that can risk and disrupt the contract
High	7 - 8.9	An Exposure that can affect the outcome when using the contract that can serve as an opening in manipulating the contract in an unwanted manner
Medium	4 - 6.9	An opening that could affect the outcome in executing the contract in a specific situation
Low	0.1 - 3.9	An opening but doesn't have an impact on the functionality of the contract
Informational	0	An opening that consists of information's but will not risk or affect the contract

#### **Auditing Approach**

Every line of code along with its functionalities will undergo manual review to check its security issues, quality, and contract scope of inheritance. The manual review will be done by our team that will document any issues that there were discovered.

## Methodology

The auditing process follows a routine series of steps:

- 1. Code review that includes the following:
  - Review of the specifications, sources, and instructions provided to ContractWolf to make sure we understand the size, scope, and functionality of the smart contract.
  - Manual review of code, our team will have a process of reading the code line-by-line with the intention of identifying potential vulnerabilities and security flaws.
- 2. Testing and automated analysis that includes:
  - Testing the smart contract functions with common test cases and scenarios, to ensure that it returns the expected results.
- 3. Best practices review, the team will review the contract with the aim to improve efficiency, effectiveness, clarifications, maintainability, security, and control within the smart contract.
- 4. Recommendations to help the project take steps to secure the smart contract.

# **Used Code from other Frameworks/Smart Contracts (Direct Imports)**

#### **Imported Packages**

- IERC20
- SafeMath
- Context
- Address
- Ownable
- IUniswapV2Factory
- IUniswapV2Pair
- IUniswapV2Router01
- IUniswapV2Router02
- IGameBase
- IGame
- Speakeasy

# **Description**

Optimization enabled: Yes

Decimal: 18

Symbol: SPEEZY

Max / Total supply: 10,000,000

# **Capabilities**

#### **Components**

Version	Contracts	Libraries	Interfaces	Abstract
1.0	1	2	7	2

#### **Exposed Functions**

Version	Public	Private	External	Internal
1.0	14	29	105	17


#### **State Variables**

Version	Total	Public
1.0	64	39

#### **Capabilities**

	Version	Solidity	Experimental	Can	Uses	Has
		Versions	Features	Receive	Assembly	Destroyable
		Observed		Funds		Contracts
Γ	1.0	v0.8.11		Yes	Yes	No

# **Inheritance Graph**



# **Correct implementation of Token Standard**

Tested	Verified
✓	✓

# **Overall Checkup (Smart Contract Security)**

Tested	Verified
<b>√</b>	<b>√</b>

Function	Description	Exist	Tested	Verified
TotalSupply	Information about the total coin or token supply	$\checkmark$	<b>√</b>	<b>√</b>
BalanceOf	Details on the account balance from a specified address	<b>√</b>	<b>√</b>	<b>✓</b>
Transfer	An action that transfers a specified amount of coin or token to a specified address	<b>√</b>	<b>√</b>	<b>✓</b>
TransferFrom	An action that transfers a specified amount of coin or token from a specified address	<b>√</b>	<b>√</b>	<b>√</b>
Approve	Provides permission to withdraw specified number of coin or token from a specified address	<b>√</b>	<b>√</b>	<b>✓</b>

# **Verify Claims**

Statement	Exist	Tested	Deployer
Renounce Ownership	<b>√</b>	<b>✓</b>	<b>✓</b>
Mint	<b>√</b>	<b>√</b>	X
Burn	<b>√</b>	<b>✓</b>	X
Block	<b>√</b>	<b>√</b>	X
Pause	_	_	_


# Legend

Attribute	Symbol
Verified / Can	<b>✓</b>
Verified / Cannot	X
Unverified / Not checked	
Not Available	_

# **Write Functions of Contract**

1. approve	17. setJackpotGame
2. decreaseAllowance	18. setMaxSellAllowanceBeforeExtra
3. enableTrading	19. setMaxTxPercent
4. increaseAllowance	20. setOverSellAddress
5. removeJackpotGame	21. setPresaleAddress
6. renounceOwnership	22. setSwapAndLiquifyEnabled
7. setAddressFee	23. setSwapTokensBNBLimit
8. setAutoSend	24. setTaxWallets
9. setBlacklist	25. setTaxesToRedistribute
10. setCreditPrice	26. transfer
11. setExclusionFromAddrFromCredits	27. transferFrom
12. setExclusionFromFees	28. transferOwnership
13. setExclusionFromRewards	29. updateUniswapV2Router
14. setExclusionToAddrFromCreditRemoval	30. withdrawBNB
15. setExclusionToAddrFromCredits	31. withdrawToken
16. setFees	

# **Call Graph**



# **SWC Attacks**

ID	Title	Status
<u>SWC-136</u>	Unencrypted Private Data On-Chain	PASSED
SWC-135	Code With No Effects	PASSED
SWC-134	Message call with hardcoded gas amount	PASSED
SWC-133	Hash Collisions with Multiple Variable Length Arguments	PASSED
<u>SWC-132</u>	Unexpected Ether balance	PASSED
<u>SWC-131</u>	Presence of unused variables	PASSED
SWC-130	Right-To Left Override control character (U+202E)	PASSED
SWC-129	Typographical Error	PASSED
<u>SWC-128</u>	DoS With Block Gas Limit	PASSED
<u>SWC-127</u>	Arbitrary Jump with Function Type Variable	PASSED
SWC-126	Insufficient Gas Griefing	PASSED
SWC-125	Incorrect Inheritance Order	PASSED
<u>SWC-124</u>	Write to Arbitrary Storage Location	PASSED
<u>SWC-123</u>	Requirement Violation	PASSED
SWC-122	Lack of Proper Signature Verification	PASSED
<u>SWC-121</u>	Missing Protection against Signature Replay Attacks	PASSED
SWC-120	Weak Sources of Randomness from Chain Attributes	LOW ISSUE
SWC-119	Shadowing State Variables	PASSED
SWC-118	Incorrect Constructor Name	PASSED
SWC-117	Signature Malleability	PASSED
<u>SWC-116</u>	Block values as a proxy for time	PASSED
<u>SWC-115</u>	Authorization through tx.origin	LOW ISSUE
SWC-114	Transaction Order Dependence	PASSED
SWC-113	DoS with Failed Call	PASSED
SWC-112	Delegate call to Untrusted Callee	PASSED
SWC-111	Use of Deprecated Solidity Functions	PASSED

SWC-110	Assert Violation	PASSED
<u>SWC-109</u>	Uninitialized Storage Pointer	PASSED
SWC-108	State Variable Default Visibility	LOW ISSUE
<u>SWC-107</u>	Reentrancy	PASSED
<u>SWC-106</u>	Unprotected SELFDESTRUCT Instruction	PASSED
<u>SWC-105</u>	Unprotected Ether Withdrawal	PASSED
SWC-104	Unchecked Call Return Value	PASSED
SWC-103	Floating Pragma	PASSED
SWC-102	Outdated Compiler Version	PASSED
<u>SWC-101</u>	Integer Overflow and Underflow	PASSED
SWC-100	Function Default Visibility	PASSED

# **AUDIT PASSED**

#### **Low Issues**

State variable visibility is not set	L: 543, 548
(SWC-103)	
Use of "tx.origin" as a part of	L: 1122
authorization control (SWC-115)	
Potential use of "block.number" as	L: 858, 1129
source of randomness (SWC-120)	

#### **Audit Comments**

- Deployer can renounce ownership
- Deployer can transfer ownership
- Deployer can exclude/include addresses from rewards
- Deployer can exclude/include addresses from fees
- Deployer can set/update BNB limit to swap tokens
- Deployer can set/update max allowance amount and max allowance time amount
- Deployer can set max transaction amount greater than 1%
- Deployer can unblock users
- Deployer can toggle swap and liquify
- Deployer can set fees up to 25%
- Deployer can change address receivers
- Deployer can enable trading
- Deployer set jackpot game address and multiplicator
- Deployer can remove jackpot game address
- Deployer can exclude/include addresses from credits
- Deployer can exclude/include addresses from credits removal
- Deployer can set/update credit price
- Deployer can toggle auto send of liquidity pool and tax
- Deployer can collect tokens from contract
- Deployer can set/update Uniswap V2 Router address



# CONTRACTWOLF

**Blockchain Security - Smart Contract Audits**