

**Blockchain Security - Smart Contract Audits** 

## **Security Assessment**

August 16, 2022



Disclaimer	3
Scope of Work & Engagement	3
Project Description	4
Risk Level Classification	5
Methodology	6
Used Code from other Frameworks / Smart Contracts (Imports)	7
Token Description	8
Inheritance Graph	9
Overall Checkup	10
Verify Claim	11
Write Functions of Contract	12
Call Graph	13
SWC Attacks	14
Audit Result	16
Audit Comments	17

#### **Disclaimer**

**ContractWolf.io** audits and reports should not be considered as a form of project's "advertisement" and does not cover any interaction and assessment from "project's contract" to "external contracts" such as Pancakeswap or similar.

ContractWolf does not provide any warranty on its released reports.

**ContractWolf** should not be used as a <u>decision</u> to invest into an audited project and is not affiliated nor partners to its audited contract projects.

ContractWolf provides transparent report to all its "clients" and to its "clients participants" and will not claim any guarantee of bug-free code within it's SMART CONTRACT.

**ContractWolf** presence is to analyze, audit and assess the client's smart contract's code.

Each company or projects should be liable to its security flaws and functionalities.

### Scope of Work

**Rafflet's** team agreed and provided us with the files that needs to be tested (Github, Bscscan, Etherscan, files, etc.). The scope of the audit is the main contract.

The goal of this engagement was to identify if there is a possibility of security flaws in the implementation of the contract or system.

**ContractWolf** will be focusing on contract issues and functionalities along with the projects claims from smart contract to their website, whitepaper and repository which has been provided by **Rafflet.** 

## **Description**

RAFFLET is the first Token (ICO, IDO, Memecoin) & NFT Whitelist RafflePad Protocol. RafflePad is a complete solution for both developers and investors to promote projects and win whitelist spots. RAFFLET will assist projects that prepare for launch



#### **Risk Level Classification**

Risk Level represents the classification or the probability that a certain function or threat that can exploit vulnerability and have an impact within the system or contract.

Risk Level is computed based on CVSS Version 3.0

Level	Value	Vulnerability
Critical	9 - 10	An Exposure that can affect the contract functions in several events that can risk and disrupt the contract
High	7 - 8.9	An Exposure that can affect the outcome when using the contract that can serve as an opening in manipulating the contract in an unwanted manner
Medium	4 - 6.9	An opening that could affect the outcome in executing the contract in a specific situation
Low	0.1 - 3.9	An opening but doesn't have an impact on the functionality of the contract
Informational	0	An opening that consists of information's but will not risk or affect the contract

#### **Auditing Approach**

Every line of code along with its functionalities will undergo manual review to check its security issues, quality, and contract scope of inheritance. The manual review will be done by our team that will document any issues that there were discovered.

### Methodology

The auditing process follows a routine series of steps:

- 1. Code review that includes the following:
  - Review of the specifications, sources, and instructions provided to ContractWolf to make sure we understand the size, scope, and functionality of the smart contract.
  - Manual review of code, our team will have a process of reading the code line-by-line with the intention of identifying potential vulnerabilities and security flaws.
- 2. Testing and automated analysis that includes:
  - Testing the smart contract functions with common test cases and scenarios, to ensure that it returns the expected results.
- 3. Best practices review, the team will review the contract with the aim to improve efficiency, effectiveness, clarifications, maintainability, security, and control within the smart contract.
- 4. Recommendations to help the project take steps to secure the smart contract.

## **Used Code from other Frameworks/Smart Contracts (Direct Imports)**

#### **Imported Packages**

- Context
- IERC20
- SafeMath
- Address
- Ownable
- IUniswapV2Factory
- IUniswapV2Pair
- IUniswapV2Router01
- IUniswapV2Router02
- Rafflet

## **Description**

Optimization enabled: Yes

Decimal: 12

Symbol: raf

Max / Total Supply: 1,000,000

## **Capabilities**

#### **Components**

Version	Contracts	Libraries	Interfaces	Abstract
1.0	2	2	5	1

#### **Exposed Functions**

Version	Public	Private	External	Internal
1.0	22	7	72	18


#### **State Variables**

Version	Total	Public
1.0	32	21

#### **Capabilities**

Version	Solidity	Experimental	Can	Uses	Has
	Versions	Features	Receive	Assembly	Destroyable
	Observed		Eunde		Contracts
	Observed		Funds		Contracts

## **Inheritance Graph**



## **Correct implementation of Token Standard**

Tested	Verified
✓	✓

## **Overall Checkup (Smart Contract Security)**

Tested	Verified
<b>√</b>	<b>✓</b>

Function	Description	Exist	Tested	Verified
TotalSupply	Information about the total coin or token supply	$\checkmark$	<b>√</b>	<b>√</b>
BalanceOf	Details on the account balance from a specified address	<b>√</b>	<b>√</b>	<b>✓</b>
Transfer	An action that transfers a specified amount of coin or token to a specified address	<b>√</b>	<b>√</b>	<b>✓</b>
TransferFrom	An action that transfers a specified amount of coin or token from a specified address	<b>√</b>	<b>√</b>	<b>✓</b>
Approve	Provides permission to withdraw specified number of coin or token from a specified address	<b>√</b>	<b>√</b>	<b>√</b>


## **Verify Claims**

Statement	Exist	Tested	Deployer
Renounce Ownership	<b>√</b>	<b>√</b>	<b>√</b>
Mint	-	_	_
Burn	<b>√</b>	<b>√</b>	X
Block	_	_	_
Pause	_	_	_


### Legend

Attribute	Symbol
Verified / Can	<b>✓</b>
Verified / Cannot	X
Unverified / Not checked	
Not Available	_

#### **Write Functions of Contract**



## **Call Graph**



## **SWC Attacks**

ID	Title	Status
SWC-136	Unencrypted Private Data On-Chain	PASSED
SWC-135	Code With No Effects	PASSED
SWC-134	Message call with hardcoded gas amount	PASSED
<u>SWC-133</u>	Hash Collisions with Multiple Variable Length Arguments	PASSED
SWC-132	Unexpected Ether balance	PASSED
<u>SWC-131</u>	Presence of unused variables	PASSED
SWC-130	Right-To Left Override control character (U+202E)	PASSED
SWC-129	Typographical Error	PASSED
SWC-128	DoS With Block Gas Limit	PASSED
<u>SWC-127</u>	Arbitrary Jump with Function Type Variable	PASSED
SWC-126	Insufficient Gas Griefing	PASSED
<u>SWC-125</u>	Incorrect Inheritance Order	PASSED
<u>SWC-124</u>	Write to Arbitrary Storage Location	PASSED
<u>SWC-123</u>	Requirement Violation	PASSED
SWC-122	Lack of Proper Signature Verification	PASSED
<u>SWC-121</u>	Missing Protection against Signature Replay Attacks	PASSED
<u>SWC-120</u>	Weak Sources of Randomness from Chain Attributes	LOW ISSUE
<u>SWC-119</u>	Shadowing State Variables	PASSED
<u>SWC-118</u>	Incorrect Constructor Name	PASSED
<u>SWC-117</u>	Signature Malleability	PASSED
SWC-116	Block values as a proxy for time	PASSED
<u>SWC-115</u>	Authorization through tx.origin	PASSED
<u>SWC-114</u>	Transaction Order Dependence	PASSED
<u>SWC-113</u>	DoS with Failed Call	PASSED
SWC-112	Delegate call to Untrusted Callee	PASSED
<u>SWC-111</u>	Use of Deprecated Solidity Functions	PASSED
<u>SWC-110</u>	Assert Violation	PASSED

SWC-109	Uninitialized Storage Pointer	PASSED
SWC-108	State Variable Default Visibility	LOW ISSUE
SWC-107	Reentrancy	PASSED
<u>SWC-106</u>	Unprotected SELFDESTRUCT Instruction	PASSED
<u>SWC-105</u>	Unprotected Ether Withdrawal	PASSED
SWC-104	Unchecked Call Return Value	PASSED
SWC-103	Floating Pragma	LOW ISSUE
SWC-102	Outdated Compiler Version	PASSED
SWC-101	Integer Overflow and Underflow	PASSED
<u>SWC-100</u>	Function Default Visibility	PASSED

# **AUDIT PASSED**

#### **Low Issues**

A floating pragma is set (SWC-103)	L: 7
State variable visibility is not set	L: 397, 424
(SWC-108)	
Potential use of "block.number" as	L: 529
source of randomness	

#### **Audit Comments**

- Deployer can update total buy tax less than 10%
- Deployer can update total sell tax less than 10%
- Deployer can toggle check wallet amount limit
- Deployer can renounce ownership
- Deployer can transfer ownership
- Deployer can update lock settings
- Deployer can launch trading
- Deployer can exclude/include addresses from market pair status
- Deployer can exclude/include addresses from fees
- Deployer can update distribution settings
- Deployer can update minimum tokens for swapping
- Deployer can change marketing wallet address receiver
- Deployer can change team wallet address receiver
- Deployer can toggle swap and liquify
- Deployer can toggle swap and liquify by limit amount
- Deployer cannot mint after initial deployment
- Deployer cannot burn
- Deployer cannot block users
- Deployer cannot pause contract



## CONTRACTWOLF

**Blockchain Security - Smart Contract Audits**