

Blockchain Security - Smart Contract Audits

Security Assessment

January 18, 2022



REBORN

MetaSafeMoon

| Disclaimer | 3 |
|---|----|
| Description | 5 |
| Engagement | 5 |
| Project Engagement | 5 |
| Logo | 6 |
| Contract Link | 6 |
| Risk Level Classification | 7 |
| Methodology | 8 |
| Used Code from other Frameworks / Smart Contracts (Imports) | 9 |
| Description | 10 |
| Scope of Work | 12 |
| Inheritance Graph | 13 |
| Verify Claim | 14 |
| Overall Checkup | 20 |
| Write Functions of Contract | 21 |
| SWC Attack | 22 |
| Audit Result | 26 |
| Audit Comments | 27 |

Disclaimer

ContractWolf.io audits and reports should not be considered as a form of project's "advertisement" and does not cover any interaction and assessment from "project's contract" to "external contracts" such as Pancakeswap or similar.

ContractWolf does not provide any warranty on its released reports.

ContractWolf should not be used as a <u>decision</u> to invest into an audited project and is not affiliated nor partners to its audited contract projects.

ContractWolf provides transparent report to all its "clients" and to its "clients participants" and will not claim any guarantee of bug-free code within it's SMART CONTRACT.

ContractWolf presence is to analyze, audit and assess the client's smart contract's code.

Each company or projects should be liable to its security flaws and functionalities.

Network

BSC / Binance Smart Chain (BEP20 protocol)

Website

https://metasafemoon.net/

Twitter

https://twitter.com/MetaSafeMoon

Telegram

https://t.me/MetaSafeMoonOfficial

Other channels

Reddit: https://www.reddit.com/r/MetaSafeMoon/

Description

MetaSafeMoon is a BEP20 token designed to fulfill one of the first desires of the modern mankind, life outside earth.

MetaSafeMoon operates in an ecosystem that has carefully combined Metaverse and NFTs for a single purpose, offering a real utility that brings users from all blockchains in the same direction

ContractWolf Engagement

14th of January 2022, **MetaSafeMoon** engaged and agrees to audit their smart contract's code by ContractWolf. The goal of this engagement was to identify if there is a possibility of security flaws in the implementation of the contract or system.

ContractWolf will be focusing on contract issues and functionalities along with the projects claims from smart contract to their website, whitepaper and repository which has been provided by **MetaSafeMoon**.

Logo



Contract Link

https://bscscan.com/address/0xf7a086bff67ded4aa785e8a0a81d4345d9bb4740

Risk level classification

Risk Level represents the classification or the probability that a certain function or threat that can exploit vulnerability and have an impact within the system or contract.

Risk Level is computed based on CVSS Version 3.0

| Level | Value Vulnerability | |
|---------------|---------------------|---|
| Critical | 9 - 10 | An exposure that can affect the contract functions in several events that can risk and disrupt the contract |
| High | 7 - 8.9 | An exposure that can affect the outcome when using the contract that can serve as an opening in manipulating the contract in an unwanted manner |
| Medium | 4 - 6.9 | An opening that could affect the outcome in executing the contract in a specific situation |
| Low | 0.1 - 3.9 | An opening but doesn't have an impact on the functionality of the contract |
| Informational | 0 | An opening that consists of information's but will not risk or affect the contract |

Auditing Approach

Every line of code along with its functionalities will undergo manual review to check its security issues, quality, and contract scope of inheritance. The manual review will be done by our team that will document any issues that there were discovered.

Methodology

The auditing process follows a routine series of steps:

- 1. Code review that includes the following:
 - Review of the specifications, sources, and instructions provided to ContractWolf to make sure we understand the size, scope, and functionality of the smart contract.
 - Manual review of code, our team will have a process of reading the code line-by-line with the intention of identifying potential vulnerabilities and security flaws.
- 2. Testing and automated analysis that includes:
 - Testing the smart contract functions with common test cases and scenarios, to ensure that it returns the expected results.
- 3. Best practices review, the team will review the contract with the aim to improve efficiency, effectiveness, clarifications, maintainability, security, and control within the smart contract.
- 4. Recommendations to help the project take steps to secure the smart contract.

Used Code from other Frameworks/Smart Contracts (Direct Imports)

Imported Packages

- IERC20
- SafeMath
- Ownable
- InterfaceLP
- ERC20Detailed
- SafeMathInt
- IDEXFactory
- IDEXRouter
- METASFM

Description

Optimization enabled: Yes

Version: v0.7.4

Decimals: 9

Symbol: \$METASFM

Capabilities

Components

| Version | Contracts | Libraries | Interfaces | Abstract |
|---------|-----------|-----------|------------|----------|
| 1.0 | 2 | 2 | 4 | 1 |

Exposed Functions

| Version | Public | Private |
|---------|--------|---------|
| 1.0 | 11 | 1 |

| Version | External | Internal |
|---------|----------|----------|
| 1.0 | 44 | 19 |

State Variables

| Version | Total | Public |
|---------|-------|--------|
| 1.0 | 28 | 15 |

Capabilities

| Version | Solidity | Experimental | Can | Uses | Has |
|---------|------------|--------------|---------|----------|-------------|
| | Versions | Features | Receive | Assembly | Destroyable |
| | Olanamanal | | Fada | | Caustus etc |
| | Observed | | Funds | | Contracts |




Scope of Work

MetaSafeMoon's team provided us with the files that needs to be tested (Github, Bscscan, Etherscan, files, etc.). The scope of the audit is the main contract.



Inheritance Graph



Verify Claims

Correct implementation of Token Standard



| Function | Description | Exist | Tested | Verified |
|--------------|--|----------|----------|----------|
| TotalSupply | Information about the total coin or token supply | √ | √ | ✓ |
| BalanceOf | Details on the account balance from a specified address | √ | √ | ✓ |
| Transfer | An action that transfers a specified amount of coin or token to a specified address | √ | √ | ✓ |
| TransferFrom | An action that transfers a specified amount of coin or token from a specified address | √ | √ | √ |
| Approve | Provides permission to withdraw specified number of coin or token from a specified address | √ | √ | √ |
| Allowance | Sets a specific number of coin or token that allows a specified address to utilize | √ | √ | ✓ |

Optional implementation

| Function | Description | Exist | Tested | Verified |
|-------------------|---|----------|----------|----------|
| renounceOwnership | Owner renounce ownership for more trust | √ | √ | √ |



Deployer cannot mint any new tokens

| Statement | Exist | Tested | Verified | File |
|----------------------|----------|----------|----------|------|
| Deployer cannot mint | √ | √ | √ | Main |

Max / Total supply: 1,000,000,000,000,000

Deployer cannot pause user funds

| Statement | Exist | Tested | Verified |
|-----------------------|----------|----------|----------|
| Deployer cannot pause | √ | √ | ✓ |



Deployer cannot burn user funds

| Statement | Exist | Tested | Verified |
|----------------------|----------|----------|----------|
| Deployer cannot burn | √ | √ | ✓ |



Deployer cannot pause the contract

| Statement | Exist | Tested | Verified |
|-----------------------|----------|----------|----------|
| Deployer cannot pause | √ | √ | ✓ |



Overall Checkup (Smart Contract Security)



Legend

| Attribute | Symbol |
|--------------------------|----------|
| Verified / Checked | √ |
| Partly Verified | X |
| Unverified / Not checked | P |
| Not Available | _ |

Write Functions of contract



SWC Attacks

| ID | Title | Relationships | Status |
|---------------------------|---|--|------------|
| <u>SWC-136</u> | Unencrypted Private Data On-Chain | CWE-767: Access to Critical Private Variable via Public Method | PASSED |
| SWC-135 | Code With No Effects | CWE-1164: Irrelevant Code | NOT PASSED |
| <u>SWC-</u> <u>134</u> | Message call with hardcoded gas amount | CWE-655: Improper Initialization | PASSED |
| <u>SWC-</u> <u>133</u> | Hash Collisions with Multiple Variable Length Arguments | CWE-294: Authentication Bypass by Capture-replay | PASSED |
| <u>SWC-</u> <u>132</u> | Unexpected Ether balance | CWE-667: Improper Locking | PASSED |
| <u>SWC-</u> <u>131</u> | Presence of unused variables | <u>CWE-1164: Irrelevant</u> <u>Code</u> | PASSED |
| <u>SWC-</u> <u>130</u> | Right-To Left Override control character (U+202E) | CWE-451: User Interface (UI) Misrepresentation of Critical Information | PASSED |
| <u>SWC-</u> <u>129</u> | Typographical Error | CWE-480: Use of Incorrect Operator | PASSED |
| <u>SWC-</u> <u>128</u> | DoS With Block Gas Limit | CWE-400: Uncontrolled Resource Consumption | PASSED |
| <u>SWC-</u> <u>127</u> | Arbitrary Jump with Function Type Variable | CWE-695: Use of Low- Level Functionality | PASSED |

| SWC- | Incorrect | CWE-696: Incorrect | PASSED |
|--------------------|----------------------|---|---------|
| <u>125</u> | Inheritance Order | Behavior Order | |
| CMC | Write to | CWE-123: Write-what- | |
| <u>SWC-</u> 124 | Arbitrary Storage | where Condition | PASSED |
| 124 | Location | | |
| | Requirement | CWE-573: Improper | |
| SWC- | Violation | Following of | PASSED |
| <u>123</u> | | Specification by Caller | |
| CMC | Lack of Proper | CWE-345: Insufficient | |
| <u>SWC-</u> | Signature | Verification of Data | PASSED |
| <u>122</u> | Verification | <u>Authenticity</u> | |
| | Missing Protection | CWE-347: Improper | |
| SWC- | against Signature | <u>Verification of</u> | PASSED |
| <u>121</u> | Replay Attacks | Cryptographic | I ASSED |
| | | <u>Signature</u> | |
| SWC- | Weak Sources of | CWE-330: Use of | |
| 120 | Randomness from | Insufficiently | PASSED |
| | Chain Attributes | Random Values | |
| SWC- | Shadowing State | CWE-710: Improper | |
| 119 | Variables | Adherence to Coding | PASSED |
| | | <u>Standards</u> | |
| SWC- | Incorrect | CWE-665: Improper | |
| 118 | Constructor | I <u>nitialization</u> | PASSED |
| | Name | CIA/E 247: Incomes a con- | |
| SWC- | Signature | CWE-347: Improper | DACCED |
| <u>117</u> | Malleability | Verification of Cryptographic Signature | PASSED |
| SMC | Timestamn | Cryptographic Signature CWE-829: Inclusion of | |
| <u>SWC-</u> 116 | Timestamp Dependence | CVVL-025. IIICIUSIUII UI | PASSED |
| | Dependence | | |

| | | Functionality from | |
|-------------|----------------------|-------------------------------|--------|
| | | Untrusted | |
| | | Control Sphere | |
| SWC- | Authorization | CWE-477: Use of | DACCED |
| 115 | through tx.origin | Obsolete Function | PASSED |
| | Transaction | CWE-362: Concurrent | |
| | Order | Execution using Shared | |
| SWC- | Dependence | Resource with | DACCED |
| <u>114</u> | | <u>Improper</u> | PASSED |
| | | Synchronization ('Race | |
| | | Condition') | |
| CMC | DoS with Failed Call | CWE-703: Improper | |
| <u>SWC-</u> | | Check or Handling of | PASSED |
| 113 | | Exceptional Conditions | |
| | Delegate call to | CWE-829: Inclusion of | |
| SWC- | Untrusted | Functionality from | DACCED |
| <u>112</u> | Callee | <u>Untrusted</u> | PASSED |
| | | Control Sphere | |
| CIVIC | Use of Deprecated | CWE-477: Use of | |
| <u>SWC-</u> | Solidity | Obsolete Function | PASSED |
| <u>111</u> | Functions | | |
| CMC | Assert Violation | CWE-670: Always- | |
| <u>SWC-</u> | | Incorrect Control Flow | PASSED |
| <u>110</u> | | <u>Implementation</u> | |
| SWC- | Uninitialized | CWE-824: Access of | DASSED |
| <u>109</u> | Storage Pointer | <u>Uninitialized Pointer</u> | PASSED |
| CIMC | State Variable | CWE-710: Improper | |
| <u>SWC-</u> | Default | Adherence to Coding | PASSED |
| <u>108</u> | Visibility | <u>Standards</u> | |

| <u>SWC-</u> <u>107</u> | Reentrancy | CWE-841: Improper Enforcement of Behavioral Workflow | PASSED |
|---------------------------|--------------------------------------|--|--------|
| <u>SWC-</u> <u>106</u> | Unprotected SELFDESTRUCT Instruction | CWE-284: Improper Access Control | PASSED |
| SWC-105 | Unprotected Ether Withdrawal | CWE-284: Improper Access Control | PASSED |
| SWC-104 | Unchecked Call Return Value | CWE-252: Unchecked Return Value | PASSED |
| SWC-103 | Floating Pragma | CWE-664: Improper Control of a Resource Through its Lifetime | PASSED |
| SWC-102 | Outdated Compiler Version | CWE-937: Using Components with Known Vulnerabilities | PASSED |
| SWC-101 | Integer Overflow and Underflow | CWE-682: Incorrect Calculation | PASSED |
| SWC-100 | Function Default Visibility | CWE-710: Improper Adherence to Coding Standards | PASSED |

AUDIT PASSED

Critical Issues

No critical issues found

High Issues

No high issues found

Medium Issues

No medium issues found

Low Issues

No low issues found

Informational Issues

No informational issues found

Function Issues

No informational issues found

Audit Comments

January 17, 2022

- Too many external addresses declared
- Irrelevant line of code 367