

Blockchain Security - Smart Contract Audits



Security Assessment

February 7, 2023

Disclaimer	3
Scope of Work & Engagement	3
Project Description	4
Risk Level Classification	5
Methodology	6
Used Code from other Frameworks / Smart Contracts (Imports	7
Token Description	8
Inheritance Graph	9
Overall Checkup	10
Verify Claim	11
Write Functions of Contract	12
Call Graph	13
SWC Attacks	14
Audit Result	16
Findings	17
Audit Comments	19

Disclaimer

ContractWolf.io audits and reports should not be considered as a form of project's "advertisement" and does not cover any interaction and assessment from "project's contract" to "external contracts" such as Pancakeswap or similar.

ContractWolf does not provide any warranty on its released reports.

ContractWolf should not be used as a <u>decision</u> to invest into an audited project and is not affiliated nor partners to its audited contract projects.

ContractWolf provides transparent report to all its "clients" and to its "clients participants" and will not claim any guarantee of bug-free code within its **SMART CONTRACT**.

ContractWolf presence is to analyze, audit and assess the client's smart contract's code.

Each company or projects should be liable to its security flaws and functionalities.

Scope of Work

Pollux Protocol team agreed and provided us with the files that needs to be tested (Github, Bscscan, Etherscan, files, etc.). The scope of the audit is the main contract.

The goal of this engagement was to identify if there is a possibility of security flaws in the implementation of the contract or system.

ContractWolf will be focusing on contract issues and functionalities along with the projects claims from smart contract to their website, whitepaper and repository which has been provided by **Pollux Protocol**.

Description

Pollux Protocol is building the first of its kind multi chain DeFi ecosystem utilising 6 different Crypto Networks. We are creating easy to use white label solutions for other projects to build on cross chain!



Risk Level Classification

Risk Level represents the classification or the probability that a certain function or threat that can exploit vulnerability and have an impact within the system or contract.

Risk Level is computed based on CVSS Version 3.0

Level	Value	Vulnerability
Critical	9 - 10	An Exposure that can affect the contract functions in several events that can risk and disrupt the contract
High	7 - 8.9	An Exposure that can affect the outcome when using the contract that can serve as an opening in manipulating the contract in an unwanted manner
Medium	4 - 6.9	An opening that could affect the outcome in executing the contract in a specific situation
Low	0.1 - 3.9	An opening but doesn't have an impact on the functionality of the contract
Informational	0	An opening that consists of information's but will not risk or affect the contract

Auditing Approach

Every line of code along with its functionalities will undergo manual review to check its security issues, quality, and contract scope of inheritance. The manual review will be done by our team that will document any issues that there were discovered.

Methodology

The auditing process follows a routine series of steps:

- 1. Code review that includes the following:
 - Review of the specifications, sources, and instructions provided to ContractWolf to make sure we understand the size, scope, and functionality of the smart contract.
 - Manual review of code, our team will have a process of reading the code line-by-line with the intention of identifying potential vulnerabilities and security flaws.
- 2. Testing and automated analysis that includes:
 - Testing the smart contract functions with common test cases and scenarios, to ensure that it returns the expected results.
- 3. Best practices review, the team will review the contract with the aim to improve efficiency, effectiveness, clarifications, maintainability, security, and control within the smart contract.
- 4. Recommendations to help the project take steps to secure the smart contract.

Used Code from other Frameworks/Smart Contracts (Direct Imports)

Imported Packages

- Context
- IUniswapV2Factory
- IERC20
- IERC20Metadata
- ERC20
- DividendPayingTokenOptionalInterface
- DividendPayingTokenInterface
- SafeMath
- Ownable
- SafeMathInt
- SafeMathUint
- IUniswapV2Router01
- IUniswapV2Router02
- DividendPayingToken
- DividendTracker
- Pollux

Description

Optimization enabled: Yes

Decimal: 18

Symbol: POLL

Max / Total Supply: 1,000,000

Capabilities

Components

Version	Contracts	Libraries	Interfaces	Abstract
1.0	5	3	7	1

Exposed Functions

Version	Public	Private	External	Internal
1.0	22	11	85	26


State Variables

Version	Total	Public
1.0	58	40

Capabilities

	Version	Solidity Versions Observed	Experimental Features	Can Receive Funds	Uses Assembly	Has Destroyable Contracts
ľ	1.0	v0.8.7		Yes	No	No

Inheritance Graph



Correct implementation of Token Standard

Tested	Verified
√	✓

Overall Checkup (Smart Contract Security)

Tested	Verified
√	√

Function	Description	Exist	Tested	Verified
TotalSupply	Information about the total coin or token supply	√	√	√
BalanceOf	Details on the account balance from a specified address	√	√	✓
Transfer	An action that transfers a specified amount of coin or token to a specified address	√	√	✓
TransferFrom	An action that transfers a specified amount of coin or token from a specified address	√	√	√
Approve	Provides permission to withdraw specified number of coin or token from a specified address	√	✓	√

Verify Claims

Statement	Exist	Tested	Deployer
Renounce Ownership	√	√	√
Mint	_	_	_
Burn	_	_	_
Block	_	_	_
Pause	_	_	_


Legend

Attribute	Symbol
Verified / Can	✓
Verified / Cannot	X
Unverified / Not checked	
Not Available	_

Write Functions of Contract

1. addPresaleAddressForExclusions	17. requestToWithdrawLP
2. approve	18. setAutomatedMarketMakerPair
3. cancelLPWithdrawRequest	19. transfer
4. claim	20. transferFrom
5. decreaseAllowance	21. transferOwnership
6. disableTransferDelay	22. updateBuyFees
7. enableTrading	23. updateClaimWait
8. excludeFromDividends	24. updateGasForProcessing
9. excludeFromFees	
10. excludeFromMaxTransaction	25. updateMarketingWallet
11. excludeMultipleAccountsFromFees	26. updateMaxAmount
12. includeInDividends	27. updateMaxWalletAmount
13. increaseAllowance	28. updateSellFees
14. processDividendTracker	29. updateSwapEnabled
15. removeLimits	30. withdrawRequestedLP
16. renounceOwnership	31. withdrawStuckEth

Call Graph



SWC Attacks

ID	Title	Status
SWC-136	Unencrypted Private Data On-Chain	PASSED
<u>SWC-135</u>	Code With No Effects	PASSED
SWC-134	Message call with hardcoded gas amount	PASSED
<u>SWC-133</u>	Hash Collisions with Multiple Variable Length Arguments	PASSED
SWC-132	Unexpected Ether balance	PASSED
<u>SWC-131</u>	Presence of unused variables	PASSED
SWC-130	Right-To Left Override control character (U+202E)	PASSED
SWC-129	Typographical Error	PASSED
<u>SWC-128</u>	DoS With Block Gas Limit	PASSED
<u>SWC-127</u>	Arbitrary Jump with Function Type Variable	PASSED
SWC-126	Insufficient Gas Griefing	PASSED
SWC-125	Incorrect Inheritance Order	PASSED
<u>SWC-124</u>	Write to Arbitrary Storage Location	PASSED
<u>SWC-123</u>	Requirement Violation	PASSED
SWC-122	Lack of Proper Signature Verification	PASSED
SWC-121	Missing Protection against Signature Replay Attacks	PASSED
<u>SWC-120</u>	Weak Sources of Randomness from Chain Attributes	LOW ISSUE
SWC-119	Shadowing State Variables	PASSED
SWC-118	Incorrect Constructor Name	PASSED
<u>SWC-117</u>	Signature Malleability	PASSED
<u>SWC-116</u>	Block values as a proxy for time	PASSED
<u>SWC-115</u>	Authorization through tx.origin	LOW ISSUE
<u>SWC-114</u>	Transaction Order Dependence	PASSED
<u>SWC-113</u>	DoS with Failed Call	PASSED
<u>SWC-112</u>	Delegate call to Untrusted Callee	PASSED
<u>SWC-111</u>	Use of Deprecated Solidity Functions	PASSED

<u>SWC-110</u>	Assert Violation	PASSED
SWC-109	Uninitialized Storage Pointer PASSED	
<u>SWC-108</u>	State Variable Default Visibility PASSED	
SWC-107	Reentrancy	PASSED
<u>SWC-106</u>	Unprotected SELFDESTRUCT Instruction	PASSED
<u>SWC-105</u>	Unprotected Ether Withdrawal	PASSED
<u>SWC-104</u>	Unchecked Call Return Value	PASSED
SWC-103	Floating Pragma	PASSED
SWC-102	Outdated Compiler Version	PASSED
<u>SWC-101</u>	Integer Overflow and Underflow	PASSED
SWC-100	Function Default Visibility	PASSED

AUDIT PASSED

Low Issues

Use of "tx.origin" as part of		L: 1479, L: 1534, L: 1535, L: 1621
authorization control (SWC-115)		
Potential use of "block.number" as		L: 1342, L: 1534, L: 1535, L: 1582
source of randomness (SWC-120)		

Findings

Description:

Use of "tx.origin" as part of authorization control (SWC-115)

Suggestion:

tx.origin should not be used for authorization. Use msg.sender instead.

Description:

Potential use of "block.number" as source of randomness (SWC-120)

Suggestion:

- Using commitment scheme, e.g. RANDAO.
- Using external sources of randomness via oracles, e.g. Oraclize. Note that this approach requires trusting in oracle, thus it may be reasonable to use multiple oracles.
- Using of Bitcoin block hashes, as they are more expensive to mine.

Owner can set buy/sell fees up to 25%

Owner can set max transaction limit not lower than 0.1% of total supply

```
function updateMaxAmount(uint256 newNum1) external onlyOwner {
    require(newNum1 > (totalSupply() * 1 / 1000)/1e18, "Cannot set maxTransactionAmount lower than 0.1%");
    maxTransactionAmount = newNum1 * (10**18);
}
```

Owner can set max wallet amount not lower than 1% of total supply

```
function updateMaxWalletAmount(uint256 newNum1) external onlyOwner {
    require(newNum1 > (totalSupply() * 1 / 100)/1e18, "Cannot set maxWallet lower than 1%");
    maxWallet = newNum1 * (10**18);
}
```

Audit Comments

- Owner can set buy/sell fees up to 25%
- Owner can renounce ownership
- Owner can transfer ownership
- Owner can include/exclude addresses from dividends
- Owner can update claim wait between 1 to 24 hours
- Owner can set presale address for exclusions
- Owner can disable transfer delay
- Owner can enable trading
- Owner can toggle swap status
- Owner can update max tx limit not lower than 0.1% of total supply
- Owner can update max wallet limit not lower than 1% of total supply
- Owner can include/exclude addresses from max tx limit
- Owner can include/exclude addresses from fees
- Owner can set automated market maker pair address and status
- Owner can set marketing wallet address
- Owner can update gas between 200,000 and 500,000
- Owner can remove limits
- Owner can take tokens from contract
- Owner can withdraw tokens from LP up to 100%
- Owner can request to withdraw tokens from LP up to 100%
- Owner can cancel withdraw request
- Owner cannot burn tokens
- Owner cannot block user
- Owner cannot pause contract
- Owner cannot mint after initial deployment



CONTRACTWOLF

Blockchain Security - Smart Contract Audits