

Blockchain Security - Smart Contract Audits

Security Assessment

January 18, 2022



Disclaimer	3
Description	5
Engagement	5
Project Engagement	5
Logo	6
Contract Link	6
Risk Level Classification	7
Methodology	8
Used Code from other Frameworks / Smart Contracts (Imports)	9
Description	10
Scope of Work	11
Inheritance Graph	12
Verify Claim	13
Overall Checkup	16
Write Functions of Contract	17
SWC Attack	18
Audit Result	22
Audit Comments	23

Disclaimer

ContractWolf.io audits and reports should not be considered as a form of project's "advertisement" and does not cover any interaction and assessment from "project's contract" to "external contracts" such as Pancakeswap or similar.

ContractWolf does not provide any warranty on its released reports.

ContractWolf should not be used as a <u>decision</u> to invest into an audited project and is not affiliated nor partners to its audited contract projects.

ContractWolf provides transparent report to all its "clients" and to its "clients participants" and will not claim any guarantee of bug-free code within it's **SMART CONTRACT**.

ContractWolf presence is to analyze, audit and assess the client's smart contract's code.

Each company or projects should be liable to its security flaws and functionalities.

Network

AVAX Network

Website

https://heroesofnft.com/

Twitter

https://twitter.com/heroesofnft

Telegram

https://t.me/heroesofNFTofficial

Other channels

https://blog.heroesofnft.com/

https://discord.com/invite/ngvATGZ6QE

Description

Heroes of NFT is an online card game where you can attend tournaments and defeat your opponents to rise to victory. Its unique story structure allows you to enter a Metaverse in the year 2073 to experience the stories of your heroes and get to know more about the world they live in before you begin to fight.

ContractWolf Engagement

17th of January 2022, **Heroes of NFT** engaged and agrees to audit their smart contract's code by ContractWolf. The goal of this engagement was to identify if there is a possibility of security flaws in the implementation of the contract or system.

ContractWolf will be focusing on contract issues and functionalities along with the projects claims from smart contract to their website, whitepaper and repository which has been provided by **Heroes of NFT.**

Logo



Contract Link

https://snowtrace.io/address/0xbd7bd0b4650d324e3ea6f734faa3fc37d80b7d82

Risk level classification

Risk Level represents the classification or the probability that a certain function or threat that can exploit vulnerability and have an impact within the system or contract.

Risk Level is computed based on CVSS Version 3.0

Level	Value	Vulnerability	
Critical	9 - 10	An exposure that can affect the contract functions in several events that can risk and disrupt the contract	
High	7 - 8.9	An exposure that can affect the outcome when using the contract that can serve as an opening in manipulating the contract in an unwanted manner	
Medium	4 - 6.9	An opening that could affect the outcome in executing the contract in a specific situation	
Low	0.1 - 3.9	An opening but doesn't have an impact on the functionality of the contract	

Informational	Ο	An opening that consists of information's but will not risk or affect the contract
---------------	---	--

Auditing Approach

Every line of code along with its functionalities will undergo manual review to check its security issues, quality, and contract scope of inheritance. The manual review will be done by our team that will document any issues that there were discovered.

Methodology

The auditing process follows a routine series of steps:

- 1. Code review that includes the following:
 - Review of the specifications, sources, and instructions provided to ContractWolf to make sure we understand the size, scope, and functionality of the smart contract.
 - Manual review of code, our team will have a process of reading the code line-by-line with the intention of identifying potential vulnerabilities and security flaws.
- 2. Testing and automated analysis that includes:
 - Testing the smart contract functions with common test cases and scenarios, to ensure that it returns the expected results.

- 3. Best practices review, the team will review the contract with the aim to improve efficiency, effectiveness, clarifications, maintainability, security, and control within the smart contract.
- 4. Recommendations to help the project take steps to secure the smart contract.



Description

Optimization enabled: Yes

Version: ^0.8.3

Decimal: --(ERC721)

Symbol: HRO

Capabilities

Components

Version		Libraries	Interfaces	Abstract	
	Contracts				
1.0	1	4	2	4	

Exposed Functions

Version	Public	Private
1.0	35	12

Version	External	Internal
1.0	18	41

Capabilities


Versio n	Solidity Version s Observ ed	Experimen tal Features	Can Receiv e Funds	Uses Assemb ly	Has Destroyab le Contracts
1.0	^0.8.3		Yes	Yes (2asm blocks)	No

Scope of Work

Heroes Of NFT's team provided us with the files that needs to be tested (Github, Bscscan, Etherscan, files, etc.). The scope of the audit is the main contract.



Inheritance Graph



Verify Claims


Correct implementation of Token Standard

Tested	Verified
√	X

Function	Description	Exist	Teste d	Verifie d
TotalSupply	Information about the total coin or token supply	√	✓	X
BalanceOf	Details on the account balance from a specified address	√	✓	√
Transfer	An action that transfers a specified amount of coin or token to a specified address	√	√	√
TransferFro m	An action that transfers a specified amount of coin or token from a specified address	√	√	√
Approve	Provides permission to withdraw specified number of coin or token from a specified address	√	√	√

Optional implementation

Function Descript		Exist	Teste d	Verifie d
renounceOwnersh ip	Owner renounce ownership for more trust	√	√	X



Deployer cannot mint any new tokens

Statement	Exist	Tested	Verified	File
Deployer can mint	✓	✓	✓	Main
Deployer can generate NFT	√	✓	√	Main

Max / Total supply: --

Deployer cannot burn or lock user funds

Statement	Exist	Tested	Verified
Deployer cannot pause	√	√	✓

Deployer cannot pause contract

Statement	Exist	Tested	Verified
Deployer cannot pause	√	✓	✓

Overall Checkup (Smart Contract Security)



Legend

Attribute	Symbol
Verified / Checked	✓
Partly Verified	X
Unverified / Not checked	P
Not Available	_

Write Functions of Contract

1. addBundle
2. approve
changePriceBundle
4. incrementCurrentGeneration
5. mintLegendary
3. purchaseBundle
7. release
8. renounceOwnership
). safeTransferFrom
10. safeTransferFrom
11. setApprovalForAll
12. setBaseURI
13. setGenerationSaleStart
14. setNumberOfCharacters
15. setRaritySupplyIncreaseAmount
16. setSeed
17. transferFrom
18. transferOwnership

SWC Attacks

ID	Title	Relationships	Status
<u>SWC-</u> 136	Unencrypted Private Data On-Chain	CWE-767: Access to Critical Private Variable via Public Method	PASSED
SWC- 135	Code With No Effects	CWE-1164: Irrelevant Code	PASSED
SWC- 134	Message call with hardcoded gas amount	CWE-655: Improper Initialization	PASSED
<u>SWC-</u> 133	Hash Collisions with Multiple Variable Length Arguments	CWE-294: Authentication Bypass by Capture- replay	PASSED
SWC- 132	Unexpected Ether balance	CWE-667: Improper Locking	PASSED
<u>SWC-</u> 131	Presence of unused variables	CWE-1164: Irrelevant Code	PASSED
<u>SWC-</u> 130	Right-To Left Override control character (U+202E)	CWE-451: User Interface (UI) Misrepresentation of Critical Information	PASSED
SWC- 129	Typographical Error	CWE-480: Use of Incorrect Operator	PASSED
<u>SWC-</u> 128	DoS With Block Gas Limit	CWE-400: Uncontrolled Resource Consumption	PASSED
SWC- 127	Arbitrary Jump with Function Type Variable	CWE-695: Use of Low-Level Functionality	PASSED

SWC- 125	Incorrect Inheritance Order	CWE-696: Incorrect Behavior Order	PASSED
<u>SWC-</u> 124	Write to Arbitrary Storage Location	CWE-123: Write- what-where Condition	PASSED
<u>SWC-</u> 123	Requirement Violation	CWE-573: Improper Following of Specification by Caller	PASSED
<u>SWC-</u> <u>122</u>	Lack of Proper Signature Verification	CWE-345: Insufficient Verification of Data Authenticity	PASSED
<u>SWC-</u> <u>121</u>	Missing Protection against Signature Replay Attacks	CWE-347: Improper Verification of Cryptographic Signature	PASSED
<u>SWC-</u> 120	Weak Sources of Randomness from Chain Attributes	CWE-330: Use of Insufficiently Random Values	PASSED
<u>SWC-</u> <u>119</u>	Shadowing State Variables	CWE-710: Improper Adherence to Coding Standards	PASSED
<u>SWC-</u> 118	Incorrect Constructor Name	CWE-665: Improper Initialization	PASSED
<u>SWC-</u> <u>117</u>	Signature Malleability	CWE-347: Improper Verification of Cryptographic Signature	PASSED

<u>SWC-</u> <u>116</u>	Timestamp Dependence	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
<u>SWC-</u> 115	Authorization through tx.origin	CWE-477: Use of Obsolete Function	PASSED
<u>SWC-</u> 114	Transaction Order Dependence	CWE-362: Concurrent Execution using Shared Resource with Improper Synchronization ('Race Condition')	PASSED
<u>SWC-</u> <u>113</u>	DoS with Failed Call	CWE-703: Improper Check or Handling of Exceptional Conditions	PASSED
<u>SWC-</u> 112	Delegate call to Untrusted Callee	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
<u>SWC-</u> 111	Use of Deprecated Solidity Functions	CWE-477: Use of Obsolete Function	PASSED
<u>SWC-</u> 110	Assert Violation	CWE-670: Always- Incorrect Control Flow Implementation	PASSED

<u>SWC-</u> 109	Uninitialized Storage Pointer	CWE-824: Access of Uninitialized Pointer	PASSED
SWC- 108	State Variable Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED
<u>SWC-</u> 107	Reentrancy	CWE-841: Improper Enforcement of Behavioral Workflow	PASSED
SWC- 106	Unprotected SELFDESTRUCT Instruction	CWE-284: Improper Access Control	PASSED
SWC- 105	Unprotected Ether Withdrawal	CWE-284: Improper Access Control	PASSED
<u>SWC-</u> 104	Unchecked Call Return Value	CWE-252: Unchecked Return Value	PASSED
SWC- 103	Floating Pragma	CWE-664: Improper Control of a Resource Through its Lifetime	PASSED
<u>SWC-</u> 102	Outdated Compiler Version	CWE-937: Using Components with Known Vulnerabilities	PASSED
<u>SWC-</u> 101	Integer Overflow and Underflow	CWE-682: Incorrect Calculation	PASSED
<u>SWC-</u> 100	Function Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED

AUDIT PASSED

Critical Issues

No critical issues found

High Issues

No high issues found

Medium Issues

No medium issues found

Low Issues

No medium issues found

Informational Issues

No informational issues found

Function Issues

No informational issues found

Audit Comments

Deployer can mint NFT Deployer can Increase the supply limit of NFT Deployer cannot pause the contract

For more information please check contract HeroesToken

https://snowtrace.io/address/0xbd7bd0b4650d324e3ea6f734faa3fc37d80b7d82#code