



Security Assessment

Eclipse Protocol

Verified on 07/24/2026

SUMMARY

Project

Eclipse Protocol

CHAIN

Binance Smart Chain

METHODOLOGY

Manual & Automatic Analysis

FILES

Contract

DELIVERY

07/24/2026

TYPE

Standard Audit



Total Findings

Critical

Major

Medium

Minor

Informational

Resolved

 0 Critical

An exposure that can affect the contract functions in several events that can risk and disrupt the contract

 2 Major

An opening & exposure to manipulate the contract in an unwanted manner

 1 Medium

An opening that could affect the outcome in executing the contract in a specific situation

 0 Minor

An opening but doesn't have an impact on the functionality of the contract

 1 Informational

An opening that consists information but will not risk or affect the contract

 0 Resolved

ContractWolf's findings has been acknowledged & resolved by the project

STATUS
 **AUDIT PASSED**

TABLE OF CONTENTS | Eclipse Protocol

| Summary

Project Summary
Findings Summary
Disclaimer
Scope of Work
Auditing Approach

| Project Information

Token/Project Details
Inheritance Graph
Call Graph

| Findings

Issues
SWC Attacks
CW Assessment
Fixes & Recommendation
Audit Comments



DISCLAIMER | Eclipse Protocol

ContractWolf audits and reports should not be considered as a form of project's "Advertisement" and does not cover any interaction and assessment from "Project Contract" to "External Contracts" such as PancakeSwap, UniSwap, SushiSwap or similar.

ContractWolf does not provide any warranty on its released report and should not be used as a decision to invest into audited projects.

ContractWolf provides a transparent report to all its "Clients" and to its "Clients Participants" and will not claim any guarantee of bug-free code within its **SMART CONTRACT**.

ContractWolf's presence is to analyze, audit and assess the Client's Smart Contract to find any underlying risk and to eliminate any logic and flow errors within its code.


Each company or project should be liable to its security flaws and functionalities.

SCOPE OF WORK | Eclipse Protocol

Eclipse Protocol team has agreed and provided us with the files that need to be tested (*Github, BSCscan, Etherscan, Local files etc*). The scope of audit is the main contract.

The goal of this engagement is to identify if there is a possibility of security flaws in the implementation of smart contract and its systems.

ContractWolf will be focusing on contract issues and functionalities along with the project claims from smart contract to their website, whitepaper, repository which has been provided by **Eclipse Protocol**.



AUDITING APPROACH | Eclipse Protocol

Every line of code along with its functionalities will undergo manual review to check for security issues, quality of logic and contract scope of inheritance. The manual review will be done by our team that will document any issues that they discovered.

METHODOLOGY

The auditing process follows a routine series of steps :

1. Code review that includes the following :
 - Review of the specifications, sources and instructions provided to ContractWolf to make sure we understand the size, scope and functionality of the smart contract.
 - Manual review of code. Our team will have a process of reading the code line-by-line with the intention of identifying potential vulnerabilities, underlying and hidden security flaws.
2. Testing and automated analysis that includes :
 - Testing the smart contract function with common test cases and scenarios to ensure that it returns the expected results.
3. Best practices and ethical review. The team will review the contract with the aim to improve efficiency, effectiveness, clarifications, maintainability, security and control within the smart contract.
4. Recommendations to help the project take steps to eliminate or minimize threats and secure the smart contract.

TOKEN DETAILS | Eclipse Protocol



An AI-powered decentralized finance ecosystem where deflationary scarcity, automatic ETH reflections, and intelligent automation converge into a single self-sustaining protocol.

Token Name	Symbol	Decimal	Total Supply	Chain
Eclipse Protocol	EPX	9	1,000,000,000	Binance Smart Chain

SOURCE


Source `0xb7f5042db1a8875c2f5d268123d340b76dfaa4c0`

INHERITANCE GRAPH | Eclipse Protocol

Inheritance Graph of Contract Functions



Call Graph of Contract Functions



FINDINGS | Eclipse Protocol



4

0

2

1

0

1

0

Total Findings

Critical

Major

Medium

Minor

Informational

Resolved

This report has been prepared to state the issues and vulnerabilities for Eclipse Protocol through this audit. The goal of this report findings is to identify specifically and fix any underlying issues and errors

ID	Title	File & Line #	Severity	Status
SWC-107	Reentrancy	L: 367	Major	• Pending
SWC-116	Ineffective router deadline	Every block.timestamp with deadline	Major	• Pending
MEV Exposure	No Slippage Protection	L: 632	Medium	• Pending
CW-012	SafeMath Override	L: 19	Informational	• Pending

SWC ATTACKS | Eclipse Protocol

Smart Contract Weakness Classification and Test Cases

ID	Description	Status
SWC-100	Function Default Visibility	● Passed
SWC-101	Integer Overflow and Underflow	● Passed
SWC-102	Outdated Compiler Version	● Passed
SWC-103	Floating Pragma	● Passed
SWC-104	Unchecked Call Return Value	● Passed
SWC-105	Unprotected Ether Withdrawal	● Passed
SWC-106	Unprotected SELF DESTRUCT Instruction	● Passed
SWC-107	Reentrancy	● Not Passed
SWC-108	State Variable Default Visibility	● Passed
SWC-109	Uninitialized Storage Pointer	● Passed
SWC-110	Assert Violation	● Passed
SWC-111	Use of Deprecated Solidity Functions	● Passed
SWC-112	Delegate call to Untrusted Callee	● Passed
SWC-113	DoS with Failed Call	● Passed
SWC-114	Transaction Order Dependence	● Passed
SWC-115	Authorization through tx.origin	● Passed
SWC-116	Block values as a proxy for time	● Not Passed
SWC-117	Signature Malleability	● Passed
SWC-118	Incorrect Constructor Name	● Passed
SWC-119	Shadowing State Variables	● Passed
SWC-120	Weak Sources of Randomness from Chain Attributes	● Passed
SWC-121	Missing Protection against Signature Replay Attacks	● Passed
SWC-122	Lack of Proper Signature Verification	● Passed

ID	Description	Status
SWC-123	Requirement Violation	● Passed
SWC-124	Write to Arbitrary Storage Location	● Passed
SWC-125	Incorrect Inheritance Order	● Passed
SWC-126	Insufficient Gas Griefing	● Passed
SWC-127	Arbitrary Jump with Function Type Variable	● Passed
SWC-128	DoS With Block Gas Limit	● Passed
SWC-129	Typographical Error	● Passed
SWC-130	Right-To-Left-Override control character(U+202E)	● Passed
SWC-131	Presence of unused variables	● Passed
SWC-132	Unexpected Ether balance	● Passed
SWC-133	Hash Collisions With Multiple Variable Arguments	● Passed
SWC-134	Message call with hardcoded gas amount	● Passed
SWC-135	Code With No Effects	● Passed
SWC-136	Unencrypted Private Data On-Chain	● Passed

CW ASSESSMENT | Eclipse Protocol

ContractWolf Vulnerability and Security Tests

ID	Name	Description	Status
CW-001	Multiple Version	Presence of multiple compiler version across all contracts	✓
CW-002	Incorrect Access Control	Additional checks for critical logic and flow	✓
CW-003	Payable Contract	A function to withdraw ether should exist otherwise the ether will be trapped	✓
CW-004	Custom Modifier	major recheck for custom modifier logic	✓
CW-005	Divide Before Multiply	Performing multiplication before division is generally better to avoid loss of precision	✓
CW-006	Multiple Calls	Functions with multiple internal calls	✓
CW-007	Deprecated Keywords	Use of deprecated functions/operators such as block.blockhash() for blockhash(), msg.gas for gasleft(), throw for revert(), sha3() for keccak256(), callcode() for delegatecall(), suicide() for selfdestruct(), constant for view or var for actual type name should be avoided to prevent unintended errors with newer compiler versions	✓
CW-008	Unused Contract	Presence of an unused, unimported or uncalled contract	✓
CW-009	Assembly Usage	Use of EVM assembly is error-prone and should be avoided or double-checked for correctness	✓
CW-010	Similar Variable Names	Variables with similar names could be confused for each other and therefore should be avoided	✓
CW-011	Commented Code	Removal of commented/unused code lines	✓
CW-012	SafeMath Override	SafeMath is no longer needed starting with Solidity v0.8+. The compiler now has built-in overflow checking.	✗

FIXES & RECOMMENDATION

MEV Exposure | No Slippage Protection

Every router interaction passes `0` for minimum-out parameters. These calls (triggered automatically inside ordinary transfers, and by `triggerZeusBuyback`) can be sandwiched by MEV bots, extracting value from the contract's own swap/liquidity/buyback operations at the expense of holders.

```
router.swapExactTokensForETHSupportingFeeOnTransferTokens(amountToSwap, 0, path,
address(this), block.timestamp); // swapBack

router.addLiquidityETH{value: amountBNBLiquidity}(address(this), amountToLiquify, 0,
0, autoLiquidityReceiver, block.timestamp); // swapBack

router.swapExactETHForTokensSupportingFeeOnTransferTokens{value: amount}(0, path, to,
block.timestamp); // buyTokens
```

Recommendation

Compute an acceptable minimum off-chain or via a TWAP-based on-chain check, or at minimum expose a configurable slippage tolerance:

```
uint256 public slippageBps = 500; // 5%, adjustable by owner

uint256 expectedOut = router.getAmountsOut(amountToSwap, path)[1];
uint256 minOut = expectedOut * (10000 - slippageBps) / 10000;
router.swapExactTokensForETHSupportingFeeOnTransferTokens(amountToSwap, minOut,
path, address(this), block.timestamp);
```

SWC-116 | Ineffective router deadline

Passing the *current* block's timestamp as the deadline means the deadline check on the router side (`require(deadline >= block.timestamp)`) is always satisfied by construction — it provides **zero actual protection**. The deadline mechanism exists specifically to prevent a transaction from sitting in the mempool and being mined much later at a stale price; using `block.timestamp` defeats that purpose entirely.

Recommendation

Pass a real forward-looking deadline, ideally supplied by the caller of an admin-triggered function, or a fixed short window for internal calls:

```
uint256 deadline = block.timestamp + 300; // 5-minute window
router.swapExactTokensForETHSupportingFeeOnTransferTokens(amountToSwap, minOut,
path, address(this), deadline);
```

SWC-107 | Reentrancy

The internal function `distributeDividend` performs an external ERC-20 transfer (`ETH.transfer(shareholder, amount)`) before updating the shareholder's state variables (`totalDistributed`, `shareholderClaims`, `shares[shareholder].totalRealised`, `shares[shareholder].totalExcluded`).

```
function distributeDividend(address shareholder) internal {
    if(shares[shareholder].amount == 0){ return; }

    uint256 amount = getUnpaidEarnings(shareholder);
    if(amount > 0){
        totalDistributed = totalDistributed.add(amount);
        ETH.transfer(shareholder, amount);           // external call first
        shareholderClaims[shareholder] = block.timestamp; // state update after
        shares[shareholder].totalRealised =
shares[shareholder].totalRealised.add(amount);
        shares[shareholder].totalExcluded =
getCumulativeDividends(shares[shareholder].amount);
    }
}
```

Recommendation

Follow the **checks-effects-interactions** pattern: update all internal state before making the external token transfer. Alternatively, add the `nonReentrant` modifier from OpenZeppelin to the public `claimDividend` function and ensure `distributeDividend` is only called internally.

```
function distributeDividend(address shareholder) internal {
    if(shares[shareholder].amount == 0){ return; }

    uint256 amount = getUnpaidEarnings(shareholder);
    if(amount > 0){
        // State updates first
        totalDistributed = totalDistributed.add(amount);
        shareholderClaims[shareholder] = block.timestamp;
        shares[shareholder].totalRealised =
shares[shareholder].totalRealised.add(amount);
        shares[shareholder].totalExcluded =
getCumulativeDividends(shares[shareholder].amount);

        // External call last
        ETH.transfer(shareholder, amount);
    }
}
```


CW-012 | SafeMath Override

```
library SafeMath
```

SafeMath is no longer needed starting Solidity v0.8+. The compiler now has Built in overflow checking.



AUDIT COMMENTS | Eclipse Protocol

Smart Contract audit comment for a non-technical perspective

- Owner can set taxes/fees up to 25% ONLY
- Contract cannot be fully paused, but trading can be turned off/on at will (`setTradingEnabled`), functionally similar to a pause switch, controlled entirely by the authorized addresses
- Owner can renounce and transfer ownership
- Owner cannot mint additional tokens after launch
- Owner can set a maximum transaction limit
- Owner cannot block/blacklist specific users from trading



CONTRACTWOLF

Blockchain Security - Smart Contract Audits