

HTML to Mustache mappings

(working copy)

Basic mappings:

{{#badConfig}}	
{{/badConfig}}	
{{#badParam}}	
{{/badParam}}	
{{#badParam}}	
{{/badParam}}	
{{#block}}	<div>
{{/block}}	</div>
{{#blockQuote}}	<blockquote>
{{/blockQuote}}	</blockquote>
{{#code}}	<code>
{{/code}}	</code>
{{#csharpBlock}}	<pre class="brush: java;">
{{/csharpBlock}}	</pre>
{{#emphasize}}	<u>
{{/emphasize}}	</u>
{{#exampleText}}	
{{/exampleText}}	
{{#focus}}	
{{/focus}}	
{{#goodConfig}}	
{{/goodConfig}}	
{{#header}}	<h2>
{{/header}}	</h2>
{{#htmlBlock}}	<pre class="brush: html">
{{/htmlBlock}}	</pre>
{{#javaBlock}}	<pre class="brush: java">
{{/javaBlock}}	</pre>
{{#javascriptBlock}}	<pre class="brush: javascript">
{{/javascriptBlock}}	</pre>
{{#listElement}}	
{{/listElement}}	

{{#orderedList}}	
{{/orderedList}}	
{{#paragraph}}	<p>
{{/paragraph}}	</p>
{{#riskEvidence}}	<pre class="trace-risk-evidence">
{{/riskEvidence}}	</pre>
{{#table}}	<table>
{{/table}}	</table>
{{#tableBody}}	<tbody>
{{/tableBody}}	</tbody>
{{#tableCell}}	<td>
{{/tableCell}}	</td>
{{#tableCellAlt}}	<td class='alt'>
{{/tableCellAlt}}	</td>
{{#tableHeader}}	<thead>
{{/tableHeader}}	</thead>
{{#tableHeaderRow}}	<th>
{{/tableHeaderRow}}	</th>
{{#tableRow}}	<tr>
{{/tableRow}}	</tr>
{{#unorderedList}}	
{{/unorderedList}}	
{{#xmlBlock}}	<pre class="brush: xml">
{{/xmlBlock}}	</pre>
{{nl}}	
{{#link}}address\$\$LINK_DELIM\$\$text{{/link}}	{text}

Specific mappings:

Listings of instances where we implemented the maps we're not fully confident in.

Links

- [crypto-weak-random](#)
- [escape-templates-off](#)
- [insecure-auth-protocol](#)
- [session-rewriting](#)
- [spring-unchecked-autobinding](#)
- [unsafe-readline](#)
- [unsafe-xml-decode](#)
- [unvalidated-forward](#)

Lists

- insecure-auth-protocol
- session-rewriting
- weak-membership-config

Notes

<div class="noscroll">

We deleted every instance of `<div class="noscroll">` because it was too HTML specific.

This was done in the following rules:

- authorization-missing-deny
- autocomplete-missing-deny
- compilation-debug
- customer-errors-off
- event-validation-disabled
- forms-auth-protection
- forms-auth-redirect
- forms-auth-ssl
- header-checking-disabled
- http-only-disabled
- max-request-length
- plaintext-conn-strings
- request-validation-disabled
- role-manager-protection
- role-manager-ssl
- session-regenerate
- session-timeout
- trace-enabled
- trace-enabled-asp
- verb-tampering
- version-header-enabled
- viewstate-encryption-disabled
- viewstate-mac-disabled
- wcf-detect-replays
- wcf-exception-details
- wcf-metadata-enabled
- weak-membership-config

Misc:

weak-membership-config (risk):

- changed brush styling of the first block of code from html to xml
- changes all instance of `<` and `>` in this block to `<` and `>`;

TODO:

- cache-control-missing (ohgodwhy)
- reflected-xss needs some love