

Control Point 2026 redesign

A complete rundown of every change: what was rebuilt, and how. Control Point now runs in a new Modern experience by default, with every screen rebuilt on a shadcn/ui kit, while every workflow, permission, API and business rule stays exactly as it was. The original look remains one click away as “Classic”.

29

redesign pull requests (#24 – #55), each reviewed to 5/5 by Greptile

All

screens, dialogs and overlays rebuilt for Modern

684

automated tests in the frontend suite at the end (all pass except 2 Windows-only)

2

nullable database columns: the only schema change

Live at tryctrlpoint.org. Prepared October 6, 2026. Detailed per-phase notes, test lists and screenshots are in [docs/redesign/PROGRESS.md](#) and [docs/redesign/screenshots/](#); the original plan is [docs/redesign/README.md](#).

Contents

1. The brief and the rules
2. How it was built (architecture)
3. Foundation: kit, modes, shell, design language
4. Home and Inbox
5. Tasks, Calendar, Attendance
6. People and Settings
7. Bruno, Messages, Communication
8. Predict and Team Stats
9. Budget, Inventory, Outreach, Resources, CAD, Code
10. Owner console and QR check-in
11. Landing, sign-in and signup
12. Onboarding
13. Emails
14. Modern by default
15. Global overlays
16. Bugs fixed along the way
17. Testing and QA
18. Known limits and follow-ups

1. The brief and the rules

- **A complete refresh:** “I shouldn’t even know they are the same website.” No rebuilt page may be a 1:1 copy of the old one.
- **Keep everything that works:** every workflow, permission, API and rule stays the same. The old UI is a source of logic, not a target.
- **Build on shadcn/ui** (Radix primitives), with animation throughout that respects reduced motion.
- **Unsent work survives switching looks:** every form keeps its text through the shared draft store, with a mode-switch test per form.
- **Per-phase QA** at 1440 / 768 / 390 px, dark and light, no horizontal overflow, touch targets ≥ 44 px. (No real phone was available; phones were checked by emulation.)
- **Process for every change:** a branch and PR, Greptile review looped to 5/5 with zero open threads, merge, then deploy. Each phase appended its notes to `PROGRESS.md`.

2. How it was built

Two looks over one app

- **Interface modes:** `members.interface_mode` (per person, follows them to every workspace and device) and `teams.default_interface_mode` (a workspace default). Resolution: your choice → workspace default → Modern.
- **Instant switching:** an `InterfaceModeProvider` holds the mode in React state, saves it optimistically and rolls back on failure. The app re-renders the other shell on the same route with no reload, because all server data lives above both shells.
- **ByMode :** each route and overlay chooses its Classic or Modern component. Since Phase 9e every one has a Modern version, so the interim “Classic page inside the Modern shell” frame was deleted.

Shared controllers: one brain, two faces

- Each screen’s state and handlers were moved out of the Classic component into a hook (for example `useTasksController`, `useChatController`, `useCodeController`, `useOwnerConsole`, `useSignupForm`, `useCallView`).
- The Classic JSX was left untouched and now reads from the hook; the Modern page is a new layout over the *same* hook. Requests, request bodies, validation and permissions are therefore identical in both looks.

How: each extraction was mechanical: every name the old component declared is returned by the hook, so the old markup compiles unchanged. The Classic test suites kept passing after every extraction, which is the evidence nothing changed for Classic users.

The draft store, and the race-condition rules it led to

- `src/modern/drafts.ts`: a small observable store (`useDraft`, `getDraft`, `setDraft`, `deleteDraft`) that both looks read and write. Half-typed messages, open editors, pending attachments, Bruno replies and in-flight save locks all live there, so switching looks never drops work. It is cleared on sign-in, sign-out (401) and workspace switch.
 - **Epochs**: `clearDrafts()` bumps an epoch; async work wraps its write-backs in `inEpoch()`, so a reply or save that finishes after sign-out can't write into the next account.
 - **Rules applied everywhere** (most came out of review findings):
 - Save locks are drafted, and released only by the epoch that took them.
 - A finished save clears a draft only if it still equals what was submitted, so edits typed meanwhile are kept.
 - Loads are latest-wins, checked *after* the response body is read.
 - A failed delete restores only its own row, in its old position.
 - Results that land after a look switch reach the mounted page through small event buses (resources, CAD, code files, GitHub repo).
 - Session ids stop an old dialog's save from moving a newly opened one (setup wizard, CAD part editor).
-

3. Foundation: kit, modes, shell, design language

shadcn/ui kit #24

- Added `src/components/ui-kit`: shadcn components on Radix mapped to Control Point's tokens (Button, Card, Input, Dialog, Sheet, DropdownMenu, Popover, Tooltip, Tabs, Select, Switch, Checkbox, RadioGroup, ToggleGroup, Accordion, Command, Chart, Sonner toasts and more).
- **How**: shadcn source translated to the existing token names, so the light theme and per-team accent colour keep working.

Plan, modes and the Modern shell #25, #26

- The written plan (principles, per-screen redesign, phasing) and the Legacy/Modern mode system, including the two nullable columns.
- **Modern shell**: a calmer grouped sidebar, ⌘K command menu, account menu, bottom tabs on phones, one page header per page instead of a repeated top bar.

Design language, charts and motion #27

- Inter for UI and Space Grotesk for titles and big numbers; a 12–32 px type scale with nothing under 12 px; a 4 px spacing grid; radii 6 / 8 / 12 / 16.
 - Motion primitives (`Reveal`, `Stagger`), animated numbers (`AnimatedValue`) and one chart style; everything honours `prefers-reduced-motion`.
-

4. Home and Inbox #29

- **Home** for admins and members: greeting and date, a check-in control in the header (I'm here / Late / Out with a reason), **Needs attention** (missing check-in, overdue tasks, mentions, setup), Team pulse with an animated area chart, My work, an activity timeline, and a right rail (this week, season stats, Bruno briefing).

- **Inbox** (new page): every notification grouped by day, Unread/All, each row opens its source (mentions open the channel; task notifications now carry `task_id` and deep-link to the task).
 - **How:** shared hooks `useSelfReport`, `useMyWork`, `buildAttendanceSeries`; the server additively stores source ids in notification `meta`.
-

5. Tasks, Calendar, Attendance

Tasks #30

- Board / List / Insights views; search and assignee filters; a task sheet (bottom sheet on phones); an editor with Bruno quick-add and a searchable multi-assignee picker; bulk paste-import; a rebuilt proof-of-completion dialog; `/tasks?task=ID` deep links.
- Insights: completions over time and workload by person (animated).

Calendar #31

- Month / Week / Agenda with directional slide transitions, "Next up", an event sheet everyone can open (edit/delete only with the calendar permission), an editor sheet with Bruno quick-add that can create several events at once. Event types use colour tokens; dates use the browser locale.

Attendance #33

- Admins: Today / Grid / History / Insights tabs; members: a personal view. QR sessions and camera scanning moved into hooks (`useQrSession`, `useQrScanner`, `useStudentCheckin`).
 - **Fixes for both looks:** optimistic cells keyed per member *and* date; failed saves roll back; a successful student check-in no longer shows an error.
-

6. People and Settings

People: members, roles, workspaces #34

- Members directory with filters and a member sheet; a roles editor with the permission catalogue and optimistic per-member role toggles (with rollback); workspace create/edit/switch.

Unified Settings #36

- One page replaces the old Settings modal, `/profile` and `/settings`: Profile, Appearance (theme, layout, Classic/Modern), Calls & sounds, Bruno AI, Account & privacy, Workspace, Admin. Sections are addressable with `?section=.`

Security fix #37

- Message delete/edit is now gated server-side to the author and moderators.

7. Bruno, Messages, Communication

Bruno page #38 and ⌘J dock #39

- Honest “thinking steps” that list only what Bruno is actually given, collapsing to “Thought for Ns”; a streaming caret; **Stop** keeps the partial reply; a history rail; starter groups; attachments and paste-to-attach.
- The ⌘J dock sits beside any page; the conversation (messages, composer, in-flight request) survives a look switch.

Messages #40

- Channel list, conversation with reactions, a composer with drafted text and attachments, forward via a command dialog, and a people panel with call buttons.

Communication #41

- Email-style threads (“Conversations”) with Awaiting reply / Replied badges, filters, Bruno paste and email-file import; drafted forms; a late save no longer wipes newer edits.

8. Predict and Team Stats

- **Predict** #42: event chips, a stage stepper, a big animated chance-to-advance figure with a seed strip, alliance cards, a searchable field, a match list with win-odds bars, and an accuracy sheet with a calibration scatter. Clear states for warming up, no forecast, and “connect your FTC team”.
- **Team Stats · Compete** #43: a reusable `TeamProfile` (OPR, trends, event history) over the same scouting data hooks.
- **Team Stats · Analyze** #44: a finder (search, pinned / shortlist / recent chips, event chips), event field table, team detail, a side-sheet peek, match sheets and a shortlist board with drafted notes.

9. Operations and Build


- **Budget and Inventory** #45: a balance hero with a month-by-month cash-flow chart, spending by category, a month-grouped ledger with filters; inventory with stock status. Decimal amounts accepted (`step="any"`) while browser validation stays on.
- **Outreach** #46: an impact strip, an event timeline, YouTube channel cards with growth trend lines, and a Bruno bulk-log sheet. Bulk logs keep failed rows, stop when the account or workspace changes, and accept fractional hours.
- **Resources** #47: a Bruno “add links in bulk” composer with an editable preview, a searchable library with category chips, and Copy link (with a plain-HTTP fallback, `copyText`).
- **CAD** #48: documents, design reviews (status moves, comments), 3D snapshots, and the parts BOM with invoice import by Bruno. Cancelled invoice reads stop sending paid AI requests; a late save never closes another part’s editor.
- **Code** #49: the editor (lazy-loaded), drafts/main branches with auto-save, commit, history, compare and revert, file create/delete, and the GitHub repo panel. Saves are queued in order; a commit publishes exactly the text it captured; reverts run one at a time and drop older queued saves; results reach the page you return to after a look switch.

10. Owner console and QR check-in #50


- Owner console: overview, users (search, team filter, quick delete), AI control (usage, budgets, kill switch, timeouts), misuse flags (dismiss / warn / timeout / disable), feedback, and a user sheet (move workspace, delete).
 - QR check-in page with clear wrong-team and expired-session messages.
 - **How:** `useOwnerConsole`, `useFlagReview`, `useOwnerUser`, `useQrCheckin`; loads are latest-wins after the body is read; budget, warning, flag-note and move-destination drafts are cleared only if unchanged since sending.
-

11. Landing, sign-in and signup #51

- **New landing page:** a fixed glass bar, a centred hero over an animated “product window” (attendance ring, task ticks, next event, a cash-flow line drawn in), a bento grid, a three-step timeline, an FAQ and a closing call to action.
- **Split auth layout:** a living brand panel with rotating product highlights (pausable; still under reduced motion) and the form on the right.
- Sign-in (password toggle, only the providers enabled on the server), password reset dialog with a six-box code input (paste and one-time-code autofill work), role choice, signup with live FTC team verification, OAuth completion, email check, and a “workspace ready” dialog with a copyable code.
- **How:** signed-out screens follow the look this device last used; a “Use the Classic look” link on each. Shared hooks (`useTeamLookup`, `useSignupForm`, `useOAuthSignup`, `useVerifyEmail`, `useForgotPassword`); passwords are never drafted.




Modern landing, desktop




Admin signup with live FTC team verification

12. Onboarding #52

- **Welcome** dialog with an “Up next” timeline; **Setup** with a vertical stepper (profile, theme and the new Modern/Classic layout choice, tour, summary); **Tour** with a spotlight, a progress ring and a bottom sheet on phones.
- **How:** `useWalkthrough` and `useSetupWizard` engines shared with Classic. The setup step, name and role, and the tour step are drafted, so switching looks mid-setup or mid-tour carries on in place. “Leave setup?” is asked inside the dialog (the form behind it is inert).



Setup: theme and layout



Tour spotlight in the Modern shell

13. Emails #53

- A new shared email template: table-based with inline styles (Gmail, Outlook, Apple Mail), a hidden inbox preview line, a fixed-width wrapper for classic Outlook, and a footer saying why the email was sent.
- **Verification** shows the code as six tiles. **Password reset now has its own email** (it used to reuse the signup text). **Task assigned** shows a task card and an “Open your tasks” button. Every user-supplied field is still escaped.

14. Modern by default #54

- **The flip:** members without a saved choice, in workspaces without a default, now get Modern; new devices see the Modern landing. Any explicit choice still wins.
- **One name:** the old look is called “Classic” everywhere users see it.
- **No interim frame:** ByMode now requires a Modern page; the `.m-legacy` wrapper and its CSS are gone.
- Modern zero-team screen (create / join / delete account), a Modern “What’s new” dialog with a release rail, and changelog **v2.0.0 “Control Point, redesigned”**.

15. Global overlays #55

- Modern versions of everything that floats over every page: storage consent, feedback (drafted note and attachment), the install prompt, the mention toast, and calls: a floating call dock, an incoming-call dialog (with explicit “Leave & join”), and a full call stage with a bottom control dock and a People sheet.
- **How:** `useCookieConsent`, `useFeedbackForm`, `useInstallPrompt`, `useIncomingCall`, `useCallView` shared with Classic; the same voice engine, media and moderation rules.

16. Bugs fixed along the way

Area	Problem	Fix
Sign-out	Unsent drafts could leak into the next account	Drafts cleared on 401, sign-in and workspace switch; async writes wrapped in epochs

Saves everywhere	Double submits; an old save unlocking or clearing a newer one	Drafted locks released by their own epoch; clear-only-if-unchanged
Deletes	Rollback overwrote newer data or moved rows	Row-only restore in the original position
Attendance	Second click on another date overwrote a pending cell; failed saves stuck; false error after check-in	Per member+date keys, rollback, missing refresh wired
Code	Commits could publish older text; reverts could be undone by queued saves	Ordered save queue, captured snapshots, one revert at a time
CAD	Cancelled invoice reads kept spending AI calls	The read loop stops when cancelled or signed out
Auth	Reset email said “finish creating your account”; reset confirmation invisible in Modern	Separate reset email; Toaster on signed-out screens
Messages	Delete/edit not author-gated on the server	Authors and moderators only (#37)
Copy	Copy did nothing on plain HTTP	<code>copyText</code> fallback with an error when it fails

17. Testing and QA

- **Automated:** every Modern page has its own test file (request bodies match Classic, permissions, and a draft-survives-remount test). Every fix from review got a regression test that fails without the fix. The final frontend suite runs 684 tests; all pass except two FTC-cache tests that only fail on Windows.
- **Flaky tests fixed:** the Calendar quick-add / stale-reply and Bruno “Stop” tests now use load-safe timeouts.
- **Review:** Greptile reviewed every PR, looped until 5/5 with zero open threads before merging.
- **Manual QA:** local-only test accounts and data at 1440 / 768 / 390 px in dark and light: overflow scans, ≥ 44 px targets, look switches mid-form, and a 24-route sweep after the default flip. Screenshots in `docs/redesign/screenshots/`.
- **Deploys:** each merged phase was deployed with the deploy script, which verifies the site and the live bundle, and keeps a rollback copy.

18. Known limits and follow-ups

- No real phone was available; mobile layouts were verified with device emulation only (camera QR scanning in particular).
- The call UI was verified with automated tests; a live multi-person call was not run in QA.
- The two Windows-only FTC-cache test failures are an existing environment issue, unrelated to the redesign.
- The participant options menu in calls still uses the original menu component inside the Modern call stage.